

---

## **Annex A.2 26dB Bandwidth&99% Bandwidth**

## 26dB Bandwidth

### Antenna 1

#### 1. 802.11a\_20M\_U-NII-1\_L

##### 1.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5180                   | 26       | 0.2       | Peak     | 0           | 20.17606            | N/A     |



## 2. 802.11a\_20M\_U-NII-1\_M

### 2.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5220                   | 26       | 0.2       | Peak     | 0           | 20.14113            | N/A     |



### 3. 802.11a\_20M\_U-NII-1\_H

#### 3.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5240                   | 26       | 0.2       | Peak     | 0           | 20.168752           | N/A     |



#### 4. 802.11n\_20M\_U-NII-1\_L

##### 4.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5180                   | 26       | 0.2       | Peak     | 0           | 21.111135           | N/A     |



## 5. 802.11n\_20M\_U-NII-1\_M

### 5.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5220                   | 26       | 0.2       | Peak     | 0           | 21.124954           | N/A     |



## 6. 802.11n\_20M\_U-NII-1\_H

### 6.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5240                   | 26       | 0.2       | Peak     | 0           | 21.133599           | N/A     |



## 7. 802.11n\_40M\_U-NII-1\_L

### 7.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5190                   | 26       | 0.39      | Peak     | 0           | 41.90178            | N/A     |



## 8. 802.11n\_40M\_U-NII-1\_H

### 8.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5230                   | 26       | 0.39      | Peak     | 0           | 41.910722           | N/A     |



## 9. 802.11ac\_20M\_U-NII-1\_L

### 9.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5180                   | 26       | 0.2       | Peak     | 0           | 21.138869           | N/A     |



## 10. 802.11ac\_20M\_U-NII-1\_M

### 10.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5220                   | 26       | 0.2       | Peak     | 0           | 21.10418            | N/A     |



## 11. 802.11ac\_20M\_U-NII-1\_H

### 11.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5240                   | 26       | 0.2       | Peak     | 0           | 21.137452           | N/A     |



## 12. 802.11ac\_40M\_U-NII-1\_L

### 12.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5190                   | 26       | 0.39      | Peak     | 0           | 41.85282            | N/A     |



## 13. 802.11ac\_40M\_U-NII-1\_H

### 13.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5230                   | 26       | 0.39      | Peak     | 0           | 41.985638           | N/A     |



## 14. 802.11ac\_80M\_U-NII-1\_M

### 14.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5210                   | 26       | 0.82      | Peak     | 0           | 82.425168           | N/A     |



## 15. 802.11a\_20M\_U-NII-3\_L

### 15.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5745                   | 26       | 0.2       | Peak     | 0           | 25.128038           | N/A     |



## 16. 802.11a\_20M\_U-NII-3\_M

### 16.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5785                   | 26       | 0.2       | Peak     | 0           | 25.233117           | N/A     |



## 17. 802.11a\_20M\_U-NII-3\_H

### 17.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5825                   | 26       | 0.2       | Peak     | 0           | 25.35223            | N/A     |



## 18. 802.11n\_20M\_U-NII-3\_L

### 18.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5745                   | 26       | 0.2       | Peak     | 0           | 24.73658            | N/A     |



## 19. 802.11n\_20M\_U-NII-3\_M

### 19.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5785                   | 26       | 0.2       | Peak     | 0           | 24.78856            | N/A     |



## 20. 802.11n\_20M\_U-NII-3\_H

### 20.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5825                   | 26       | 0.2       | Peak     | 0           | 24.874301           | N/A     |



## 21. 802.11n\_40M\_U-NII-3\_L

### 21.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5755                   | 26       | 0.39      | Peak     | 0           | 64.907492           | N/A     |



## 22. 802.11n\_40M\_U-NII-3\_H

### 22.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5795                   | 26       | 0.39      | Peak     | 0           | 65.03316            | N/A     |



## 23. 802.11ac\_20M\_U-NII-3\_L

### 23.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5745                   | 26       | 0.2       | Peak     | 0           | 24.72956            | N/A     |



## 24. 802.11ac\_20M\_U-NII-3\_M

### 24.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5785                   | 26       | 0.2       | Peak     | 0           | 24.778839           | N/A     |



## 25. 802.11ac\_20M\_U-NII-3\_H

### 25.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5825                   | 26       | 0.2       | Peak     | 0           | 25.014903           | N/A     |



## 26. 802.11ac\_40M\_U-NII-3\_L

### 26.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5755                   | 26       | 0.39      | Peak     | 0           | 45.473436           | N/A     |



## 27. 802.11ac\_40M\_U-NII-3\_H

### 27.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5795                   | 26       | 0.39      | Peak     | 0           | 60.050007           | N/A     |



## 28. 802.11ac\_80M\_U-NII-3\_M

### 28.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5775                   | 26       | 0.82      | Peak     | 0           | 107.75726           | N/A     |



## Antenna 2

### 1. 802.11a\_20M\_U-NII-1\_L

#### 1.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5180                   | 26       | 0.2       | Peak     | 0           | 20.269843           | N/A     |



## 2. 802.11a\_20M\_U-NII-1\_M

### 2.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5220                   | 26       | 0.2       | Peak     | 0           | 20.261723           | N/A     |



### 3. 802.11a\_20M\_U-NII-1\_H

#### 3.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5240                   | 26       | 0.2       | Peak     | 0           | 20.252764           | N/A     |



## 4. 802.11n\_20M\_U-NII-1\_L

### 4.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5180                   | 26       | 0.2       | Peak     | 0           | 21.552533           | N/A     |



## 5. 802.11n\_20M\_U-NII-1\_M

### 5.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5220                   | 26       | 0.2       | Peak     | 0           | 21.502234           | N/A     |



## 6. 802.11n\_20M\_U-NII-1\_H

### 6.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5240                   | 26       | 0.2       | Peak     | 0           | 21.41876            | N/A     |



## 7. 802.11n\_40M\_U-NII-1\_L

### 7.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5190                   | 26       | 0.39      | Peak     | 0           | 41.90162            | N/A     |



## 8. 802.11n\_40M\_U-NII-1\_H

### 8.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5230                   | 26       | 0.39      | Peak     | 0           | 42.027069           | N/A     |



## 9. 802.11ac\_20M\_U-NII-1\_L

### 9.1. A.2-26dB Bandwidth(NTNV)


| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5180                   | 26       | 0.2       | Peak     | 0           | 21.588071           | N/A     |



## 10. 802.11ac\_20M\_U-NII-1\_M

### 10.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5220                   | 26       | 0.2       | Peak     | 0           | 21.565991           | N/A     |



## 11. 802.11ac\_20M\_U-NII-1\_H

### 11.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5240                   | 26       | 0.2       | Peak     | 0           | 21.645468           | N/A     |



## 12. 802.11ac\_40M\_U-NII-1\_L

### 12.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5190                   | 26       | 0.39      | Peak     | 0           | 41.991593           | N/A     |



## 13. 802.11ac\_40M\_U-NII-1\_H

### 13.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5230                   | 26       | 0.39      | Peak     | 0           | 41.967439           | N/A     |



## 14. 802.11ac\_80M\_U-NII-1\_M

### 14.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5210                   | 26       | 0.82      | Peak     | 0           | 82.94347            | N/A     |



## 15. 802.11a\_20M\_U-NII-3\_L

### 15.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5745                   | 26       | 0.2       | Peak     | 0           | 32.51072            | N/A     |



## 16. 802.11a\_20M\_U-NII-3\_M

### 16.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5785                   | 26       | 0.2       | Peak     | 0           | 34.441591           | N/A     |



## 17. 802.11a\_20M\_U-NII-3\_H

### 17.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5825                   | 26       | 0.2       | Peak     | 0           | 33.299688           | N/A     |



## 18. 802.11n\_20M\_U-NII-3\_L

### 18.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5745                   | 26       | 0.2       | Peak     | 0           | 29.599937           | N/A     |



## 19. 802.11n\_20M\_U-NII-3\_M

### 19.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5785                   | 26       | 0.2       | Peak     | 0           | 31.068969           | N/A     |



## 20. 802.11n\_20M\_U-NII-3\_H

### 20.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5825                   | 26       | 0.2       | Peak     | 0           | 33.563985           | N/A     |



## 21. 802.11n\_40M\_U-NII-3\_L

### 21.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5755                   | 26       | 0.39      | Peak     | 0           | 68.131317           | N/A     |



## 22. 802.11n\_40M\_U-NII-3\_H

### 22.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5795                   | 26       | 0.39      | Peak     | 0           | 74.387871           | N/A     |



## 23. 802.11ac\_20M\_U-NII-3\_L

### 23.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5745                   | 26       | 0.2       | Peak     | 0           | 33.162261           | N/A     |



## 24. 802.11ac\_20M\_U-NII-3\_M

### 24.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5785                   | 26       | 0.2       | Peak     | 0           | 35.509365           | N/A     |



## 25. 802.11ac\_20M\_U-NII-3\_H

### 25.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5825                   | 26       | 0.2       | Peak     | 0           | 35.506961           | N/A     |



## 26. 802.11ac\_40M\_U-NII-3\_L

### 26.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5755                   | 26       | 0.39      | Peak     | 0           | 69.686857           | N/A     |



## 27. 802.11ac\_40M\_U-NII-3\_H

### 27.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5795                   | 26       | 0.39      | Peak     | 0           | 74.403887           | N/A     |



## 28. 802.11ac\_80M\_U-NII-3\_M

### 28.1. A.2-26dB Bandwidth(NTNV)

| Center Frequency (MHz) | XdB Down | RBW (MHz) | Detector | Limit (MHz) | XdB BandWidth (MHz) | Verdict |
|------------------------|----------|-----------|----------|-------------|---------------------|---------|
| 5775                   | 26       | 0.82      | Peak     | 0           | 132.95409           | N/A     |



## 99% Bandwidth

### Antenna 1

#### 1. 802.11a\_20M\_U-NII-1\_L

##### 1.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) | Verdict |
|------------------------|---------------|-----------|----------|-------------|-----------|---------|
| 5180                   | 99            | 0.2       | Peak     | 0           | 16.574737 | N/A     |



## 2. 802.11a\_20M\_U-NII-1\_M

### 2.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 16.575358 |  | N/A     |



### 3. 802.11a\_20M\_U-NII-1\_H

#### 3.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 16.576526 |  | N/A     |



## 4. 802.11n\_20M\_U-NII-1\_L

### 4.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5180                   | 99            |  | 0.2       | Peak     | 0           | 17.678298 |  | N/A     |



## 5. 802.11n\_20M\_U-NII-1\_M

### 5.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 17.681526 |  | N/A     |



## 6. 802.11n\_20M\_U-NII-1\_H

### 6.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 17.67854  |  | N/A     |



## 7. 802.11n\_40M\_U-NII-1\_L

### 7.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5190                   | 99            |  | 0.39      | Peak     | 0           | 36.212016 |  | N/A     |



## 8. 802.11n\_40M\_U-NII-1\_H

### 8.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5230                   | 99            |  | 0.39      | Peak     | 0           | 36.21622  |  | N/A     |



## 9. 802.11ac\_20M\_U-NII-1\_L

### 9.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5180                   | 99            |  | 0.2       | Peak     | 0           | 17.69479  |  | N/A     |



## 10. 802.11ac\_20M\_U-NII-1\_M

### 10.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 17.69735  |  | N/A     |



## 11. 802.11ac\_20M\_U-NII-1\_H

### 11.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 17.695824 |  | N/A     |



## 12. 802.11ac\_40M\_U-NII-1\_L

### 12.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5190                   | 99            |  | 0.39      | Peak     | 0           | 36.211636 |  | N/A     |



### 13. 802.11ac\_40M\_U-NII-1\_H

#### 13.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5230                   | 99            |  | 0.39      | Peak     | 0           | 36.21869  |  | N/A     |



## 14. 802.11ac\_80M\_U-NII-1\_M

### 14.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5210                   | 99            |  | 0.82      | Peak     | 0           | 75.776662 |  | N/A     |



## 15. 802.11a\_20M\_U-NII-3\_L

### 15.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 16.709725 |  | N/A     |



## 16. 802.11a\_20M\_U-NII-3\_M

### 16.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 16.750646 |  | N/A     |



## 17. 802.11a\_20M\_U-NII-3\_H

### 17.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 16.763297 |  | N/A     |



## 18. 802.11n\_20M\_U-NII-3\_L

### 18.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 17.79179  |  | N/A     |



## 19. 802.11n\_20M\_U-NII-3\_M

### 19.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 17.838606 |  | N/A     |



## 20. 802.11n\_20M\_U-NII-3\_H

### 20.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 17.867288 |  | N/A     |



## 21. 802.11n\_40M\_U-NII-3\_L

### 21.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5755                   | 99            |  | 0.39      | Peak     | 0           | 36.455163 |  | N/A     |



## 22. 802.11n\_40M\_U-NII-3\_H

### 22.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5795                   | 99            |  | 0.39      | Peak     | 0           | 36.514288 |  | N/A     |



## 23. 802.11ac\_20M\_U-NII-3\_L

### 23.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 17.805003 |  | N/A     |



## 24. 802.11ac\_20M\_U-NII-3\_M

### 24.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 17.844024 |  | N/A     |



## 25. 802.11ac\_20M\_U-NII-3\_H

### 25.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 17.870128 |  | N/A     |



## 26. 802.11ac\_40M\_U-NII-3\_L

### 26.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5755                   | 99            |  | 0.39      | Peak     | 0           | 36.390135 |  | N/A     |



## 27. 802.11ac\_40M\_U-NII-3\_H

### 27.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5795                   | 99            |  | 0.39      | Peak     | 0           | 36.512434 |  | N/A     |



## 28. 802.11ac\_80M\_U-NII-3\_M

### 28.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5775                   | 99            |  | 0.82      | Peak     | 0           | 76.237441 |  | N/A     |



## Antenna 2

### 1. 802.11a\_20M\_U-NII-1\_L

#### 1.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) | Verdict |
|------------------------|---------------|-----------|----------|-------------|-----------|---------|
| 5180                   | 99            | 0.2       | Peak     | 0           | 16.591244 | N/A     |



## 2. 802.11a\_20M\_U-NII-1\_M

### 2.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 16.592044 |  | N/A     |



### 3. 802.11a\_20M\_U-NII-1\_H

#### 3.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 16.593063 |  | N/A     |





## 5. 802.11n\_20M\_U-NII-1\_M

### 5.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 17.699338 |  | N/A     |



## 6. 802.11n\_20M\_U-NII-1\_H

### 6.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 17.700424 |  | N/A     |



## 7. 802.11n\_40M\_U-NII-1\_L

### 7.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5190                   | 99            |  | 0.39      | Peak     | 0           | 36.244165 |  | N/A     |



## 8. 802.11n\_40M\_U-NII-1\_H

### 8.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5230                   | 99            |  | 0.39      | Peak     | 0           | 36.260237 |  | N/A     |



## 9. 802.11ac\_20M\_U-NII-1\_L

### 9.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5180                   | 99            |  | 0.2       | Peak     | 0           | 17.717425 |  | N/A     |



## 10. 802.11ac\_20M\_U-NII-1\_M

### 10.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5220                   | 99            |  | 0.2       | Peak     | 0           | 17.718244 |  | N/A     |



## 11. 802.11ac\_20M\_U-NII-1\_H

### 11.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5240                   | 99            |  | 0.2       | Peak     | 0           | 17.724488 |  | N/A     |



## 12. 802.11ac\_40M\_U-NII-1\_L

### 12.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5190                   | 99            |  | 0.39      | Peak     | 0           | 36.239282 |  | N/A     |



## 13. 802.11ac\_40M\_U-NII-1\_H

### 13.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5230                   | 99            |  | 0.39      | Peak     | 0           | 36.25085  |  | N/A     |



## 14. 802.11ac\_80M\_U-NII-1\_M

### 14.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5210                   | 99            |  | 0.82      | Peak     | 0           | 75.79827  |  | N/A     |



## 15. 802.11a\_20M\_U-NII-3\_L

### 15.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 17.386558 |  | N/A     |



## 16. 802.11a\_20M\_U-NII-3\_M

### 16.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 17.736375 |  | N/A     |



## 17. 802.11a\_20M\_U-NII-3\_H

### 17.1. A.2.2-99% Bandwidth(NTNV)


| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 17.403369 |  | N/A     |



## 18. 802.11n\_20M\_U-NII-3\_L

### 18.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 17.897808 |  | N/A     |



## 19. 802.11n\_20M\_U-NII-3\_M

### 19.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 18.077205 |  | N/A     |



## 20. 802.11n\_20M\_U-NII-3\_H

### 20.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 18.23912  |  | N/A     |



## 21. 802.11n\_40M\_U-NII-3\_L

### 21.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5755                   | 99            |  | 0.39      | Peak     | 0           | 36.826323 |  | N/A     |



## 22. 802.11n\_40M\_U-NII-3\_H

### 22.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5795                   | 99            |  | 0.39      | Peak     | 0           | 37.198581 |  | N/A     |



## 23. 802.11ac\_20M\_U-NII-3\_L

### 23.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5745                   | 99            |  | 0.2       | Peak     | 0           | 18.064086 |  | N/A     |



## 24. 802.11ac\_20M\_U-NII-3\_M

### 24.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5785                   | 99            |  | 0.2       | Peak     | 0           | 18.285236 |  | N/A     |



## 25. 802.11ac\_20M\_U-NII-3\_H

### 25.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5825                   | 99            |  | 0.2       | Peak     | 0           | 18.279754 |  | N/A     |



## 26. 802.11ac\_40M\_U-NII-3\_L

### 26.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5755                   | 99            |  | 0.39      | Peak     | 0           | 36.903076 |  | N/A     |



## 27. 802.11ac\_40M\_U-NII-3\_H

### 27.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5795                   | 99            |  | 0.39      | Peak     | 0           | 37.189086 |  | N/A     |



## 28. 802.11ac\_80M\_U-NII-3\_M

### 28.1. A.2.2-99% Bandwidth(NTNV)

| Center Frequency (MHz) | OBW Power (%) |  | RBW (MHz) | Detector | Limit (MHz) | OBW (MHz) |  | Verdict |
|------------------------|---------------|--|-----------|----------|-------------|-----------|--|---------|
| 5775                   | 99            |  | 0.82      | Peak     | 0           | 80.181239 |  | N/A     |



--BLANK BELOW--