



AAA Tablet PC Technology Co.,Ltd.**Model: E-Calendar****FCC ID:2AYQG-CALENDAR****1. Duty Cycle**


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	100	0	0
NVNT	a	5785	Ant1	100	0	0
NVNT	a	5825	Ant1	100	0	0
NVNT	n20	5745	Ant1	100	0	0
NVNT	n20	5785	Ant1	100	0	0
NVNT	n20	5825	Ant1	100	0	0
NVNT	n40	5755	Ant1	100	0	0
NVNT	n40	5795	Ant1	100	0	0
NVNT	ac20	5745	Ant1	100	0	0
NVNT	ac20	5785	Ant1	100	0	0
NVNT	ac20	5825	Ant1	100	0	0
NVNT	ac40	5755	Ant1	100	0	0
NVNT	ac40	5795	Ant1	100	0	0




Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1




Duty Cycle NVNT n40 5755MHz Ant1




Duty Cycle NVNT n40 5795MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1



Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1

2. Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	10.85	0	10.85	30	Pass
NVNT	a	5785	Ant1	11.82	0	11.82	30	Pass
NVNT	a	5825	Ant1	11.37	0	11.37	30	Pass
NVNT	n20	5745	Ant1	11.22	0	11.22	30	Pass
NVNT	n20	5785	Ant1	11.78	0	11.78	30	Pass
NVNT	n20	5825	Ant1	11.41	0	11.41	30	Pass
NVNT	n40	5755	Ant1	10.92	0	10.92	30	Pass
NVNT	n40	5795	Ant1	11.22	0	11.22	30	Pass
NVNT	ac20	5745	Ant1	10.59	0	10.59	30	Pass
NVNT	ac20	5785	Ant1	11.39	0	11.39	30	Pass
NVNT	ac20	5825	Ant1	11.12	0	11.12	30	Pass
NVNT	ac40	5755	Ant1	11.03	0	11.03	30	Pass
NVNT	ac40	5795	Ant1	11.34	0	11.34	30	Pass




Power NVNT a 5745MHz Ant1




Power NVNT a 5785MHz Ant1




Power NVNT a 5825MHz Ant1




Power NVNT n20 5745MHz Ant1




Power NVNT n20 5785MHz Ant1




Power NVNT n20 5825MHz Ant1




Power NVNT n40 5755MHz Ant1




Power NVNT n40 5795MHz Ant1




Power NVNT ac20 5745MHz Ant1




Power NVNT ac20 5785MHz Ant1



Power NVNT ac20 5825MHz Ant1




Power NVNT ac40 5755MHz Ant1




Power NVNT ac40 5795MHz Ant1

3. -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.547	0.5	Pass
NVNT	a	5785	Ant1	16.515	0.5	Pass
NVNT	a	5825	Ant1	16.506	0.5	Pass
NVNT	n20	5745	Ant1	17.746	0.5	Pass
NVNT	n20	5785	Ant1	17.724	0.5	Pass
NVNT	n20	5825	Ant1	17.708	0.5	Pass
NVNT	n40	5755	Ant1	36.441	0.5	Pass
NVNT	n40	5795	Ant1	36.441	0.5	Pass
NVNT	ac20	5745	Ant1	17.707	0.5	Pass
NVNT	ac20	5785	Ant1	17.728	0.5	Pass
NVNT	ac20	5825	Ant1	17.722	0.5	Pass
NVNT	ac40	5755	Ant1	36.433	0.5	Pass
NVNT	ac40	5795	Ant1	36.442	0.5	Pass




-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1




-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1




-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1



-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1




-6dB Bandwidth NVNT ac40 5795MHz Ant1

4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	17.327
NVNT	a	5785	Ant1	17.491
NVNT	a	5825	Ant1	17.275
NVNT	n20	5745	Ant1	18.555
NVNT	n20	5785	Ant1	18.151
NVNT	n20	5825	Ant1	18.068
NVNT	n40	5755	Ant1	36.834
NVNT	n40	5795	Ant1	36.732
NVNT	ac20	5745	Ant1	18.315
NVNT	ac20	5785	Ant1	18.104
NVNT	ac20	5825	Ant1	18.083
NVNT	ac40	5755	Ant1	36.863
NVNT	ac40	5795	Ant1	36.679




OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1




OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1



OBW NVNT ac20 5825MHz Ant1





OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5795MHz Ant1


5. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-1	0	-1	30	Pass
NVNT	a	5785	Ant1	-1.77	0	-1.77	30	Pass
NVNT	a	5825	Ant1	-1.54	0	-1.54	30	Pass
NVNT	n20	5745	Ant1	-1.35	0	-1.35	30	Pass
NVNT	n20	5785	Ant1	-0.64	0	-0.64	30	Pass
NVNT	n20	5825	Ant1	-0.9	0	-0.9	30	Pass
NVNT	n40	5755	Ant1	-4.57	0	-4.57	30	Pass
NVNT	n40	5795	Ant1	-3.99	0	-3.99	30	Pass
NVNT	ac20	5745	Ant1	-0.66	0	-0.66	30	Pass
NVNT	ac20	5785	Ant1	-0.23	0	-0.23	30	Pass
NVNT	ac20	5825	Ant1	-0.84	0	-0.84	30	Pass
NVNT	ac40	5755	Ant1	-3.86	0	-3.86	30	Pass
NVNT	ac40	5795	Ant1	-3.69	0	-3.69	30	Pass







PSD NVNT a 5825MHz Ant1




PSD NVNT n20 5745MHz Ant1




PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1




PSD NVNT n40 5755MHz Ant1





PSD NVNT n40 5795MHz Ant1




PSD NVNT ac20 5745MHz Ant1



PSD NVNT ac20 5785MHz Ant1





PSD NVNT ac40 5795MHz Ant1