

KB64A/B/C
Antenna Specification

Revision 1.0.0
Oct. 27th, 2016

Revision History

Revision	Date	Description
V1.0.0	2016/Oct/27	Initial release

Content

1. Module Antenna.....	4
2. Coordinate System and Test Environment	5
2.1 List Of Test Equipments	5
2.2 Environmental Conditions	5
2.3 Coordinate System and Setup	5
3. Measurement Result.....	7
3.1 2D Radiation Pattern	7
3.2 3D Radiation Pattern	9
3.3 Power Gain Result.....	12
4. Reference Documents	13
5. DISCLAIMER	14

1. Module Antenna

Frequency: 2400MHz ~ 2483.5MHz

Antenna Type: PCB antenna

Impedance: 50ohm




Fig 1. Dimension of KB64ABC Antenna

2. Coordinate System and Test Environment

2.1 List Of Test Equipments

No.	Type	Specification
1	E5071B Vector Network Analyzer	Manufacturer: Agilent
2	4*4*4 Full Anechoic Chamber	Manufacturer: Satimo
3	Antenna Measurement System	Manufacturer: Satimo

2.2 Environmental Conditions

Test Environment Conditions:

Relative Humidity:	25... 75%
Temperature:	+10 Degree of C to +30 Degree of C

2.3 Coordinate System and Setup




Fig 2. Measurement coordinate system



Fig 3. DUT in Test Environment





Fig 4. EUT front and back

3. Measurement Result

3.1 2D Radiation Pattern

3.1.1 Phi = 0 Degree




Fig 5. 2D Radiation Pattern Phi = 0 Degree 2400MHz to 2500MHz

3.1.2 Phi = 90 Degree




Fig 6. 2D Radiation Pattern Phi = 90 Degree 2400MHz to 2500MHz

3.1.3 Theta = 90 Degree




Fig 7. 2D Radiation Pattern Theta = 90 Degree 2400MHz to 2500MHz

3.2 3D Radiation Pattern

3.2.1 Test Result in 2402MHz




Fig 8. 3D Radiation Pattern in 2402MHz

3.2.2 Test result in 2440MHz




Fig 9. 3D Radiation Pattern in 2440MHz

3.2.3 Test Result in 2480MHz




Fig 10. 3D Radiation Pattern in 2480MHz

3.3 Power Gain Result

Frequency	Gain (dBi)
2402MHz	0.11
2440MHz	-0.32
2480MHz	-1.02

4. Reference Documents

No	Identity	Document Title
1	IEEE149-1979	IEEE Standard Test Procedure

5. DISCLAIMER

The information appearing in this publication is believed to be accurate.

Integrated circuits sold by KIRCHHOFF TECHNOLOGY CO., LTD are covered by the warranty and patent indemnification provisions stipulated in the terms of sale only. KIRCHHOFF TECHNOLOGY CO., LTD makes no warranty, expressed, statutory implied or by description regarding the information in this publication or regarding the freedom of the described chip(s) from patent infringement. FURTHERMORE, KIRCHHOFF TECHNOLOGY CO., LTD MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE. KIRCHHOFF TECHNOLOGY CO., LTD reserves the right to halt production or alter the specifications and prices at any time without notice. Accordingly, the reader is cautioned to verify that the data sheets and other information in this publication are current before placing orders. Products described herein are intended for use in normal commercial applications. Applications involving unusual environmental or reliability requirements, e.g. military equipment or medical life support equipment, are specifically not recommended without additional processing by KIRCHHOFF TECHNOLOGY CO., LTD for such applications. Please note that application circuits illustrated in this document are for reference purposes only.



TEL: +886-3-5555223

FAX: +886-3-5555221

Email: support@kh-enterprise.com

Web: <http://www.kh-enterprise.com>

Kirchhoff Technology Co., Ltd reserves the right to change this documentation without prior notice. Kirchhoff Technology Co., Ltd. is believed to be accurate and reliable. However, Kirchhoff Technology Co., Ltd makes no warranty for any errors which may appear in this document. Contact the Kirchhoff Technology Co., Ltd to obtain the latest version of device specifications before placing your order. No responsibility is assumed by Kirchhoff Technology Co., Ltd for any infringement of patent or other rights of third parties which may result from its use. In addition, Kirchhoff Technology Co., Ltd's products are not authorized for use as critical components in life support devices/ systems or aviation devices/systems, where a malfunction or failure of the product may reasonably be expected to result in significant injury to the user, without the express written approval of Kirchhoff Technology Co., Ltd.