


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8532G	58.42	88.20	-29.78	51.82	3	Horizontal	316	2.06	-	34.31	7.23	34.94
AV	5.9208G	48.37	68.20	-19.83	41.52	3	Horizontal	316	2.06	-	34.54	7.26	34.95
PK	6.4772G	116.44	Inf	-Inf	109.23	3	Horizontal	316	2.06	-	34.60	7.64	35.03
AV	6.472G	105.78	Inf	-Inf	98.57	3	Horizontal	316	2.06	-	34.60	7.64	35.03
PK	7.1324G	60.85	88.20	-27.35	51.39	3	Horizontal	316	2.06	-	35.96	8.56	35.06
AV	7.1272G	51.27	68.20	-16.93	41.83	3	Horizontal	316	2.06	-	35.95	8.55	35.06

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97492G	58.47	88.20	-29.73	47.82	3	Vertical	30	2.20	-	39.45	13.88	42.68
RMS	12.97396G	45.33	68.20	-22.87	34.68	3	Vertical	30	2.20	-	39.45	13.88	42.68

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96508G	58.91	88.20	-29.29	48.29	3	Horizontal	114	1.87	-	39.43	13.87	42.68
RMS	12.974G	45.43	68.20	-22.77	34.78	3	Horizontal	114	1.87	-	39.45	13.88	42.68

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45814G	45.98	83.54	-37.56	42.61	1	Vertical	148	1.53	-	37.68	17.04	51.35
AV	19.45458G	32.45	63.54	-31.09	29.08	1	Vertical	148	1.53	-	37.68	17.04	51.35

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45166G	45.83	83.54	-37.71	42.45	1	Horizontal	124	1.54	-	37.68	17.04	51.34
AV	19.45172G	32.41	63.54	-31.13	29.03	1	Horizontal	124	1.54	-	37.68	17.04	51.34

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 20
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9192G	61.08	88.20	-27.12	54.23	3	Vertical	94	1.80	-	34.54	7.26	34.95
RMS	5.9244G	50.21	68.20	-17.99	43.35	3	Vertical	94	1.80	-	34.55	7.26	34.95
PK	6.5302G	119.14	Inf	-Inf	111.72	3	Vertical	94	1.80	-	34.78	7.67	35.03
RMS	6.5328G	109.60	Inf	-Inf	102.16	3	Vertical	94	1.80	-	34.80	7.67	35.03
PK	7.1282G	62.93	88.20	-25.27	53.47	3	Vertical	94	1.80	-	35.96	8.56	35.06
RMS	7.1542G	52.05	68.20	-16.15	42.48	3	Vertical	94	1.80	-	36.03	8.61	35.07

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 20
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8932G	59.08	88.20	-29.12	52.31	3	Horizontal	308	2.01	-	34.47	7.25	34.95
RMS	5.9244G	48.93	68.20	-19.27	42.07	3	Horizontal	308	2.01	-	34.55	7.26	34.95
PK	6.5406G	115.66	Inf	-Inf	108.18	3	Horizontal	308	2.01	-	34.84	7.67	35.03
RMS	6.5406G	105.45	Inf	-Inf	97.97	3	Horizontal	308	2.01	-	34.84	7.67	35.03
PK	7.1282G	61.41	88.20	-26.79	51.95	3	Horizontal	308	2.01	-	35.96	8.56	35.06
RMS	7.175G	51.74	68.20	-16.46	42.02	3	Horizontal	308	2.01	-	36.15	8.65	35.08

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0468G	59.23	88.20	-28.97	48.36	3	Vertical	208	1.44	-	39.59	13.94	42.66
RMS	13.04124G	45.80	68.20	-22.40	34.95	3	Vertical	208	1.44	-	39.58	13.93	42.66

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04664G	59.09	88.20	-29.11	48.22	3	Horizontal	115	1.06	-	39.59	13.94	42.66
RMS	13.05108G	45.89	68.20	-22.31	35.01	3	Horizontal	115	1.06	-	39.60	13.94	42.66

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57482G	45.85	83.54	-37.69	42.56	1	Vertical	195	1.50	-	37.67	17.09	51.47
AV	19.57068G	33.10	63.54	-30.44	29.82	1	Vertical	195	1.50	-	37.67	17.08	51.47

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57848G	46.02	83.54	-37.52	42.74	1	Horizontal	42	1.56	-	37.67	17.09	51.48
AV	19.57702G	32.90	63.54	-30.64	29.62	1	Horizontal	42	1.56	-	37.67	17.09	51.48

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	59.17	88.20	-29.03	52.31	3	Vertical	90	1.91	-	34.55	7.26	34.95
RMS	5.9228G	48.53	68.20	-19.67	41.67	3	Vertical	90	1.91	-	34.55	7.26	34.95
PK	6.5702G	120.07	Inf	-Inf	112.43	3	Vertical	90	1.91	-	34.98	7.69	35.03
RMS	6.5494G	109.75	Inf	-Inf	102.21	3	Vertical	90	1.91	-	34.90	7.67	35.03
PK	7.202G	63.04	88.20	-25.16	53.12	3	Vertical	90	1.91	-	36.31	8.70	35.09
RMS	7.1942G	52.39	68.20	-15.81	42.52	3	Vertical	90	1.91	-	36.27	8.69	35.09

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9176G	57.80	88.20	-30.40	50.95	3	Horizontal	311	2.14	-	34.54	7.26	34.95
RMS	5.9228G	48.33	68.20	-19.87	41.47	3	Horizontal	311	2.14	-	34.55	7.26	34.95
PK	6.5572G	115.65	Inf	-Inf	108.07	3	Horizontal	311	2.14	-	34.93	7.68	35.03
RMS	6.5624G	105.37	Inf	-Inf	97.77	3	Horizontal	311	2.14	-	34.95	7.68	35.03
PK	7.189G	61.97	88.20	-26.23	52.15	3	Horizontal	311	2.14	-	36.23	8.68	35.09
RMS	7.2124G	51.95	68.20	-16.25	41.98	3	Horizontal	311	2.14	-	36.37	8.70	35.10

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12076G	59.54	88.20	-28.66	48.50	3	Vertical	180	1.87	-	39.72	14.00	42.68
RMS	13.1302G	45.67	68.20	-22.53	34.62	3	Vertical	180	1.87	-	39.73	14.00	42.68

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12208G	59.43	88.20	-28.77	48.39	3	Horizontal	300	2.81	-	39.72	14.00	42.68
RMS	13.1304G	45.64	68.20	-22.56	34.59	3	Horizontal	300	2.81	-	39.73	14.00	42.68

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6988G	45.48	83.54	-38.06	42.32	1	Vertical	48	1.54	-	37.62	17.14	51.60
AV	19.6947G	32.50	63.54	-31.04	29.34	1	Vertical	48	1.54	-	37.62	17.13	51.59

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69198G	46.04	83.54	-37.50	42.88	1	Horizontal	22	1.57	-	37.62	17.13	51.59
AV	19.69486G	32.41	63.54	-31.13	29.25	1	Horizontal	22	1.57	-	37.62	17.13	51.59

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6674G	120.55	Inf	-Inf	112.47	3	Vertical	355	1.33	-	35.33	7.77	35.02
RMS	6.7026G	110.95	Inf	-Inf	102.76	3	Vertical	355	1.33	-	35.41	7.80	35.02
PK	7.213G	62.71	88.20	-25.49	52.73	3	Vertical	355	1.33	-	36.38	8.70	35.10
RMS	7.2328G	52.12	68.20	-16.08	42.03	3	Vertical	355	1.33	-	36.50	8.70	35.11

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6982G	115.47	Inf	-Inf	107.29	3	Horizontal	317	2.48	-	35.40	7.80	35.02
RMS	6.7004G	105.15	Inf	-Inf	96.97	3	Horizontal	317	2.48	-	35.40	7.80	35.02
PK	7.1844G	61.99	88.20	-26.21	52.19	3	Horizontal	317	2.48	-	36.21	8.67	35.08
RMS	7.235G	52.01	68.20	-16.19	41.91	3	Horizontal	317	2.48	-	36.51	8.70	35.11

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3684G	60.02	74.00	-13.98	48.39	3	Vertical	2	1.08	-	40.17	14.19	42.73
AV	13.3776G	45.67	54.00	-8.33	34.02	3	Vertical	2	1.08	-	40.18	14.20	42.73

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37436G	59.21	74.00	-14.79	47.57	3	Horizontal	299	1.26	-	40.17	14.20	42.73
AV	13.372G	45.68	54.00	-8.32	34.04	3	Horizontal	299	1.26	-	40.17	14.20	42.73

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05654G	45.91	83.54	-37.63	43.09	1	Vertical	299	1.58	-	37.45	17.28	51.91
AV	20.05974G	32.38	63.54	-31.16	29.55	1	Vertical	299	1.58	-	37.45	17.29	51.91

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05972G	46.38	83.54	-37.16	43.55	1	Horizontal	334	1.50	-	37.45	17.29	51.91
AV	20.05654G	32.48	63.54	-31.06	29.66	1	Horizontal	334	1.50	-	37.45	17.28	51.91

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8626G	110.74	Inf	-Inf	102.12	3	Vertical	178	1.78	-	35.60	8.03	35.01
RMS	6.853G	100.59	Inf	-Inf	91.99	3	Vertical	178	1.78	-	35.60	8.01	35.01
PK	7.1538G	66.03	88.20	-22.17	56.47	3	Vertical	178	1.78	-	36.02	8.61	35.07
RMS	7.149G	55.54	68.20	-12.66	46.01	3	Vertical	178	1.78	-	36.00	8.60	35.07

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 20
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.853G	104.21	Inf	-Inf	95.61	3	Horizontal	290	2.96	-	35.60	8.01	35.01
RMS	6.8578G	94.30	Inf	-Inf	85.69	3	Horizontal	290	2.96	-	35.60	8.02	35.01
PK	7.2354G	62.09	88.20	-26.11	51.99	3	Horizontal	290	2.96	-	36.51	8.70	35.11
RMS	7.205G	51.96	68.20	-16.24	42.02	3	Horizontal	290	2.96	-	36.33	8.70	35.09

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6894G	60.30	88.20	-27.90	47.92	3	Vertical	97	1.74	-	40.58	14.45	42.65
RMS	13.6802G	46.66	68.20	-21.54	34.31	3	Vertical	97	1.74	-	40.56	14.44	42.65

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6936G	60.43	88.20	-27.77	48.03	3	Horizontal	341	1.25	-	40.59	14.45	42.64
AV	13.68304G	46.66	68.20	-21.54	34.29	3	Horizontal	341	1.25	-	40.57	14.45	42.65

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53634G	46.44	83.54	-37.10	43.25	1	Vertical	43	1.57	-	37.71	17.49	52.01
AV	20.53258G	32.79	63.54	-30.75	29.60	1	Vertical	43	1.57	-	37.71	17.49	52.01

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53584G	47.00	83.54	-36.54	43.81	1	Horizontal	333	1.50	-	37.71	17.49	52.01
AV	20.53912G	32.85	63.54	-30.69	29.65	1	Horizontal	333	1.50	-	37.72	17.49	52.01

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 20
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8682G	110.95	Inf	-Inf	102.32	3	Vertical	178	1.81	-	35.60	8.04	35.01
RMS	6.8878G	100.57	Inf	-Inf	91.90	3	Vertical	178	1.81	-	35.60	8.08	35.01
PK	7.1944G	66.02	88.20	-22.18	56.15	3	Vertical	178	1.81	-	36.27	8.69	35.09
RMS	7.2G	55.84	68.20	-12.36	45.93	3	Vertical	178	1.81	-	36.30	8.70	35.09

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 20
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8682G	105.00	Inf	-Inf	96.37	3	Horizontal	334	2.82	-	35.60	8.04	35.01
RMS	6.8682G	94.55	Inf	-Inf	85.92	3	Horizontal	334	2.82	-	35.60	8.04	35.01
PK	7.1888G	62.51	88.20	-25.69	52.69	3	Horizontal	334	2.82	-	36.23	8.68	35.09
RMS	7.2028G	52.21	68.20	-15.99	42.28	3	Horizontal	334	2.82	-	36.32	8.70	35.09

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.77816G	60.38	88.20	-27.82	47.77	3	Vertical	127	1.50	-	40.68	14.52	42.59
RMS	13.775G	46.60	68.20	-21.60	33.99	3	Vertical	127	1.50	-	40.68	14.52	42.59

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.77864G	60.92	88.20	-27.28	48.31	3	Horizontal	351	1.54	-	40.68	14.52	42.59
RMS	13.77556G	46.53	68.20	-21.67	33.92	3	Horizontal	351	1.54	-	40.68	14.52	42.59

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6598G	46.33	83.54	-37.21	43.05	1	Vertical	104	1.57	-	37.76	17.55	52.03
AV	20.65626G	32.36	63.54	-31.18	29.08	1	Vertical	104	1.57	-	37.76	17.55	52.03

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65692G	46.14	83.54	-37.40	42.86	1	Horizontal	29	1.54	-	37.76	17.55	52.03
AV	20.65614G	32.44	63.54	-31.10	29.16	1	Horizontal	29	1.54	-	37.76	17.55	52.03

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	110.81	Inf	-Inf	102.03	3	Vertical	176	1.76	-	35.64	8.14	35.00
RMS	6.9202G	100.43	Inf	-Inf	91.65	3	Vertical	176	1.76	-	35.64	8.14	35.00
PK	7.2178G	62.86	88.20	-25.34	52.85	3	Vertical	176	1.76	-	36.41	8.70	35.10
RMS	7.225G	52.74	68.20	-15.46	42.69	3	Vertical	176	1.76	-	36.45	8.70	35.10

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.919G	105.72	Inf	-Inf	96.94	3	Horizontal	105	3.00	-	35.64	8.14	35.00
RMS	6.9142G	94.26	Inf	-Inf	85.51	3	Horizontal	105	3.00	-	35.63	8.13	35.01
PK	7.2226G	56.90	88.20	-31.30	46.86	3	Horizontal	105	3.00	-	36.44	8.70	35.10
RMS	7.2154G	46.88	68.20	-21.32	36.89	3	Horizontal	105	3.00	-	36.39	8.70	35.10

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85728G	60.16	88.20	-28.04	47.31	3	Vertical	214	1.85	-	40.81	14.59	42.55
RMS	13.85688G	46.55	68.20	-21.65	33.70	3	Vertical	214	1.85	-	40.81	14.59	42.55

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85204G	60.64	88.20	-27.56	47.81	3	Horizontal	251	2.57	-	40.80	14.58	42.55
RMS	13.84916G	46.61	68.20	-21.59	33.78	3	Horizontal	251	2.57	-	40.80	14.58	42.55

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77492G	45.32	83.54	-38.22	41.92	1	Vertical	151	1.53	-	37.85	17.60	52.05
AV	20.77376G	32.16	63.54	-31.38	28.76	1	Vertical	151	1.53	-	37.85	17.60	52.05

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7734G	45.51	83.54	-38.03	42.11	1	Horizontal	248	1.52	-	37.85	17.60	52.05
AV	20.77406G	32.15	63.54	-31.39	28.75	1	Horizontal	248	1.52	-	37.85	17.60	52.05

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 20
03-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0186G	110.72	Inf	-Inf	101.79	3	Vertical	177	1.78	-	35.60	8.34	35.01
RMS	6.9874G	100.26	Inf	-Inf	91.36	3	Vertical	177	1.78	-	35.63	8.27	35.00
PK	7.1442G	65.42	88.20	-22.78	55.91	3	Vertical	177	1.78	-	35.99	8.59	35.07
RMS	7.141G	54.00	68.20	-14.20	44.50	3	Vertical	177	1.78	-	35.98	8.58	35.06

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	104.93	Inf	-Inf	96.02	3	Horizontal	158	1.47	-	35.60	8.31	35.00
RMS	6.9986G	94.26	Inf	-Inf	85.36	3	Horizontal	158	1.47	-	35.60	8.30	35.00
PK	7.1522G	60.20	88.20	-28.00	50.66	3	Horizontal	158	1.47	-	36.01	8.60	35.07
RMS	7.1682G	48.94	68.20	-19.26	39.27	3	Horizontal	158	1.47	-	36.11	8.64	35.08

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00384G	60.89	88.20	-27.31	47.35	3	Vertical	167	1.24	-	41.30	14.70	42.46
RMS	14.01648G	47.73	68.20	-20.47	34.15	3	Vertical	167	1.24	-	41.32	14.72	42.46

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01936G	60.76	88.20	-27.44	47.18	3	Horizontal	50	2.83	-	41.32	14.72	42.46
RMS	14.01808G	47.75	68.20	-20.45	34.17	3	Horizontal	50	2.83	-	41.32	14.72	42.46

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01786G	45.08	83.54	-38.46	41.19	1	Vertical	193	1.57	-	38.29	17.70	52.10
AV	21.0178G	32.11	63.54	-31.43	28.22	1	Vertical	193	1.57	-	38.29	17.70	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01564G	45.24	83.54	-38.30	41.35	1	Horizontal	189	1.51	-	38.29	17.70	52.10
AV	21.01184G	32.08	63.54	-31.46	28.19	1	Horizontal	189	1.51	-	38.29	17.70	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0778G	112.15	Inf	-Inf	102.96	3	Vertical	175	1.91	-	35.77	8.46	35.04
RMS	7.0814G	101.48	Inf	-Inf	92.27	3	Vertical	175	1.91	-	35.79	8.46	35.04
PK	7.1602G	60.29	88.20	-27.91	50.68	3	Vertical	175	1.91	-	36.06	8.62	35.07
RMS	7.125G	49.02	68.20	-19.18	39.58	3	Vertical	175	1.91	-	35.95	8.55	35.06

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT Z_2TX
Setting 20
03-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0922G	106.93	Inf	-Inf	97.64	3	Horizontal	100	2.15	-	35.85	8.48	35.04
RMS	7.1014G	96.61	Inf	-Inf	87.26	3	Horizontal	100	2.15	-	35.90	8.50	35.05
PK	7.1254G	54.76	88.20	-33.44	45.32	3	Horizontal	100	2.15	-	35.95	8.55	35.06
RMS	7.125G	44.22	68.20	-23.98	34.78	3	Horizontal	100	2.15	-	35.95	8.55	35.06

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17796G	61.73	88.20	-26.47	47.56	3	Vertical	354	2.13	-	41.71	14.88	42.42
RMS	14.16504G	48.47	68.20	-19.73	34.36	3	Vertical	354	2.13	-	41.66	14.87	42.42

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT Z_2TX
Setting 20
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1784G	61.67	88.20	-26.53	47.50	3	Horizontal	312	1.75	-	41.71	14.88	42.42
RMS	14.17628G	48.38	68.20	-19.82	34.21	3	Horizontal	312	1.75	-	41.71	14.88	42.42

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25976G	45.92	83.54	-37.62	42.12	1	Vertical	310	1.55	-	38.09	17.81	52.10
AV	21.25344G	32.80	63.54	-30.74	28.99	1	Vertical	310	1.55	-	38.10	17.81	52.10

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT Z_2TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25338G	46.19	83.54	-37.35	42.38	1	Horizontal	348	1.57	-	38.10	17.81	52.10
AV	21.25678G	32.89	63.54	-30.65	29.09	1	Horizontal	348	1.57	-	38.09	17.81	52.10

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 23
01-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	77.96	88.20	-10.24	78.85	3	Vertical	90	2.66	-	35.40	6.36	42.65
RMS	5.925G	66.76	68.20	-1.44	67.65	3	Vertical	90	2.66	-	35.40	6.36	42.65
PK	5.9882G	112.94	Inf	-Inf	113.66	3	Vertical	90	2.66	-	35.50	6.39	42.61
RMS	5.9786G	102.68	Inf	-Inf	103.40	3	Vertical	90	2.66	-	35.50	6.39	42.61

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Z_2TX
Setting 23
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	70.69	88.20	-17.51	63.83	3	Horizontal	315	1.68	-	34.55	7.26	34.95
RMS	5.925G	58.42	68.20	-9.78	51.56	3	Horizontal	315	1.68	-	34.55	7.26	34.95
PK	5.9754G	104.98	Inf	-Inf	98.00	3	Horizontal	315	1.68	-	34.65	7.29	34.96
RMS	5.9866G	93.83	Inf	-Inf	86.84	3	Horizontal	315	1.68	-	34.67	7.29	34.97

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Z_2TX
Setting 23
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96616G	53.08	74.00	-20.92	47.05	3	Vertical	64	2.59	-	39.27	9.99	43.23
AV	11.9778G	39.60	54.00	-14.40	33.58	3	Vertical	64	2.59	-	39.24	10.00	43.22

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Z_2TX
Setting 23
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97836G	56.04	74.00	-17.96	46.93	3	Horizontal	80	1.49	-	39.24	13.09	43.22
AV	11.96136G	42.71	54.00	-11.29	33.58	3	Horizontal	80	1.49	-	39.28	13.08	43.23

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.753G	59.30	88.20	-28.90	52.83	3	Vertical	185	1.54	-	34.21	7.18	34.92
RMS	5.923G	48.60	68.20	-19.60	41.74	3	Vertical	185	1.54	-	34.55	7.26	34.95
PK	6.173G	108.47	Inf	-Inf	101.00	3	Vertical	185	1.54	-	34.90	7.56	34.99
RMS	6.151G	98.40	Inf	-Inf	90.96	3	Vertical	185	1.54	-	34.90	7.53	34.99

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.667G	59.24	88.20	-28.96	52.68	3	Horizontal	331	1.47	-	34.33	7.13	34.90
RMS	5.925G	48.44	68.20	-19.76	41.58	3	Horizontal	331	1.47	-	34.55	7.26	34.95
PK	6.161G	102.97	Inf	-Inf	95.52	3	Horizontal	331	1.47	-	34.90	7.54	34.99
RMS	6.161G	92.53	Inf	-Inf	85.08	3	Horizontal	331	1.47	-	34.90	7.54	34.99

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28728G	56.15	74.00	-17.85	47.19	3	Vertical	111	2.76	-	38.81	13.33	43.18
AV	12.29136G	42.74	54.00	-11.26	33.78	3	Vertical	111	2.76	-	38.81	13.33	43.18

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2844G	56.06	74.00	-17.94	47.09	3	Horizontal	277	1.50	-	38.82	13.33	43.18
AV	12.28296G	42.60	54.00	-11.40	33.63	3	Horizontal	277	1.50	-	38.82	13.33	43.18

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43666G	46.20	83.54	-37.34	42.22	1	Vertical	309	1.57	-	37.57	16.62	50.21
AV	18.43634G	32.93	63.54	-30.61	28.95	1	Vertical	309	1.57	-	37.57	16.62	50.21

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4366G	46.19	83.54	-37.35	42.21	1	Horizontal	321	1.57	-	37.57	16.62	50.21
AV	18.43956G	32.98	63.54	-30.56	29.00	1	Horizontal	321	1.57	-	37.58	16.62	50.22

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	59.68	88.20	-28.52	52.84	3	Vertical	87	2.51	-	34.53	7.26	34.95
RMS	5.9248G	49.32	68.20	-18.88	42.46	3	Vertical	87	2.51	-	34.55	7.26	34.95
PK	6.4084G	109.96	Inf	-Inf	102.61	3	Vertical	87	2.51	-	34.77	7.60	35.02
RMS	6.3772G	99.40	Inf	-Inf	92.02	3	Vertical	87	2.51	-	34.80	7.60	35.02

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	58.97	88.20	-29.23	52.12	3	Horizontal	318	2.50	-	34.54	7.26	34.95
RMS	5.9222G	48.50	68.20	-19.70	41.65	3	Horizontal	318	2.50	-	34.54	7.26	34.95
PK	6.3824G	107.15	Inf	-Inf	99.77	3	Horizontal	318	2.50	-	34.80	7.60	35.02
RMS	6.3746G	95.35	Inf	-Inf	87.96	3	Horizontal	318	2.50	-	34.80	7.60	35.01

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76104G	57.04	88.20	-31.16	47.16	3	Vertical	145	2.24	-	39.06	13.71	42.89
AV	12.76464G	43.31	68.20	-24.89	33.43	3	Vertical	145	2.24	-	39.06	13.71	42.89

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77064G	57.00	88.20	-31.20	47.09	3	Horizontal	294	1.92	-	39.07	13.72	42.88
AV	12.76104G	43.31	68.20	-24.89	33.43	3	Horizontal	294	1.92	-	39.06	13.71	42.89

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15406G	45.72	83.54	-37.82	42.23	1	Vertical	286	1.54	-	37.56	16.91	50.98
AV	19.15334G	32.53	63.54	-31.01	29.04	1	Vertical	286	1.54	-	37.56	16.91	50.98

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15658G	45.72	83.54	-37.82	42.24	1	Horizontal	106	1.53	-	37.56	16.91	50.99
AV	19.15994G	32.55	63.54	-30.99	29.06	1	Horizontal	106	1.53	-	37.56	16.92	50.99

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	59.34	88.20	-28.86	52.53	3	Vertical	89	1.96	-	34.51	7.25	34.95
RMS	5.9216G	48.33	68.20	-19.87	41.48	3	Vertical	89	1.96	-	34.54	7.26	34.95
PK	6.4858G	109.87	Inf	-Inf	102.66	3	Vertical	89	1.96	-	34.60	7.64	35.03
RMS	6.4624G	98.86	Inf	-Inf	91.66	3	Vertical	89	1.96	-	34.60	7.63	35.03

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9216G	59.03	88.20	-29.17	52.18	3	Horizontal	310	1.96	-	34.54	7.26	34.95
RMS	5.9242G	48.31	68.20	-19.89	41.45	3	Horizontal	310	1.96	-	34.55	7.26	34.95
PK	6.4286G	105.50	Inf	-Inf	98.22	3	Horizontal	310	1.96	-	34.69	7.61	35.02
RMS	6.4312G	95.15	Inf	-Inf	87.87	3	Horizontal	310	1.96	-	34.68	7.62	35.02

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93188G	59.78	88.20	-28.42	49.29	3	Vertical	340	2.21	-	39.36	13.85	42.72
RMS	12.9334G	45.36	68.20	-22.84	34.86	3	Vertical	340	2.21	-	39.37	13.85	42.72

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93072G	58.94	88.20	-29.26	48.46	3	Horizontal	269	1.16	-	39.36	13.84	42.72
AV	12.92864G	45.39	68.20	-22.81	34.91	3	Horizontal	269	1.16	-	39.36	13.84	42.72

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39642G	44.97	83.54	-38.57	41.58	1	Vertical	349	1.54	-	37.66	17.01	51.28
AV	19.39782G	31.77	63.54	-31.77	28.38	1	Vertical	349	1.54	-	37.66	17.01	51.28

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.39764G	44.93	83.54	-38.61	41.54	1	Horizontal	277	1.55	-	37.66	17.01	51.28
AV	19.39758G	31.88	63.54	-31.66	28.49	1	Horizontal	277	1.55	-	37.66	17.01	51.28

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 24
01-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	57.85	88.20	-30.35	58.76	3	Vertical	92	2.48	-	35.38	6.36	42.65
RMS	5.9234G	47.76	68.20	-20.44	48.66	3	Vertical	92	2.48	-	35.39	6.36	42.65
PK	6.5282G	112.40	Inf	-Inf	111.99	3	Vertical	92	2.48	-	35.97	6.73	42.29
RMS	6.5786G	101.74	Inf	-Inf	101.07	3	Vertical	92	2.48	-	36.16	6.78	42.27
PK	7.1498G	59.05	88.20	-29.15	56.97	3	Vertical	92	2.48	-	37.10	7.05	42.07
RMS	7.2142G	49.29	68.20	-18.91	46.90	3	Vertical	92	2.48	-	37.33	7.11	42.05

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 24
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.36	88.20	-28.84	52.50	3	Horizontal	286	2.18	-	34.55	7.26	34.95
RMS	5.925G	48.53	68.20	-19.67	41.67	3	Horizontal	286	2.18	-	34.55	7.26	34.95
PK	6.5646G	111.26	Inf	-Inf	103.65	3	Horizontal	286	2.18	-	34.96	7.68	35.03
RMS	6.5646G	101.50	Inf	-Inf	93.89	3	Horizontal	286	2.18	-	34.96	7.68	35.03
PK	7.1918G	62.86	88.20	-25.34	53.02	3	Horizontal	286	2.18	-	36.25	8.68	35.09
RMS	7.2422G	52.08	68.20	-16.12	41.94	3	Horizontal	286	2.18	-	36.55	8.70	35.11

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 24
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08552G	59.30	88.20	-28.90	48.33	3	Vertical	321	1.47	-	39.67	13.97	42.67
RMS	13.08904G	45.76	68.20	-22.44	34.78	3	Vertical	321	1.47	-	39.68	13.97	42.67

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 24
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0808G	59.42	88.20	-28.78	48.47	3	Horizontal	219	2.30	-	39.66	13.96	42.67
RMS	13.09836G	45.71	68.20	-22.49	34.70	3	Horizontal	219	2.30	-	39.70	13.98	42.67

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63914G	45.57	83.54	-37.97	42.36	1	Vertical	324	1.53	-	37.64	17.11	51.54
AV	19.63602G	32.40	63.54	-31.14	29.18	1	Vertical	324	1.53	-	37.65	17.11	51.54

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63898G	45.86	83.54	-37.68	42.65	1	Horizontal	90	1.56	-	37.64	17.11	51.54
AV	19.63564G	32.55	63.54	-30.99	29.33	1	Horizontal	90	1.56	-	37.65	17.11	51.54

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5938G	109.93	Inf	-Inf	102.17	3	Vertical	360	1.44	-	35.08	7.70	35.02
RMS	6.5938G	99.40	Inf	-Inf	91.64	3	Vertical	360	1.44	-	35.08	7.70	35.02
PK	7.2178G	62.16	88.20	-26.04	52.15	3	Vertical	360	1.44	-	36.41	8.70	35.10
RMS	7.213G	52.08	68.20	-16.12	42.10	3	Vertical	360	1.44	-	36.38	8.70	35.10

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.589G	105.03	Inf	-Inf	97.30	3	Horizontal	318	2.03	-	35.06	7.69	35.02
RMS	6.5914G	94.45	Inf	-Inf	86.70	3	Horizontal	318	2.03	-	35.07	7.70	35.02
PK	7.2202G	61.91	88.20	-26.29	51.89	3	Horizontal	318	2.03	-	36.42	8.70	35.10
RMS	7.2082G	52.03	68.20	-16.17	42.08	3	Horizontal	318	2.03	-	36.35	8.70	35.10

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25002G	58.92	74.00	-15.08	47.58	3	Vertical	135	2.68	-	39.95	14.10	42.71
AV	13.25015G	45.42	54.00	-8.58	34.08	3	Vertical	135	2.68	-	39.95	14.10	42.71

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25372G	58.95	74.00	-15.05	47.60	3	Horizontal	69	2.82	-	39.96	14.10	42.71
AV	13.25752G	45.45	54.00	-8.55	34.08	3	Horizontal	69	2.82	-	39.97	14.11	42.71

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87462G	45.46	83.54	-38.08	42.52	1	Vertical	200	1.50	-	37.50	17.21	51.77
AV	19.87126G	31.48	63.54	-32.06	28.54	1	Vertical	200	1.50	-	37.50	17.21	51.77

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87776G	44.72	83.54	-38.82	41.79	1	Horizontal	122	1.55	-	37.50	17.21	51.78
AV	19.87764G	31.47	63.54	-32.07	28.54	1	Horizontal	122	1.55	-	37.50	17.21	51.78

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.709G	109.33	Inf	-Inf	101.12	3	Vertical	91	1.87	-	35.42	7.81	35.02
RMS	6.721G	99.05	Inf	-Inf	90.81	3	Vertical	91	1.87	-	35.44	7.82	35.02
PK	7.141G	62.04	88.20	-26.16	52.54	3	Vertical	91	1.87	-	35.98	8.58	35.06
RMS	7.197G	52.12	68.20	-16.08	42.24	3	Vertical	91	1.87	-	36.28	8.69	35.09

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.737G	103.88	Inf	-Inf	95.59	3	Horizontal	318	2.93	-	35.47	7.84	35.02
RMS	6.739G	93.56	Inf	-Inf	85.26	3	Horizontal	318	2.93	-	35.48	7.84	35.02
PK	7.197G	62.10	88.20	-26.10	52.22	3	Horizontal	318	2.93	-	36.28	8.69	35.09
RMS	7.205G	52.02	68.20	-16.18	42.08	3	Horizontal	318	2.93	-	36.33	8.70	35.09

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41344G	59.42	88.20	-28.78	47.69	3	Vertical	209	1.35	-	40.24	14.23	42.74
RMS	13.40796G	46.00	68.20	-22.20	34.29	3	Vertical	209	1.35	-	40.22	14.23	42.74

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40636G	59.81	88.20	-28.39	48.10	3	Horizontal	110	2.40	-	40.22	14.23	42.74
RMS	13.40884G	46.04	68.20	-22.16	34.32	3	Horizontal	110	2.40	-	40.23	14.23	42.74

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11538G	45.42	83.54	-38.12	42.54	1	Vertical	209	1.54	-	37.49	17.31	51.92
AV	20.11184G	31.94	63.54	-31.60	29.06	1	Vertical	209	1.54	-	37.49	17.31	51.92

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11378G	44.99	83.54	-38.55	42.11	1	Horizontal	269	1.58	-	37.49	17.31	51.92
AV	20.11212G	31.94	63.54	-31.60	29.06	1	Horizontal	269	1.58	-	37.49	17.31	51.92

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8018G	109.74	Inf	-Inf	101.25	3	Vertical	90	1.86	-	35.60	7.90	35.01
RMS	6.7612G	99.17	Inf	-Inf	90.80	3	Vertical	90	1.86	-	35.52	7.86	35.01
PK	7.128G	64.61	88.20	-23.59	55.15	3	Vertical	90	1.86	-	35.96	8.56	35.06
RMS	7.1308G	54.16	68.20	-14.04	44.70	3	Vertical	90	1.86	-	35.96	8.56	35.06

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8004G	104.31	Inf	-Inf	95.82	3	Horizontal	336	1.94	-	35.60	7.90	35.01
RMS	6.771G	94.32	Inf	-Inf	85.92	3	Horizontal	336	1.94	-	35.54	7.87	35.01
PK	7.128G	62.20	88.20	-26.00	52.74	3	Horizontal	336	1.94	-	35.96	8.56	35.06
RMS	7.1266G	51.55	68.20	-16.65	42.11	3	Horizontal	336	1.94	-	35.95	8.55	35.06

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57996G	60.47	88.20	-27.73	48.40	3	Vertical	82	2.30	-	40.42	14.36	42.71
RMS	13.56008G	46.39	68.20	-21.81	34.32	3	Vertical	82	2.30	-	40.44	14.35	42.72

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56376G	59.70	88.20	-28.50	47.63	3	Horizontal	63	1.03	-	40.44	14.35	42.72
RMS	13.56328G	46.34	68.20	-21.86	34.27	3	Horizontal	63	1.03	-	40.44	14.35	42.72

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35442G	45.72	83.54	-37.82	42.64	1	Vertical	353	1.58	-	37.64	17.41	51.97
AV	20.35632G	32.85	63.54	-30.69	29.77	1	Vertical	353	1.58	-	37.64	17.41	51.97

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35026G	46.10	83.54	-37.44	43.02	1	Horizontal	185	1.58	-	37.64	17.41	51.97
AV	20.3564G	32.79	63.54	-30.75	29.70	1	Horizontal	185	1.58	-	37.64	17.42	51.97

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.858G	110.42	Inf	-Inf	101.81	3	Vertical	180	1.92	-	35.60	8.02	35.01
RMS	6.858G	100.02	Inf	-Inf	91.41	3	Vertical	180	1.92	-	35.60	8.02	35.01
PK	7.1492G	66.93	88.20	-21.27	57.40	3	Vertical	180	1.92	-	36.00	8.60	35.07
RMS	7.1996G	56.23	68.20	-11.97	46.32	3	Vertical	180	1.92	-	36.30	8.70	35.09

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 22
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8286G	104.93	Inf	-Inf	96.38	3	Horizontal	331	1.91	-	35.60	7.96	35.01
RMS	6.8286G	94.09	Inf	-Inf	85.54	3	Horizontal	331	1.91	-	35.60	7.96	35.01
PK	7.2066G	62.47	88.20	-25.73	52.53	3	Horizontal	331	1.91	-	36.34	8.70	35.10
RMS	7.1996G	52.60	68.20	-15.60	42.69	3	Horizontal	331	1.91	-	36.30	8.70	35.09

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73284G	60.51	88.20	-27.69	48.01	3	Vertical	119	2.13	-	40.63	14.49	42.62
RMS	13.72908G	46.82	68.20	-21.38	34.33	3	Vertical	119	2.13	-	40.63	14.48	42.62

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7234G	60.42	88.20	-27.78	47.95	3	Horizontal	167	1.56	-	40.62	14.48	42.63
RMS	13.73224G	46.73	68.20	-21.47	34.23	3	Horizontal	167	1.56	-	40.63	14.49	42.62

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59422G	44.98	83.54	-38.56	41.74	1	Vertical	299	1.54	-	37.74	17.52	52.02
AV	20.59396G	32.17	63.54	-31.37	28.93	1	Vertical	299	1.54	-	37.74	17.52	52.02

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59446G	45.61	83.54	-37.93	42.37	1	Horizontal	194	1.52	-	37.74	17.52	52.02
AV	20.5943G	32.15	63.54	-31.39	28.91	1	Horizontal	194	1.52	-	37.74	17.52	52.02

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 22
03-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9486G	107.99	Inf	-Inf	99.09	3	Vertical	0	1.40	-	35.70	8.20	35.00
RMS	6.9078G	97.83	Inf	-Inf	89.10	3	Vertical	0	1.40	-	35.62	8.12	35.01
PK	7.2174G	59.92	88.20	-28.28	49.92	3	Vertical	0	1.40	-	36.40	8.70	35.10
RMS	7.2162G	49.49	68.20	-18.71	39.49	3	Vertical	0	1.40	-	36.40	8.70	35.10

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 22
03-C-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9642G	101.75	Inf	-Inf	92.85	3	Horizontal	107	2.88	-	35.67	8.23	35.00
RMS	6.9078G	91.57	Inf	-Inf	82.84	3	Horizontal	107	2.88	-	35.62	8.12	35.01
PK	7.2342G	58.13	88.20	-30.07	48.03	3	Horizontal	107	2.88	-	36.51	8.70	35.11
RMS	7.1286G	47.27	68.20	-20.93	37.81	3	Horizontal	107	2.88	-	35.96	8.56	35.06

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8956G	60.63	88.20	-27.57	47.64	3	Vertical	9	2.45	-	40.89	14.62	42.52
RMS	13.89548G	46.83	68.20	-21.37	33.84	3	Vertical	9	2.45	-	40.89	14.62	42.52

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT Z_2TX
Setting 22
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88884G	60.73	88.20	-27.47	47.77	3	Horizontal	342	1.12	-	40.88	14.61	42.53
RMS	13.9G	46.84	68.20	-21.36	33.84	3	Horizontal	342	1.12	-	40.90	14.62	42.52

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83808G	45.94	83.54	-37.60	42.41	1	Vertical	55	1.50	-	37.98	17.62	52.07
AV	20.83474G	32.15	63.54	-31.39	28.63	1	Vertical	55	1.50	-	37.97	17.62	52.07

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8342G	45.78	83.54	-37.76	42.26	1	Horizontal	178	1.58	-	37.97	17.62	52.07
AV	20.83472G	32.28	63.54	-31.26	28.76	1	Horizontal	178	1.58	-	37.97	17.62	52.07

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT Z_2TX
Setting 24
01-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9922G	113.16	Inf	-Inf	111.57	3	Vertical	181	1.71	-	36.80	6.90	42.11
RMS	7.0002G	101.90	Inf	-Inf	100.31	3	Vertical	181	1.71	-	36.80	6.90	42.11
PK	7.1266G	78.14	88.20	-10.06	76.17	3	Vertical	181	1.71	-	37.01	7.03	42.07
RMS	7.1258G	64.57	68.20	-3.63	62.61	3	Vertical	181	1.71	-	37.00	7.03	42.07

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 24
03-C-R-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0082G	106.94	Inf	-Inf	98.02	3	Horizontal	98	2.20	-	35.60	8.32	35.00
RMS	6.9986G	96.51	Inf	-Inf	87.61	3	Horizontal	98	2.20	-	35.60	8.30	35.00
PK	7.1522G	71.83	88.20	-16.37	62.29	3	Horizontal	98	2.20	-	36.01	8.60	35.07
RMS	7.1282G	60.33	68.20	-7.87	50.87	3	Horizontal	98	2.20	-	35.96	8.56	35.06

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT Z_2TX
Setting 24
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05076G	71.35	88.20	-16.85	48.05	3	Vertical	281	1.94	-	41.35	14.75	32.80
RMS	14.05388G	57.77	68.20	-10.43	34.47	3	Vertical	281	1.94	-	41.35	14.75	32.80

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT Z_2TX
Setting 24
03-C-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05108G	71.38	88.20	-16.82	48.08	3	Horizontal	173	2.70	-	41.35	14.75	32.80
RMS	14.049G	57.68	68.20	-10.52	34.38	3	Horizontal	173	2.70	-	41.35	14.75	32.80

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07204G	44.68	83.54	-38.86	40.81	1	Vertical	227	1.54	-	38.24	17.73	52.10
AV	21.07468G	31.80	63.54	-31.74	27.93	1	Vertical	227	1.54	-	38.24	17.73	52.10

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07766G	44.75	83.54	-38.79	40.88	1	Horizontal	21	1.57	-	38.24	17.73	52.10
AV	21.07146G	31.68	63.54	-31.86	27.81	1	Horizontal	21	1.57	-	38.24	17.73	52.10

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Z_2TX
Setting 24
01-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.895G	83.59	88.20	-4.61	84.65	3	Vertical	90	2.50	-	35.26	6.35	42.67
RMS	5.925G	64.22	68.20	-3.98	65.11	3	Vertical	90	2.50	-	35.40	6.36	42.65
PK	6.011G	112.44	Inf	-Inf	113.10	3	Vertical	90	2.50	-	35.52	6.41	42.59
RMS	6.011G	101.05	Inf	-Inf	101.71	3	Vertical	90	2.50	-	35.52	6.41	42.59

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Z_2TX
Setting 24
01-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	74.33	88.20	-13.87	67.50	3	Horizontal	309	1.91	-	34.52	7.26	34.95
RMS	5.915G	57.78	68.20	-10.42	50.94	3	Horizontal	309	1.91	-	34.53	7.26	34.95
PK	5.988G	103.45	Inf	-Inf	96.45	3	Horizontal	309	1.91	-	34.68	7.29	34.97
RMS	5.986G	90.38	Inf	-Inf	83.39	3	Horizontal	309	1.91	-	34.67	7.29	34.97

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Z_2TX
Setting 24
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05496G	56.70	74.00	-17.30	47.68	3	Vertical	56	2.73	-	39.09	13.14	43.21
AV	12.0468G	43.04	54.00	-10.96	34.00	3	Vertical	56	2.73	-	39.11	13.14	43.21

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Z_2TX
Setting 24
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0532G	57.30	74.00	-16.70	48.28	3	Horizontal	84	1.33	-	39.09	13.14	43.21
AV	12.0596G	43.04	54.00	-10.96	34.02	3	Horizontal	84	1.33	-	39.08	13.15	43.21

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07204G	44.68	83.54	-38.86	40.81	1	Vertical	227	1.54	-	38.24	17.73	52.10
AV	21.07468G	31.80	63.54	-31.74	27.93	1	Vertical	227	1.54	-	38.24	17.73	52.10

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07766G	44.75	83.54	-38.79	40.88	1	Horizontal	21	1.57	-	38.24	17.73	52.10
AV	21.07146G	31.68	63.54	-31.86	27.81	1	Horizontal	21	1.57	-	38.24	17.73	52.10

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 25
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	76.00	88.20	-12.20	69.01	3	Vertical	95	2.98	-	34.68	7.26	34.95
RMS	5.925G	65.07	68.20	-3.13	58.06	3	Vertical	95	2.98	-	34.70	7.26	34.95
PK	6.257G	111.35	Inf	-Inf	103.75	3	Vertical	95	2.98	-	35.00	7.60	35.00
RMS	6.251G	100.73	Inf	-Inf	93.13	3	Vertical	95	2.98	-	35.00	7.60	35.00

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Z_2TX
Setting 25
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	70.18	88.20	-18.02	63.33	3	Horizontal	312.6	2.49	-	34.54	7.26	34.95
RMS	5.925G	56.43	68.20	-11.77	49.57	3	Horizontal	312.6	2.49	-	34.55	7.26	34.95
PK	6.241G	105.57	Inf	-Inf	98.07	3	Horizontal	312.6	2.49	-	34.90	7.60	35.00
RMS	6.257G	92.88	Inf	-Inf	85.39	3	Horizontal	312.6	2.49	-	34.89	7.60	35.00

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36048G	57.12	74.00	-16.88	48.10	3	Vertical	94	1.67	-	38.80	13.39	43.17
AV	12.37988G	43.95	54.00	-10.05	34.92	3	Vertical	94	1.67	-	38.80	13.40	43.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37604G	57.44	74.00	-16.56	48.41	3	Horizontal	289	1.44	-	38.80	13.40	43.17
AV	12.37896G	43.86	54.00	-10.14	34.83	3	Horizontal	289	1.44	-	38.80	13.40	43.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55618G	46.06	83.54	-37.48	42.13	1	Vertical	189	1.57	-	37.62	16.67	50.36
AV	18.5561G	32.21	63.54	-31.33	28.28	1	Vertical	189	1.57	-	37.62	16.67	50.36

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5557G	45.51	83.54	-38.03	41.58	1	Horizontal	293	1.58	-	37.62	16.67	50.36
AV	18.5593G	32.36	63.54	-31.18	28.43	1	Horizontal	293	1.58	-	37.62	16.67	50.36

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 25
03-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	66.25	88.20	-21.95	59.26	3	Vertical	89	2.97	-	34.68	7.26	34.95
RMS	5.925G	54.10	68.20	-14.10	47.09	3	Vertical	89	2.97	-	34.70	7.26	34.95
PK	6.359G	111.14	Inf	-Inf	103.65	3	Vertical	89	2.97	-	34.90	7.60	35.01
RMS	6.397G	99.19	Inf	-Inf	91.71	3	Vertical	89	2.97	-	34.90	7.60	35.02

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 25
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	61.47	88.20	-26.73	54.64	3	Horizontal	310	2.07	-	34.52	7.26	34.95
RMS	5.923G	48.62	68.20	-19.58	41.76	3	Horizontal	310	2.07	-	34.55	7.26	34.95
PK	6.381G	107.18	Inf	-Inf	99.80	3	Horizontal	310	2.07	-	34.80	7.60	35.02
RMS	6.397G	94.21	Inf	-Inf	86.83	3	Horizontal	310	2.07	-	34.80	7.60	35.02

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6952G	56.86	74.00	-17.14	47.16	3	Vertical	304	1.86	-	38.99	13.66	42.95
AV	12.68756G	43.36	54.00	-10.64	33.69	3	Vertical	304	1.86	-	38.98	13.65	42.96

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69196G	57.46	74.00	-16.54	47.79	3	Horizontal	54	3.00	-	38.98	13.65	42.96
AV	12.69084G	43.34	54.00	-10.66	33.67	3	Horizontal	54	3.00	-	38.98	13.65	42.96

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03478G	43.46	83.54	-40.08	39.93	1	Vertical	277	1.57	-	37.51	16.86	50.84
AV	19.03472G	30.85	63.54	-32.69	27.32	1	Vertical	277	1.57	-	37.51	16.86	50.84

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0393G	44.43	83.54	-39.11	40.89	1	Horizontal	225	1.51	-	37.52	16.87	50.85
AV	19.03846G	30.89	63.54	-32.65	27.35	1	Horizontal	225	1.51	-	37.52	16.87	50.85

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 25
01-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	60.87	88.20	-27.33	61.80	3	Vertical	85	2.95	-	35.36	6.36	42.65
RMS	5.925G	49.91	68.20	-18.29	50.80	3	Vertical	85	2.95	-	35.40	6.36	42.65
PK	6.5246G	111.26	Inf	-Inf	110.88	3	Vertical	85	2.95	-	35.95	6.72	42.29
RMS	6.5358G	100.38	Inf	-Inf	99.92	3	Vertical	85	2.95	-	36.01	6.74	42.29
PK	7.1714G	60.62	88.20	-27.58	58.42	3	Vertical	85	2.95	-	37.19	7.07	42.06
RMS	7.1994G	50.45	68.20	-17.75	48.10	3	Vertical	85	2.95	-	37.30	7.10	42.05

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_2TX
Setting 25
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	60.06	88.20	-28.14	53.24	3	Horizontal	313	2.01	-	34.52	7.25	34.95
RMS	5.805G	47.89	68.20	-20.31	41.32	3	Horizontal	313	2.01	-	34.30	7.20	34.93
PK	6.5358G	106.37	Inf	-Inf	98.92	3	Horizontal	313	2.01	-	34.81	7.67	35.03
RMS	6.4294G	93.43	Inf	-Inf	86.16	3	Horizontal	313	2.01	-	34.68	7.61	35.02
PK	7.1658G	61.87	88.20	-26.33	52.23	3	Horizontal	313	2.01	-	36.09	8.63	35.08
RMS	7.1882G	49.99	68.20	-18.21	40.17	3	Horizontal	313	2.01	-	36.23	8.68	35.09

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00688G	59.95	88.20	-28.25	49.18	3	Vertical	336	1.32	-	39.51	13.91	42.65
RMS	13.01248G	45.66	68.20	-22.54	34.88	3	Vertical	336	1.32	-	39.52	13.91	42.65

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00096G	59.24	88.20	-28.96	48.49	3	Horizontal	188	1.70	-	39.50	13.90	42.65
RMS	13.00936G	45.72	68.20	-22.48	34.94	3	Horizontal	188	1.70	-	39.52	13.91	42.65

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5128G	44.31	83.54	-39.23	40.97	1	Vertical	301	1.53	-	37.69	17.06	51.41
AV	19.51256G	31.25	63.54	-32.29	27.91	1	Vertical	301	1.53	-	37.69	17.06	51.41

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51624G	44.13	83.54	-39.41	40.80	1	Horizontal	113	1.51	-	37.69	17.06	51.42
AV	19.51906G	31.37	63.54	-32.17	28.04	1	Horizontal	113	1.51	-	37.69	17.06	51.42

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 24
03-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6988G	110.43	Inf	-Inf	109.45	3	Vertical	85	1.89	-	35.40	7.80	42.22
AV	6.6988G	100.49	Inf	-Inf	99.51	3	Vertical	85	1.89	-	35.40	7.80	42.22
PK	7.2578G	63.98	74.00	-10.02	60.59	3	Vertical	85	1.89	-	36.73	8.70	42.04
AV	7.2552G	51.98	54.00	-2.02	48.60	3	Vertical	85	1.89	-	36.72	8.70	42.04

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT Z_2TX
Setting 24
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5948G	104.35	Inf	-Inf	96.59	3	Horizontal	310	1.90	-	35.08	7.70	35.02
RMS	6.5922G	91.82	Inf	-Inf	84.07	3	Horizontal	310	1.90	-	35.07	7.70	35.02
PK	7.3046G	63.10	74.00	-10.90	52.73	3	Horizontal	310	1.90	-	36.81	8.70	35.14
AV	7.2916G	51.14	54.00	-2.86	40.80	3	Horizontal	310	1.90	-	36.77	8.70	35.13
PK	7.211G	67.06	88.20	-21.14	57.09	3	Horizontal	310	1.90	-	36.37	8.70	35.10
RMS	7.2162G	53.09	68.20	-15.11	43.09	3	Horizontal	310	1.90	-	36.40	8.70	35.10

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32988G	59.06	74.00	-14.94	47.49	3	Vertical	28	1.81	-	40.13	14.16	42.72
AV	13.32636G	45.52	54.00	-8.48	33.95	3	Vertical	28	1.81	-	40.13	14.16	42.72

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33468G	59.16	74.00	-14.84	47.58	3	Horizontal	262	1.64	-	40.13	14.17	42.72
AV	13.33132G	45.60	54.00	-8.40	34.02	3	Horizontal	262	1.64	-	40.13	14.17	42.72

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99392G	44.27	83.54	-39.27	41.50	1	Vertical	342	1.52	-	37.40	17.26	51.89
AV	19.99098G	31.46	63.54	-32.08	28.68	1	Vertical	342	1.52	-	37.41	17.26	51.89

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99158G	44.60	83.54	-38.94	41.82	1	Horizontal	293	1.54	-	37.41	17.26	51.89
AV	19.99116G	31.47	63.54	-32.07	28.69	1	Horizontal	293	1.54	-	37.41	17.26	51.89

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 22
03-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.747G	108.74	Inf	-Inf	107.51	3	Vertical	83	1.92	-	35.59	7.85	42.21
AV	6.749G	98.56	Inf	-Inf	97.32	3	Vertical	83	1.92	-	35.60	7.85	42.21
PK	7.283G	68.17	74.00	-5.83	64.67	3	Vertical	83	1.92	-	36.83	8.70	42.03
AV	7.25G	51.86	54.00	-2.14	48.50	3	Vertical	83	1.92	-	36.70	8.70	42.04

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 22
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.791G	102.45	Inf	-Inf	93.99	3	Horizontal	309	1.88	-	35.58	7.89	35.01
RMS	6.791G	89.10	Inf	-Inf	80.64	3	Horizontal	309	1.88	-	35.58	7.89	35.01
PK	7.299G	63.67	74.00	-10.33	53.31	3	Horizontal	309	1.88	-	36.80	8.70	35.14
AV	7.259G	51.00	54.00	-3.00	40.78	3	Horizontal	309	1.88	-	36.64	8.70	35.12
PK	7.157G	67.35	88.20	-20.85	57.77	3	Horizontal	309	1.88	-	36.04	8.61	35.07
RMS	7.141G	54.31	68.20	-13.89	44.81	3	Horizontal	309	1.88	-	35.98	8.58	35.06

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6512G	59.64	88.20	-28.56	47.39	3	Vertical	293	2.51	-	40.50	14.42	42.67
RMS	13.65892G	46.38	68.20	-21.82	34.09	3	Vertical	293	2.51	-	40.52	14.43	42.66

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64964G	59.91	88.20	-28.29	47.66	3	Horizontal	74	2.02	-	40.50	14.42	42.67
RMS	13.64596G	46.43	68.20	-21.77	34.19	3	Horizontal	74	2.02	-	40.49	14.42	42.67

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47542G	44.75	83.54	-38.79	41.59	1	Vertical	56	1.52	-	37.69	17.47	52.00
AV	20.4785G	31.75	63.54	-31.79	28.59	1	Vertical	56	1.52	-	37.69	17.47	52.00

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47908G	45.21	83.54	-38.33	42.05	1	Horizontal	163	1.55	-	37.69	17.47	52.00
AV	20.47874G	31.60	63.54	-31.94	28.44	1	Horizontal	163	1.55	-	37.69	17.47	52.00

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT Z_2TX
Setting 22
03-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.016G	109.16	Inf	-Inf	107.24	3	Vertical	176	1.80	-	35.70	8.33	42.11
RMS	7.008G	98.77	Inf	-Inf	96.86	3	Vertical	176	1.80	-	35.70	8.32	42.11
PK	7.158G	79.32	88.20	-8.88	76.62	3	Vertical	176	1.80	-	36.15	8.62	42.07
RMS	7.131G	66.59	68.20	-1.61	64.11	3	Vertical	176	1.80	-	35.99	8.56	42.07

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 22
03-C-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.96G	101.92	Inf	-Inf	93.02	3	Horizontal	156.3	1.80	-	35.68	8.22	35.00
RMS	7.008G	88.45	Inf	-Inf	79.53	3	Horizontal	156.3	1.80	-	35.60	8.32	35.00
PK	7.139G	84.51	88.20	-3.69	75.01	3	Horizontal	156.3	1.80	-	35.98	8.58	35.06
RMS	7.127G	65.17	68.20	-3.03	55.73	3	Horizontal	156.3	1.80	-	35.95	8.55	35.06

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97212G	61.24	88.20	-26.96	47.85	3	Vertical	4	2.82	-	41.19	14.68	42.48
RMS	13.96876G	47.68	68.20	-20.52	34.30	3	Vertical	4	2.82	-	41.18	14.68	42.48

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96304G	61.31	88.20	-26.89	47.97	3	Horizontal	296	1.81	-	41.15	14.67	42.48
RMS	13.97392G	47.67	68.20	-20.53	34.27	3	Horizontal	296	1.81	-	41.20	14.68	42.48

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95168G	45.42	83.54	-38.12	41.64	1	Vertical	166	1.56	-	38.20	17.67	52.09
AV	20.9548G	31.10	63.54	-32.44	27.30	1	Vertical	166	1.56	-	38.21	17.68	52.09

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT Z_2TX
Setting 22
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95842G	43.79	83.54	-39.75	39.98	1	Vertical	291	1.55	-	38.22	17.68	52.09
AV	20.95476G	31.09	63.54	-32.45	27.29	1	Vertical	291	1.55	-	38.21	17.68	52.09

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 24
01-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	79.89	88.20	-8.31	80.89	3	Vertical	89	2.58	-	35.31	6.35	42.66
RMS	5.923G	66.38	68.20	-1.82	67.28	3	Vertical	89	2.58	-	35.39	6.36	42.65
PK	6.1778G	107.81	Inf	-Inf	108.05	3	Vertical	89	2.58	-	35.76	6.49	42.49
RMS	6.2534G	98.13	Inf	-Inf	98.36	3	Vertical	89	2.58	-	35.69	6.53	42.45

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	72.95	88.20	-15.25	66.09	3	Horizontal	305	2.30	-	34.55	7.26	34.95
RMS	5.9202G	58.18	68.20	-10.02	51.33	3	Horizontal	305	2.30	-	34.54	7.26	34.95
PK	6.2142G	104.13	Inf	-Inf	96.63	3	Horizontal	305	2.30	-	34.90	7.60	35.00
RMS	6.2142G	92.11	Inf	-Inf	84.61	3	Horizontal	305	2.30	-	34.90	7.60	35.00

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT Z_2TX
Setting 24
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1212G	53.40	74.00	-20.60	48.17	3	Vertical	360	1.80	-	38.82	9.15	42.74
AV	12.11G	39.95	54.00	-14.05	34.74	3	Vertical	360	1.80	-	38.81	9.14	42.74

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT Z_2TX
Setting 24
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.164G	52.83	74.00	-21.17	47.53	3	Horizontal	121	2.03	-	38.86	9.17	42.73
AV	12.21G	42.59	54.00	-11.41	37.25	3	Horizontal	121	2.03	-	38.89	9.18	42.73

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT Z_2TX
Setting 26
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.3444G	53.85	83.54	-29.69	51.87	1	Vertical	149	1.54	-	37.54	14.52	50.08
AV	18.3183G	35.94	63.54	-27.60	33.95	1	Vertical	149	1.54	-	37.53	14.51	50.05

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT Z_2TX
Setting 26
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.345G	48.94	83.54	-34.60	46.96	1	Horizontal	153	1.50	-	37.54	14.52	50.08
AV	18.3153G	33.58	63.54	-29.96	31.58	1	Horizontal	153	1.50	-	37.53	14.51	50.04

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 25
03-E-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	76.58	88.20	-11.62	77.28	3	Vertical	360	1.92	-	34.69	7.26	42.65
RMS	5.9242G	66.20	68.20	-2.00	66.89	3	Vertical	360	1.92	-	34.70	7.26	42.65
PK	6.1714G	108.46	Inf	-Inf	108.31	3	Vertical	360	1.92	-	35.09	7.56	42.50
RMS	6.1354G	97.34	Inf	-Inf	97.36	3	Vertical	360	1.92	-	35.00	7.50	42.52

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	70.18	88.20	-18.02	63.33	3	Horizontal	307	1.98	-	34.54	7.26	34.95
AV	5.9218G	59.66	68.20	-8.54	52.81	3	Horizontal	307	1.98	-	34.54	7.26	34.95
PK	6.3394G	103.65	Inf	-Inf	96.26	3	Horizontal	307	1.98	-	34.80	7.60	35.01
AV	6.397G	93.56	Inf	-Inf	86.18	3	Horizontal	307	1.98	-	34.80	7.60	35.02

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.52944G	57.71	74.00	-16.29	48.51	3	Vertical	328	2.09	-	38.80	13.52	43.12
AV	12.52874G	44.15	54.00	-9.85	34.95	3	Vertical	328	2.09	-	38.80	13.52	43.12

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.5333G	58.37	74.00	-15.63	49.16	3	Horizontal	40	3.00	-	38.80	13.53	43.12
AV	12.52928G	44.07	54.00	-9.93	34.87	3	Horizontal	40	3.00	-	38.80	13.52	43.12

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.79666G	45.47	83.54	-38.07	41.64	1	Vertical	221	1.57	-	37.66	16.77	50.60
AV	18.79262G	31.72	63.54	-31.82	27.88	1	Vertical	221	1.57	-	37.67	16.76	50.59

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7929G	45.04	83.54	-38.50	41.19	1	Horizontal	11	1.50	-	37.67	16.77	50.59
AV	18.7931G	31.61	63.54	-31.93	27.76	1	Horizontal	11	1.50	-	37.67	16.77	50.59

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT Z_2TX
Setting 24
03-E-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	71.37	88.20	-16.83	72.08	3	Vertical	192	1.52	-	34.68	7.26	42.65
AV	5.925G	59.84	68.20	-8.36	60.53	3	Vertical	192	1.52	-	34.70	7.26	42.65
PK	6.369G	109.94	Inf	-Inf	109.82	3	Vertical	192	1.52	-	34.90	7.60	42.38
AV	6.365G	97.38	Inf	-Inf	97.26	3	Vertical	192	1.52	-	34.90	7.60	42.38
PK	7.297G	68.58	74.00	-5.42	65.02	3	Vertical	192	1.52	-	36.89	8.70	42.03
AV	7.261G	52.67	54.00	-1.33	49.27	3	Vertical	192	1.52	-	36.74	8.70	42.04

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.437G	48.17	74.00	-25.83	41.54	3	Horizontal	312	2.08	-	34.55	6.94	34.86
AV	5.429G	36.49	54.00	-17.51	29.90	3	Horizontal	312	2.08	-	34.52	6.93	34.86
PK	6.365G	103.76	Inf	-Inf	96.37	3	Horizontal	312	2.08	-	34.80	7.60	35.01
AV	6.469G	91.37	Inf	-Inf	84.17	3	Horizontal	312	2.08	-	34.60	7.63	35.03
PK	7.337G	53.09	74.00	-20.91	42.68	3	Horizontal	312	2.08	-	36.87	8.70	35.16
AV	7.301G	42.42	54.00	-11.58	32.06	3	Horizontal	312	2.08	-	36.80	8.70	35.14

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85194G	58.16	88.20	-30.04	47.98	3	Vertical	265	1.87	-	39.20	13.78	42.80
RMS	12.84982G	44.38	68.20	-23.82	34.20	3	Vertical	265	1.87	-	39.20	13.78	42.80

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.85006G	58.27	88.20	-29.93	48.09	3	Horizontal	244	1.78	-	39.20	13.78	42.80
RMS	12.85364G	44.39	68.20	-23.81	34.20	3	Horizontal	244	1.78	-	39.21	13.78	42.80

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27702G	44.02	83.54	-39.52	40.58	1	Vertical	259	1.52	-	37.61	16.96	51.13
AV	19.27416G	31.84	63.54	-31.70	28.40	1	Vertical	259	1.52	-	37.61	16.96	51.13

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT Z_2TX
Setting 24
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.27278G	44.43	83.54	-39.11	40.99	1	Horizontal	336	1.52	-	37.61	16.96	51.13
AV	19.27346G	31.78	63.54	-31.76	28.34	1	Horizontal	336	1.52	-	37.61	16.96	51.13

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT Z_2TX
Setting 25
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	68.24	88.20	-19.96	61.23	3	Vertical	360	1.53	-	34.70	7.26	34.95
AV	5.925G	53.42	68.20	-14.78	46.41	3	Vertical	360	1.53	-	34.70	7.26	34.95
PK	6.591G	108.77	Inf	-Inf	101.03	3	Vertical	360	1.53	-	35.06	7.70	35.02
AV	6.579G	96.73	Inf	-Inf	89.05	3	Vertical	360	1.53	-	35.02	7.69	35.03
PK	7.254G	65.31	74.00	-8.69	55.01	3	Vertical	360	1.53	-	36.72	8.70	35.12
AV	7.25G	52.78	54.00	-1.22	42.50	3	Vertical	360	1.53	-	36.70	8.70	35.12

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91G	61.18	88.20	-27.02	54.36	3	Horizontal	297	1.80	-	34.52	7.25	34.95
AV	5.925G	47.27	68.20	-20.93	40.41	3	Horizontal	297	1.80	-	34.55	7.26	34.95
PK	6.651G	101.17	Inf	-Inf	93.14	3	Horizontal	297	1.80	-	35.30	7.75	35.02
AV	6.486G	90.26	Inf	-Inf	83.05	3	Horizontal	297	1.80	-	34.60	7.64	35.03
PK	7.26G	57.37	74.00	-16.63	47.15	3	Horizontal	297	1.80	-	36.64	8.70	35.12
AV	7.254G	44.69	54.00	-9.31	34.49	3	Horizontal	297	1.80	-	36.62	8.70	35.12

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.16994G	60.04	88.20	-28.16	48.92	3	Vertical	236	2.55	-	39.77	14.04	42.69
RMS	13.16602G	45.91	68.20	-22.29	34.80	3	Vertical	236	2.55	-	39.77	14.03	42.69

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1741G	59.52	88.20	-28.68	48.40	3	Horizontal	308	2.24	-	39.77	14.04	42.69
RMS	13.17122G	45.82	68.20	-22.38	34.70	3	Horizontal	308	2.24	-	39.77	14.04	42.69

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75104G	44.29	83.54	-39.25	41.18	1	Vertical	92	1.50	-	37.60	17.16	51.65
AV	19.75194G	31.91	63.54	-31.63	28.80	1	Vertical	92	1.50	-	37.60	17.16	51.65

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT Z_2TX
Setting 25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.75136G	44.15	83.54	-39.39	41.04	1	Horizontal	335	1.58	-	37.60	17.16	51.65
AV	19.75544G	31.91	63.54	-31.63	28.81	1	Horizontal	335	1.58	-	37.60	17.16	51.66

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT Z_2TX
Setting 21
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7426G	104.45	Inf	-Inf	96.06	3	Vertical	360	1.69	-	35.57	7.84	35.02
AV	6.8386G	91.57	Inf	-Inf	82.88	3	Vertical	360	1.69	-	35.72	7.98	35.01
PK	7.2754G	72.45	74.00	-1.55	62.08	3	Vertical	360	1.69	-	36.80	8.70	35.13
AV	7.2922G	49.42	54.00	-4.58	38.98	3	Vertical	360	1.69	-	36.87	8.70	35.13

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT Z_2TX
Setting 21
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.589G	100.63	Inf	-Inf	92.90	3	Horizontal	310	1.93	-	35.06	7.69	35.02
AV	6.5914G	86.86	Inf	-Inf	79.11	3	Horizontal	310	1.93	-	35.07	7.70	35.02
PK	7.273G	54.48	74.00	-19.52	44.22	3	Horizontal	310	1.93	-	36.69	8.70	35.13
AV	7.2658G	42.09	54.00	-11.91	31.85	3	Horizontal	310	1.93	-	36.66	8.70	35.12

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT Z_2TX
Setting 21
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.48616G	60.96	88.20	-27.24	48.97	3	Vertical	343	2.31	-	40.46	14.29	42.76
RMS	13.49384G	46.50	68.20	-21.70	34.48	3	Vertical	343	2.31	-	40.48	14.30	42.76

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT Z_2TX
Setting 21
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.49248G	60.46	88.20	-27.74	48.45	3	Horizontal	190	1.54	-	40.48	14.29	42.76
RMS	13.49136G	46.51	68.20	-21.69	34.51	3	Horizontal	190	1.54	-	40.47	14.29	42.76

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT Z_2TX
Setting 21
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.2302G	44.66	83.54	-38.88	41.67	1	Vertical	68	1.50	-	37.58	17.36	51.95
AV	20.232G	31.28	63.54	-32.26	28.28	1	Vertical	68	1.50	-	37.59	17.36	51.95

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT Z_2TX
Setting 21
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.23346G	44.06	83.54	-39.48	41.06	1	Horizontal	263	1.54	-	37.59	17.36	51.95
AV	20.23244G	31.29	63.54	-32.25	28.29	1	Horizontal	263	1.54	-	37.59	17.36	51.95

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 21
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.871G	105.12	Inf	-Inf	96.43	3	Vertical	360	1.49	-	35.66	8.04	35.01
AV	6.759G	92.97	Inf	-Inf	84.48	3	Vertical	360	1.49	-	35.64	7.86	35.01
PK	7.293G	70.82	74.00	-3.18	60.38	3	Vertical	360	1.49	-	36.87	8.70	35.13
AV	7.259G	52.86	54.00	-1.14	42.54	3	Vertical	360	1.49	-	36.74	8.70	35.12

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_2TX
Setting 21
03-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.917G	99.18	Inf	-Inf	90.42	3	Horizontal	187	2.11	-	35.63	8.13	35.00
AV	6.913G	85.84	Inf	-Inf	77.09	3	Horizontal	187	2.11	-	35.63	8.13	35.01
PK	7.273G	64.88	74.00	-9.12	54.52	3	Horizontal	187	2.11	-	36.79	8.70	35.13
AV	7.301G	51.28	54.00	-2.72	40.82	3	Horizontal	187	2.11	-	36.90	8.70	35.14

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 25
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7108G	56.91	88.20	-31.29	49.12	3	Vertical	55	1.80	-	40.43	9.78	42.42
RMS	13.81G	45.43	68.20	-22.77	37.29	3	Vertical	55	1.80	-	40.72	9.82	42.40

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 25
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8096G	57.78	88.20	-30.42	49.64	3	Horizontal	97	1.01	-	40.72	9.82	42.40
RMS	13.81G	48.23	68.20	-19.97	40.09	3	Horizontal	97	1.01	-	40.72	9.82	42.40

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT Z_2TX
Setting 25
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.625G	56.47	83.54	-27.07	55.48	1	Vertical	68	1.43	-	37.75	15.26	52.02
AV	20.633G	38.61	63.54	-24.93	37.63	1	Vertical	68	1.43	-	37.75	15.26	52.03

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT Z_2TX
Setting 25
01-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6246G	56.15	83.54	-27.39	55.16	1	Horizontal	40	1.48	-	37.75	15.26	52.02
AV	20.6218G	40.73	63.54	-22.81	39.74	1	Horizontal	40	1.48	-	37.75	15.26	52.02

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	5.963631G	-3.90	5.96688G	-35.60	-23.40	-12.20	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.42238G	-3.63	6.38172G	-29.15	-23.67	-5.48	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	5.99267G	2.42	6.105G	-39.47	-33.75	-5.72	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.09885G	3.64	6.25588G	-33.50	-32.03	-1.47	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.41941G	4.13	6.7258G	-31.86	-31.78	-0.08	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.522433G	-4.15	6.52724G	-38.49	-24.19	-14.30	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.44272G	-2.58	6.42196G	-35.96	-22.66	-13.30	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.45877G	0.24	6.585G	-42.13	-36.06	-6.07	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.53137G	3.82	6.73636G	-34.50	-32.09	-2.41	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.53801G	1.59	6.12324G	-39.73	-34.75	-4.98	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.847328G	-4.22	6.86736G	-39.71	-24.24	-15.47	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.54666G	-2.57	6.54184G	-29.64	-22.65	-6.99	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.71147G	0.57	6.825G	-42.10	-35.30	-6.80	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.75163G	3.05	6.585G	-33.95	-33.92	-0.03	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.76306G	0.11	6.44036G	-39.64	-36.52	-3.12	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	7.087507G	-4.30	7.08264G	-39.35	-24.10	-15.25	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.98762G	-2.75	6.98184G	-29.58	-22.78	-6.80	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.99071G	0.22	6.905G	-43.92	-36.43	-7.49	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.95527G	1.22	6.745G	-37.24	-35.98	-1.26	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963631G	-3.90	5.96688G	-35.60	-23.40	-12.20	1
5955MHz	Pass	5.963631G	-4.33	5.9676G	-40.46	-24.35	-16.11	2
6175MHz	Pass	6.168287G	-1.97	6.16264G	-37.87	-21.97	-15.90	1
6175MHz	Pass	6.183931G	-3.43	6.18736G	-37.86	-23.47	-14.39	2
6415MHz	Pass	6.419975G	-2.46	6.42742G	-37.60	-21.96	-15.64	1
6415MHz	Pass	6.407507G	-3.49	6.42748G	-39.21	-23.52	-15.69	2
6435MHz	Pass	6.442792G	-4.35	6.4476G	-41.37	-24.38	-16.99	1
6435MHz	Pass	6.443751G	-3.61	6.44736G	-39.07	-23.61	-15.46	2
6475MHz	Pass	6.467567G	-4.63	6.48748G	-40.47	-24.13	-16.34	1
6475MHz	Pass	6.467388G	-4.01	6.4876G	-40.51	-23.81	-16.70	2
6515MHz	Pass	6.507268G	-4.98	6.50264G	-40.05	-25.00	-15.05	1
6515MHz	Pass	6.522433G	-4.15	6.52724G	-38.49	-24.19	-14.30	2
6535MHz	Pass	6.542493G	-5.07	6.54748G	-40.59	-24.87	-15.72	1
6535MHz	Pass	6.541354G	-4.25	6.54748G	-40.04	-24.27	-15.77	2
6695MHz	Pass	6.686189G	-4.13	6.7076G	-40.57	-24.20	-16.37	1
6695MHz	Pass	6.686249G	-3.92	6.70742G	-39.57	-23.92	-15.65	2
6855MHz	Pass	6.847088G	-4.67	6.8676G	-41.61	-24.47	-17.14	1
6855MHz	Pass	6.847328G	-4.22	6.86736G	-39.71	-24.24	-15.47	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.868826G	-4.66	6.86252G	-40.55	-24.46	-16.09	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.867388G	-4.48	6.86246G	-41.06	-24.49	-16.57	2
6895MHz	Pass	6.887268G	-4.45	6.90742G	-39.71	-24.25	-15.46	1
6895MHz	Pass	6.888167G	-4.48	6.90754G	-41.09	-24.51	-16.58	2
6995MHz	Pass	6.987507G	-4.45	6.98246G	-41.02	-24.45	-16.57	1
6995MHz	Pass	6.986608G	-4.51	6.9824G	-41.02	-24.54	-16.48	2
7095MHz	Pass	7.086189G	-4.30	7.08252G	-39.79	-24.34	-15.45	1
7095MHz	Pass	7.087507G	-4.30	7.08264G	-39.35	-24.10	-15.25	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.98262G	-0.79	5.98804G	-33.97	-20.82	-13.15	1
5965MHz	Pass	5.9807G	-1.16	5.98792G	-34.12	-21.17	-12.95	2
6165MHz	Pass	6.16092G	-0.54	6.14184G	-34.46	-20.55	-13.91	1
6165MHz	Pass	6.1801G	-1.31	6.18804G	-35.25	-21.34	-13.91	2
6405MHz	Pass	6.42022G	-3.78	6.38172G	-29.66	-23.93	-5.73	1
6405MHz	Pass	6.42238G	-3.63	6.38172G	-29.15	-23.67	-5.48	2
6445MHz	Pass	6.44272G	-2.58	6.42196G	-35.96	-22.66	-13.30	1
6445MHz	Pass	6.44752G	-1.86	6.42184G	-36.30	-21.89	-14.41	2
6485MHz	Pass	6.48212G	-2.83	6.46172G	-37.47	-22.63	-14.84	1
6485MHz	Pass	6.4675G	-2.18	6.46172G	-36.34	-22.21	-14.13	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.51001G	-3.13	6.54864G	-38.87	-23.15	-15.72	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.53879G	-2.27	6.54816G	-36.22	-22.30	-13.92	2
6565MHz	Pass	6.54882G	-2.64	6.54052G	-31.61	-23.00	-8.61	1
6565MHz	Pass	6.54666G	-2.57	6.54184G	-29.64	-22.65	-6.99	2
6685MHz	Pass	6.70262G	-2.35	6.70756G	-34.46	-22.37	-12.09	1
6685MHz	Pass	6.68176G	-1.91	6.66184G	-35.84	-21.92	-13.92	2
6845MHz	Pass	6.82714G	-2.78	6.82136G	-38.80	-22.80	-16.00	1
6845MHz	Pass	6.8287G	-2.52	6.82184G	-36.81	-22.55	-14.26	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.86738G	-2.94	6.86208G	-30.56	-22.97	-7.59	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.86726G	-2.65	6.86184G	-32.24	-22.45	-9.79	2
6925MHz	Pass	6.9087G	-1.79	6.90148G	-36.77	-21.87	-14.90	1
6925MHz	Pass	6.9075G	-1.57	6.90196G	-35.25	-21.60	-13.65	2
7005MHz	Pass	6.98762G	-2.75	6.98184G	-29.58	-22.78	-6.80	1
7005MHz	Pass	6.9887G	-2.78	6.98172G	-29.70	-22.82	-6.88	2
7085MHz	Pass	7.07745G	-1.71	7.06244G	-33.20	-21.51	-11.69	1
7085MHz	Pass	7.06738G	-1.58	7.06172G	-35.81	-21.61	-14.20	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	5.99267G	2.42	6.105G	-39.47	-33.75	-5.72	1
5985MHz	Pass	5.98812G	1.36	6.105G	-42.29	-35.43	-6.86	2
6145MHz	Pass	6.17737G	2.37	6.26476G	-40.00	-33.78	-6.22	1
6145MHz	Pass	6.17041G	1.50	6.26476G	-42.04	-34.69	-7.35	2
6385MHz	Pass	6.41761G	2.55	6.505G	-39.49	-33.15	-6.34	1
6385MHz	Pass	6.4212G	1.18	6.505G	-41.88	-35.12	-6.76	2
6465MHz	Pass	6.45877G	0.24	6.585G	-42.13	-36.06	-6.07	1
6465MHz	Pass	6.46836G	0.77	6.585G	-43.03	-35.19	-7.84	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.55603G	0.15	6.665G	-42.09	-35.35	-6.74	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.53301G	0.58	6.665G	-43.21	-35.55	-7.66	2
6625MHz	Pass	6.63147G	0.33	6.745G	-42.45	-35.21	-7.24	1
6625MHz	Pass	6.63819G	0.51	6.745G	-43.78	-35.75	-8.03	2
6705MHz	Pass	6.71147G	0.57	6.825G	-42.10	-35.30	-6.80	1
6705MHz	Pass	6.70884G	0.74	6.825G	-43.77	-35.13	-8.64	2
6785MHz	Pass	6.76006G	0.45	6.90476G	-42.94	-35.23	-7.71	1
6785MHz	Pass	6.74784G	0.47	6.665G	-44.23	-35.32	-8.91	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.82736G	0.13	6.985G	-43.51	-35.70	-7.81	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.8288G	0.54	6.745G	-43.97	-35.55	-8.42	2
6945MHz	Pass	6.91335G	0.51	6.825G	-43.96	-35.58	-8.38	1
6945MHz	Pass	6.92126G	0.20	6.825G	-43.82	-35.89	-7.93	2
7025MHz	Pass	6.99575G	0.47	6.905G	-43.48	-35.92	-7.56	1
7025MHz	Pass	6.99071G	0.22	6.905G	-43.92	-36.43	-7.49	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09885G	3.64	6.25588G	-33.50	-32.03	-1.47	1
6025MHz	Pass	6.10124G	4.38	6.25732G	-33.19	-31.40	-1.79	2
6185MHz	Pass	6.1802G	3.08	6.4154G	-35.35	-32.48	-2.87	1
6185MHz	Pass	6.23775G	3.05	6.41636G	-34.57	-32.91	-1.66	2
6345MHz	Pass	6.41741G	3.42	6.5754G	-34.34	-31.76	-2.58	1
6345MHz	Pass	6.41117G	3.42	6.5754G	-34.87	-32.18	-2.69	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.42924G	3.60	6.73636G	-35.04	-32.05	-2.99	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.53137G	3.82	6.73636G	-34.50	-32.09	-2.41	2
6665MHz	Pass	6.60026G	4.34	6.4346G	-32.19	-26.45	-5.74	1
6665MHz	Pass	6.73501G	4.12	6.43268G	-33.48	-26.64	-6.84	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.75067G	3.02	7.05684G	-35.83	-32.91	-2.92	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.75163G	3.05	6.585G	-33.95	-33.92	-0.03	2
6985MHz	Pass	6.91355G	1.32	6.75508G	-38.72	-34.05	-4.67	1
6985MHz	Pass	6.95527G	1.22	6.745G	-37.24	-35.98	-1.26	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.17501G	3.62	6.56676G	-36.83	-32.90	-3.93	1
6105MHz	Pass	6.17405G	3.95	6.56292G	-34.97	-32.30	-2.67	2
6265MHz	Pass	6.41941G	4.13	6.7258G	-31.86	-31.78	-0.08	1
6265MHz	Pass	6.4079G	4.30	6.72676G	-32.76	-31.95	-0.81	2
6425MHz Straddle 5.925-6.425GHz	Pass	6.44226G	3.42	6.8858G	-38.11	-32.85	-5.26	1
6425MHz Straddle 5.925-6.425GHz	Pass	6.43651G	3.64	5.96228G	-37.30	-32.63	-4.67	2
6585MHz	Pass	6.56966G	1.20	7.041G	-40.18	-34.60	-5.58	1
6585MHz	Pass	6.53801G	1.59	6.12324G	-39.73	-34.75	-4.98	2
6745MHz	Pass	6.65773G	0.25	7.20388G	-41.81	-35.71	-6.10	1
6745MHz	Pass	6.65869G	0.31	6.28132G	-41.07	-36.25	-4.82	2
6905MHz Straddle 6.525-6.875GHz	Pass	6.76114G	-0.11	6.44708G	-41.47	-36.09	-5.38	1
6905MHz Straddle 6.525-6.875GHz	Pass	6.76306G	0.11	6.44036G	-39.64	-36.52	-3.12	2


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

01/03/2023

CF Freq
5.955GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6175MHz_TX

01/03/2023

CF Freq
6.175GHz
Span
60MHz
RBW
300kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS




Port 1
Port 2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

01/03/2023




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

01/03/2023




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

01/03/2023




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

01/03/2023




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

01/03/2023




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX


01/03/2023



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
6855MHz_TX

MASK


01/03/2023



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX

MASK


01/03/2023



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
6895MHz_TX

MASK


01/03/2023



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
6995MHz_TX

MASK

01/03/2023




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

01/03/2023




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX


01/03/2023



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
6165MHz_TX

MASK


01/03/2023



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
6405MHz_TX

MASK


02/03/2023



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
6445MHz_TX

MASK


01/03/2023



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
6485MHz_TX

MASK

01/03/2023




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

01/03/2023




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX


02/03/2023



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
6685MHz_TX

MASK


01/03/2023



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
6845MHz_TX

MASK

01/03/2023




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz Straddle 6.525-6.875GHz_TX

02/03/2023




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX


01/03/2023



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
7005MHz_TX

MASK


02/03/2023



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
7085MHz_TX

MASK

01/03/2023




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

01/03/2023




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

01/03/2023




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

01/03/2023




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

01/03/2023




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

01/03/2023




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX


01/03/2023



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
6705MHz_TX

MASK


01/03/2023



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
6785MHz_TX

MASK

01/03/2023




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

01/03/2023




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX


01/03/2023



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX 7025MHz_TX

MASK


01/03/2023



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX 6025MHz_TX

MASK

02/03/2023




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

02/03/2023




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

02/03/2023




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TX

02/03/2023




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX


02/03/2023



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX

MASK


02/03/2023



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
6985MHz_TX

MASK

01/03/2023



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

01/03/2023

CF Freq
6.105GHz


Span
960MHz

RBW
5MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17501G	3.62	6.56676G	-36.83	-32.90	-3.93	1
6.17405G	3.95	6.56292G	-34.97	-32.30	-2.67	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

01/03/2023

CF Freq
6.265GHz


Span
960MHz

RBW
5MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41941G	4.13	6.7258G	-31.86	-31.78	-0.08	1
6.4079G	4.30	6.72676G	-32.76	-31.95	-0.81	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz Straddle 5.925-6.425GHz_TX

01/03/2023




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX


02/03/2023



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX
6745MHz_TX

MASK


02/03/2023



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX
6905MHz Straddle 6.525-6.875GHz_TX

MASK

02/03/2023



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-74.93	3.07	-78.04	≤ -62
						Minimal	-75.93	3.07	-79.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-72.93	3.07	-76.02	≤ -62
						Minimal	-73.93	3.07	-77.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-73.93	3.07	-77.08	≤ -62
						Minimal	-74.93	3.07	-78.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-73.93	3.07	-77.03	≤ -62
						Minimal	-74.93	3.07	-78.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-71.93	3.07	-75.08	≤ -62
						Minimal	-72.93	3.07	-76.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
				Center	6105	OFF	-72.93	3.07	-76.07	≤ -62
						Minimal	-73.93	3.07	-77.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
				High edge	6260	OFF	-68.93	3.07	-72.06	≤ -62
						Minimal	-69.93	3.07	-73.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-72.93	3.07	-76.06	≤ -62
						Minimal	-73.93	3.07	-77.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
				Center	6425	OFF	-70.93	3.07	-74.05	≤ -62
						Minimal	-71.93	3.07	-75.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
				High edge	6580	OFF	-64.93	3.07	-68.09	≤ -62
						Minimal	-65.93	3.07	-69.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
6/7	159	320	6745	Low edge	6590	OFF	-73.93	3.07	-77.05	≤ -62
						Minimal	-74.93	3.07	-78.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
				Center	6745	OFF	-64.93	3.07	-68.01	≤ -62
						Minimal	-65.93	3.07	-69.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
				High edge	6900	OFF	-67.93	3.07	-71.08	≤ -62
						Minimal	-68.93	3.07	-72.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-74.93	3.07	-78.05	≤ -62
						Minimal	-75.93	3.07	-79.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
				Center	6905	OFF	-65.93	3.07	-69.05	≤ -62
						Minimal	-66.93	3.07	-70.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62
				High edge	7060	OFF	-64.93	3.07	-68.06	≤ -62
						Minimal	-65.93	3.07	-69.00	≤ -62
						ON	-78.93	3.07	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-78.04	OFF	9	90	90	Pass
6	101	20	6455	Center	6455	-76.02	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-77.08	OFF	9	90	90	Pass
8	213	20	7015	Center	7015	-77.03	OFF	9	90	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-75.08	OFF	9	90	90	Pass
				Center	6105	-76.07	OFF	9	90	90	Pass
				High edge	6260	-72.06	OFF	10	100	90	Pass
5/6/7	95	320	6425	Low edge	6270	-76.06	OFF	9	90	90	Pass
				Center	6425	-74.05	OFF	10	100	90	Pass
				High edge	6580	-68.09	OFF	9	90	90	Pass
6/7	159	320	6745	Low edge	6590	-77.05	OFF	10	100	90	Pass
				Center	6745	-68.01	OFF	9	90	90	Pass
				High edge	6900	-71.08	OFF	9	90	90	Pass
7/8	191	320	6905	Low edge	6750	-78.05	OFF	10	100	90	Pass
				Center	6905	-69.05	OFF	9	90	90	Pass
				High edge	7060	-68.06	OFF	9	90	90	Pass


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz




Frequency (MHz): 6455 MHz



Frequency (MHz): 6695 MHz




Frequency (MHz): 7015 MHz




Bandwidth: 320 MHz

Frequency (MHz): 5950 MHz




Date: 20.FEB.2024 09:49:14

Frequency (MHz): 6105 MHz




Date: 20.FEB.2024 09:50:03


Frequency (MHz): 6260 MHz




Frequency (MHz): 6270 MHz




Frequency (MHz): 6425 MHz




Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Frequency (MHz): 6745 MHz




Frequency (MHz): 6750 MHz




Frequency (MHz): 6900 MHz



Frequency (MHz): 6905 MHz




Frequency (MHz): 7060 MHz



Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 19 FEB 2024 22:14:34

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 19 FEB 2024 22:21:43

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31 ; Incumbent signal 5950 MHz



Date: 19 FEB. 2024 23:44:42

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6105 MHz



Date: 19 FEB. 2024 23:49:08

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6260 MHz



Date: 19.FEB.2024 23:58:07

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6270 MHz



Date: 20.FEB.2024 00:05:33


Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6745 MHz



Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6900 MHz



Date: 20.FEB.2024 00:57:01

Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6750 MHz



Date: 20.FEB.2024 01:05:31

Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6905 MHz



Date: 20.FEB.2024 01:11:45

Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Date: 20.FEB.2024 01:17:58

Note : M1 : Inject AWGN signal