


5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 26
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46831G	57.31	68.20	-10.89	38.46	3	Vertical	98	3.00	-	38.24	11.11	30.50			
PK	15.69585G	59.46	74.00	-14.54	42.03	3	Vertical	111	1.13	-	37.61	11.86	32.04			
AV	15.68706G	46.20	54.00	-7.80	28.74	3	Vertical	111	1.13	-	37.63	11.86	32.03			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 26
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4579G	56.84	68.20	-11.36	38.02	3	Horizontal	288	2.11	-	38.22	11.10	30.50			
PK	15.6966G	60.19	74.00	-13.81	42.76	3	Horizontal	158	1.11	-	37.61	11.86	32.04			
AV	15.67836G	46.22	54.00	-7.78	28.74	3	Horizontal	158	1.11	-	37.64	11.86	32.02			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 25
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	59.87	74.00	-14.13	52.97	3	Vertical	276	1.80	-	32.80	6.64	32.54			
AV	5.1491G	47.65	54.00	-6.35	40.75	3	Vertical	276	1.80	-	32.80	6.64	32.54			
PK	5.252G	114.13	Inf	-Inf	107.09	3	Vertical	276	1.80	-	32.90	6.66	32.52			
AV	5.2724G	101.31	Inf	-Inf	94.21	3	Vertical	276	1.80	-	32.94	6.67	32.51			
PK	5.3567G	60.77	74.00	-13.23	53.42	3	Vertical	276	1.80	-	33.13	6.71	32.49			
AV	5.3504G	48.45	54.00	-5.55	41.14	3	Vertical	276	1.80	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 25
01-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1275G	58.78	74.00	-15.22	51.93	3	Horizontal	238	1.80	-	32.76	6.64	32.55			
AV	5.1461G	45.89	54.00	-8.11	39.00	3	Horizontal	238	1.80	-	32.79	6.64	32.54			
PK	5.2625G	108.09	Inf	-Inf	101.03	3	Horizontal	238	1.80	-	32.92	6.66	32.52			
AV	5.2532G	92.81	Inf	-Inf	85.76	3	Horizontal	238	1.80	-	32.91	6.66	32.52			
PK	5.411G	59.88	74.00	-14.12	52.27	3	Horizontal	238	1.80	-	33.34	6.75	32.48			
AV	5.4017G	46.59	54.00	-7.41	39.03	3	Horizontal	238	1.80	-	33.31	6.73	32.48			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5253G	56.83	68.20	-11.37	37.88	3	Vertical	74	2.74	-	38.30	11.14	30.49			
PK	15.82473G	59.17	74.00	-14.83	41.98	3	Vertical	41	1.05	-	37.45	11.86	32.12			
AV	15.79557G	45.74	54.00	-8.26	28.57	3	Vertical	41	1.05	-	37.41	11.86	32.10			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52746G	56.97	68.20	-11.23	38.02	3	Horizontal	308	1.73	-	38.30	11.14	30.49			
PK	15.8142G	58.49	74.00	-15.51	41.31	3	Horizontal	37	2.00	-	37.43	11.86	32.11			
AV	15.82326G	45.71	54.00	-8.29	28.52	3	Horizontal	37	2.00	-	37.45	11.86	32.12			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 24
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3046G	115.96	Inf	-Inf	108.78	3	Vertical	254	1.80	-	33.01	6.68	32.51			
AV	5.2994G	106.00	Inf	-Inf	98.83	3	Vertical	254	1.80	-	33.00	6.68	32.51			
PK	5.3884G	65.59	74.00	-8.41	58.11	3	Vertical	254	1.80	-	33.25	6.72	32.49			
AV	5.351G	51.26	54.00	-2.74	43.95	3	Vertical	254	1.80	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 24
01-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3032G	104.83	Inf	-Inf	97.65	3	Horizontal	239	1.79	-	33.01	6.68	32.51			
AV	5.292G	91.43	Inf	-Inf	84.28	3	Horizontal	239	1.79	-	32.98	6.68	32.51			
PK	5.35G	59.13	74.00	-14.87	51.82	3	Horizontal	239	1.79	-	33.10	6.71	32.50			
AV	5.3544G	46.87	54.00	-7.13	39.53	3	Horizontal	239	1.79	-	33.12	6.71	32.49			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62354G	56.45	74.00	-17.55	37.33	3	Vertical	143	2.86	-	38.40	11.21	30.49			
AV	10.61871G	43.80	54.00	-10.20	24.69	3	Vertical	143	2.86	-	38.40	11.20	30.49			
PK	15.92181G	59.33	74.00	-14.67	42.03	3	Vertical	251	1.34	-	37.61	11.87	32.18			
AV	15.91623G	45.37	54.00	-8.63	28.04	3	Vertical	251	1.34	-	37.64	11.87	32.18			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.62495G	56.92	74.00	-17.08	37.80	3	Horizontal	231	2.99	-	38.40	11.21	30.49				
AV	10.60704G	43.77	54.00	-10.23	24.66	3	Horizontal	231	2.99	-	38.40	11.20	30.49				
PK	15.92421G	58.40	74.00	-15.60	41.11	3	Horizontal	287	2.34	-	37.60	11.87	32.18				
AV	15.915G	45.51	54.00	-8.49	28.18	3	Horizontal	287	2.34	-	37.64	11.87	32.18				

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 23
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	63.61	74.00	-10.39	55.68	3	Vertical	253	1.80	-	33.56	6.84	32.47			
AV	5.46G	51.26	54.00	-2.74	43.33	3	Vertical	253	1.80	-	33.56	6.84	32.47			
PK	5.468G	66.47	68.20	-1.73	58.47	3	Vertical	253	1.80	-	33.61	6.86	32.47			
PK	5.4926G	113.66	Inf	-Inf	105.46	3	Vertical	253	1.80	-	33.76	6.90	32.46			
AV	5.4954G	106.65	Inf	-Inf	98.43	3	Vertical	253	1.80	-	33.77	6.91	32.46			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 23
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.416G	59.60	74.00	-14.40	51.96	3	Horizontal	241	1.80	-	33.36	6.76	32.48			
PK	5.464G	60.28	68.20	-7.92	52.32	3	Horizontal	241	1.80	-	33.58	6.85	32.47			
AV	5.4584G	47.53	54.00	-6.47	39.61	3	Horizontal	241	1.80	-	33.55	6.84	32.47			
PK	5.494G	104.18	Inf	-Inf	95.98	3	Horizontal	241	1.80	-	33.76	6.90	32.46			
AV	5.4924G	90.88	Inf	-Inf	82.69	3	Horizontal	241	1.80	-	33.75	6.90	32.46			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01499G	57.73	74.00	-16.27	38.34	3	Vertical	354	1.85	-	38.43	11.45	30.49			
AV	11.0176G	44.46	54.00	-9.54	25.05	3	Vertical	354	1.85	-	38.44	11.46	30.49			
PK	16.54398G	60.39	68.20	-7.81	41.26	3	Vertical	290	1.94	-	39.06	12.13	32.06			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01997G	57.63	74.00	-16.37	38.22	3	Horizontal	46	2.55	-	38.44	11.46	30.49			
AV	11.02513G	44.48	54.00	-9.52	25.06	3	Horizontal	46	2.55	-	38.45	11.46	30.49			
PK	16.54107G	60.42	68.20	-7.78	41.30	3	Horizontal	223	1.24	-	39.05	12.13	32.06			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 26
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	60.55	68.20	-7.65	53.28	3	Vertical	253	1.80	-	33.07	6.70	32.50
AV	5.35G	47.35	54.00	-6.65	40.04	3	Vertical	253	1.80	-	33.10	6.71	32.50
PK	5.4595G	65.84	74.00	-8.16	57.91	3	Vertical	253	1.80	-	33.56	6.84	32.47
AV	5.46G	50.48	54.00	-3.52	42.55	3	Vertical	253	1.80	-	33.56	6.84	32.47
PK	5.47G	65.00	68.20	-3.20	56.99	3	Vertical	253	1.80	-	33.62	6.86	32.47
PK	5.5355G	116.49	Inf	-Inf	108.10	3	Vertical	253	1.80	-	33.87	6.98	32.46
AV	5.533G	103.52	Inf	-Inf	95.13	3	Vertical	253	1.80	-	33.87	6.98	32.46
PK	5.7535G	61.67	68.20	-6.53	52.72	3	Vertical	253	1.80	-	34.11	7.29	32.45

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
Setting 26
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3485G	59.44	68.20	-8.76	52.14	3	Horizontal	241	1.80	-	33.10	6.70	32.50
AV	5.35G	46.57	54.00	-7.43	39.26	3	Horizontal	241	1.80	-	33.10	6.71	32.50
PK	5.413G	60.64	74.00	-13.36	53.02	3	Horizontal	241	1.80	-	33.35	6.75	32.48
PK	5.464G	60.16	68.20	-8.04	52.20	3	Horizontal	241	1.80	-	33.58	6.85	32.47
AV	5.444G	47.68	54.00	-6.32	39.86	3	Horizontal	241	1.80	-	33.48	6.81	32.47
PK	5.5685G	106.84	Inf	-Inf	98.36	3	Horizontal	241	1.80	-	33.90	7.04	32.46
AV	5.544G	94.78	Inf	-Inf	86.35	3	Horizontal	241	1.80	-	33.89	7.00	32.46
PK	5.764G	60.33	68.20	-7.87	51.35	3	Horizontal	241	1.80	-	34.13	7.30	32.45

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 26
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.08911G	57.80	74.00	-16.20	38.24	3	Vertical	318	1.89	-	38.58	11.50	30.52			
AV	11.08866G	44.51	54.00	-9.49	24.95	3	Vertical	318	1.89	-	38.58	11.50	30.52			
PK	16.64727G	60.94	68.20	-7.26	41.05	3	Vertical	173	2.82	-	39.78	12.18	32.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Y_2TX
Setting 26
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09931G	58.15	74.00	-15.85	38.57	3	Horizontal	131	1.48	-	38.60	11.51	30.53			
AV	11.08932G	44.56	54.00	-9.44	25.00	3	Horizontal	131	1.48	-	38.58	11.50	30.52			
PK	16.6473G	61.16	68.20	-7.04	41.27	3	Horizontal	68	1.77	-	39.78	12.18	32.07			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 24
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6652G	117.88	Inf	-Inf	109.12	3	Vertical	251	1.80	-	34.03	7.18	32.45			
AV	5.6556G	106.83	Inf	-Inf	98.10	3	Vertical	251	1.80	-	34.01	7.17	32.45			
PK	5.7252G	63.83	68.20	-4.37	54.92	3	Vertical	251	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 24
01-E-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6646G	106.57	Inf	-Inf	97.81	3	Horizontal	180	2.83	-	34.03	7.18	32.45			
AV	5.6672G	93.96	Inf	-Inf	85.20	3	Horizontal	180	2.83	-	34.03	7.18	32.45			
PK	5.7276G	60.94	68.20	-7.26	52.03	3	Horizontal	180	2.83	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34096G	58.28	74.00	-15.72	38.58	3	Vertical	1	1.18	-	38.68	11.66	30.64			
AV	11.33283G	45.15	54.00	-8.85	25.45	3	Vertical	1	1.18	-	38.67	11.66	30.63			
PK	17.00259G	63.17	68.20	-5.03	41.73	3	Vertical	0	1.02	-	41.21	12.35	32.12			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33421G	57.89	74.00	-16.11	38.19	3	Horizontal	328	1.93	-	38.67	11.66	30.63			
AV	11.32713G	45.12	54.00	-8.88	25.45	3	Horizontal	328	1.93	-	38.65	11.65	30.63			
PK	17.00421G	62.89	68.20	-5.31	41.45	3	Horizontal	151	2.78	-	41.21	12.35	32.12			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7244G	116.84	Inf	-Inf	107.93	3	Vertical	252	1.80	-	34.10	7.26	32.45			
AV	5.692G	105.82	Inf	-Inf	96.98	3	Vertical	252	1.80	-	34.08	7.21	32.45			
PK	5.8508G	66.57	68.20	-1.63	57.13	3	Vertical	252	1.80	-	34.50	7.39	32.45			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 26
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.714G	106.03	Inf	-Inf	97.14	3	Horizontal	238	1.80	-	34.10	7.24	32.45			
AV	5.692G	93.35	Inf	-Inf	84.51	3	Horizontal	238	1.80	-	34.08	7.21	32.45			
PK	5.8796G	60.85	68.20	-7.35	51.20	3	Horizontal	238	1.80	-	34.68	7.41	32.44			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42927G	58.19	74.00	-15.81	38.39	3	Vertical	360	2.31	-	38.76	11.72	30.68			
AV	11.40806G	45.10	54.00	-8.90	25.35	3	Vertical	360	2.31	-	38.72	11.70	30.67			
PK	17.13894G	62.32	68.20	-5.88	40.52	3	Vertical	94	2.23	-	41.56	12.41	32.17			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 26
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41739G	58.90	74.00	-15.10	39.13	3	Horizontal	189	1.54	-	38.73	11.71	30.67			
AV	11.41331G	44.98	54.00	-9.02	25.21	3	Horizontal	189	1.54	-	38.73	11.71	30.67			
PK	17.13486G	62.83	68.20	-5.37	41.05	3	Horizontal	240	1.27	-	41.54	12.41	32.17			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 25
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.649G	66.66	68.20	-1.54	57.95	3	Vertical	253	1.80	-	34.00	7.16	32.45			
PK	5.7365G	116.71	Inf	-Inf	107.79	3	Vertical	253	1.80	-	34.10	7.27	32.45			
AV	5.7455G	107.26	Inf	-Inf	98.33	3	Vertical	253	1.80	-	34.10	7.28	32.45			
PK	5.971G	62.37	68.20	-5.83	52.15	3	Vertical	253	1.80	-	35.18	7.48	32.44			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 25
01-E-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6125G	60.28	68.20	-7.92	51.70	3	Horizontal	187	1.80	-	33.92	7.12	32.46			
PK	5.764G	104.71	Inf	-Inf	95.73	3	Horizontal	187	1.80	-	34.13	7.30	32.45			
AV	5.737G	92.86	Inf	-Inf	83.94	3	Horizontal	187	1.80	-	34.10	7.27	32.45			
PK	5.9995G	62.42	68.20	-5.78	52.06	3	Horizontal	187	1.80	-	35.30	7.50	32.44			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49572G	58.18	74.00	-15.82	38.15	3	Vertical	279	2.73	-	38.98	11.76	30.71			
AV	11.52116G	45.10	54.00	-8.90	25.01	3	Vertical	279	2.73	-	39.04	11.78	30.73			
PK	17.27613G	61.90	68.20	-6.30	39.33	3	Vertical	204	2.59	-	42.31	12.48	32.22			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51378G	58.28	74.00	-15.72	38.20	3	Horizontal	6	2.95	-	39.03	11.77	30.72			
AV	11.49725G	45.14	54.00	-8.86	25.10	3	Horizontal	6	2.95	-	38.99	11.76	30.71			
PK	17.27031G	61.86	68.20	-6.34	39.35	3	Horizontal	71	2.12	-	42.26	12.47	32.22			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 25
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	66.69	68.20	-1.51	58.03	3	Vertical	252	1.80	-	33.97	7.14	32.45
PK	5.7775G	116.31	Inf	-Inf	107.28	3	Vertical	252	1.80	-	34.16	7.32	32.45
AV	5.7905G	106.66	Inf	-Inf	97.59	3	Vertical	252	1.80	-	34.18	7.34	32.45
PK	5.989G	63.03	68.20	-5.17	52.72	3	Vertical	252	1.80	-	35.26	7.49	32.44

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 25
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.573G	61.17	68.20	-7.03	52.68	3	Horizontal	178	2.78	-	33.90	7.05	32.46
PK	5.788G	109.18	Inf	-Inf	100.12	3	Horizontal	178	2.78	-	34.18	7.33	32.45
AV	5.777G	95.68	Inf	-Inf	86.66	3	Horizontal	178	2.78	-	34.15	7.32	32.45
PK	6.0275G	62.55	68.20	-5.65	52.13	3	Horizontal	178	2.78	-	35.35	7.51	32.44

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57608G	59.05	74.00	-14.95	38.86	3	Vertical	76	2.64	-	39.15	11.81	30.77			
AV	11.57722G	45.30	54.00	-8.70	25.11	3	Vertical	76	2.64	-	39.15	11.81	30.77			
PK	17.38044G	63.44	68.20	-4.76	40.15	3	Vertical	168	1.57	-	43.02	12.53	32.26			

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58736G	58.41	74.00	-15.59	38.20	3	Horizontal	212	2.77	-	39.17	11.82	30.78			
AV	11.57701G	45.27	54.00	-8.73	25.08	3	Horizontal	212	2.77	-	39.15	11.81	30.77			
PK	17.37234G	63.35	68.20	-4.85	40.09	3	Horizontal	253	2.24	-	42.99	12.52	32.25			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 24
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1465G	65.93	74.00	-8.07	59.04	3	Vertical	274	1.80	-	32.79	6.64	32.54			
AV	5.148G	52.21	54.00	-1.79	45.31	3	Vertical	274	1.80	-	32.80	6.64	32.54			
PK	5.172G	110.49	Inf	-Inf	103.55	3	Vertical	274	1.80	-	32.84	6.64	32.54			
AV	5.173G	98.21	Inf	-Inf	91.26	3	Vertical	274	1.80	-	32.85	6.64	32.54			
PK	5.4295G	61.11	74.00	-12.89	53.39	3	Vertical	274	1.80	-	33.42	6.78	32.48			
AV	5.458G	47.86	54.00	-6.14	39.94	3	Vertical	274	1.80	-	33.55	6.84	32.47			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 24
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	59.57	74.00	-14.43	52.70	3	Horizontal	243	1.80	-	32.78	6.64	32.55			
AV	5.1495G	47.04	54.00	-6.96	40.14	3	Horizontal	243	1.80	-	32.80	6.64	32.54			
PK	5.202G	100.19	Inf	-Inf	93.19	3	Horizontal	243	1.80	-	32.90	6.63	32.53			
AV	5.2085G	87.90	Inf	-Inf	80.90	3	Horizontal	243	1.80	-	32.90	6.63	32.53			
PK	5.431G	59.71	74.00	-14.29	51.98	3	Horizontal	243	1.80	-	33.42	6.79	32.48			
AV	5.46G	46.73	54.00	-7.27	38.80	3	Horizontal	243	1.80	-	33.56	6.84	32.47			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42207G	56.98	68.20	-11.22	38.15	3	Vertical	0	2.16	-	38.26	11.08	30.51			
PK	15.63729G	59.59	74.00	-14.41	42.01	3	Vertical	196	1.29	-	37.73	11.85	32.00			
AV	15.64095G	46.30	54.00	-7.70	28.73	3	Vertical	196	1.29	-	37.72	11.85	32.00			

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41871G	56.72	68.20	-11.48	37.89	3	Horizontal	271	1.84	-	38.26	11.08	30.51			
PK	15.64227G	59.60	74.00	-14.40	42.03	3	Horizontal	226	2.31	-	37.72	11.85	32.00			
AV	15.62946G	46.39	54.00	-7.61	28.79	3	Horizontal	226	2.31	-	37.74	11.85	31.99			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 24
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	59.70	74.00	-14.30	52.84	3	Vertical	252	1.80	-	32.77	6.64	32.55
AV	5.149G	47.26	54.00	-6.74	40.36	3	Vertical	252	1.80	-	32.80	6.64	32.54
PK	5.287G	110.43	Inf	-Inf	103.30	3	Vertical	252	1.80	-	32.97	6.67	32.51
AV	5.2545G	97.70	Inf	-Inf	90.65	3	Vertical	252	1.80	-	32.91	6.66	32.52
PK	5.39G	71.15	74.00	-2.85	63.65	3	Vertical	252	1.80	-	33.26	6.73	32.49
AV	5.3595G	51.68	54.00	-2.32	44.32	3	Vertical	252	1.80	-	33.14	6.71	32.49
PK	5.4915G	62.82	68.20	-5.38	54.63	3	Vertical	252	1.80	-	33.75	6.90	32.46

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 24
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0515G	58.10	74.00	-15.90	51.21	3	Horizontal	239	1.80	-	32.80	6.66	32.57			
AV	5.1455G	46.18	54.00	-7.82	39.30	3	Horizontal	239	1.80	-	32.79	6.64	32.55			
PK	5.279G	100.79	Inf	-Inf	93.67	3	Horizontal	239	1.80	-	32.96	6.67	32.51			
AV	5.2535G	88.64	Inf	-Inf	81.59	3	Horizontal	239	1.80	-	32.91	6.66	32.52			
PK	5.378G	59.58	74.00	-14.42	52.14	3	Horizontal	239	1.80	-	33.21	6.72	32.49			
AV	5.3715G	47.13	54.00	-6.87	39.71	3	Horizontal	239	1.80	-	33.19	6.72	32.49			
PK	5.5105G	59.70	68.20	-8.50	51.41	3	Horizontal	239	1.80	-	33.82	6.93	32.46			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57682G	57.91	68.20	-10.29	38.87	3	Vertical	287	1.82	-	38.35	11.18	30.49			
PK	15.88419G	59.02	74.00	-14.98	41.68	3	Vertical	154	1.33	-	37.64	11.86	32.16			
AV	15.86625G	45.71	54.00	-8.29	28.43	3	Vertical	154	1.33	-	37.56	11.86	32.14			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57871G	57.37	68.20	-10.83	38.32	3	Horizontal	28	2.44	-	38.36	11.18	30.49			
PK	15.87945G	59.04	74.00	-14.96	41.71	3	Horizontal	316	2.24	-	37.62	11.86	32.15			
AV	15.8685G	45.70	54.00	-8.30	28.42	3	Horizontal	316	2.24	-	37.57	11.86	32.15			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 22
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29G	60.75	68.20	-7.45	53.61	3	Vertical	256	1.80	-	32.98	6.67	32.51
AV	5.35G	47.40	54.00	-6.60	40.09	3	Vertical	256	1.80	-	33.10	6.71	32.50
PK	5.4485G	67.57	74.00	-6.43	59.73	3	Vertical	256	1.80	-	33.49	6.82	32.47
PK	5.4615G	65.14	68.20	-3.06	57.20	3	Vertical	256	1.80	-	33.57	6.84	32.47
AV	5.46G	52.36	54.00	-1.64	44.43	3	Vertical	256	1.80	-	33.56	6.84	32.47
AV	5.495G	96.51	Inf	-Inf	88.29	3	Vertical	256	1.80	-	33.77	6.91	32.46
PK	5.55G	110.15	Inf	-Inf	101.70	3	Vertical	256	1.80	-	33.90	7.01	32.46
PK	5.768G	61.37	68.20	-6.83	52.37	3	Vertical	256	1.80	-	34.14	7.31	32.45

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
Setting 22
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.347G	59.26	68.20	-8.94	51.97	3	Horizontal	243	1.80	-	33.09	6.70	32.50			
AV	5.35G	46.26	54.00	-7.74	38.95	3	Horizontal	243	1.80	-	33.10	6.71	32.50			
PK	5.442G	59.52	74.00	-14.48	51.71	3	Horizontal	243	1.80	-	33.47	6.81	32.47			
PK	5.4615G	60.27	68.20	-7.93	52.33	3	Horizontal	243	1.80	-	33.57	6.84	32.47			
AV	5.4585G	47.89	54.00	-6.11	39.97	3	Horizontal	243	1.80	-	33.55	6.84	32.47			
PK	5.5085G	99.15	Inf	-Inf	90.86	3	Horizontal	243	1.80	-	33.82	6.93	32.46			
AV	5.4925G	86.77	Inf	-Inf	78.58	3	Horizontal	243	1.80	-	33.75	6.90	32.46			
PK	5.765G	60.11	68.20	-8.09	51.12	3	Horizontal	243	1.80	-	34.13	7.31	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 22
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05268G	58.25	74.00	-15.75	38.76	3	Vertical	312	2.34	-	38.51	11.48	30.50			
AV	11.0477G	44.64	54.00	-9.36	25.16	3	Vertical	312	2.34	-	38.50	11.48	30.50			
PK	16.58169G	61.16	68.20	-7.04	41.72	3	Vertical	184	1.52	-	39.35	12.15	32.06			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 22
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07119G	57.79	74.00	-16.21	38.27	3	Horizontal	293	2.16	-	38.54	11.49	30.51			
AV	11.07251G	44.61	54.00	-9.39	25.08	3	Horizontal	293	2.16	-	38.55	11.49	30.51			
PK	16.60197G	60.94	68.20	-7.26	41.33	3	Horizontal	219	1.48	-	39.51	12.16	32.06			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 25
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.401G	61.90	74.00	-12.10	54.35	3	Vertical	252	1.80	-	33.30	6.73	32.48
PK	5.467G	62.03	68.20	-6.17	54.05	3	Vertical	252	1.80	-	33.60	6.85	32.47
AV	5.436G	50.83	54.00	-3.17	43.07	3	Vertical	252	1.80	-	33.44	6.80	32.48
PK	5.5755G	113.07	Inf	-Inf	104.58	3	Vertical	252	1.80	-	33.90	7.05	32.46
AV	5.604G	105.61	Inf	-Inf	97.06	3	Vertical	252	1.80	-	33.91	7.10	32.46
PK	5.739G	63.74	68.20	-4.46	54.82	3	Vertical	252	1.80	-	34.10	7.27	32.45

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
 Setting 25
 01-E-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4145G	59.55	74.00	-14.45	51.91	3	Horizontal	230	1.80	-	33.36	6.76	32.48			
PK	5.4615G	58.77	68.20	-9.43	50.83	3	Horizontal	230	1.80	-	33.57	6.84	32.47			
AV	5.4475G	47.18	54.00	-6.82	39.34	3	Horizontal	230	1.80	-	33.49	6.82	32.47			
PK	5.6035G	103.43	Inf	-Inf	94.88	3	Horizontal	230	1.80	-	33.91	7.10	32.46			
AV	5.575G	87.89	Inf	-Inf	79.40	3	Horizontal	230	1.80	-	33.90	7.05	32.46			
PK	5.86G	61.26	68.20	-6.94	51.76	3	Horizontal	230	1.80	-	34.56	7.39	32.45			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23185G	58.21	74.00	-15.79	38.71	3	Vertical	10	1.31	-	38.50	11.59	30.59			
AV	11.20503G	44.59	54.00	-9.41	25.08	3	Vertical	10	1.31	-	38.50	11.58	30.57			
PK	16.81599G	62.66	68.20	-5.54	42.16	3	Vertical	119	2.96	-	40.33	12.26	32.09			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23359G	57.94	74.00	-16.06	38.44	3	Horizontal	312	1.03	-	38.50	11.59	30.59			
AV	11.23239G	44.55	54.00	-9.45	25.05	3	Horizontal	312	1.03	-	38.50	11.59	30.59			
PK	16.83159G	62.59	68.20	-5.61	42.06	3	Horizontal	301	1.34	-	40.36	12.27	32.10			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	62.63	74.00	-11.37	54.79	3	Vertical	252	1.80	-	33.49	6.82	32.47
AV	5.4518G	48.41	54.00	-5.59	40.54	3	Vertical	252	1.80	-	33.51	6.83	32.47
PK	5.4644G	61.44	68.20	-6.76	53.47	3	Vertical	252	1.80	-	33.59	6.85	32.47
PK	5.6576G	113.66	Inf	-Inf	104.92	3	Vertical	252	1.80	-	34.02	7.17	32.45
AV	5.6774G	101.62	Inf	-Inf	92.82	3	Vertical	252	1.80	-	34.05	7.20	32.45
PK	5.9558G	62.52	68.20	-5.68	52.37	3	Vertical	252	1.80	-	35.12	7.47	32.44

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4422G	60.49	74.00	-13.51	52.68	3	Horizontal	186	2.12	-	33.47	6.81	32.47			
PK	5.4638G	59.31	68.20	-8.89	51.35	3	Horizontal	186	2.12	-	33.58	6.85	32.47			
AV	5.459G	47.37	54.00	-6.63	39.45	3	Horizontal	186	2.12	-	33.55	6.84	32.47			
PK	5.6696G	104.18	Inf	-Inf	95.40	3	Horizontal	186	2.12	-	34.04	7.19	32.45			
AV	5.6528G	91.68	Inf	-Inf	82.95	3	Horizontal	186	2.12	-	34.01	7.17	32.45			
PK	5.99G	61.70	68.20	-6.50	51.39	3	Horizontal	186	2.12	-	35.26	7.49	32.44			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38777G	58.16	74.00	-15.84	38.43	3	Vertical	51	2.24	-	38.70	11.69	30.66			
AV	11.36722G	45.22	54.00	-8.78	25.49	3	Vertical	51	2.24	-	38.70	11.68	30.65			
PK	17.06244G	62.85	68.20	-5.35	41.30	3	Vertical	89	1.53	-	41.32	12.37	32.14			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38819G	58.24	74.00	-15.76	38.51	3	Horizontal	249	1.31	-	38.70	11.69	30.66			
AV	11.37088G	45.10	54.00	-8.90	25.37	3	Horizontal	249	1.31	-	38.70	11.68	30.65			
PK	17.07834G	62.66	68.20	-5.54	41.07	3	Horizontal	29	2.32	-	41.36	12.38	32.15			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 25
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6358G	65.37	68.20	-2.83	56.71	3	Vertical	248	1.80	-	33.97	7.14	32.45			
PK	5.7708G	112.65	Inf	-Inf	103.65	3	Vertical	248	1.80	-	34.14	7.31	32.45			
AV	5.7384G	99.91	Inf	-Inf	90.99	3	Vertical	248	1.80	-	34.10	7.27	32.45			
PK	6.03G	62.89	68.20	-5.31	52.46	3	Vertical	248	1.80	-	35.36	7.51	32.44			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 25
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6442G	61.13	68.20	-7.07	52.43	3	Horizontal	137	1.80	-	33.99	7.16	32.45			
PK	5.7672G	101.62	Inf	-Inf	92.63	3	Horizontal	137	1.80	-	34.13	7.31	32.45			
AV	5.7372G	89.71	Inf	-Inf	80.79	3	Horizontal	137	1.80	-	34.10	7.27	32.45			
PK	5.9646G	61.82	68.20	-6.38	51.63	3	Horizontal	137	1.80	-	35.16	7.47	32.44			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55513G	58.69	74.00	-15.31	38.54	3	Vertical	256	1.84	-	39.11	11.80	30.76			
AV	11.56041G	45.22	54.00	-8.78	25.06	3	Vertical	256	1.84	-	39.12	11.80	30.76			
PK	17.33361G	61.21	68.20	-6.99	38.18	3	Vertical	302	1.67	-	42.77	12.50	32.24			

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
Setting 25
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5629G	58.52	74.00	-15.48	38.35	3	Horizontal	130	2.41	-	39.13	11.80	30.76			
AV	11.54901G	45.26	54.00	-8.74	25.12	3	Horizontal	130	2.41	-	39.10	11.79	30.75			
PK	17.32773G	61.71	68.20	-6.49	38.73	3	Horizontal	72	1.69	-	42.72	12.50	32.24			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 22
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.78	74.00	-6.22	60.88	3	Vertical	246.4	1.80	-	32.80	6.64	32.54
AV	5.1452G	52.70	54.00	-1.30	45.82	3	Vertical	246.4	1.80	-	32.79	6.64	32.55
PK	5.2396G	113.25	Inf	-Inf	106.22	3	Vertical	246.4	1.80	-	32.90	6.65	32.52
AV	5.2468G	96.03	Inf	-Inf	89.00	3	Vertical	246.4	1.80	-	32.90	6.65	32.52
PK	5.3564G	69.34	74.00	-4.66	61.99	3	Vertical	246.4	1.80	-	33.13	6.71	32.49
AV	5.4052G	52.36	54.00	-1.64	44.78	3	Vertical	246.4	1.80	-	33.32	6.74	32.48
PK	5.5828G	62.20	68.20	-6.00	53.69	3	Vertical	246.4	1.80	-	33.90	7.07	32.46

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 22
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1172G	60.61	74.00	-13.39	53.78	3	Horizontal	246	1.80	-	32.73	6.65	32.55
AV	5.1428G	47.47	54.00	-6.53	40.59	3	Horizontal	246	1.80	-	32.79	6.64	32.55
PK	5.242G	97.10	Inf	-Inf	90.07	3	Horizontal	246	1.80	-	32.90	6.65	32.52
AV	5.234G	83.39	Inf	-Inf	76.36	3	Horizontal	246	1.80	-	32.90	6.65	32.52
PK	5.4444G	60.45	74.00	-13.55	52.63	3	Horizontal	246	1.80	-	33.48	6.81	32.47
AV	5.4012G	47.55	54.00	-6.45	40.00	3	Horizontal	246	1.80	-	33.30	6.73	32.48
PK	5.5788G	59.90	68.20	-8.30	51.40	3	Horizontal	246	1.80	-	33.90	7.06	32.46

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 22
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50612G	57.25	68.20	-10.95	38.31	3	Vertical	186	2.24	-	38.30	11.13	30.49			
PK	15.76287G	59.42	74.00	-14.58	42.17	3	Vertical	357	2.73	-	37.47	11.86	32.08			
AV	15.74022G	46.04	54.00	-7.96	28.72	3	Vertical	357	2.73	-	37.52	11.86	32.06			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 22
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48719G	57.03	68.20	-11.17	38.13	3	Horizontal	220	1.91	-	38.27	11.12	30.49			
PK	15.73608G	59.80	74.00	-14.20	42.47	3	Horizontal	270	1.92	-	37.53	11.86	32.06			
AV	15.73659G	46.13	54.00	-7.87	28.80	3	Horizontal	270	1.92	-	37.53	11.86	32.06			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 20
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.326G	62.52	68.20	-5.68	53.61	3	Vertical	251	1.80	-	33.05	6.69	30.83				
PK	5.4356G	69.50	74.00	-4.50	60.03	3	Vertical	251	1.80	-	33.44	6.80	30.77				
AV	5.446G	52.22	54.00	-1.78	42.68	3	Vertical	251	1.80	-	33.48	6.82	30.76				
PK	5.4676G	66.19	68.20	-2.01	56.47	3	Vertical	251	1.80	-	33.61	6.86	30.75				
PK	5.5004G	105.31	Inf	-Inf	95.32	3	Vertical	251	1.80	-	33.80	6.92	30.73				
AV	5.5644G	101.06	Inf	-Inf	90.84	3	Vertical	251	1.80	-	33.90	7.03	30.71				
PK	5.7372G	63.38	68.20	-4.82	52.68	3	Vertical	251	1.80	-	34.10	7.27	30.67				

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 20
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.23G	59.74	68.20	-8.46	51.08	3	Horizontal	241	1.80	-	32.90	6.64	30.88			
PK	5.426G	61.06	74.00	-12.94	51.65	3	Horizontal	241	1.80	-	33.40	6.78	30.77			
AV	5.438G	48.03	54.00	-5.97	38.54	3	Horizontal	241	1.80	-	33.45	6.80	30.76			
PK	5.4612G	59.55	68.20	-8.65	49.89	3	Horizontal	241	1.80	-	33.57	6.84	30.75			
PK	5.5164G	95.65	Inf	-Inf	85.60	3	Horizontal	241	1.80	-	33.83	6.95	30.73			
AV	5.5588G	82.86	Inf	-Inf	72.66	3	Horizontal	241	1.80	-	33.90	7.02	30.72			
PK	5.9372G	61.59	68.20	-6.61	49.75	3	Horizontal	241	1.80	-	35.02	7.45	30.63			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


5570MHz_TX

EUT Y_2TX
Setting 20
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1265G	58.33	74.00	-15.67	38.79	3	Vertical	175	2.70	-	38.55	11.53	30.54			
AV	11.12851G	44.38	54.00	-9.62	24.85	3	Vertical	175	2.70	-	38.54	11.53	30.54			
PK	16.70061G	61.33	68.20	-6.87	41.31	3	Vertical	343	1.76	-	39.90	12.20	32.08			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 20
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12815G	57.68	74.00	-16.32	38.15	3	Horizontal	230	1.28	-	38.54	11.53	30.54			
AV	11.12767G	44.29	54.00	-9.71	24.76	3	Horizontal	230	1.28	-	38.54	11.53	30.54			
PK	16.71486G	61.55	68.20	-6.65	41.49	3	Horizontal	106	2.28	-	39.93	12.21	32.08			

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3468G	64.35	68.20	-3.85	57.06	3	Vertical	253	1.80	-	33.09	6.70	32.50
AV	5.3996G	52.55	54.00	-1.45	45.00	3	Vertical	253	1.80	-	33.30	6.73	32.48
PK	5.454G	68.96	74.00	-5.04	61.08	3	Vertical	253	1.80	-	33.52	6.83	32.47
PK	5.47G	65.50	68.20	-2.70	57.49	3	Vertical	253	1.80	-	33.62	6.86	32.47
PK	5.518G	104.04	Inf	-Inf	95.71	3	Vertical	253	1.80	-	33.84	6.95	32.46
AV	5.4996G	93.55	Inf	-Inf	85.30	3	Vertical	253	1.80	-	33.80	6.91	32.46
PK	5.8516G	63.66	68.20	-4.54	54.21	3	Vertical	253	1.80	-	34.51	7.39	32.45

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 20
01-E-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3452G	59.62	68.20	-8.58	52.33	3	Horizontal	134	2.98	-	33.09	6.70	32.50
PK	5.454G	62.59	74.00	-11.41	54.71	3	Horizontal	134	2.98	-	33.52	6.83	32.47
AV	5.4596G	48.33	54.00	-5.67	40.40	3	Horizontal	134	2.98	-	33.56	6.84	32.47
PK	5.4652G	61.79	68.20	-6.41	53.82	3	Horizontal	134	2.98	-	33.59	6.85	32.47
PK	5.4996G	94.15	Inf	-Inf	85.90	3	Horizontal	134	2.98	-	33.80	6.91	32.46
AV	5.6036G	82.96	Inf	-Inf	74.41	3	Horizontal	134	2.98	-	33.91	7.10	32.46
PK	5.8708G	62.90	68.20	-5.30	53.33	3	Horizontal	134	2.98	-	34.62	7.40	32.45

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX


5610MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 20
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22315G	58.28	74.00	-15.72	38.77	3	Vertical	258	2.15	-	38.50	11.59	30.58			
AV	11.21595G	44.50	54.00	-9.50	25.00	3	Vertical	258	2.15	-	38.50	11.58	30.58			
PK	16.81962G	62.18	68.20	-6.02	41.67	3	Vertical	243	2.12	-	40.34	12.26	32.09			

5.47-5.725GHz_EHT240,BF_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 20
02-D-V-1


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.2125G	57.79	74.00	-16.21	38.29	3	Horizontal	218	1.89	-	38.50	11.58	30.58			
AV	11.22648G	44.60	54.00	-9.40	25.09	3	Horizontal	218	1.89	-	38.50	11.59	30.58			
PK	16.82898G	62.18	68.20	-6.02	41.66	3	Horizontal	237	2.56	-	40.36	12.26	32.10			



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.28052G	48.09	54.00	-5.91	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.28061G	57.32	74.00	-16.68	-6.75	3	Vertical	163	1.01	-	64.07	25.59	4.47	36.81		
AV	1.28058G	46.78	54.00	-7.22	-6.75	3	Vertical	163	1.01	"Worst"	53.53	25.59	4.47	36.81		

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.28052G	58.55	74.00	-15.45	-6.75	3	Horizontal	320	1.50	-	65.30	25.59	4.47	36.81		
AV	1.28052G	48.09	54.00	-5.91	-6.75	3	Horizontal	320	1.50	"Worst"	54.84	25.59	4.47	36.81		