


6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.62684G	48.28	83.54	-35.26	38.56	1	Vertical	85	1.63	-	37.70	20.82	48.80			
AV	19.62876G	35.68	63.54	-27.86	25.96	1	Vertical	85	1.63	-	37.70	20.82	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.62288G	48.61	83.54	-34.93	38.89	1	Horizontal	134	2.32	-	37.70	20.82	48.80			
AV	19.63644G	35.75	63.54	-27.79	26.04	1	Horizontal	134	2.32	-	37.70	20.81	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24742G	45.26	88.20	-42.94	58.34	3	Vertical	307	1.78	-	39.89	11.89	64.86			
RMS	13.2392G	32.83	68.20	-35.37	45.94	3	Vertical	307	1.78	-	39.86	11.89	64.86			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.23668G	45.56	88.20	-42.64	58.68	3	Horizontal	297	2.49	-	39.85	11.89	64.86			
RMS	13.24061G	32.77	68.20	-35.43	45.88	3	Horizontal	297	2.49	-	39.86	11.89	64.86			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88598G	50.05	83.54	-33.49	40.52	1	Vertical	162	1.87	-	37.70	20.63	48.80			
AV	19.88268G	36.82	63.54	-26.72	27.29	1	Vertical	162	1.87	-	37.70	20.63	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8855G	49.59	83.54	-33.95	40.06	1	Horizontal	223	1.80	-	37.70	20.63	48.80			
AV	19.88226G	36.77	63.54	-26.77	27.24	1	Horizontal	223	1.80	-	37.70	20.63	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41300G	46.18	88.20	-42.02	58.82	3	Vertical	348	2.71	-	40.33	11.87	64.84			
RMS	13.41366G	33.35	68.20	-34.85	45.99	3	Vertical	348	2.71	-	40.33	11.87	64.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40535G	46.11	88.20	-42.09	58.77	3	Horizontal	199	2.15	-	40.31	11.87	64.84			
RMS	13.40053G	33.25	68.20	-34.95	45.92	3	Horizontal	199	2.15	-	40.30	11.87	64.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11434G	52.33	83.54	-31.21	42.55	1	Vertical	346	1.57	-	37.80	20.76	48.78			
AV	20.10504G	39.02	63.54	-24.52	29.26	1	Vertical	346	1.57	-	37.80	20.74	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12022G	52.19	83.54	-31.35	42.40	1	Horizontal	169	1.93	-	37.80	20.77	48.78			
AV	20.10054G	39.25	63.54	-24.29	29.50	1	Horizontal	169	1.93	-	37.80	20.73	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57459G	46.46	88.20	-41.74	58.92	3	Vertical	314	1.94	-	40.50	11.84	64.80			
RMS	13.58137G	33.28	68.20	-34.92	45.73	3	Vertical	314	1.94	-	40.50	11.84	64.79			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.58278G	46.01	88.20	-42.19	58.46	3	Horizontal	96	2.48	-	40.50	11.84	64.79			
RMS	13.56799G	33.31	68.20	-34.89	45.77	3	Horizontal	96	2.48	-	40.50	11.84	64.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35644G	51.31	83.54	-32.23	40.95	1	Vertical	88	1.71	-	37.89	21.20	48.73			
AV	20.34456G	37.94	63.54	-25.60	27.60	1	Vertical	88	1.71	-	37.89	21.18	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34264G	51.08	83.54	-32.46	40.75	1	Horizontal	15	1.64	-	37.89	21.17	48.73			
AV	20.35338G	37.92	63.54	-25.62	27.57	1	Horizontal	15	1.64	-	37.89	21.19	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74419G	45.96	88.20	-42.24	58.07	3	Vertical	121	1.48	-	40.79	11.82	64.72			
RMS	13.72127G	33.25	68.20	-34.95	45.42	3	Vertical	121	1.48	-	40.74	11.82	64.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7276G	46.67	88.20	-41.53	58.82	3	Horizontal	153	1.86	-	40.76	11.82	64.73			
RMS	13.7177G	33.12	68.20	-35.08	45.29	3	Horizontal	153	1.86	-	40.74	11.82	64.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58528G	52.95	83.54	-30.59	42.20	1	Vertical	2	1.73	-	37.90	21.55	48.70			
AV	20.5812G	39.56	63.54	-23.98	28.82	1	Vertical	2	1.73	-	37.90	21.54	48.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58468G	53.39	83.54	-30.15	42.64	1	Horizontal	188	1.56	-	37.90	21.55	48.70			
AV	20.58342G	39.61	63.54	-23.93	28.86	1	Horizontal	188	1.56	-	37.90	21.55	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88862G	46.76	88.20	-41.44	58.43	3	Vertical	230	2.75	-	41.18	11.80	64.65			
RMS	13.90215G	34.01	68.20	-34.19	45.67	3	Vertical	230	2.75	-	41.20	11.79	64.65			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.8831G	46.48	88.20	-41.72	58.16	3	Horizontal	249	2.76	-	41.17	11.80	64.65			
RMS	13.90419G	34.22	68.20	-33.98	45.86	3	Horizontal	249	2.76	-	41.21	11.79	64.64			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.84394G	51.35	83.54	-32.19	40.34	1	Vertical	65	1.92	-	37.90	21.81	48.70			
AV	20.83974G	37.65	63.54	-25.89	26.64	1	Vertical	65	1.92	-	37.90	21.81	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.84694G	50.36	83.54	-33.18	39.35	1	Horizontal	338	1.88	-	37.90	21.81	48.70			
AV	20.8464G	37.78	63.54	-25.76	26.77	1	Horizontal	338	1.88	-	37.90	21.81	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 21
01-U-S-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.008G	113.81	Inf	-Inf	101.82	3	Vertical	264	1.80	-	36.78	7.96	32.75			
AV	6.988G	99.02	Inf	-Inf	87.05	3	Vertical	264	1.80	-	36.75	7.96	32.74			
PK	7.25G	59.50	74.00	-14.50	46.90	3	Vertical	264	1.80	-	37.30	7.96	32.66			
AV	7.25G	51.26	54.00	-2.74	38.66	3	Vertical	264	1.80	-	37.30	7.96	32.66			
PK	7.2645G	61.62	74.00	-12.38	48.95	3	Vertical	264	1.80	-	37.36	7.96	32.65			
AV	7.2535G	51.42	54.00	-2.58	38.80	3	Vertical	264	1.80	-	37.31	7.96	32.65			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 21
01-U-S-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0075G	105.18	Inf	-Inf	93.18	3	Horizontal	118	1.80	-	36.79	7.96	32.75			
AV	6.999G	89.20	Inf	-Inf	77.19	3	Horizontal	118	1.80	-	36.80	7.96	32.75			
PK	7.25G	60.93	74.00	-13.07	48.33	3	Horizontal	118	1.80	-	37.30	7.96	32.66			
AV	7.25G	51.11	54.00	-2.89	38.51	3	Horizontal	118	1.80	-	37.30	7.96	32.66			
PK	7.2625G	62.17	74.00	-11.83	49.51	3	Horizontal	118	1.80	-	37.35	7.96	32.65			
AV	7.2745G	51.40	54.00	-2.60	38.69	3	Horizontal	118	1.80	-	37.40	7.96	32.65			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05891G	69.30	88.20	-18.90	59.23	3	Vertical	276	1.51	-	41.00	13.46	44.39			
RMS	14.0425G	56.28	68.20	-11.92	46.22	3	Vertical	276	1.51	-	40.98	13.45	44.37			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04499G	69.42	88.20	-18.78	59.35	3	Horizontal	26	1.24	-	40.99	13.45	44.37			
RMS	14.04205G	56.39	68.20	-11.81	46.33	3	Horizontal	26	1.24	-	40.98	13.45	44.37			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.08142G	52.04	83.54	-31.50	40.80	1	Vertical	220	1.70	-	38.00	21.92	48.68			
AV	21.08904G	39.52	63.54	-24.02	28.29	1	Vertical	220	1.70	-	38.00	21.91	48.68			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 21
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0762G	52.43	83.54	-31.11	41.19	1	Horizontal	103	1.47	-	38.00	21.92	48.68			
AV	21.0885G	39.43	63.54	-24.11	28.19	1	Horizontal	103	1.47	-	38.00	21.92	48.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 23
01-U-S-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9154G	66.56	88.20	-21.64	56.67	3	Vertical	278	1.80	-	34.89	7.44	32.44			
RMS	5.9218G	54.53	68.20	-13.67	44.60	3	Vertical	278	1.80	-	34.93	7.44	32.44			
PK	6.0362G	110.35	Inf	-Inf	99.90	3	Vertical	278	1.80	-	35.37	7.52	32.44			
RMS	6.009G	99.75	Inf	-Inf	89.37	3	Vertical	278	1.80	-	35.32	7.50	32.44			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 23
01-U-S-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	62.19	88.20	-26.01	52.26	3	Horizontal	330	3.00	-	34.93	7.44	32.44			
RMS	5.925G	51.69	68.20	-16.51	41.74	3	Horizontal	330	3.00	-	34.95	7.44	32.44			
PK	6.0186G	106.06	Inf	-Inf	95.65	3	Horizontal	330	3.00	-	35.34	7.51	32.44			
RMS	6.0442G	89.87	Inf	-Inf	79.39	3	Horizontal	330	3.00	-	35.39	7.52	32.43			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05603G	45.88	74.00	-28.12	60.45	3	Vertical	168	2.26	-	39.09	12.07	65.73			
AV	12.04787G	32.79	54.00	-21.21	47.35	3	Vertical	168	2.26	-	39.10	12.07	65.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0596G	45.79	74.00	-28.21	60.37	3	Horizontal	343	2.92	-	39.08	12.07	65.73			
AV	12.04988G	32.79	54.00	-21.21	47.35	3	Horizontal	343	2.92	-	39.10	12.07	65.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08466G	51.59	83.54	-31.95	41.87	1	Vertical	51	1.43	-	37.61	20.33	48.22			
AV	18.08934G	37.50	63.54	-26.04	27.75	1	Vertical	51	1.43	-	37.64	20.33	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08316G	50.67	83.54	-32.87	40.97	1	Horizontal	28	1.67	-	37.60	20.32	48.22			
AV	18.08976G	37.49	63.54	-26.05	27.74	1	Horizontal	28	1.67	-	37.64	20.33	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36142G	45.02	74.00	-28.98	59.91	3	Vertical	115	2.99	-	38.70	12.03	65.62			
AV	12.35995G	32.36	54.00	-21.64	47.25	3	Vertical	115	2.99	-	38.70	12.03	65.62			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.35875G	45.05	74.00	-28.95	59.94	3	Horizontal	210	1.71	-	38.70	12.03	65.62			
AV	12.35638G	32.34	54.00	-21.66	47.23	3	Horizontal	210	1.71	-	38.70	12.03	65.62			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54726G	51.47	83.54	-32.07	41.42	1	Vertical	274	1.87	-	37.80	20.60	48.35			
AV	18.54132G	37.31	63.54	-26.23	27.25	1	Vertical	274	1.87	-	37.80	20.60	48.34			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55302G	50.22	83.54	-33.32	40.16	1	Horizontal	211	1.65	-	37.80	20.61	48.35			
AV	18.55296G	37.37	63.54	-26.17	27.31	1	Horizontal	211	1.65	-	37.80	20.61	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68811G	44.39	74.00	-29.61	59.04	3	Vertical	205	1.90	-	38.68	11.98	65.31			
AV	12.67533G	31.40	54.00	-22.60	46.10	3	Vertical	205	1.90	-	38.65	11.98	65.33			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68211G	44.29	74.00	-29.71	58.97	3	Horizontal	31	1.89	-	38.66	11.98	65.32			
AV	12.67689G	31.43	54.00	-22.57	46.13	3	Horizontal	31	1.89	-	38.65	11.98	65.33			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0242G	49.96	83.54	-33.58	40.15	1	Vertical	136	1.94	-	37.95	20.66	48.80			
AV	19.02174G	36.98	63.54	-26.56	27.16	1	Vertical	136	1.94	-	37.96	20.66	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02438G	50.27	83.54	-33.27	40.46	1	Horizontal	193	1.50	-	37.95	20.66	48.80			
AV	19.0215G	36.82	63.54	-26.72	27.00	1	Horizontal	193	1.50	-	37.96	20.66	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02443G	45.55	88.20	-42.65	59.10	3	Vertical	184	1.90	-	39.40	11.93	64.88			
RMS	13.0121G	32.63	68.20	-35.57	46.18	3	Vertical	184	1.90	-	39.40	11.93	64.88			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01648G	45.31	88.20	-42.89	58.86	3	Horizontal	102	1.50	-	39.40	11.93	64.88			
RMS	13.00952G	32.53	68.20	-35.67	46.08	3	Horizontal	102	1.50	-	39.40	11.93	64.88			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5258G	51.36	83.54	-32.18	41.52	1	Vertical	308	1.78	-	37.75	20.89	48.80			
AV	19.50072G	38.62	63.54	-24.92	28.71	1	Vertical	308	1.78	-	37.80	20.91	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.52466G	51.58	83.54	-31.96	41.74	1	Horizontal	204	1.51	-	37.75	20.89	48.80			
AV	19.50528G	38.69	63.54	-24.85	28.79	1	Horizontal	204	1.51	-	37.79	20.91	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33063G	47.01	74.00	-26.99	59.88	3	Vertical	224	2.97	-	40.10	11.88	64.85			
AV	13.34029G	33.44	54.00	-20.56	46.31	3	Vertical	224	2.97	-	40.10	11.88	64.85			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32484G	46.47	74.00	-27.53	59.34	3	Horizontal	33	1.70	-	40.10	11.88	64.85			
AV	13.34284G	33.32	54.00	-20.68	46.19	3	Horizontal	33	1.70	-	40.10	11.88	64.85			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00976G	51.16	83.54	-32.38	41.67	1	Vertical	72	1.84	-	37.72	20.57	48.80			
AV	20.00226G	38.31	63.54	-25.23	28.86	1	Vertical	72	1.84	-	37.70	20.55	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00898G	51.68	83.54	-31.86	42.19	1	Horizontal	46	1.61	-	37.72	20.57	48.80			
AV	20.00268G	38.35	63.54	-25.19	28.89	1	Horizontal	46	1.61	-	37.71	20.55	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.63812G	46.80	88.20	-41.40	59.16	3	Vertical	254	1.53	-	40.58	11.83	64.77			
RMS	13.63854G	33.00	68.20	-35.20	45.36	3	Vertical	254	1.53	-	40.58	11.83	64.77			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64592G	45.95	88.20	-42.25	58.29	3	Horizontal	269	1.13	-	40.59	11.83	64.76			
RMS	13.66326G	33.00	68.20	-35.20	45.29	3	Horizontal	269	1.13	-	40.63	11.83	64.75			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47932G	52.28	83.54	-31.26	41.66	1	Vertical	326	1.69	-	37.90	21.42	48.70			
AV	20.48658G	39.03	63.54	-24.51	28.39	1	Vertical	326	1.69	-	37.90	21.44	48.70			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.48898G	52.42	83.54	-31.12	41.78	1	Horizontal	32	1.85	-	37.90	21.44	48.70			
AV	20.4897G	38.98	63.54	-24.56	28.34	1	Horizontal	32	1.85	-	37.90	21.44	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 23
01-U-S-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9682G	115.53	Inf	-Inf	103.63	3	Vertical	267	1.80	-	36.67	7.96	32.73			
RMS	6.9682G	98.57	Inf	-Inf	86.67	3	Vertical	267	1.80	-	36.67	7.96	32.73			
PK	7.1386G	66.45	88.20	-21.75	54.32	3	Vertical	267	1.80	-	36.88	7.95	32.70			
RMS	7.1266G	54.87	68.20	-13.33	42.77	3	Vertical	267	1.80	-	36.85	7.95	32.70			
PK	7.2578G	63.59	74.00	-10.41	50.95	3	Vertical	267	1.80	-	37.33	7.96	32.65			
AV	7.253G	52.53	54.00	-1.47	39.91	3	Vertical	267	1.80	-	37.31	7.96	32.65			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 23
01-U-S-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9162G	98.32	Inf	-Inf	86.51	3	Horizontal	117	1.80	-	36.53	7.97	32.69			
RMS	6.9242G	88.42	Inf	-Inf	76.59	3	Horizontal	117	1.80	-	36.55	7.97	32.69			
PK	7.169G	62.26	88.20	-25.94	50.00	3	Horizontal	117	1.80	-	37.01	7.94	32.69			
RMS	7.1794G	51.45	68.20	-16.75	39.11	3	Horizontal	117	1.80	-	37.08	7.94	32.68			
PK	7.381G	62.57	74.00	-11.43	49.59	3	Horizontal	117	1.80	-	37.60	7.99	32.61			
AV	7.3802G	51.76	54.00	-2.24	38.78	3	Horizontal	117	1.80	-	37.60	7.99	32.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.95734G	47.03	88.20	-41.17	58.53	3	Vertical	355	1.51	-	41.33	11.79	64.62			
RMS	13.98422G	33.96	68.20	-34.24	45.35	3	Vertical	355	1.51	-	41.44	11.78	64.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97063G	47.57	88.20	-40.63	59.02	3	Horizontal	306	2.23	-	41.38	11.78	64.61			
RMS	13.97417G	33.97	68.20	-34.23	45.40	3	Horizontal	306	2.23	-	41.40	11.78	64.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9556G	51.36	83.54	-32.18	40.23	1	Vertical	137	1.49	-	37.91	21.92	48.70			
AV	20.96358G	38.09	63.54	-25.45	26.93	1	Vertical	137	1.49	-	37.93	21.93	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 23
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94024G	51.78	83.54	-31.76	40.67	1	Horizontal	121	1.96	-	37.90	21.91	48.70			
AV	20.9667G	38.02	63.54	-25.52	26.85	1	Horizontal	121	1.96	-	37.93	21.94	48.70			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 26
01-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	74.79	88.20	-13.41	64.85	3	Vertical	274	1.80	-	34.94	7.44	32.44			
RMS	5.9242G	65.49	68.20	-2.71	55.54	3	Vertical	274	1.80	-	34.95	7.44	32.44			
PK	6.201G	108.72	Inf	-Inf	98.25	3	Vertical	274	1.80	-	35.30	7.59	32.42			
RMS	6.1162G	98.61	Inf	-Inf	88.12	3	Vertical	274	1.80	-	35.37	7.55	32.43			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 26
01-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	65.07	88.20	-23.13	55.14	3	Horizontal	103	1.80	-	34.93	7.44	32.44			
RMS	5.9226G	55.91	68.20	-12.29	45.97	3	Horizontal	103	1.80	-	34.94	7.44	32.44			
PK	6.0666G	99.15	Inf	-Inf	88.65	3	Horizontal	103	1.80	-	35.40	7.53	32.43			
RMS	6.0938G	88.67	Inf	-Inf	78.16	3	Horizontal	103	1.80	-	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 26
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21111G	46.32	74.00	-27.68	61.16	3	Vertical	275	2.98	-	38.78	12.05	65.67			
AV	12.22032G	32.60	54.00	-21.40	47.46	3	Vertical	275	2.98	-	38.76	12.05	65.67			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 26
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21645G	45.07	74.00	-28.93	59.92	3	Horizontal	262	1.13	-	38.77	12.05	65.67			
AV	12.21939G	32.57	54.00	-21.43	47.43	3	Horizontal	262	1.13	-	38.76	12.05	65.67			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 26
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31206G	50.55	83.54	-32.99	40.71	1	Vertical	356	1.79	-	37.62	20.48	48.26			
AV	18.32832G	37.35	63.54	-26.19	27.47	1	Vertical	356	1.79	-	37.66	20.49	48.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 26
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31182G	50.57	83.54	-32.97	40.73	1	Horizontal	76	1.70	-	37.62	20.48	48.26			
AV	18.32898G	37.24	63.54	-26.30	27.36	1	Horizontal	76	1.70	-	37.66	20.49	48.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53585G	44.81	74.00	-29.19	59.70	3	Vertical	256	1.54	-	38.63	12.00	65.52			
AV	12.53999G	31.54	54.00	-22.46	46.43	3	Vertical	256	1.54	-	38.62	12.00	65.51			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5156G	44.27	74.00	-29.73	59.15	3	Horizontal	341	2.83	-	38.67	12.00	65.55			
AV	12.53462G	31.49	54.00	-22.51	46.38	3	Horizontal	341	2.83	-	38.63	12.00	65.52			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.80442G	49.37	83.54	-34.17	39.43	1	Vertical	116	1.44	-	37.91	20.63	48.60			
AV	18.78222G	36.68	63.54	-26.86	26.73	1	Vertical	116	1.44	-	37.90	20.63	48.58			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.78042G	49.79	83.54	-33.75	39.84	1	Horizontal	118	1.62	-	37.90	20.63	48.58			
AV	18.78462G	36.75	63.54	-26.79	26.80	1	Horizontal	118	1.62	-	37.90	20.63	48.58			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85852G	44.46	88.20	-43.74	58.47	3	Vertical	218	2.19	-	39.12	11.95	65.08			
RMS	12.86251G	31.15	68.20	-37.05	45.14	3	Vertical	218	2.19	-	39.13	11.95	65.07			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84667G	43.78	88.20	-44.42	57.83	3	Horizontal	95	1.26	-	39.09	11.95	65.09			
RMS	12.85426G	31.07	68.20	-37.13	45.09	3	Horizontal	95	1.26	-	39.11	11.95	65.08			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2846G	49.50	83.54	-34.04	39.64	1	Vertical	295	1.49	-	37.86	20.80	48.80			
AV	19.266G	36.57	63.54	-26.97	26.64	1	Vertical	295	1.49	-	37.94	20.79	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.28406G	50.27	83.54	-33.27	40.41	1	Horizontal	148	1.69	-	37.86	20.80	48.80			
AV	19.26864G	36.56	63.54	-26.98	26.64	1	Horizontal	148	1.69	-	37.93	20.79	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16088G	45.95	88.20	-42.25	59.20	3	Vertical	185	1.87	-	39.70	11.91	64.86			
RMS	13.15599G	32.27	68.20	-35.93	45.52	3	Vertical	185	1.87	-	39.70	11.91	64.86			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16661G	44.88	88.20	-43.32	58.13	3	Horizontal	112	2.87	-	39.70	11.91	64.86			
RMS	13.18335G	32.11	68.20	-36.09	45.37	3	Horizontal	112	2.87	-	39.70	11.90	64.86			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75128G	50.10	83.54	-33.44	40.47	1	Vertical	83	1.73	-	37.70	20.73	48.80			
AV	19.74492G	36.69	63.54	-26.85	27.06	1	Vertical	83	1.73	-	37.70	20.73	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75572G	49.33	83.54	-34.21	39.70	1	Horizontal	231	1.85	-	37.70	20.73	48.80			
AV	19.74408G	36.68	63.54	-26.86	27.05	1	Horizontal	231	1.85	-	37.70	20.73	48.80			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.50035G	46.87	88.20	-41.33	59.35	3	Vertical	205	2.80	-	40.50	11.85	64.83			
RMS	13.475G	33.43	68.20	-34.77	45.95	3	Vertical	205	2.80	-	40.45	11.86	64.83			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49588G	46.66	88.20	-41.54	59.14	3	Horizontal	81	2.38	-	40.49	11.86	64.83			
RMS	13.4816G	33.53	68.20	-34.67	46.04	3	Horizontal	81	2.38	-	40.46	11.86	64.83			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.22852G	51.50	83.54	-32.04	41.48	1	Vertical	323	1.36	-	37.80	20.97	48.75			
AV	20.22294G	38.58	63.54	-24.96	28.58	1	Vertical	323	1.36	-	37.80	20.96	48.76			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 27
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2434G	50.76	83.54	-32.78	40.72	1	Horizontal	351	1.80	-	37.80	20.99	48.75			
AV	20.22336G	38.54	63.54	-25.00	28.54	1	Horizontal	351	1.80	-	37.80	20.96	48.76			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_2TX
Setting 24
01-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.913G	117.94	Inf	-Inf	118.32	3	Vertical	259	1.80	-	36.53	7.97	44.88
AV	6.753G	95.85	Inf	-Inf	96.21	3	Vertical	259	1.80	-	36.31	7.97	44.64
PK	7.3386G	67.31	74.00	-6.69	66.49	3	Vertical	259	1.80	-	37.58	7.98	44.74
AV	7.2602G	53.19	54.00	-0.81	52.69	3	Vertical	259	1.80	-	37.34	7.96	44.80

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 24
01-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.809G	96.23	Inf	-Inf	96.55	3	Horizontal	103	1.80	-	36.42	7.98	44.72			
AV	6.8026G	84.07	Inf	-Inf	84.39	3	Horizontal	103	1.80	-	36.41	7.98	44.71			
PK	7.3338G	61.31	74.00	-12.69	60.50	3	Horizontal	103	1.80	-	37.57	7.98	44.74			
AV	7.2874G	47.93	54.00	-6.07	47.29	3	Horizontal	103	1.80	-	37.45	7.97	44.78			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81162G	46.41	88.20	-41.79	58.34	3	Vertical	117	2.35	-	40.95	11.81	64.69			
RMS	13.7953G	33.52	68.20	-34.68	45.51	3	Vertical	117	2.35	-	40.89	11.81	64.69			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81579G	46.05	88.20	-42.15	57.96	3	Horizontal	247	2.67	-	40.96	11.81	64.68			
RMS	13.79557G	33.48	68.20	-34.72	45.47	3	Horizontal	247	2.67	-	40.89	11.81	64.69			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.70414G	51.97	83.54	-31.57	41.10	1	Vertical	211	1.89	-	37.90	21.67	48.70			
AV	20.70546G	38.37	63.54	-25.17	27.50	1	Vertical	211	1.89	-	37.90	21.67	48.70			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX

EUT_Y_2TX
Setting 24
02-D-V-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70354G	51.73	83.54	-31.81	40.86	1	Horizontal	12	1.98	-	37.90	21.67	48.70			
AV	20.70384G	38.32	63.54	-25.22	27.45	1	Horizontal	12	1.98	-	37.90	21.67	48.70			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

03/06/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

03/06/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

03/06/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

03/06/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

03/06/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

03/06/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

03/06/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

03/06/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

03/06/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

03/06/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

03/06/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

03/06/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

03/06/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

03/06/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

04/06/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

03/06/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

03/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.480551G	0.13	6.46265G	-28.60	-19.96	-8.64	1
6.481751G	0.19	6.46275G	-27.84	-19.88	-7.96	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

03/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.543145G	-1.13	6.50275G	-29.38	-21.14	-8.24	1
6.521801G	-1.16	6.50315G	-28.47	-21.18	-7.29	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

03/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.581396G	-1.44	6.5429G	-29.71	-21.45	-8.26	1
6.562651G	-0.76	6.54275G	-29.40	-20.77	-8.63	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

03/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.702846G	-1.09	6.6629G	-29.81	-20.69	-9.12	1
6.681501G	-0.86	6.6624G	-31.35	-20.94	-10.41	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

03/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88405G	-2.07	6.90685G	-28.09	-22.30	-5.79	1
6.870754G	-2.47	6.86285G	-30.60	-22.50	-8.10	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

03/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.919801G	-1.14	6.9472G	-29.11	-21.17	-7.94	1
6.906455G	-1.28	6.90275G	-29.58	-21.31	-8.27	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

03/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.022796G	-0.80	6.9827G	-29.27	-20.81	-8.46	1
6.986705G	-1.45	6.9826G	-30.84	-20.45	-10.39	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

03/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.067754G	0.98	7.06195G	-31.68	-18.92	-12.76	1
7.068804G	-0.49	7.1078G	-31.72	-20.54	-11.18	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

03/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02279G	0.80	6.0288G	-27.65	-19.24	-8.41	1
6.02319G	0.65	6.0287G	-27.34	-19.38	-7.96	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

03/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18911G	0.85	6.1798G	-28.62	-19.36	-9.26	1
6.19101G	0.74	6.1826G	-24.43	-19.27	-5.16	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

03/06/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

03/06/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

03/06/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

03/06/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

03/06/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

03/06/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

03/06/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

03/06/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

03/06/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

03/06/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

03/06/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

03/06/2025




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

03/06/2025

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43142G	3.26	6.2488G	-42.56	-36.39	-6.17	1
6.43002G	4.18	6.4176G	-26.53	-15.86	-10.67	2


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

03/06/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58882G	3.61	6.9284G	-40.91	-36.39	-4.52	1
6.59942G	5.10	6.4012G	-38.54	-34.90	-3.64	2


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

05/06/2025

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.78861G	2.36	6.6202G	-35.69	-29.64	-6.05	1
6.75862G	2.86	6.6196G	-35.16	-28.20	-6.96	2


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

03/06/2025

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91402G	2.53	6.719G	-44.22	-37.47	-6.75	1
6.90842G	3.40	6.7164G	-40.58	-36.60	-3.98	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

04/06/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

04/06/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

04/06/2025




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

04/06/2025




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

04/06/2025

CF (Hz)
6.745G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83218G	8.32	6.9726G	-17.86	-11.86	-6.00	1
6.7534G	8.15	6.4046G	-24.35	-12.16	-12.19	2


6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

04/06/2025

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.06016G	2.63	6.3866G	-43.06	-37.37	-5.69	1
6.75144G	3.17	6.3914G	-42.18	-36.83	-5.35	2

Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-68.80	2.20	-71.00	≤ -62
						Minimal	-69.80	2.20	-72.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-68.80	2.20	-71.00	≤ -62
						Minimal	-69.80	2.20	-72.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-71.80	2.20	-74.00	≤ -62
						Minimal	-72.80	2.20	-75.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-68.80	2.20	-71.00	≤ -62
						Minimal	-69.80	2.20	-72.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-64.80	2.20	-67.00	≤ -62
						Minimal	-65.80	2.20	-68.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				Center	6105	OFF	-64.80	2.20	-67.00	≤ -62
						Minimal	-65.80	2.20	-68.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				High edge	6260	OFF	-63.80	2.20	-66.00	≤ -62
						Minimal	-64.80	2.20	-67.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-64.80	2.20	-67.00	≤ -62
						Minimal	-65.80	2.20	-68.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				Center	6425	OFF	-65.80	2.20	-68.00	≤ -62
						Minimal	-66.80	2.20	-69.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				High edge	6580	OFF	-64.80	2.20	-67.00	≤ -62
						Minimal	-65.80	2.20	-68.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-66.80	2.20	-69.00	≤ -62
						Minimal	-67.80	2.20	-70.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				Center	6745	OFF	-66.80	2.20	-69.00	≤ -62
						Minimal	-67.80	2.20	-70.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				High edge	6900	OFF	-64.80	2.20	-67.00	≤ -62
						Minimal	-65.80	2.20	-68.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-62.80	2.20	-65.00	≤ -62
						Minimal	-63.80	2.20	-66.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				Center	6905	OFF	-63.80	2.20	-66.00	≤ -62
						Minimal	-64.80	2.20	-67.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				High edge	7060	OFF	-63.80	2.20	-66.00	≤ -62
						Minimal	-64.80	2.20	-67.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.00	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-71.00	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-74.00	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-71.00	OFF	10	100	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-67.00	OFF	9	90	90	PASS
				Center	6105	-67.00	OFF	9	90	90	PASS
				High edge	6260	-66.00	OFF	9	90	90	PASS
5/6/7	95	320	6425	Low edge	6270	-67.00	OFF	10	100	90	PASS
				Center	6425	-68.00	OFF	9	90	90	PASS
				High edge	6580	-67.00	OFF	9	90	90	PASS
7/8	159	320	6745	Low edge	6590	-69.00	OFF	9	90	90	PASS
				Center	6745	-69.00	OFF	10	100	90	PASS
				High edge	6900	-67.00	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-65.00	OFF	9	90	90	PASS
				Center	6905	-66.00	OFF	10	100	90	PASS
				High edge	7060	-66.00	OFF	9	90	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 22.AUG.2025 20:20:01

Frequency (MHz): 6455 MHz




Date: 22.AUG.2025 20:21:03

Frequency (MHz): 6695 MHz



Date: 22.AUG.2025 20:23:24


Frequency (MHz): 7015 MHz



Date: 22.AUG.2025 20:24:46


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 22.AUG.2025 20:35:20

Frequency (MHz): 6105 MHz




Date: 22.AUG.2025 20:34:45

Frequency (MHz): 6260 MHz




Date: 22.AUG.2025 20:34:15

Frequency (MHz): 6270 MHz




Date: 22.AUG.2025 20:32:10

Frequency (MHz): 6425 MHz




Date: 22.AUG.2025 20:31:36

Frequency (MHz): 6580 MHz




Date: 22.AUG.2025 20:30:32

Frequency (MHz): 6590 MHz




Date: 22.AUG.2025 20:29:56

Frequency (MHz): 6745 MHz




Date: 22.AUG.2025 20:29:07

Frequency (MHz): 6750 MHz




Date: 22.AUG.2025 20:27:43

Frequency (MHz): 6900 MHz




Date: 22.AUG.2025 20:28:28

Frequency (MHz): 6905 MHz



Date: 22.AUG.2025 20:26:53

Frequency (MHz): 7060 MHz




Date: 22.AUG.2025 20:25:51

Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 21.AUG.2025 14:44:31

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 21.AUG.2025 14:56:30

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31 ; Incumbent signal 5950 MHz



Date: 21.AUG.2025 16:02:19

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6105 MHz



Date: 21.AUG.2025 15:42:48


Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6270 MHz



Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6425 MHz



Date: 21.AUG.2025 19:49:06

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6580 MHz



Date: 21.AUG.2025 20:24:57

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6590 MHz



Date: 22 AUG 2025 20:05:01

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6745 MHz



Date: 22 AUG 2025 19:40:45

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6900 MHz



Date: 22 AUG 2025 19:34:58

Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6750 MHz



Date: 21.AUG.2025 21:44:08


Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal

Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-68.80	2.20	-71.00	≤ -62
						Minimal	-69.80	2.20	-72.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-67.80	2.20	-70.00	≤ -62
						Minimal	-68.80	2.20	-71.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-62.80	2.20	-65.00	≤ -62
						Minimal	-63.80	2.20	-66.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-59.80	2.20	-62.00	≤ -62
						Minimal	-60.80	2.20	-63.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-67.80	2.20	-70.00	≤ -62
						Minimal	-68.80	2.20	-71.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				Center	6105	OFF	-70.80	2.20	-73.00	≤ -62
						Minimal	-71.80	2.20	-74.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				High edge	6260	OFF	-72.80	2.20	-75.00	≤ -62
						Minimal	-73.80	2.20	-76.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-70.80	2.20	-73.00	≤ -62
						Minimal	-71.80	2.20	-74.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				Center	6425	OFF	-59.80	2.20	-62.00	≤ -62
						Minimal	-60.89	2.20	-63.09	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				High edge	6580	OFF	-65.80	2.20	-68.00	≤ -62
						Minimal	-66.38	2.20	-68.58	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-68.80	2.20	-71.00	≤ -62
						Minimal	-69.80	2.20	-72.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				Center	6745	OFF	-59.80	2.20	-62.00	≤ -62
						Minimal	-60.80	2.20	-63.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				High edge	6900	OFF	-67.80	2.20	-70.00	≤ -62
						Minimal	-68.80	2.20	-71.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-72.80	2.20	-75.00	≤ -62
						Minimal	-73.80	2.20	-76.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				Center	6905	OFF	-59.80	2.20	-62.00	≤ -62
						Minimal	-60.80	2.20	-63.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62
				High edge	7060	OFF	-67.80	2.20	-70.00	≤ -62
						Minimal	-68.80	2.20	-71.00	≤ -62
						ON	-79.80	2.20	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.00	OFF	10	100	90	PASS
6	101	20	6455	Center	6455	-70.00	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-65.00	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-62.00	OFF	10	100	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-70.00	OFF	10	100	90	PASS
				Center	6105	-73.00	OFF	9	90	90	PASS
				High edge	6260	-75.00	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-73.00	OFF	10	100	90	PASS
				Center	6425	-62.00	OFF	9	90	90	PASS
				High edge	6580	-68.00	OFF	10	100	90	PASS
7/8	159	320	6745	Low edge	6590	-71.00	OFF	10	100	90	PASS
				Center	6745	-62.00	OFF	9	90	90	PASS
				High edge	6900	-70.00	OFF	10	100	90	PASS
7/8	191	320	6905	Low edge	6750	-75.00	OFF	10	100	90	PASS
				Center	6905	-62.00	OFF	9	90	90	PASS
				High edge	7060	-70.00	OFF	10	100	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 30 DEC.2025 08:50:30

Frequency (MHz): 6455 MHz




Date: 30 DEC.2025 08:49:56

Frequency (MHz): 6695 MHz



Date: 30.DEC.2025 08:48:27


Frequency (MHz): 7015 MHz



Date: 30.DEC.2025 08:48:57


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 30.DEC.2025 08:52:26

Frequency (MHz): 6105 MHz




Date: 30.DEC.2025 08:52:58

Frequency (MHz): 6260 MHz




Date: 30 DEC. 2025 08:53:25

Frequency (MHz): 6270 MHz




Date: 30 DEC. 2025 08:54:07

Frequency (MHz): 6425 MHz




Date: 30 DEC. 2025 08:54:40

Frequency (MHz): 6580 MHz




Date: 30 DEC. 2025 08:55:17

Frequency (MHz): 6590 MHz




Date: 30.DEC.2025 08:56:18

Frequency (MHz): 6745 MHz




Date: 30.DEC.2025 08:56:43

Frequency (MHz): 6750 MHz




Date: 30 DEC. 2025 09:00:22

Frequency (MHz): 6900 MHz




Date: 30 DEC. 2025 08:57:08

Frequency (MHz): 6905 MHz



Date: 30 DEC. 2025 08:58:53

Frequency (MHz): 7060 MHz




Date: 30 DEC. 2025 08:59:24

Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 29.DEC.2025 19:32:21

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 29.DEC.2025 20:04:06

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31 ; Incumbent signal 5950 MHz



Date: 26,DEC,2025 16:54:47

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6105 MHz



Date: 26,DEC,2025 17:02:24


Note : M1 : Inject AWGN signal

Test CH 31 ; Incumbent signal 6260 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6270 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

Test CH 95 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6745 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6750 MHz



Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6905 MHz



Date: 26.DEC.2025 17:49:16

Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Date: 26.DEC.2025 17:50:27


Note : M1 : Inject AWGN signal



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.28052G	48.09	54.00	-5.91	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.28061G	57.32	74.00	-16.68	-6.75	3	Vertical	163	1.01	-	64.07	25.59	4.47	36.81		
AV	1.28058G	46.78	54.00	-7.22	-6.75	3	Vertical	163	1.01	"Worst"	53.53	25.59	4.47	36.81		

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.28052G	58.55	74.00	-15.45	-6.75	3	Horizontal	320	1.50	-	65.30	25.59	4.47	36.81		
AV	1.28052G	48.09	54.00	-5.91	-6.75	3	Horizontal	320	1.50	"Worst"	54.84	25.59	4.47	36.81		