KittenBot

KOI AI MODULE

Getting started

KittenBot


乐高插销孔
喇叭
TF卡槽
可编程按键B
串口
TX
RX
VCC
GND
640x480 RGB
摄像头
应用功能
人脸识别/辨认
特征分类器
视觉追踪
视频显示
语音录制/播放
物联网
扫码功能
规格参数
主控 K210
Flash 16M
供电 5V
TF卡 ≤16G
WIFI ESP8285
尺寸 58x40x24mm
外壳 ABS
1.3寸 240*240
IPS 屏
可编程按键A
Reset按键
麦克风
Micro USB


LEGO Holes
Speaker
TF
Button B
Serial Port
TX
RX
VCC
GND
640x480 RGB
Camera
Applications
Face recognition
Classifier
Visual tracking
Video display
Voice record/play
IoT
Scanning
Parameters
MCU K210
Flash 16M
Power 5V
TF ≤16G
WIFI ESP8285
Size 58x40x24mm
Case ABS
1.3" 240*240
IPS Screen
Button A
Reset
MicroPhone
Micro USB

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.
If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-- Reorient or relocate the receiving antenna.
-- Increase the separation between the equipment and receiver.
-- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
-- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

Radiation exposure statementy this equipment compliance with FCC radiation exposure limits set forth for anuncontrolled environmenty this equipment should be installed and operated and operated with minimum distance 20cm between the radiator and your body