


CQASZ20260501115E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.67	2401.68	2402.35	0.5	PASS
	2440	0.66	2439.69	2440.35	0.5	PASS
	2480	0.66	2479.69	2480.35	0.5	PASS
BLE_2M	2402	1.14	2401.44	2402.58	0.5	PASS
	2440	1.14	2439.45	2440.58	0.5	PASS
	2480	1.14	2479.44	2480.59	0.5	PASS


Test Graphs






Date: 9 JUL 2026 21:49:45

BLE_2M_Ant1_2402




Date: 9 JUL 2026 21:52:11

BLE_2M_Ant1_2440



Date: 9 JUL 2026 22:08:08

BLE_2M_Ant1_2480




Date: 9 JUL 2026 22:09:15


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.075	2401.4805	2402.5554	---	---
		2440	1.063	2439.4885	2440.5514	---	---
		2480	1.047	2479.4965	2480.5435	---	---
BLE_2M	Ant1	2402	1.966	2401.0450	2403.0110	---	---
		2440	1.958	2439.0490	2441.0070	---	---
		2480	1.962	2479.0410	2481.0030	---	---


Test Graphs






Date: 9 JUL 2026 21:49:51

BLE_2M_Ant1_2402




Date: 9 JUL 2026 21:52:17

BLE_2M_Ant1_2440



Date: 9 JUL 2026 22:08:15

BLE_2M_Ant1_2480




Date: 9 JUL 2026 22:09:21


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	2402	-0.07	≤30	PASS
	2440	1.95	≤30	PASS
	2480	1.32	≤30	PASS
BLE_2M	2402	-0.08	≤30	PASS
	2440	1.71	≤30	PASS
	2480	1.18	≤30	PASS


Test Graphs Peak






Date: 9 JUL 2026 21:49:56

BLE_2M_Ant1_2402




Date: 9 JUL 2026 21:52:21

BLE_2M_Ant1_2440



Date: 9 JUL 2026 22:08:19

BLE_2M_Ant1_2480




Date: 9 JUL 2026 22:09:26


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-16.80	≤8.00	PASS
	2440	-14.51	≤8.00	PASS
	2480	-15.80	≤8.00	PASS
BLE_2M	2402	-19.48	≤8.00	PASS
	2440	-17.38	≤8.00	PASS
	2480	-18.03	≤8.00	PASS


Test Graphs






Date: 9 JUL 2026 21:50:01

BLE_2M_Ant1_2402




Date: 9 JUL 2026 21:52:27

BLE_2M_Ant1_2440



Date: 9 JUL 2026 22:08:25

BLE_2M_Ant1_2480




Date: 9 JUL 2026 22:09:31


Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	-1.11	-44.01	≤ -21.11	PASS
	High	2480	0.14	-42.14	≤ -19.86	PASS
BLE_2M	Low	2402	-1.73	-41.73	≤ -21.73	PASS
	High	2480	0.10	-42.05	≤ -19.9	PASS


Test Graphs





Date: 9 JUL 2026 21:52:33

BLE_2M_Ant1_High_2480




Date: 9 JUL 2026 22:09:38


Appendix G: Conducted Spurious Emission

Test Result


NO.	Test Condition	Test Mode	Freq (MHz)	Rate	Antenna	Frequency Range (MHz)	Ref Level (MHz)	Max Power (dBm)	Limit (dBm)	Verdict
1	NTNV	BLE	2402	1Mbps	ANT1	Reference	0.1	-0.06	/	/
						30~1000	0.1	-47.17	≤-30.06	Pass
						1000~26500	0.1	-36.40	≤-30.06	Pass
2	NTNV	BLE	2440	1Mbps	ANT1	Reference	0.1	-0.14	/	/
						30~1000	0.1	-47.79	≤-30.14	Pass
						1000~26500	0.1	-36.10	≤-30.14	Pass
3	NTNV	BLE	2480	1Mbps	ANT1	Reference	0.1	0.28	/	/
						30~1000	0.1	-47.28	≤-29.72	Pass
						1000~26500	0.1	-36.34	≤-29.72	Pass
4	NTNV	BLE	2402	2Mbps	ANT1	Reference	0.1	-0.79	/	/
						30~1000	0.1	-46.59	≤-30.79	Pass
						1000~26500	0.1	-36.63	≤-30.79	Pass
5	NTNV	BLE	2440	2Mbps	ANT1	Reference	0.1	-0.87	/	/
						30~1000	0.1	-47.24	≤-30.87	Pass
						1000~26500	0.1	-35.76	≤-30.87	Pass
6	NTNV	BLE	2480	2Mbps	ANT1	Reference	0.1	-0.44	/	/
						30~1000	0.1	-47.43	≤-30.44	Pass
						1000~26500	0.1	-36.76	≤-30.44	Pass

Test Graphs






Date: 9 SEP 2026 15:52:08




Date: 9 SEP 2026 15:52:14




Date: 9 SEP 2026 15:52:28


NTNV_BLE_2480_1Mbps



Date: 9 SEP.2026 15:53:53




Date: 9 SEP.2026 15:53:59




Date: 9 SEP.2026 15:54:13


NTNV_BLE_2402_2Mbps



Date: 9 SEP.2026 15:55:02




Date: 9 SEP.2026 15:55:09




Date: 9 SEP.2026 15:55:23


NTNV_BLE_2440_2Mbps



Date: 9 SEP.2026 15:56:18




Date: 9 SEP.2026 15:56:24




Date: 9 SEP.2026 15:56:38


NTNV_BLE_2480_2Mbps



Date: 9 SEP 2026 15:57:14



Date: 9 SEP 2026 15:57:20




Date: 9 SEP 2026 15:57:34


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor	Limit	Verdict
BLE_1M	2402	2.14	2.50	0.8560	85.60	0.68	---	---
	2440	2.14	2.50	0.8560	85.60	0.68	---	---
	2480	2.14	2.50	0.8560	85.60	0.68	---	---
BLE_2M	2402	1.08	1.25	0.8640	86.40	0.63	---	---
	2440	1.08	1.25	0.8640	86.40	0.63	---	---
	2480	1.08	1.25	0.8640	86.40	0.63	---	---


Test Graphs






Date: 9 JUL 2026 22:15:19

BLE_2M_Ant1_2402




Date: 9 JUL 2026 22:18:28

BLE_2M_Ant1_2440



Date: 9 JUL 2026 22:21:49

BLE_2M_Ant1_2480



Date: 9 JUL 2026 22:22:13