






Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Test_Graph_LE2M_ANT1_2440_2Mbps_Reference Level



Test_Graph_LE2M_ANT1_2440_2Mbps_Lower Band Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>




Test_Graph_LE2M_ANT1_2440_2Mbps_Higher Band Emissions




Test_Graph_LE2M_ANT1_2480_2Mbps_Reference Level

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Test_Graph_LE2M_ANT1_2480_2Mbps_Lower Band Emissions




Test_Graph_LE2M_ANT1_2480_2Mbps_Higher Band Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Graphs of Band Edge Emissions in Non-Restricted Frequency Bands




Test_Graph_LE1M_ANT1_2402_1Mbps_Lower Band Edge Emissions




Test_Graph_LE1M_ANT1_2480_1Mbps_Higher Band Edge Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Test_Graph_LE2M_ANT1_2402_2Mbps_Lower Band Edge Emissions



Test_Graph_LE2M_ANT1_2480_2Mbps_Higher Band Edge Emissions

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

11. Radiated Spurious Emission

11.1 Measurement Limit

- FCC Part 15.209 Limit in the below table to be followed

Frequencies (MHz)	Field Strength (microvolts/meter)	Measurement Distance (meters)
0.009~0.490	2400/F(kHz)	300
0.490~1.705	24000/F(kHz)	30
1.705~30.0	30	30
30~88	100	3
88~216	150	3
216~960	200	3
Above 960	500	3

Note: All modes were tested for restricted band radiated emission, the test records reported below are the worst result compared to other modes.

11.2 Measurement Procedure

1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
4. For each suspected emission, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
5. Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
6. For emissions above 1GHz, insert the 5G filter between the receiving antenna and the Pre-amplifier (on for Radiated Spurious Emission). use 1MHz RBW and 3MHz VBW for peak reading. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
9. If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
10. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
11. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High - Low scan is not required in this case.

The following table is the setting of spectrum analyzer and receiver.

Spectrum Parameter	Setting
Start ~Stop Frequency	9kHz~150kHz/RB 200Hz for QP
Start ~Stop Frequency	150kHz~30MHz/RB 9kHz for QP
Start ~Stop Frequency	30MHz~1000MHz/RB 120kHz for QP
Start ~Stop Frequency	1GHz~26.5GHz 1MHz/3MHz for Peak, 1MHz/3MHz for Average

Receiver Parameter	Setting
Start ~Stop Frequency	9kHz~150kHz/RB 200Hz for QP
Start ~Stop Frequency	150kHz~30MHz/RB 9kHz for QP
Start ~Stop Frequency	30MHz~1000MHz/RB 120kHz for QP

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

- **Quasi-Peak Measurements below 1GHz**

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. Span was set greater than 1MHz
3. RBW = as shown in the table above
4. Detector = CISPR quasi-peak
5. Sweep time = auto couple
6. Trace was allowed to stabilize

- **Peak Measurements above 1GHz**


1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

- **Average Measurements above 1GHz**


1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW $\geq [3 \times \text{RBW}]$
4. Detector = Power averaging (rms)
5. Averaging type = power (i.e., rms)
6. Sweep time = auto
7. Perform a trace average of at least 100 traces.
8. The applicable correction factor is $[10 \cdot \log(1 / D)]$, where D is the duty cycle. The factor had been edited in the "Input Correction" of the Spectrum Analyzer.

11.3 Measurement Setup (Block Diagram of Configuration)

Radiated Emission Test Setup 9kHz-30MHz




Radiated Emission Test Setup 30MHz-1000MHz




Test setup for radiated emissions of tabletop equipment (30 MHz to 1 GHz)

Radiated Emission Test Setup Above 1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

11.4 Measurement Result



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emission Test Results at 9kHz-150kHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5℃	Relative Humidity	53.0%
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 6	Antenna Polarity	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB Detector
1		0.0095	9.24	43.77	53.01	127.84	-74.83 peak
2		0.0114	9.91	42.70	52.61	126.27	-73.66 peak
3	*	0.0131	10.63	41.74	52.37	125.07	-72.70 peak
4		0.0223	6.87	37.32	44.19	120.47	-76.28 peak
5		0.0323	7.33	35.24	42.57	117.27	-74.70 peak
6		0.0425	6.93	34.05	40.98	114.91	-73.93 peak

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss - Pre-amplifier, Over=Measurement-Limit.

2. All test modes had been pre-tested. The mode 6 is the worst case and recorded in the report.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Radiated Emission Test Results at 150kHz-30MHz			
EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5°C	Relative Humidity	53.0%
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 6	Antenna Polarity	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector
1		0.3831	5.12	32.26	37.38	95.92	-58.54	peak
2		0.5020	9.56	32.15	41.71	73.59	-31.88	peak
3		1.1232	4.52	31.90	36.42	66.59	-30.17	peak
4	*	1.3028	4.37	31.82	36.19	65.31	-29.12	peak
5		2.5945	3.18	31.37	34.55	69.54	-34.99	peak
6		9.9130	3.17	30.06	33.23	69.54	-36.31	peak

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emission Test Results at 150kHz-30MHz			
EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5°C	Relative Humidity	53.0%
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 6	Antenna Polarity	Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Detector
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	
1		0.4082	4.41	32.23	36.64	95.37	-58.73	peak
2		0.5047	5.58	32.15	37.73	73.54	-35.81	peak
3		0.8393	4.71	32.07	36.78	69.12	-32.34	peak
4	*	1.3026	4.98	31.82	36.80	65.31	-28.51	peak
5		2.0989	3.44	31.49	34.93	69.54	-34.61	peak
6		2.7648	3.50	31.32	34.82	69.54	-34.72	peak

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss - Pre-amplifier, Over=Measurement-Limit.

2. All test modes had been pre-tested. The mode 6 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Radiated Emission Test Results at 30MHz-1GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5℃	Relative Humidity	53.0%
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 6	Antenna Polarity	Horizontal



Final Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	195.87	9.16	39.52	43.50	3.98	100	216	Horizontal
2	202.12	9.05	39.86	43.50	3.64	100	204	Horizontal
3	224	9.47	42.35	46.00	3.65	100	191	Horizontal
4	232.73	9.79	42.02	46.00	3.98	100	0	Horizontal
5	245.34	10.26	41.86	46.00	4.14	100	47	Horizontal
6	291.9	11.66	41.61	46.00	4.39	100	267	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emission Test Results at 30MHz-1GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5℃	Relative Humidity	53.0%
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 6	Antenna Polarity	Vertical



Final Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	30	35.58	12.60	40.00	4.42	100	165	Vertical
2	35.82	31.35	12.98	40.00	8.65	100	358	Vertical
3	52.31	31.46	12.59	40.00	8.54	100	286	Vertical
4	74.62	30.99	9.39	40.00	9.01	100	320	Vertical
5	270.56	39.86	11.12	46.00	6.14	100	156	Vertical
6	476.2	15.23	41.45	46.00	4.55	100	165	Vertical

RESULT: PASS

Note: 1. Factor=Antenna Factor + Cable loss - Pre-amplifier, Margin=Measurement-Limit.

2. All test modes had been pre-tested. The mode 6 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 1	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.940197	46.35	-8.83	74.00	27.65	150	343	Horizontal
2	7207.010351	51.47	-2.83	74.00	22.53	150	227	Horizontal
3	8748.987449	47.94	-1.48	74.00	26.06	150	358	Horizontal
4	9775.838792	47.90	0.33	74.00	26.10	150	175	Horizontal
5	10970.99855	47.06	4.45	74.00	26.94	150	256	Horizontal
6	12114.305715	47.59	3.15	74.00	26.41	150	161	Horizontal


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7206.7554	-2.83	50.91	54.00	3.09	150	227	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 1	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4804.79024	47.18	-8.83	74.00	26.82	150	161	Vertical
2	6333.166658	46.85	-4.31	74.00	27.15	150	220	Vertical
3	7207.010351	53.62	-2.83	74.00	20.38	150	117	Vertical
4	8612.130607	47.77	-1.49	74.00	26.23	150	21	Vertical
5	9652.582629	46.34	-0.38	74.00	27.66	150	213	Vertical
6	10886.844342	47.59	4.05	74.00	26.41	150	357	Vertical


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7205.2504	-2.83	50.93	54.00	3.07	150	117	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 2	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4879.59398	46.15	-8.76	74.00	27.85	150	265	Horizontal
2	6627.281364	46.76	-3.71	74.00	27.24	150	0	Horizontal
3	7320.916046	50.18	-2.98	74.00	23.82	150	18	Horizontal
4	8687.784389	47.23	-1.49	74.00	26.77	150	356	Horizontal
5	9652.582629	46.86	-0.38	74.00	27.14	150	134	Horizontal
6	10983.749188	47.55	4.51	74.00	26.45	150	61	Horizontal


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7320.306	-2.98	50.17	54.00	3.83	150	18	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 2	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4879.59398	47.18	-8.76	74.00	26.82	150	198	Vertical
2	6238.811941	46.76	-4.42	74.00	27.24	150	73	Vertical
3	7320.066003	52.79	-2.98	74.00	21.21	150	117	Vertical
4	8746.437322	47.55	-1.48	74.00	26.45	150	359	Vertical
5	9729.086454	46.51	0.05	74.00	27.49	150	81	Vertical
6	10960.79804	46.88	4.40	74.00	27.12	150	212	Vertical


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7320.721	-2.98	50.37	54.00	3.63	150	117	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 3	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.348017	46.42	-8.68	74.00	27.58	150	336	Horizontal
2	6509.125456	46.63	-4.07	74.00	27.37	150	307	Horizontal
3	7440.772039	52.23	-3.15	74.00	21.77	150	36	Horizontal
4	8431.921596	47.68	-1.79	74.00	26.32	150	249	Horizontal
5	10880.894045	47.16	4.02	74.00	26.84	150	146	Horizontal
6	11852.492625	47.37	3.10	74.00	26.63	150	2	Horizontal


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Polarity
1	7440.452	-3.15	50.68	54.00	3.32	150	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.348017	45.13	-8.68	74.00	28.87	150	192	Vertical
2	7439.921996	51.46	-3.15	74.00	22.54	150	118	Vertical
3	8573.028651	47.30	-1.49	74.00	26.70	150	52	Vertical
4	9726.536327	47.87	0.04	74.00	26.13	150	357	Vertical
5	10856.242812	47.87	3.90	74.00	26.13	150	52	Vertical
6	11979.999	47.04	3.29	74.00	26.96	150	243	Vertical


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7439.137	-3.15	50.93	54.00	3.07	150	118	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 4	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4959.497975	45.76	-8.68	74.00	28.24	150	344	Horizontal
2	6318.715936	47.12	-4.32	74.00	26.88	150	88	Horizontal
3	7439.921996	51.71	-3.15	74.00	22.29	150	1	Horizontal
4	8558.577929	46.88	-1.49	74.00	27.12	150	110	Horizontal
5	9650.032502	46.88	-0.40	74.00	27.12	150	22	Horizontal
6	10897.044852	47.89	4.10	74.00	26.11	150	205	Horizontal


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7439.252	-3.15	50.41	54.00	3.59	150	2	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 4	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4960.348017	44.94	-8.68	74.00	29.06	150	13	Vertical
2	7441.622081	52.14	-3.15	74.00	21.86	150	115	Vertical
3	8506.725336	47.83	-1.49	74.00	26.17	150	204	Vertical
4	9651.732587	46.58	-0.39	74.00	27.42	150	1	Vertical
5	10852.842642	47.30	3.89	74.00	26.70	150	204	Vertical
6	12164.458223	47.51	3.08	74.00	26.49	150	64	Vertical


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7441.3971	-3.15	50.73	54.00	3.27	150	115	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 5	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4881.294065	46.53	-8.76	74.00	27.47	150	344	Horizontal
2	6431.771589	47.32	-4.19	74.00	26.68	150	226	Horizontal
3	7321.766088	51.34	-2.98	74.00	22.66	150	1	Horizontal
4	8408.970449	47.41	-1.89	74.00	26.59	150	175	Horizontal
5	9723.986199	47.59	0.03	74.00	26.41	150	15	Horizontal
6	10977.79889	47.99	4.47	74.00	26.01	150	322	Horizontal


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Polarity
1	7321.2761	-2.98	50.26	54.00	3.74	150	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 5	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4881.294065	44.64	-8.76	74.00	29.36	150	1	Vertical
2	7320.916046	51.75	-2.98	74.00	22.25	150	110	Vertical
3	8635.931797	47.68	-1.49	74.00	26.32	150	95	Vertical
4	9729.936497	47.21	0.07	74.00	26.79	150	323	Vertical
5	10886.844342	47.79	4.05	74.00	26.21	150	88	Vertical
6	12427.121356	47.36	2.71	74.00	26.64	150	6	Vertical


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7321.326	-2.98	50.45	54.00	3.55	150	110	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 6	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.940197	46.21	-8.83	74.00	27.79	150	308	Horizontal
2	6634.081704	47.40	-3.68	74.00	26.60	150	110	Horizontal
3	7206.160308	51.02	-2.83	74.00	22.98	150	279	Horizontal
4	8492.274614	47.32	-1.54	74.00	26.68	150	37	Horizontal
5	9658.532927	47.24	-0.35	74.00	26.76	150	110	Horizontal
6	11784.489225	47.80	3.00	74.00	26.20	150	257	Horizontal


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7206.1803	-2.83	50.18	54.00	3.82	150	242	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results 1GHz-18GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 6	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4803.090155	47.82	-8.83	74.00	26.18	150	190	Vertical
2	7207.010351	53.92	-2.83	74.00	20.08	150	109	Vertical
3	8491.424571	47.56	-1.53	74.00	26.44	150	13	Vertical
4	9650.032502	46.89	-0.40	74.00	27.11	150	57	Vertical
5	10978.648932	47.81	4.48	74.00	26.19	150	278	Vertical
6	11858.442922	46.82	3.11	74.00	27.18	150	308	Vertical


AV Final Data List

NO.	Freq. [MHz]	Factor [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7204.8904	-2.83	50.99	54.00	3.01	150	0	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Test Results 18GHz-25GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 1	Antenna Polarity	Horizontal/ Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18447.672384	33.50	-7.32	74.00	40.50	150	130	Horizontal
2	20252.012601	33.39	-6.67	74.00	40.61	150	340	Horizontal
3	21298.564928	37.22	-5.20	74.00	36.78	150	270	Horizontal
4	21956.59783	36.45	-4.53	74.00	37.55	150	290	Horizontal
5	23359.467973	39.08	-3.20	74.00	34.92	150	80	Horizontal
6	24045.152258	37.97	-3.17	74.00	36.03	150	260	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18584.179209	32.41	-7.14	74.00	41.59	150	80	Vertical
2	20108.505425	32.73	-6.89	74.00	41.27	150	120	Vertical
3	21361.918096	36.52	-5.14	74.00	37.48	150	210	Vertical
4	22564.928246	38.92	-3.82	74.00	35.08	150	80	Vertical
5	23194.609731	38.24	-3.29	74.00	35.76	150	170	Vertical
6	24604.480224	38.59	-3.06	74.00	35.41	150	60	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Test Results 18GHz-25GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 2	Antenna Polarity	Horizontal/ Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18852.99265	33.20	-7.08	74.00	40.80	150	80	Horizontal
2	20210.710536	33.53	-6.74	74.00	40.47	150	200	Horizontal
3	21184.80924	36.14	-5.32	74.00	37.86	150	310	Horizontal
4	22435.771789	37.90	-3.93	74.00	36.10	150	300	Horizontal
5	23369.968498	38.85	-3.19	74.00	35.15	150	140	Horizontal
6	24759.887994	38.93	-2.98	74.00	35.07	150	100	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18765.138257	32.39	-7.04	74.00	41.61	150	150	Vertical
2	20308.365418	34.75	-6.58	74.00	39.25	150	60	Vertical
3	21150.507525	36.77	-5.34	74.00	37.23	150	100	Vertical
4	22076.653833	37.25	-4.40	74.00	36.75	150	270	Vertical
5	22855.092755	37.85	-3.47	74.00	36.15	150	10	Vertical
6	24527.126356	38.09	-3.09	74.00	35.91	150	140	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Test Results 18GHz-25GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 3	Antenna Polarity	Horizontal/ Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18865.943297	32.33	-7.08	74.00	41.67	150	200	Horizontal
2	20671.333567	35.36	-6.01	74.00	38.64	150	270	Horizontal
3	21460.623031	36.51	-5.04	74.00	37.49	150	320	Horizontal
4	22093.454673	37.04	-4.37	74.00	36.96	150	320	Horizontal
5	22733.286664	37.53	-3.55	74.00	36.47	150	330	Horizontal
6	23501.925096	37.70	-3.19	74.00	36.30	150	90	Horizontal



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18478.123906	33.15	-7.20	74.00	40.85	150	260	Vertical
2	20243.612181	33.64	-6.68	74.00	40.36	150	340	Vertical
3	21603.430172	36.18	-4.89	74.00	37.82	150	190	Vertical
4	22540.777039	37.30	-3.85	74.00	36.70	150	170	Vertical
5	23377.318866	38.25	-3.29	74.00	35.75	150	200	Vertical
6	24108.155408	38.36	-3.24	74.00	35.64	150	210	Vertical

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Test Results 18GHz-25GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 4	Antenna Polarity	Horizontal/ Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18354.567728	32.95	-7.37	74.00	41.05	150	190	Horizontal
2	20717.535877	35.39	-5.94	74.00	38.61	150	240	Horizontal
3	21663.283164	36.31	-4.83	74.00	37.69	150	170	Horizontal
4	22574.028701	37.48	-3.75	74.00	36.52	150	10	Horizontal
5	23461.323066	38.27	-3.20	74.00	35.73	150	130	Horizontal
6	24602.030102	38.25	-3.02	74.00	35.75	150	290	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18424.571229	32.59	-7.24	74.00	41.41	150	20	Vertical
2	20266.013301	33.57	-6.64	74.00	40.43	150	120	Vertical
3	21178.858943	37.32	-5.32	74.00	36.68	150	340	Vertical
4	22279.663983	36.52	-4.16	74.00	37.48	150	310	Vertical
5	23392.369619	38.66	-3.29	74.00	35.34	150	290	Vertical
6	24738.536927	39.19	-3.02	74.00	34.81	150	250	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Radiated Emissions Test Results 18GHz-25GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 5	Antenna Polarity	Horizontal/ Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18687.434372	32.29	-7.19	74.00	41.71	150	110	Horizontal
2	20423.871194	33.49	-6.40	74.00	40.51	150	130	Horizontal
3	21859.642982	37.00	-4.63	74.00	37.00	150	40	Horizontal
4	22577.528876	37.70	-3.75	74.00	36.30	150	350	Horizontal
5	23322.366118	38.39	-3.19	74.00	35.61	150	340	Horizontal
6	24697.234862	39.06	-3.00	74.00	34.94	150	230	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18213.160658	32.61	-7.35	74.00	41.39	150	170	Vertical
2	20787.18936	34.70	-5.84	74.00	39.30	150	340	Vertical
3	21927.19636	36.65	-4.57	74.00	37.35	150	240	Vertical
4	22581.729086	38.35	-3.80	74.00	35.65	150	270	Vertical
5	23288.414421	38.00	-3.29	74.00	36.00	150	230	Vertical
6	24630.031502	37.51	-3.05	74.00	36.49	150	340	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Test Results 18GHz-25GHz

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	21.5 °C	Relative Humidity	53.0 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery
Test Mode	Mode 6	Antenna Polarity	Horizontal/ Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18549.527476	32.41	-7.27	74.00	41.59	150	290	Horizontal
2	20480.574029	34.55	-6.31	74.00	39.45	150	150	Horizontal
3	21343.017151	36.56	-5.16	74.00	37.44	150	90	Horizontal
4	22427.371369	37.41	-3.94	74.00	36.59	150	80	Horizontal
5	23350.367518	38.31	-3.19	74.00	35.69	150	70	Horizontal
6	24095.554778	38.39	-3.15	74.00	35.61	150	130	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18805.740287	32.75	-7.02	74.00	41.25	150	40	Vertical
2	20818.340917	35.99	-5.78	74.00	38.01	150	260	Vertical
3	21333.916696	36.32	-5.16	74.00	37.68	150	30	Vertical
4	22096.60483	38.16	-4.37	74.00	35.84	150	100	Vertical
5	23283.864193	37.93	-3.30	74.00	36.07	150	130	Vertical
6	24824.291215	38.51	-2.98	74.00	35.49	150	30	Vertical

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Note:

1. The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.
2. Factor = Antenna Factor + Cable loss – Pre-amplifier gain, Margin =Limit- Level.
3. The “Factor” value can be calculated automatically by software of measurement system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Band Edge Emission Test Results for Restricted Bands

EUT Name	Wireless Keyboard Case with adjustable stand for Alexa Tablet 11	Model Name	CEL0001
Temperature	25 °C	Relative Humidity	52 %
Pressure	960hPa	Test Voltage	DC 3.7V by battery

Bluetooth Tx CH00_2402 MHz_1Mbps

Item (Mark)	Freq. MHz	Reading dBμV	Ant. Fac. dB/m	PRM Factor dB	Cable Loss dB	Level dBμV/m	Limit dBμV/m	Margin dB	Detector	Pol.
1	2390.00	36.28	29.99	30.21	8.35	44.41	74	29.59	Peak	Horizontal
2	2390.00	26.93	29.99	30.21	8.35	35.06	54	18.94	AV	Horizontal
3	2390.00	34.05	29.99	30.21	8.35	42.18	74	31.82	Peak	Vertical
4	2390.00	23.93	29.99	30.21	8.35	32.06	54	21.94	AV	Vertical

Bluetooth Tx CH39_2480 MHz_1Mbps

Item (Mark)	Freq. MHz	Reading dBμV	Ant. Fac. dB/m	PRM Factor dB	Cable Loss dB	Level dBμV/m	Limit dBμV/m	Margin dB	Detector	Pol.
1	2483.50	50.37	30.25	30.25	8.5	58.87	74	15.13	Peak	Horizontal
2	2483.50	28.80	30.25	30.25	8.5	37.3	54	16.70	AV	Horizontal
3	2483.50	46.74	30.25	30.25	8.5	55.24	74	18.76	Peak	Vertical
4	2483.50	24.63	30.25	30.25	8.5	33.13	54	20.87	AV	Vertical

Bluetooth Tx CH00_2402 MHz_2Mbps

Item (Mark)	Freq. MHz	Reading dBμV	Ant. Fac. dB/m	PRM Factor dB	Cable Loss dB	Level dBμV/m	Limit dBμV/m	Margin dB	Detector	Pol.
1	2390.00	36.77	29.99	30.21	8.35	44.9	74	29.10	Peak	Horizontal
2	2390.00	26.58	29.99	30.21	8.35	34.71	54	19.29	AV	Horizontal
3	2390.00	34.25	29.99	30.21	8.35	42.38	74	31.62	Peak	Vertical
4	2390.00	23.58	29.99	30.21	8.35	31.71	54	22.29	AV	Vertical

Bluetooth Tx CH39_2480 MHz_2Mbps

Item (Mark)	Freq. MHz	Reading dBμV	Ant. Fac. dB/m	PRM Factor dB	Cable Loss dB	Level dBμV/m	Limit dBμV/m	Margin dB	Detector	Pol.
1	2483.50	51.01	30.25	30.25	8.5	59.51	74	14.49	Peak	Horizontal
2	2483.50	29.57	30.25	30.25	8.5	38.07	54	15.93	AV	Horizontal
3	2483.50	49.28	30.25	30.25	8.5	57.78	74	16.22	Peak	Vertical
4	2483.50	28.41	30.25	30.25	8.5	36.91	54	17.09	AV	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Bluetooth Tx CH00_2402 MHz_1Mbps

Peak- Horizontal



AV- Horizontal



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Bluetooth Tx CH00_2402 MHz_1Mbps

Peak- Vertical



AV- Vertical




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Bluetooth Tx CH39_2480 MHz_1Mbps


Peak- Horizontal

Band Edge Emissions in Restricted Frequency Bands



AV- Horizontal

Band Edge Emissions in Restricted Frequency Bands



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>