



2.33. Peak to Average Ratio for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	10	5.16	13	Pass




2.34. Peak to Average Ratio for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	10	5.48	13	Pass




2.35. Peak to Average Ratio for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	10	5.91	13	Pass




2.36. Peak to Average Ratio for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	10	6.23	13	Pass




2.37. Peak to Average Ratio for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	10	5.72	13	Pass




2.38. Peak to Average Ratio for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	10	6.33	13	Pass




2.39. Peak to Average Ratio for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	10	6.66	13	Pass




2.40. Peak to Average Ratio for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	10	6.75	13	Pass




2.41. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	10	3.94	13	Pass




2.42. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	10	4.36	13	Pass




2.43. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	10	5.3	13	Pass




2.44. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	10	5.53	13	Pass




2.45. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	10	6	13	Pass




2.46. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	10	6.23	13	Pass




2.47. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	10	5.77	13	Pass




2.48. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	10	6.52	13	Pass




2.49. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	10	6.66	13	Pass




2.50. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	10	6.8	13	Pass




2.51. Peak to Average Ratio for SA_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




2.52. Peak to Average Ratio for SA_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	10	4.08	13	Pass




2.53. Peak to Average Ratio for SA_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	10	5.2	13	Pass




2.54. Peak to Average Ratio for SA_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	10	5.34	13	Pass




2.55. Peak to Average Ratio for SA_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	10	5.95	13	Pass




2.56. Peak to Average Ratio for SA_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	10	6.09	13	Pass




2.57. Peak to Average Ratio for SA_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	10	5.77	13	Pass




2.58. Peak to Average Ratio for SA_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	10	6.42	13	Pass




2.59. Peak to Average Ratio for SA_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	10	6.66	13	Pass




2.60. Peak to Average Ratio for SA_Part22-24-27(Channel:382000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1910	0.1	10	6.75	13	Pass




2.61. Peak to Average Ratio for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	18	3.98	13	Pass




2.62. Peak to Average Ratio for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	18	4.22	13	Pass




2.63. Peak to Average Ratio for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	18	5.11	13	Pass




2.64. Peak to Average Ratio for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	18	5.44	13	Pass




2.65. Peak to Average Ratio for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	18	5.81	13	Pass




2.66. Peak to Average Ratio for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	18	6.37	13	Pass




2.67. Peak to Average Ratio for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	18	5.77	13	Pass




2.68. Peak to Average Ratio for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	18	6.42	13	Pass




2.69. Peak to Average Ratio for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	18	6.61	13	Pass




2.70. Peak to Average Ratio for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1857.5	0.1	18	6.8	13	Pass




2.71. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	18	4.08	13	Pass




2.72. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	18	4.17	13	Pass




2.73. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	18	5.3	13	Pass




2.74. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	18	5.53	13	Pass




2.75. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	18	5.95	13	Pass




2.76. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	18	6.42	13	Pass




2.77. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	18	5.81	13	Pass




2.78. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	18	6.47	13	Pass




2.79. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	18	6.66	13	Pass




2.80. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	18	6.84	13	Pass



2.81. Peak to Average Ratio for SA_Part22-24-27(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	18	4.03	13	Pass



2.82. Peak to Average Ratio for SA_Part22-24-27(Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	18	4.27	13	Pass

