



2.133. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	5.3	13	Pass




2.134. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	5.58	13	Pass




2.135. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6	13	Pass




2.136. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.37	13	Pass




2.137. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	5.81	13	Pass




2.138. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.47	13	Pass




2.139. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.66	13	Pass




2.140. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.66	13	Pass




2.141. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	30	4.12	13	Pass




2.142. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	30	4.64	13	Pass




2.143. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	30	5.16	13	Pass




2.144. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	30	5.58	13	Pass




2.145. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




2.146. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	30	6.33	13	Pass




2.147. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	30	5.67	13	Pass




2.148. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	30	6.52	13	Pass




2.149. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	30	6.61	13	Pass




2.150. Peak to Average Ratio for SA_Part22-24-27(Channel:380500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1902.5	0.1	30	6.66	13	Pass




2.151. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	4.08	13	Pass




2.152. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	3.98	13	Pass




2.153. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	5.16	13	Pass




2.154. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	5.58	13	Pass




2.155. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	5.86	13	Pass




2.156. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	6.28	13	Pass




2.157. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	5.67	13	Pass




2.158. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	6.52	13	Pass




2.159. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	6.61	13	Pass




2.160. Peak to Average Ratio for SA_Part22-24-27(Channel:373000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1865	0.1	30	6.66	13	Pass




2.161. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	4.12	13	Pass




2.162. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	4.08	13	Pass




2.163. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	5.25	13	Pass




2.164. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	5.53	13	Pass




2.165. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	5.95	13	Pass




2.166. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.23	13	Pass




2.167. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	5.72	13	Pass




2.168. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.42	13	Pass




2.169. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.66	13	Pass




2.170. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	30	6.66	13	Pass




2.171. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	3.98	13	Pass




2.172. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	4.12	13	Pass




2.173. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	5.25	13	Pass




2.174. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	5.58	13	Pass




2.175. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	5.86	13	Pass




2.176. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	6.28	13	Pass




2.177. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	5.72	13	Pass




2.178. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	6.47	13	Pass




2.179. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	6.61	13	Pass




2.180. Peak to Average Ratio for SA_Part22-24-27(Channel:380000, Bandwidth:30, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1900	0.1	30	6.61	13	Pass



2.181. Peak to Average Ratio for SA_Part22-24-27(Channel:374000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)



2.182. Peak to Average Ratio for SA_Part22-24-27(Channel:374000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1870	0.1	40	4.22	13	Pass

