



1.193. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	40	4.97	13	Pass




1.194. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	40	5.3	13	Pass




1.195. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	40	5.72	13	Pass




1.196. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	40	6.14	13	Pass




1.197. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	40	5.62	13	Pass




1.198. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	40	6.42	13	Pass




1.199. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	40	6.61	13	Pass




1.200. Peak to Average Ratio for SA_Part22-24-27(Channel:376000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	40	6.61	13	Pass




1.201. Peak to Average Ratio for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1890	0.1	40	4.22	13	Pass




1.202. Peak to Average Ratio for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1890	0.1	40	4.31	13	Pass




1.203. Peak to Average Ratio for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1890	0.1	40	5.2	13	Pass




1.204. Peak to Average Ratio for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1890	0.1	40	5.44	13	Pass




1.205. Peak to Average Ratio for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1890	0.1	40	5.81	13	Pass




1.206. Peak to Average Ratio for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1890	0.1	40	6.14	13	Pass




1.207. Peak to Average Ratio for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1890	0.1	40	5.72	13	Pass




1.208. Peak to Average Ratio for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1890	0.1	40	6.33	13	Pass




1.209. Peak to Average Ratio for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1890	0.1	40	6.66	13	Pass



1.210. Peak to Average Ratio for SA_Part22-24-27(Channel:378000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1890	0.1	40	6.56	13	Pass



2. n25


2.1. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	4.12	13	Pass




2.2. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	4.08	13	Pass




2.3. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	5.2	13	Pass




2.4. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	5.53	13	Pass




2.5. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	5.91	13	Pass




2.6. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	6.23	13	Pass




2.7. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	5.77	13	Pass




2.8. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	6.66	13	Pass




2.9. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	6.7	13	Pass




2.10. Peak to Average Ratio for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5	6.37	13	Pass




2.11. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5	4.27	13	Pass




2.12. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5	4.17	13	Pass




2.13. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5	5.34	13	Pass




2.14. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5	5.58	13	Pass




2.15. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5	5.95	13	Pass




2.16. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5	6.28	13	Pass




2.17. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5	5.81	13	Pass




2.18. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5	6.7	13	Pass




2.19. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5	6.75	13	Pass




2.20. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	5	6.33	13	Pass




2.21. Peak to Average Ratio for SA_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	5	4.08	13	Pass




2.22. Peak to Average Ratio for SA_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	5	4.12	13	Pass




2.23. Peak to Average Ratio for SA_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	5	5.2	13	Pass




2.24. Peak to Average Ratio for SA_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	5	5.34	13	Pass




2.25. Peak to Average Ratio for SA_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	5	5.81	13	Pass




2.26. Peak to Average Ratio for SA_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	5	6.14	13	Pass




2.27. Peak to Average Ratio for SA_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	5	5.72	13	Pass




2.28. Peak to Average Ratio for SA_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	5	6.56	13	Pass




2.29. Peak to Average Ratio for SA_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	5	6.66	13	Pass




2.30. Peak to Average Ratio for SA_Part22-24-27(Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1912.5	0.1	5	6.33	13	Pass



2.31. Peak to Average Ratio for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	10	3.89	13	Pass



2.32. Peak to Average Ratio for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	10	4.31	13	Pass

