



6.60. Peak to Average Ratio for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	20	6.98	13	Pass




6.61. Peak to Average Ratio for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2511	0.1	30	3.94	13	Pass




6.62. Peak to Average Ratio for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2511	0.1	30	4.17	13	Pass




6.63. Peak to Average Ratio for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2511	0.1	30	5.67	13	Pass




6.64. Peak to Average Ratio for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2511	0.1	30	5.34	13	Pass




6.65. Peak to Average Ratio for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2511	0.1	30	6.66	13	Pass




6.66. Peak to Average Ratio for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2511	0.1	30	6.33	13	Pass




6.67. Peak to Average Ratio for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2511	0.1	30	6.05	13	Pass




6.68. Peak to Average Ratio for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2511	0.1	30	6.42	13	Pass




6.69. Peak to Average Ratio for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2511	0.1	30	7.03	13	Pass




6.70. Peak to Average Ratio for SA_Part22-24-27(Channel:502200, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2511	0.1	30	6.89	13	Pass




6.71. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	30	3.94	13	Pass




6.72. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	30	4.27	13	Pass




6.73. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	30	5.95	13	Pass




6.74. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	30	5.53	13	Pass




6.75. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	30	6.7	13	Pass




6.76. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	30	6.37	13	Pass




6.77. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	30	6.28	13	Pass




6.78. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	30	6.52	13	Pass




6.79. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	30	7.08	13	Pass




6.80. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	30	6.98	13	Pass




6.81. Peak to Average Ratio for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2674.98	0.1	30	3.94	13	Pass




6.82. Peak to Average Ratio for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2674.98	0.1	30	4.22	13	Pass




6.83. Peak to Average Ratio for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2674.98	0.1	30	6.05	13	Pass




6.84. Peak to Average Ratio for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2674.98	0.1	30	5.34	13	Pass




6.85. Peak to Average Ratio for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2674.98	0.1	30	6.05	13	Pass




6.86. Peak to Average Ratio for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2674.98	0.1	30	6.37	13	Pass




6.87. Peak to Average Ratio for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2674.98	0.1	30	6	13	Pass




6.88. Peak to Average Ratio for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2674.98	0.1	30	6.47	13	Pass




6.89. Peak to Average Ratio for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2674.98	0.1	30	7.22	13	Pass




6.90. Peak to Average Ratio for SA_Part22-24-27(Channel:534996, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2674.98	0.1	30	6.94	13	Pass




6.91. Peak to Average Ratio for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2516.01	0.1	40	3.98	13	Pass




6.92. Peak to Average Ratio for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2516.01	0.1	40	3.7	13	Pass




6.93. Peak to Average Ratio for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2516.01	0.1	40	5.77	13	Pass




6.94. Peak to Average Ratio for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2516.01	0.1	40	5.25	13	Pass




6.95. Peak to Average Ratio for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2516.01	0.1	40	6.33	13	Pass




6.96. Peak to Average Ratio for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2516.01	0.1	40	6.09	13	Pass




6.97. Peak to Average Ratio for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2516.01	0.1	40	5.86	13	Pass




6.98. Peak to Average Ratio for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2516.01	0.1	40	6.37	13	Pass




6.99. Peak to Average Ratio for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2516.01	0.1	40	7.03	13	Pass




6.100. Peak to Average Ratio for SA_Part22-24-27(Channel:503202, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2516.01	0.1	40	6.75	13	Pass




6.101. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	40	3.84	13	Pass




6.102. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	40	4.12	13	Pass




6.103. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	40	6.05	13	Pass




6.104. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	40	5.44	13	Pass




6.105. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	40	6	13	Pass




6.106. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	40	6.23	13	Pass




6.107. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	40	5.91	13	Pass




6.108. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	40	6.52	13	Pass




6.109. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	40	7.08	13	Pass




6.110. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	40	6.8	13	Pass




6.111. Peak to Average Ratio for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2670	0.1	40	4.12	13	Pass




6.112. Peak to Average Ratio for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2670	0.1	40	3.94	13	Pass




6.113. Peak to Average Ratio for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2670	0.1	40	5.91	13	Pass




6.114. Peak to Average Ratio for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2670	0.1	40	5.2	13	Pass




6.115. Peak to Average Ratio for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2670	0.1	40	6.52	13	Pass




6.116. Peak to Average Ratio for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2670	0.1	40	6.09	13	Pass




6.117. Peak to Average Ratio for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2670	0.1	40	6.33	13	Pass




6.118. Peak to Average Ratio for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2670	0.1	40	6.42	13	Pass




6.119. Peak to Average Ratio for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2670	0.1	40	7.22	13	Pass




6.120. Peak to Average Ratio for SA_Part22-24-27(Channel:534000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2670	0.1	40	6.8	13	Pass




1.1. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




1.2. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)




1.3. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.4. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)




1.5. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.6. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)



1.7. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




1.8. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)




1.9. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	7.04	13	Pass




1.10. Peak to Average Ratio for SA_Part22-24-27(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	56	6.82	13	Pass




1.11. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	4.11	13	Pass




1.12. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	4.67	13	Pass




1.13. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.26	13	Pass




1.14. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	5.53	13	Pass




1.15. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.47	13	Pass




1.16. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.3	13	Pass




1.17. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.32	13	Pass




1.18. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.55	13	Pass




1.19. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	7.28	13	Pass




1.20. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	56	6.82	13	Pass




1.21. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	4.05	13	Pass




1.22. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	4.36	13	Pass




1.23. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.22	13	Pass




1.24. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	5.39	13	Pass




1.25. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.99	13	Pass




1.26. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.24	13	Pass




1.27. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.52	13	Pass




1.28. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.55	13	Pass




1.29. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	7.32	13	Pass




1.30. Peak to Average Ratio for SA_Part22-24-27(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	56	6.9	13	Pass




1.31. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	3.87	13	Pass




1.32. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	4.18	13	Pass




1.33. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	6.02	13	Pass




1.34. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	5.41	13	Pass




1.35. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	6.25	13	Pass




1.36. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	6.2	13	Pass




1.37. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	6.04	13	Pass



1.38. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	6.48	13	Pass



1.39. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	7.1	13	Pass

