



1.40. Peak to Average Ratio for SA_Part22-24-27(Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2526	0.1	60	6.83	13	Pass




1.41. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	3.96	13	Pass




1.42. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	4.37	13	Pass




1.43. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	6.21	13	Pass




1.44. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	5.44	13	Pass




1.45. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	6.25	13	Pass




1.46. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	6.3	13	Pass




1.47. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	6.13	13	Pass




1.48. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	6.62	13	Pass




1.49. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	7.26	13	Pass




1.50. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	60	6.89	13	Pass




1.51. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	3.92	13	Pass




1.52. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	4.06	13	Pass




1.53. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	6.25	13	Pass




1.54. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	5.37	13	Pass




1.55. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	6.97	13	Pass




1.56. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	6.25	13	Pass




1.57. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	6.54	13	Pass



1.58. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	6.51	13	Pass




1.59. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	7.33	13	Pass




1.60. Peak to Average Ratio for SA_Part22-24-27(Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2659.98	0.1	60	6.88	13	Pass




1.61. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	4.02	13	Pass




1.62. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	4.49	13	Pass




1.63. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	6.08	13	Pass




1.64. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	5.49	13	Pass




1.65. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	6.25	13	Pass




1.66. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	6.3	13	Pass




1.67. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	6.05	13	Pass




1.68. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	6.58	13	Pass




1.69. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	7.06	13	Pass




1.70. Peak to Average Ratio for SA_Part22-24-27(Channel:506202, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2531.01	0.1	78	6.9	13	Pass




1.71. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	4.08	13	Pass




1.72. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	4.55	13	Pass




1.73. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	6.13	13	Pass




1.74. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	5.5	13	Pass




1.75. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	6.86	13	Pass




1.76. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	6.35	13	Pass




1.77. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	6.43	13	Pass




1.78. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	6.55	13	Pass




1.79. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	7.24	13	Pass




1.80. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	78	6.96	13	Pass




1.81. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	4.07	13	Pass




1.82. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	4.27	13	Pass




1.83. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	6.24	13	Pass




1.84. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	5.44	13	Pass




1.85. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	6.49	13	Pass




1.86. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	6.39	13	Pass




1.87. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	6.32	13	Pass




1.88. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	6.57	13	Pass




1.89. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	7.36	13	Pass




1.90. Peak to Average Ratio for SA_Part22-24-27(Channel:531000, Bandwidth:70, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:180, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2655	0.1	78	7.03	13	Pass




1.91. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	3.86	13	Pass




1.92. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	4.46	13	Pass




1.93. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	5.93	13	Pass




1.94. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	5.61	13	Pass




1.95. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	6.59	13	Pass




1.96. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	6.38	13	Pass




1.97. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	6.21	13	Pass




1.98. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	6.59	13	Pass




1.99. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	7.05	13	Pass




1.100. Peak to Average Ratio for SA_Part22-24-27(Channel:507204, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2536.02	0.1	80	6.89	13	Pass




1.101. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	4.08	13	Pass




1.102. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	4.56	13	Pass




1.103. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	6.13	13	Pass




1.104. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	5.51	13	Pass




1.105. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	6.75	13	Pass




1.106. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	6.35	13	Pass




1.107. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	6.41	13	Pass




1.108. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	6.63	13	Pass




1.109. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	7.22	13	Pass




1.110. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	80	6.91	13	Pass




1.111. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	3.98	13	Pass




1.112. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	4.47	13	Pass




1.113. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	6.09	13	Pass




1.114. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	5.58	13	Pass




1.115. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	6.97	13	Pass




1.116. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	6.23	13	Pass




1.117. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	6.51	13	Pass




1.118. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	6.61	13	Pass




1.119. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	7.24	13	Pass




1.120. Peak to Average Ratio for SA_Part22-24-27(Channel:529998, Bandwidth:80, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2649.99	0.1	80	6.96	13	Pass




1.121. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	4.23	13	Pass




1.122. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	4.46	13	Pass




1.123. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.01	13	Pass




1.124. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	5.45	13	Pass




1.125. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.71	13	Pass




1.126. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.36	13	Pass




1.127. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.16	13	Pass




1.128. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.6	13	Pass




1.129. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.99	13	Pass




1.130. Peak to Average Ratio for SA_Part22-24-27(Channel:508200, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2541	0.1	90	6.89	13	Pass




1.131. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	3.98	13	Pass




1.132. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	4.41	13	Pass




1.133. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	6.11	13	Pass




1.134. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	5.43	13	Pass




1.135. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	6.71	13	Pass




1.136. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	6.32	13	Pass




1.137. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	6.42	13	Pass



1.138. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	6.55	13	Pass



1.139. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	7.24	13	Pass

