



1.140. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	90	6.92	13	Pass




1.141. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	4.03	13	Pass




1.142. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	4.17	13	Pass




1.143. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	6.14	13	Pass




1.144. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	5.5	13	Pass




1.145. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	6.46	13	Pass




1.146. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	6.3	13	Pass




1.147. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	6.31	13	Pass




1.148. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	6.62	13	Pass




1.149. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	7.25	13	Pass




1.150. Peak to Average Ratio for SA_Part22-24-27(Channel:528996, Bandwidth:90, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:243, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2644.98	0.1	90	6.95	13	Pass




1.151. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	4.34	13	Pass




1.152. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	4.5	13	Pass




1.153. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	5.93	13	Pass




1.154. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	5.54	13	Pass




1.155. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.44	13	Pass




1.156. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.39	13	Pass




1.157. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.16	13	Pass




1.158. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.61	13	Pass




1.159. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	7.07	13	Pass




1.160. Peak to Average Ratio for SA_Part22-24-27(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	100	6.86	13	Pass




1.161. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	3.97	13	Pass




1.162. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	4.81	13	Pass




1.163. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.09	13	Pass




1.164. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	5.51	13	Pass




1.165. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.12	13	Pass




1.166. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.37	13	Pass




1.167. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	5.99	13	Pass




1.168. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.61	13	Pass




1.169. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	7.19	13	Pass




1.170. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	100	6.89	13	Pass




1.171. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	4.07	13	Pass




1.172. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	5.02	13	Pass




1.173. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.27	13	Pass




1.174. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	5.69	13	Pass




1.175. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.4	13	Pass




1.176. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.36	13	Pass




1.177. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.2	13	Pass




1.178. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.64	13	Pass




1.179. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	7.26	13	Pass



1.180. Peak to Average Ratio for SA_Part22-24-27(Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2640	0.1	100	6.96	13	Pass




1. n77(3450-3550)

1.1. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	3.84	13	Pass




1.2. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




1.3. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)



1.4. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




1.5. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.6. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.67	13	Pass




1.7. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.58	13	Pass




1.8. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.05	13	Pass




1.9. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.47	13	Pass




1.10. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.75	13	Pass




1.11. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.08	13	Pass




1.12. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.27	13	Pass




1.13. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.97	13	Pass




1.14. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.02	13	Pass




1.15. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.28	13	Pass




1.16. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.09	13	Pass




1.17. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.86	13	Pass




1.18. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.37	13	Pass




1.19. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.14	13	Pass




1.20. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.75	13	Pass




1.21. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.08	13	Pass




1.22. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.27	13	Pass




1.23. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.06	13	Pass




1.24. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.16	13	Pass




1.25. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.33	13	Pass




1.26. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.14	13	Pass




1.27. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.91	13	Pass




1.28. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.42	13	Pass




1.29. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.56	13	Pass




1.30. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.8	13	Pass




1.31. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	3.8	13	Pass




1.32. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	3.94	13	Pass




1.33. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	4.55	13	Pass




1.34. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	4.55	13	Pass




1.35. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	5.72	13	Pass




1.36. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	5.62	13	Pass




1.37. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	5.67	13	Pass




1.38. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	6.05	13	Pass




1.39. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	6.37	13	Pass




1.40. Peak to Average Ratio for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3465	0.1	30	6.75	13	Pass




1.41. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	3.98	13	Pass




1.42. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	4.31	13	Pass




1.43. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	4.97	13	Pass




1.44. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	4.97	13	Pass




1.45. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	6.19	13	Pass




1.46. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	6	13	Pass




1.47. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	5.86	13	Pass




1.48. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	6.37	13	Pass




1.49. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	6.47	13	Pass




1.50. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	30	6.84	13	Pass




1.51. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	4.27	13	Pass




1.52. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	4.27	13	Pass




1.53. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	5.25	13	Pass




1.54. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	5.2	13	Pass




1.55. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	6.14	13	Pass




1.56. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	6.14	13	Pass




1.57. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	5.95	13	Pass



1.58. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	6.47	13	Pass



1.59. Peak to Average Ratio for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3534.99	0.1	30	6.14	13	Pass

