



2.80. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	30	6.75	13	Pass




2.81. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	3.94	13	Pass




2.82. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	4.31	13	Pass




2.83. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	5.44	13	Pass




2.84. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	5.3	13	Pass




2.85. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	6	13	Pass




2.86. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	6.28	13	Pass




2.87. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	5.53	13	Pass




2.88. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	6.42	13	Pass




2.89. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	6.37	13	Pass




2.90. Peak to Average Ratio for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3964.98	0.1	30	6.75	13	Pass




2.31. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	4.45	13	Pass




2.32. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	4.45	13	Pass




2.33. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	5.77	13	Pass




2.34. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	5.48	13	Pass




2.35. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	6.37	13	Pass




2.36. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	6.37	13	Pass




2.37. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	6.14	13	Pass




2.38. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	6.7	13	Pass




2.39. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	6.33	13	Pass




2.40. Peak to Average Ratio for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3720	0.1	40	6.84	13	Pass




2.41. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	4.17	13	Pass




2.42. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	4.27	13	Pass




2.43. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	5.34	13	Pass




2.44. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	5.44	13	Pass




2.45. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	5.81	13	Pass




2.46. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	6.28	13	Pass




2.47. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	5.72	13	Pass




2.48. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	6.52	13	Pass




2.49. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	6.56	13	Pass




2.50. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	40	6.61	13	Pass




2.51. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	3.98	13	Pass




2.52. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	4.31	13	Pass




2.53. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	5.2	13	Pass




2.54. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	5.25	13	Pass




2.55. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	6.56	13	Pass




2.56. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	6.14	13	Pass




2.57. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	5.77	13	Pass




2.58. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	6.42	13	Pass




2.59. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	6.37	13	Pass




2.60. Peak to Average Ratio for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3960	0.1	40	6.61	13	Pass




3.3. Peak to Average Ratio for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3730.02	0.1	60	4.15	13	Pass



3.4. Peak to Average Ratio for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3730.02	0.1	60	4.33	13	Pass




3.5. Peak to Average Ratio for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3730.02	0.1	60	5.27	13	Pass




3.6. Peak to Average Ratio for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3730.02	0.1	60	5.32	13	Pass



3.7. Peak to Average Ratio for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3730.02	0.1	60	6.7	13	Pass




3.8. Peak to Average Ratio for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3730.02	0.1	60	6.28	13	Pass




3.9. Peak to Average Ratio for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3730.02	0.1	60	6.02	13	Pass



3.10. Peak to Average Ratio for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3730.02	0.1	60	6.57	13	Pass



3.11. Peak to Average Ratio for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3730.02	0.1	60	6.67	13	Pass

