



**1.100. Peak to Average Ratio for SA\_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 834                    | 0.1             | 20        | 6.75     | 13               | Pass    |




**1.101. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 3.98     | 13               | Pass    |




**1.102. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                  | 0.1             | 20        | 4.08     | 13               | Pass    |




**1.103. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 5.16     | 13               | Pass    |




**1.104. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                  | 0.1             | 20        | 5.44     | 13               | Pass    |




**1.105. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                  | 0.1             | 20        | 6        | 13               | Pass    |




**1.106. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                  | 0.1             | 20        | 6.28     | 13               | Pass    |




**1.107. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                  | 0.1             | 20        | 5.72     | 13               | Pass    |




**1.108. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                  | 0.1             | 20        | 6.47     | 13               | Pass    |




**1.109. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 6.66     | 13               | Pass    |




**1.110. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                  | 0.1             | 20        | 6.7      | 13               | Pass    |




**1.111. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 839                    | 0.1             | 20        | 4.08     | 13               | Pass    |




**1.112. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 839                    | 0.1             | 20        | 4.12     | 13               | Pass    |




**1.113. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 839                    | 0.1             | 20        | 5.25     | 13               | Pass    |




**1.114. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 839                    | 0.1             | 20        | 5.53     | 13               | Pass    |




**1.115. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 839                    | 0.1             | 20        | 5.91     | 13               | Pass    |




**1.116. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 839                    | 0.1             | 20        | 6.33     | 13               | Pass    |




**1.117. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 839                   | 0.1             | 20        | 5.67     | 13               | Pass    |




**1.118. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 839                    | 0.1             | 20        | 6.52     | 13               | Pass    |




**1.119. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 839                   | 0.1             | 20        | 6.66     | 13               | Pass    |



**1.120. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)**


| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 839                    | 0.1             | 20        | 6.75     | 13               | Pass    |



## 2. n7


### 2.1. Peak to Average Ratio for SA\_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2502.5                | 0.1             | 5         | 3.37     | 13               | Pass    |




## 2.2. Peak to Average Ratio for SA\_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2502.5                | 0.1             | 5         | 3.8      | 13               | Pass    |




### 2.3. Peak to Average Ratio for SA\_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2502.5                | 0.1             | 5         | 4.12     | 13               | Pass    |




## 2.4. Peak to Average Ratio for SA\_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2502.5                | 0.1             | 5         | 4.92     | 13               | Pass    |




## 2.5. Peak to Average Ratio for SA\_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2502.5                | 0.1             | 5         | 4.92     | 13               | Pass    |




## 2.6. Peak to Average Ratio for SA\_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2502.5                | 0.1             | 5         | 5.62     | 13               | Pass    |




## 2.7. Peak to Average Ratio for SA\_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2502.5                | 0.1             | 5         | 5.02     | 13               | Pass    |




## 2.8. Peak to Average Ratio for SA\_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2502.5                | 0.1             | 5         | 6.09     | 13               | Pass    |




## 2.9. Peak to Average Ratio for SA\_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2502.5                | 0.1             | 5         | 6.23     | 13               | Pass    |




## 2.10. Peak to Average Ratio for SA\_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2502.5                | 0.1             | 5         | 6.14     | 13               | Pass    |




## 2.11. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 5         | 3.52     | 13               | Pass    |




## 2.12. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 5         | 3.7      | 13               | Pass    |




### 2.13. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 5         | 4.27     | 13               | Pass    |




## 2.14. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 5         | 4.83     | 13               | Pass    |




## 2.15. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 5         | 5.06     | 13               | Pass    |




## 2.16. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 5         | 5.62     | 13               | Pass    |




## 2.17. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 5         | 5.16     | 13               | Pass    |




## 2.18. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 5         | 6.05     | 13               | Pass    |




## 2.19. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 5         | 6.33     | 13               | Pass    |




## 2.20. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 5         | 6.09     | 13               | Pass    |




## 2.21. Peak to Average Ratio for SA\_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2567.5                | 0.1             | 5         | 3.19     | 13               | Pass    |




## 2.22. Peak to Average Ratio for SA\_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2567.5                | 0.1             | 5         | 3.75     | 13               | Pass    |




## 2.23. Peak to Average Ratio for SA\_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2567.5                | 0.1             | 5         | 4.12     | 13               | Pass    |




## 2.24. Peak to Average Ratio for SA\_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2567.5                | 0.1             | 5         | 4.73     | 13               | Pass    |




## 2.25. Peak to Average Ratio for SA\_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2567.5                | 0.1             | 5         | 4.83     | 13               | Pass    |




## 2.26. Peak to Average Ratio for SA\_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2567.5                | 0.1             | 5         | 5.48     | 13               | Pass    |




## 2.27. Peak to Average Ratio for SA\_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2567.5                | 0.1             | 5         | 5.02     | 13               | Pass    |




## 2.28. Peak to Average Ratio for SA\_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2567.5                | 0.1             | 5         | 6        | 13               | Pass    |




## 2.29. Peak to Average Ratio for SA\_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2567.5                | 0.1             | 5         | 6.19     | 13               | Pass    |




### 2.30. Peak to Average Ratio for SA\_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2567.5                | 0.1             | 5         | 6.09     | 13               | Pass    |




### 2.31. Peak to Average Ratio for SA\_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2505                  | 0.1             | 10        | 3.14     | 13               | Pass    |




## 2.32. Peak to Average Ratio for SA\_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2505                  | 0.1             | 10        | 3.75     | 13               | Pass    |




### 2.33. Peak to Average Ratio for SA\_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2505                  | 0.1             | 10        | 4.17     | 13               | Pass    |




### 2.34. Peak to Average Ratio for SA\_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2505                  | 0.1             | 10        | 4.87     | 13               | Pass    |




### 2.35. Peak to Average Ratio for SA\_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2505                   | 0.1             | 10        | 4.87     | 13               | Pass    |




### 2.36. Peak to Average Ratio for SA\_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2505                  | 0.1             | 10        | 5.58     | 13               | Pass    |




### 2.37. Peak to Average Ratio for SA\_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2505                  | 0.1             | 10        | 5.02     | 13               | Pass    |




### 2.38. Peak to Average Ratio for SA\_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2505                   | 0.1             | 10        | 5.86     | 13               | Pass    |




### 2.39. Peak to Average Ratio for SA\_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2505                  | 0.1             | 10        | 6.23     | 13               | Pass    |




## 2.40. Peak to Average Ratio for SA\_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2505                   | 0.1             | 10        | 6.47     | 13               | Pass    |




## 2.41. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 10        | 3.19     | 13               | Pass    |




## 2.42. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 10        | 3.7      | 13               | Pass    |




### 2.43. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 10        | 4.31     | 13               | Pass    |




## 2.44. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 10        | 4.78     | 13               | Pass    |




## 2.45. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 10        | 5.16     | 13               | Pass    |




## 2.46. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 10        | 5.53     | 13               | Pass    |




## 2.47. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 10        | 5.16     | 13               | Pass    |




## 2.48. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 10        | 5.86     | 13               | Pass    |




## 2.49. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 10        | 6.28     | 13               | Pass    |




## 2.50. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 10        | 6.42     | 13               | Pass    |




## 2.51. Peak to Average Ratio for SA\_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2565                  | 0.1             | 10        | 3.28     | 13               | Pass    |




## 2.52. Peak to Average Ratio for SA\_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2565                   | 0.1             | 10        | 3.66     | 13               | Pass    |




### 2.53. Peak to Average Ratio for SA\_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2565                  | 0.1             | 10        | 4.12     | 13               | Pass    |




## 2.54. Peak to Average Ratio for SA\_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2565                   | 0.1             | 10        | 4.78     | 13               | Pass    |




## 2.55. Peak to Average Ratio for SA\_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2565                  | 0.1             | 10        | 4.92     | 13               | Pass    |




## 2.56. Peak to Average Ratio for SA\_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2565                  | 0.1             | 10        | 5.48     | 13               | Pass    |




## 2.57. Peak to Average Ratio for SA\_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2565                  | 0.1             | 10        | 5.02     | 13               | Pass    |




## 2.58. Peak to Average Ratio for SA\_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2565                   | 0.1             | 10        | 5.81     | 13               | Pass    |




## 2.59. Peak to Average Ratio for SA\_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2565                   | 0.1             | 10        | 6.14     | 13               | Pass    |




## 2.60. Peak to Average Ratio for SA\_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2565                  | 0.1             | 10        | 6.37     | 13               | Pass    |




## 2.61. Peak to Average Ratio for SA\_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 18        | 3.28     | 13               | Pass    |




## 2.62. Peak to Average Ratio for SA\_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 18        | 3.7      | 13               | Pass    |




### 2.63. Peak to Average Ratio for SA\_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 18        | 4.12     | 13               | Pass    |




## 2.64. Peak to Average Ratio for SA\_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 18        | 4.78     | 13               | Pass    |




## 2.65. Peak to Average Ratio for SA\_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 18        | 4.92     | 13               | Pass    |




## 2.66. Peak to Average Ratio for SA\_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 18        | 5.67     | 13               | Pass    |




## 2.67. Peak to Average Ratio for SA\_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 18        | 5.02     | 13               | Pass    |




## 2.68. Peak to Average Ratio for SA\_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 18        | 5.86     | 13               | Pass    |




## 2.69. Peak to Average Ratio for SA\_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                | 0.1             | 18        | 6.19     | 13               | Pass    |




## 2.70. Peak to Average Ratio for SA\_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2507.5                 | 0.1             | 18        | 6.47     | 13               | Pass    |




## 2.71. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 2535                   | 0.1             | 18        | 3.52     | 13               | Pass    |




## 2.72. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 18        | 3.7      | 13               | Pass    |




### 2.73. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 18        | 4.41     | 13               | Pass    |




## 2.74. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 18        | 4.69     | 13               | Pass    |




## 2.75. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 18        | 5.06     | 13               | Pass    |




## 2.76. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 18        | 5.62     | 13               | Pass    |




## 2.77. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 18        | 5.16     | 13               | Pass    |



## 2.78. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 18        | 5.86     | 13               | Pass    |



## 2.79. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 18        | 6.28     | 13               | Pass    |

