


9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2986
30	1000	0.1	RMS	906.2	-60.91	-13	Pass	9701
1000	1700	1	RMS	1694	-50.97	-13	Pass	701
1700	1765	1	RMS	1731.2	23.3	60	Pass	401
1765	3000	1	RMS	2694	-47.2	-13	Pass	1236
3000	12000	1	RMS	11948	-39.84	-13	Pass	9001
12000	20000	1	RMS	19958	-29.09	-13	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	1000	0.1	RMS	895.7	-60.98	-13	Pass	9701
1000	1700	1	RMS	1693	-50.94	-13	Pass	701
1700	1765	1	RMS	1731.2	22.38	60	Pass	401
1765	3000	1	RMS	2697	-47.26	-13	Pass	1236
3000	12000	1	RMS	11971	-39.85	-13	Pass	9001
12000	20000	1	RMS	19967	-29.12	-13	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.49	-13	Pass	2986
30	1000	0.1	RMS	999.6	-61.04	-13	Pass	9701
1000	1700	1	RMS	1663	-50.97	-13	Pass	701
1700	1765	1	RMS	1752.325	23.54	60	Pass	401
1765	3000	1	RMS	2686	-47.17	-13	Pass	1236
3000	12000	1	RMS	11949	-39.87	-13	Pass	9001
12000	20000	1	RMS	19962	-29.03	-13	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	1000	0.1	RMS	898	-61.05	-13	Pass	9701
1000	1700	1	RMS	1662	-50.98	-13	Pass	701
1700	1765	1	RMS	1752.163	22.47	60	Pass	401
1765	3000	1	RMS	2692	-47.2	-13	Pass	1236
3000	12000	1	RMS	11953	-39.88	-13	Pass	9001
12000	20000	1	RMS	19962	-29.02	-13	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.53	-13	Pass	2986
30	1000	0.1	RMS	877.1	-61.14	-13	Pass	9701
1000	1700	1	RMS	1699	-50.58	-13	Pass	701
1700	1765	1	RMS	1710.4	23.24	60	Pass	401
1765	3000	1	RMS	2684	-47.25	-13	Pass	1236
3000	12000	1	RMS	11941	-39.86	-13	Pass	9001
12000	20000	1	RMS	19951	-29.06	-13	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	894.6	-61.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1765	1	RMS	1710.238	22.37	60	Pass	401
1765	3000	1	RMS	2679	-47.2	-13	Pass	1236
3000	12000	1	RMS	11959	-39.83	-13	Pass	9001
12000	20000	1	RMS	19958	-29.07	-13	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	1000	0.1	RMS	995.8	-60.94	-13	Pass	9701
1000	1700	1	RMS	1697	-50.9	-13	Pass	701
1700	1765	1	RMS	1730.388	23.28	60	Pass	401
1765	3000	1	RMS	2690	-47.2	-13	Pass	1236
3000	12000	1	RMS	11937	-39.87	-13	Pass	9001
12000	20000	1	RMS	19949	-29.1	-13	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2986
30	1000	0.1	RMS	916.9	-61.03	-13	Pass	9701
1000	1700	1	RMS	1697	-50.89	-13	Pass	701
1700	1765	1	RMS	1730.388	22.41	60	Pass	401
1765	3000	1	RMS	2689	-47.21	-13	Pass	1236
3000	12000	1	RMS	11945	-39.85	-13	Pass	9001
12000	20000	1	RMS	19998	-29.06	-13	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	1000	0.1	RMS	998.3	-61.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1765	1	RMS	1750.375	23.36	60	Pass	401
1765	3000	1	RMS	2678	-47.18	-13	Pass	1236
3000	12000	1	RMS	11950	-39.85	-13	Pass	9001
12000	20000	1	RMS	19962	-29.12	-13	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	1000	0.1	RMS	903.4	-60.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	Pass	701
1700	1765	1	RMS	1750.375	22.49	60	Pass	401
1765	3000	1	RMS	2691	-47.17	-13	Pass	1236
3000	12000	1	RMS	11964	-39.89	-13	Pass	9001
12000	20000	1	RMS	19966	-29.12	-13	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2986
30	1000	0.1	RMS	985.1	-61.1	-13	Pass	9701
1000	1700	1	RMS	1700	-50.5	-13	Pass	701
1700	1765	1	RMS	1710.563	23.29	60	Pass	401
1765	3000	1	RMS	2691	-47.24	-13	Pass	1236
3000	12000	1	RMS	11971	-39.84	-13	Pass	9001
12000	20000	1	RMS	19957	-29.09	-13	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.59	-13	Pass	2986
30	1000	0.1	RMS	873.6	-61.09	-13	Pass	9701
1000	1700	1	RMS	1700	-49.98	-13	Pass	701
1700	1765	1	RMS	1710.563	22.36	60	Pass	401
1765	3000	1	RMS	2680	-47.18	-13	Pass	1236
3000	12000	1	RMS	11951	-39.79	-13	Pass	9001
12000	20000	1	RMS	19961	-29.05	-13	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	993.9	-60.96	-13	Pass	9701
1000	1700	1	RMS	1697	-50.89	-13	Pass	701
1700	1765	1	RMS	1728.113	23.18	60	Pass	401
1765	3000	1	RMS	2693	-47.21	-13	Pass	1236
3000	12000	1	RMS	11956	-39.84	-13	Pass	9001
12000	20000	1	RMS	19964	-29.09	-13	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	902.2	-60.91	-13	Pass	9701
1000	1700	1	RMS	1698	-50.96	-13	Pass	701
1700	1765	1	RMS	1728.113	22.59	60	Pass	401
1765	3000	1	RMS	2694	-47.23	-13	Pass	1236
3000	12000	1	RMS	11957	-39.82	-13	Pass	9001
12000	20000	1	RMS	19989	-29.12	-13	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	1000	0.1	RMS	926.9	-61.04	-13	Pass	9701
1000	1700	1	RMS	1695	-50.91	-13	Pass	701
1700	1765	1	RMS	1745.663	23.27	60	Pass	401
1765	3000	1	RMS	2691	-47.21	-13	Pass	1236
3000	12000	1	RMS	11955	-39.83	-13	Pass	9001
12000	20000	1	RMS	19960	-29.11	-13	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.34	-13	Pass	2986
30	1000	0.1	RMS	986.9	-60.94	-13	Pass	9701
1000	1700	1	RMS	1696	-50.9	-13	Pass	701
1700	1765	1	RMS	1745.663	22.48	60	Pass	401
1765	3000	1	RMS	2691	-47.2	-13	Pass	1236
3000	12000	1	RMS	11959	-39.74	-13	Pass	9001
12000	20000	1	RMS	19961	-29.08	-13	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	1000	0.1	RMS	901.1	-60.97	-13	Pass	9701
1000	1700	1	RMS	1697	-49.98	-13	Pass	701
1700	1765	1	RMS	1710.888	23.2	60	Pass	401
1765	3000	1	RMS	2689	-47.22	-13	Pass	1236
3000	12000	1	RMS	11943	-39.78	-13	Pass	9001
12000	20000	1	RMS	19957	-29.15	-13	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	882.8	-60.9	-13	Pass	9701
1000	1700	1	RMS	1697	-50.28	-13	Pass	701
1700	1765	1	RMS	1711.05	22.29	60	Pass	401
1765	3000	1	RMS	2686	-47.19	-13	Pass	1236
3000	12000	1	RMS	11941	-39.86	-13	Pass	9001
12000	20000	1	RMS	19964	-29.06	-13	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	1000	0.1	RMS	992.2	-60.94	-13	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	Pass	701
1700	1765	1	RMS	1725.838	23.22	60	Pass	401
1765	3000	1	RMS	2677	-47.17	-13	Pass	1236
3000	12000	1	RMS	11955	-39.82	-13	Pass	9001
12000	20000	1	RMS	19963	-29.09	-13	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.22	-13	Pass	2986
30	1000	0.1	RMS	884.2	-61.06	-13	Pass	9701
1000	1700	1	RMS	1697	-50.96	-13	Pass	701
1700	1765	1	RMS	1725.838	22.66	60	Pass	401
1765	3000	1	RMS	2684	-47.23	-13	Pass	1236
3000	12000	1	RMS	11957	-39.8	-13	Pass	9001
12000	20000	1	RMS	19970	-29.13	-13	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	1000	0.1	RMS	958	-60.94	-13	Pass	9701
1000	1700	1	RMS	1669	-50.9	-13	Pass	701
1700	1765	1	RMS	1740.788	23.46	60	Pass	401
1765	3000	1	RMS	2676	-47.2	-13	Pass	1236
3000	12000	1	RMS	11948	-39.86	-13	Pass	9001
12000	20000	1	RMS	19973	-29.12	-13	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	Pass	2986
30	1000	0.1	RMS	881.1	-60.75	-13	Pass	9701
1000	1700	1	RMS	1691	-50.85	-13	Pass	701
1700	1765	1	RMS	1740.788	22.35	60	Pass	401
1765	3000	1	RMS	2682	-47.16	-13	Pass	1236
3000	12000	1	RMS	11956	-39.84	-13	Pass	9001
12000	20000	1	RMS	19962	-29.1	-13	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	1000	0.1	RMS	882.5	-61.07	-13	Pass	9701
1000	1700	1	RMS	1693	-50.02	-13	Pass	701
1700	1765	1	RMS	1711.05	23.22	60	Pass	401
1765	3000	1	RMS	2678	-47.17	-13	Pass	1236
3000	12000	1	RMS	11948	-39.88	-13	Pass	9001
12000	20000	1	RMS	19956	-29.11	-13	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	997.3	-61.02	-13	Pass	9701
1000	1700	1	RMS	1693	-50.2	-13	Pass	701
1700	1765	1	RMS	1711.05	22.6	60	Pass	401
1765	3000	1	RMS	2685	-47.25	-13	Pass	1236
3000	12000	1	RMS	11967	-39.85	-13	Pass	9001
12000	20000	1	RMS	19956	-29.08	-13	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.29	-13	Pass	2986
30	1000	0.1	RMS	885.9	-61.06	-13	Pass	9701
1000	1700	1	RMS	1695	-50.87	-13	Pass	701
1700	1765	1	RMS	1723.563	23.26	60	Pass	401
1765	3000	1	RMS	2681	-47.14	-13	Pass	1236
3000	12000	1	RMS	11944	-39.88	-13	Pass	9001
12000	20000	1	RMS	19960	-29.09	-13	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	1000	0.1	RMS	909.1	-61.01	-13	Pass	9701
1000	1700	1	RMS	1697	-50.59	-13	Pass	701
1700	1765	1	RMS	1723.563	22.4	60	Pass	401
1765	3000	1	RMS	2692	-47.22	-13	Pass	1236
3000	12000	1	RMS	11955	-39.8	-13	Pass	9001
12000	20000	1	RMS	19957	-29.09	-13	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.47	-13	Pass	2986
30	1000	0.1	RMS	896.4	-60.83	-13	Pass	9701
1000	1700	1	RMS	1697	-50.95	-13	Pass	701
1700	1765	1	RMS	1736.075	23.33	60	Pass	401
1765	3000	1	RMS	2682	-47.21	-13	Pass	1236
3000	12000	1	RMS	11951	-39.91	-13	Pass	9001
12000	20000	1	RMS	19958	-29.12	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2986
30	1000	0.1	RMS	895.4	-61.02	-13	Pass	9701
1000	1700	1	RMS	1690	-50.99	-13	Pass	701
1700	1765	1	RMS	1736.075	22.36	60	Pass	401
1765	3000	1	RMS	2679	-47.19	-13	Pass	1236
3000	12000	1	RMS	11937	-39.84	-13	Pass	9001
12000	20000	1	RMS	19966	-29.13	-13	Pass	8001



10. LTE_Band7


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-25	Pass	2986
30	1000	0.1	RMS	867.1	-61.09	-25	Pass	9701
1000	2490	1	RMS	2490	-47.42	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.23	60	Pass	401
2580	3000	1	RMS	2690	-47.52	-25	Pass	421
3000	12000	1	RMS	11850	-63.39	-25	Pass	9001
12000	26000	1	RMS	25608	-44.16	-25	Pass	14001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-25	Pass	2986
30	1000	0.1	RMS	993.5	-61.16	-25	Pass	9701
1000	2490	1	RMS	2490	-47.6	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.29	60	Pass	401
2580	3000	1	RMS	2689	-47.54	-25	Pass	421
3000	12000	1	RMS	11849	-63.44	-25	Pass	9001
12000	26000	1	RMS	25603	-44.76	-25	Pass	14001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-25	Pass	2986
30	1000	0.1	RMS	902.3	-61	-25	Pass	9701
1000	2490	1	RMS	2490	-47.99	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.12	60	Pass	401
2580	3000	1	RMS	2691	-47.53	-25	Pass	421
3000	12000	1	RMS	11850	-63.43	-25	Pass	9001
12000	26000	1	RMS	25600	-44.66	-25	Pass	14001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-25	Pass	2986
30	1000	0.1	RMS	991.1	-61.05	-25	Pass	9701
1000	2490	1	RMS	2489	-48.01	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.27	60	Pass	401
2580	3000	1	RMS	2690	-47.56	-25	Pass	421
3000	12000	1	RMS	11853	-63.45	-25	Pass	9001
12000	26000	1	RMS	25587	-44.78	-25	Pass	14001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-25	Pass	2986
30	1000	0.1	RMS	903.8	-61.13	-25	Pass	9701
1000	2490	1	RMS	2487	-48.02	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.41	60	Pass	401
2580	3000	1	RMS	2698	-47.55	-25	Pass	421
3000	12000	1	RMS	11859	-63.48	-25	Pass	9001
12000	26000	1	RMS	25597	-44.71	-25	Pass	14001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-25	Pass	2986
30	1000	0.1	RMS	991.7	-61.04	-25	Pass	9701
1000	2490	1	RMS	2485	-48.05	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.46	60	Pass	401
2580	3000	1	RMS	2689	-47.54	-25	Pass	421
3000	12000	1	RMS	11870	-63.42	-25	Pass	9001
12000	26000	1	RMS	25611	-44.71	-25	Pass	14001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-25	Pass	2986
30	1000	0.1	RMS	864.8	-61.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.31	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.09	60	Pass	401
2580	3000	1	RMS	2689	-47.52	-25	Pass	421
3000	12000	1	RMS	11859	-63.46	-25	Pass	9001
12000	26000	1	RMS	25605	-44.7	-25	Pass	14001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-25	Pass	2986
30	1000	0.1	RMS	882.8	-61.06	-25	Pass	9701
1000	2490	1	RMS	2490	-47.65	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.19	60	Pass	401
2580	3000	1	RMS	2690	-47.47	-25	Pass	421
3000	12000	1	RMS	11846	-63.45	-25	Pass	9001
12000	26000	1	RMS	25606	-44.7	-25	Pass	14001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.08	-25	Pass	2986
30	1000	0.1	RMS	874.8	-61.09	-25	Pass	9701
1000	2490	1	RMS	2490	-48.05	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.15	60	Pass	401
2580	3000	1	RMS	2693	-47.53	-25	Pass	421
3000	12000	1	RMS	11860	-63.4	-25	Pass	9001
12000	26000	1	RMS	25600	-44.77	-25	Pass	14001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-25	Pass	2986
30	1000	0.1	RMS	867.2	-61.1	-25	Pass	9701
1000	2490	1	RMS	2484	-48.09	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.2	60	Pass	401
2580	3000	1	RMS	2692	-47.55	-25	Pass	421
3000	12000	1	RMS	11854	-63.41	-25	Pass	9001
12000	26000	1	RMS	25600	-44.65	-25	Pass	14001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-25	Pass	2986
30	1000	0.1	RMS	893.2	-60.93	-25	Pass	9701
1000	2490	1	RMS	2490	-48.06	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.12	60	Pass	401
2580	3000	1	RMS	2690	-47.55	-25	Pass	421
3000	12000	1	RMS	11855	-63.37	-25	Pass	9001
12000	26000	1	RMS	25594	-44.74	-25	Pass	14001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-25	Pass	2986
30	1000	0.1	RMS	889.6	-61.08	-25	Pass	9701
1000	2490	1	RMS	2487	-48.07	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.43	60	Pass	401
2580	3000	1	RMS	2691	-47.53	-25	Pass	421
3000	12000	1	RMS	11849	-63.43	-25	Pass	9001
12000	26000	1	RMS	25588	-44.83	-25	Pass	14001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-25	Pass	2986
30	1000	0.1	RMS	882.6	-61.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.51	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.89	60	Pass	401
2580	3000	1	RMS	2687	-47.54	-25	Pass	421
3000	12000	1	RMS	11850	-63.39	-25	Pass	9001
12000	26000	1	RMS	25621	-44.76	-25	Pass	14001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.86	-25	Pass	2986
30	1000	0.1	RMS	874.7	-61.07	-25	Pass	9701
1000	2490	1	RMS	2490	-47.62	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.24	60	Pass	401
2580	3000	1	RMS	2681	-47.52	-25	Pass	421
3000	12000	1	RMS	11846	-63.42	-25	Pass	9001
12000	26000	1	RMS	25585	-44.79	-25	Pass	14001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-25	Pass	2986
30	1000	0.1	RMS	981.8	-61.03	-25	Pass	9701
1000	2490	1	RMS	2490	-48.01	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.03	60	Pass	401
2580	3000	1	RMS	2681	-47.56	-25	Pass	421
3000	12000	1	RMS	11919	-63.42	-25	Pass	9001
12000	26000	1	RMS	25576	-44.78	-25	Pass	14001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.58	-25	Pass	2986
30	1000	0.1	RMS	952.1	-61.14	-25	Pass	9701
1000	2490	1	RMS	2490	-48.05	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.11	60	Pass	401
2580	3000	1	RMS	2694	-47.52	-25	Pass	421
3000	12000	1	RMS	11851	-63.45	-25	Pass	9001
12000	26000	1	RMS	25603	-44.73	-25	Pass	14001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-25	Pass	2986
30	1000	0.1	RMS	880.2	-61.01	-25	Pass	9701
1000	2490	1	RMS	2488	-48.07	-25	Pass	1491
2490	2595	1	RMS	2555.888	23.07	60	Pass	401
2595	3000	1	RMS	2681	-47.51	-25	Pass	406
3000	12000	1	RMS	11851	-63.41	-25	Pass	9001
12000	26000	1	RMS	25592	-44.69	-25	Pass	14001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-25	Pass	2986
30	1000	0.1	RMS	976.9	-61.06	-25	Pass	9701
1000	2490	1	RMS	2490	-48.06	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.37	60	Pass	401
2595	3000	1	RMS	2693	-47.57	-25	Pass	406
3000	12000	1	RMS	11853	-63.38	-25	Pass	9001
12000	26000	1	RMS	25596	-44.76	-25	Pass	14001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-25	Pass	2986
30	1000	0.1	RMS	907.3	-61.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.49	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.87	60	Pass	401
2580	3000	1	RMS	2694	-47.52	-25	Pass	421
3000	12000	1	RMS	11852	-63.49	-25	Pass	9001
12000	26000	1	RMS	25580	-44.84	-25	Pass	14001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-25	Pass	2986
30	1000	0.1	RMS	991.8	-61.03	-25	Pass	9701
1000	2490	1	RMS	2490	-47.56	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.92	60	Pass	401
2580	3000	1	RMS	2686	-47.55	-25	Pass	421
3000	12000	1	RMS	11848	-63.43	-25	Pass	9001
12000	26000	1	RMS	25600	-44.73	-25	Pass	14001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.42	-25	Pass	2986
30	1000	0.1	RMS	986.9	-61.1	-25	Pass	9701
1000	2490	1	RMS	2488	-48.04	-25	Pass	1491
2490	2580	1	RMS	2526	23.05	60	Pass	401
2580	3000	1	RMS	2693	-47.54	-25	Pass	421
3000	12000	1	RMS	11865	-63.43	-25	Pass	9001
12000	26000	1	RMS	25604	-44.69	-25	Pass	14001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-25	Pass	2986
30	1000	0.1	RMS	996.7	-61.03	-25	Pass	9701
1000	2490	1	RMS	2489	-48.03	-25	Pass	1491
2490	2580	1	RMS	2526	21.99	60	Pass	401
2580	3000	1	RMS	2688	-47.53	-25	Pass	421
3000	12000	1	RMS	11863	-63.47	-25	Pass	9001
12000	26000	1	RMS	25595	-44.77	-25	Pass	14001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-25	Pass	2986
30	1000	0.1	RMS	930.3	-61.02	-25	Pass	9701
1000	2490	1	RMS	2489	-48.03	-25	Pass	1491
2490	2595	1	RMS	2551.163	23.21	60	Pass	401
2595	3000	1	RMS	2680	-47.57	-25	Pass	406
3000	12000	1	RMS	11845	-63.42	-25	Pass	9001
12000	26000	1	RMS	25606	-44.78	-25	Pass	14001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2986
30	1000	0.1	RMS	884	-61.08	-25	Pass	9701
1000	2490	1	RMS	2490	-48.02	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.37	60	Pass	401
2595	3000	1	RMS	2692	-47.55	-25	Pass	406
3000	12000	1	RMS	11845	-63.4	-25	Pass	9001
12000	26000	1	RMS	25602	-44.62	-25	Pass	14001



11. LTE_Band25


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	1000	0.1	RMS	994.3	-61.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.07	-13	Pass	841
1840	1925	1	RMS	1850.2	23.36	60	Pass	401
1925	3000	1	RMS	2682	-47.15	-13	Pass	1076
3000	12000	1	RMS	11941	-39.81	-13	Pass	9001
12000	20000	1	RMS	19958	-28.97	-13	Pass	8001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	1000	0.1	RMS	882.8	-60.92	-13	Pass	9701
1000	1840	1	RMS	1840	-50.26	-13	Pass	841
1840	1925	1	RMS	1850.2	22.51	60	Pass	401
1925	3000	1	RMS	2686	-47.2	-13	Pass	1076
3000	12000	1	RMS	11955	-39.71	-13	Pass	9001
12000	20000	1	RMS	19954	-29.03	-13	Pass	8001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	1000	0.1	RMS	888.2	-60.96	-13	Pass	9701
1000	1840	1	RMS	1839	-50.61	-13	Pass	841
1840	1925	1	RMS	1882.075	23.3	60	Pass	401
1925	3000	1	RMS	2690	-47.22	-13	Pass	1076
3000	12000	1	RMS	11953	-39.79	-13	Pass	9001
12000	20000	1	RMS	19956	-28.96	-13	Pass	8001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2986
30	1000	0.1	RMS	873.6	-61.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	Pass	841
1840	1925	1	RMS	1882.075	22.34	60	Pass	401
1925	3000	1	RMS	2681	-47.17	-13	Pass	1076
3000	12000	1	RMS	11946	-39.73	-13	Pass	9001
12000	20000	1	RMS	19979	-29	-13	Pass	8001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2986
30	1000	0.1	RMS	908.6	-60.95	-13	Pass	9701
1000	1840	1	RMS	1839	-50.58	-13	Pass	841
1840	1925	1	RMS	1913.95	23.38	60	Pass	401
1925	3000	1	RMS	2685	-47.21	-13	Pass	1076
3000	12000	1	RMS	11962	-39.75	-13	Pass	9001
12000	20000	1	RMS	19979	-29.01	-13	Pass	8001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2986
30	1000	0.1	RMS	893.4	-61.1	-13	Pass	9701
1000	1840	1	RMS	1828	-50.63	-13	Pass	841
1840	1925	1	RMS	1913.738	22.44	60	Pass	401
1925	3000	1	RMS	2681	-47.21	-13	Pass	1076
3000	12000	1	RMS	11947	-39.82	-13	Pass	9001
12000	20000	1	RMS	19965	-28.99	-13	Pass	8001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2986
30	1000	0.1	RMS	898.6	-60.99	-13	Pass	9701
1000	1840	1	RMS	1840	-50.2	-13	Pass	841
1840	1925	1	RMS	1850.2	23.56	60	Pass	401
1925	3000	1	RMS	2692	-47.24	-13	Pass	1076
3000	12000	1	RMS	11962	-39.73	-13	Pass	9001
12000	20000	1	RMS	19961	-28.95	-13	Pass	8001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	896.2	-60.93	-13	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	Pass	841
1840	1925	1	RMS	1850.2	22.4	60	Pass	401
1925	3000	1	RMS	2686	-47.22	-13	Pass	1076
3000	12000	1	RMS	11953	-39.79	-13	Pass	9001
12000	20000	1	RMS	19958	-28.95	-13	Pass	8001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	901.9	-61.02	-13	Pass	9701
1000	1840	1	RMS	1838	-50.57	-13	Pass	841
1840	1925	1	RMS	1881.225	23.41	60	Pass	401
1925	3000	1	RMS	2691	-47.21	-13	Pass	1076
3000	12000	1	RMS	11950	-39.73	-13	Pass	9001
12000	20000	1	RMS	19956	-28.98	-13	Pass	8001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2986
30	1000	0.1	RMS	962.9	-60.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50.57	-13	Pass	841
1840	1925	1	RMS	1881.225	22.54	60	Pass	401
1925	3000	1	RMS	2696	-47.21	-13	Pass	1076
3000	12000	1	RMS	11949	-39.78	-13	Pass	9001
12000	20000	1	RMS	19966	-28.99	-13	Pass	8001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2986
30	1000	0.1	RMS	998.9	-60.83	-13	Pass	9701
1000	1840	1	RMS	1836	-50.61	-13	Pass	841
1840	1925	1	RMS	1912.25	23.3	60	Pass	401
1925	3000	1	RMS	2696	-47.18	-13	Pass	1076
3000	12000	1	RMS	11949	-39.68	-13	Pass	9001
12000	20000	1	RMS	19959	-29.01	-13	Pass	8001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-13	Pass	2986
30	1000	0.1	RMS	897.7	-61.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	Pass	841
1840	1925	1	RMS	1912.25	22.34	60	Pass	401
1925	3000	1	RMS	2688	-47.2	-13	Pass	1076
3000	12000	1	RMS	11957	-39.76	-13	Pass	9001
12000	20000	1	RMS	19967	-29.02	-13	Pass	8001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2986
30	1000	0.1	RMS	994.6	-61.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.21	-13	Pass	841
1840	1925	1	RMS	1850.413	23.38	60	Pass	401
1925	3000	1	RMS	2676	-47.12	-13	Pass	1076
3000	12000	1	RMS	11975	-39.77	-13	Pass	9001
12000	20000	1	RMS	19955	-28.99	-13	Pass	8001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	1000	0.1	RMS	972.5	-61.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	Pass	841
1840	1925	1	RMS	1850.413	22.43	60	Pass	401
1925	3000	1	RMS	2683	-47.19	-13	Pass	1076
3000	12000	1	RMS	11962	-39.76	-13	Pass	9001
12000	20000	1	RMS	19965	-28.99	-13	Pass	8001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.23	-13	Pass	2986
30	1000	0.1	RMS	885.9	-61.02	-13	Pass	9701
1000	1840	1	RMS	1831	-50.64	-13	Pass	841
1840	1925	1	RMS	1880.375	23.47	60	Pass	401
1925	3000	1	RMS	2686	-47.18	-13	Pass	1076
3000	12000	1	RMS	11958	-39.74	-13	Pass	9001
12000	20000	1	RMS	19957	-28.93	-13	Pass	8001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	1000	0.1	RMS	990.6	-60.96	-13	Pass	9701
1000	1840	1	RMS	1838	-50.59	-13	Pass	841
1840	1925	1	RMS	1880.375	22.6	60	Pass	401
1925	3000	1	RMS	2678	-47.17	-13	Pass	1076
3000	12000	1	RMS	11954	-39.72	-13	Pass	9001
12000	20000	1	RMS	19966	-29	-13	Pass	8001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	1000	0.1	RMS	893.3	-61.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	Pass	841
1840	1925	1	RMS	1910.338	23.32	60	Pass	401
1925	3000	1	RMS	2686	-47.23	-13	Pass	1076
3000	12000	1	RMS	11953	-39.74	-13	Pass	9001
12000	20000	1	RMS	19958	-28.98	-13	Pass	8001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2986
30	1000	0.1	RMS	904.8	-61.1	-13	Pass	9701
1000	1840	1	RMS	1840	-50.63	-13	Pass	841
1840	1925	1	RMS	1910.338	22.49	60	Pass	401
1925	3000	1	RMS	2677	-47.22	-13	Pass	1076
3000	12000	1	RMS	11953	-39.73	-13	Pass	9001
12000	20000	1	RMS	19955	-28.97	-13	Pass	8001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.43	-13	Pass	2986
30	1000	0.1	RMS	992.1	-60.98	-13	Pass	9701
1000	1840	1	RMS	1838	-50.16	-13	Pass	841
1840	1925	1	RMS	1850.625	23.44	60	Pass	401
1925	3000	1	RMS	2693	-47.2	-13	Pass	1076
3000	12000	1	RMS	11957	-39.71	-13	Pass	9001
12000	20000	1	RMS	19960	-28.96	-13	Pass	8001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2986
30	1000	0.1	RMS	874.9	-61.09	-13	Pass	9701
1000	1840	1	RMS	1840	-49.92	-13	Pass	841
1840	1925	1	RMS	1850.625	22.62	60	Pass	401
1925	3000	1	RMS	2684	-47.22	-13	Pass	1076
3000	12000	1	RMS	11944	-39.75	-13	Pass	9001
12000	20000	1	RMS	19962	-29.03	-13	Pass	8001



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	1000	0.1	RMS	888.5	-61.06	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1925	1	RMS	1878.038	23.48	60	Pass	401
1925	3000	1	RMS	2678	-47.15	-13	Pass	1076
3000	12000	1	RMS	11962	-39.69	-13	Pass	9001
12000	20000	1	RMS	19965	-28.94	-13	Pass	8001



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	1000	0.1	RMS	893.2	-61.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.5	-13	Pass	841
1840	1925	1	RMS	1878.038	22.68	60	Pass	401
1925	3000	1	RMS	2693	-47.2	-13	Pass	1076
3000	12000	1	RMS	11944	-39.78	-13	Pass	9001
12000	20000	1	RMS	19954	-28.99	-13	Pass	8001



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	1000	0.1	RMS	901.3	-60.88	-13	Pass	9701
1000	1840	1	RMS	1839	-50.54	-13	Pass	841
1840	1925	1	RMS	1905.663	23.14	60	Pass	401
1925	3000	1	RMS	2677	-47.17	-13	Pass	1076
3000	12000	1	RMS	11952	-39.74	-13	Pass	9001
12000	20000	1	RMS	19952	-29.02	-13	Pass	8001



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.75	-13	Pass	2986
30	1000	0.1	RMS	989.4	-60.98	-13	Pass	9701
1000	1840	1	RMS	1840	-50.58	-13	Pass	841
1840	1925	1	RMS	1905.45	22.28	60	Pass	401
1925	3000	1	RMS	2697	-47.15	-13	Pass	1076
3000	12000	1	RMS	11942	-39.74	-13	Pass	9001
12000	20000	1	RMS	19967	-29.04	-13	Pass	8001



11.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	968.3	-61.05	-13	Pass	9701
1000	1840	1	RMS	1838	-49.9	-13	Pass	841
1840	1925	1	RMS	1850.838	23.47	60	Pass	401
1925	3000	1	RMS	2684	-47.17	-13	Pass	1076
3000	12000	1	RMS	11980	-39.71	-13	Pass	9001
12000	20000	1	RMS	19975	-28.98	-13	Pass	8001



11.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2986
30	1000	0.1	RMS	877.5	-61.01	-13	Pass	9701
1000	1840	1	RMS	1838	-50.1	-13	Pass	841
1840	1925	1	RMS	1850.838	22.75	60	Pass	401
1925	3000	1	RMS	2689	-47.24	-13	Pass	1076
3000	12000	1	RMS	11951	-39.66	-13	Pass	9001
12000	20000	1	RMS	19955	-28.98	-13	Pass	8001



11.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	879.1	-61.01	-13	Pass	9701
1000	1840	1	RMS	1839	-50.54	-13	Pass	841
1840	1925	1	RMS	1875.913	23.31	60	Pass	401
1925	3000	1	RMS	2686	-47.16	-13	Pass	1076
3000	12000	1	RMS	11962	-39.74	-13	Pass	9001
12000	20000	1	RMS	19969	-29	-13	Pass	8001



11.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2986
30	1000	0.1	RMS	874.4	-60.99	-13	Pass	9701
1000	1840	1	RMS	1836	-50.6	-13	Pass	841
1840	1925	1	RMS	1875.7	22.5	60	Pass	401
1925	3000	1	RMS	2681	-47.2	-13	Pass	1076
3000	12000	1	RMS	11942	-39.81	-13	Pass	9001
12000	20000	1	RMS	19959	-29.03	-13	Pass	8001



11.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2986
30	1000	0.1	RMS	891.2	-61	-13	Pass	9701
1000	1840	1	RMS	1838	-50.58	-13	Pass	841
1840	1925	1	RMS	1900.775	23.28	60	Pass	401
1925	3000	1	RMS	2679	-47.23	-13	Pass	1076
3000	12000	1	RMS	11966	-39.76	-13	Pass	9001
12000	20000	1	RMS	19973	-29.03	-13	Pass	8001



11.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.6	-13	Pass	2986
30	1000	0.1	RMS	875.4	-60.85	-13	Pass	9701
1000	1840	1	RMS	1838	-50.6	-13	Pass	841
1840	1925	1	RMS	1900.775	22.36	60	Pass	401
1925	3000	1	RMS	2690	-47.22	-13	Pass	1076
3000	12000	1	RMS	11947	-39.75	-13	Pass	9001
12000	20000	1	RMS	19963	-29	-13	Pass	8001



11.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.25	-13	Pass	2986
30	1000	0.1	RMS	992.1	-61.05	-13	Pass	9701
1000	1840	1	RMS	1836	-49.84	-13	Pass	841
1840	1925	1	RMS	1851.05	23.43	60	Pass	401
1925	3000	1	RMS	2682	-47.14	-13	Pass	1076
3000	12000	1	RMS	11951	-39.73	-13	Pass	9001
12000	20000	1	RMS	19951	-28.97	-13	Pass	8001



11.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	1000	0.1	RMS	901.7	-60.89	-13	Pass	9701
1000	1840	1	RMS	1835	-49.67	-13	Pass	841
1840	1925	1	RMS	1851.05	22.53	60	Pass	401
1925	3000	1	RMS	2688	-47.21	-13	Pass	1076
3000	12000	1	RMS	11956	-39.78	-13	Pass	9001
12000	20000	1	RMS	19967	-29.01	-13	Pass	8001



11.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	1000	0.1	RMS	899.4	-60.93	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1925	1	RMS	1873.575	23.39	60	Pass	401
1925	3000	1	RMS	2684	-47.23	-13	Pass	1076
3000	12000	1	RMS	11944	-39.79	-13	Pass	9001
12000	20000	1	RMS	19953	-29	-13	Pass	8001



11.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	976.8	-61.09	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1925	1	RMS	1873.575	22.55	60	Pass	401
1925	3000	1	RMS	2677	-47.16	-13	Pass	1076
3000	12000	1	RMS	11951	-39.7	-13	Pass	9001
12000	20000	1	RMS	19972	-28.98	-13	Pass	8001



11.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	1000	0.1	RMS	884.9	-60.99	-13	Pass	9701
1000	1840	1	RMS	1833	-50.56	-13	Pass	841
1840	1925	1	RMS	1896.1	23.16	60	Pass	401
1925	3000	1	RMS	2679	-47.24	-13	Pass	1076
3000	12000	1	RMS	11934	-39.76	-13	Pass	9001
12000	20000	1	RMS	19995	-29.02	-13	Pass	8001



11.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.45	-13	Pass	2986
30	1000	0.1	RMS	953.4	-60.97	-13	Pass	9701
1000	1840	1	RMS	1833	-50.55	-13	Pass	841
1840	1925	1	RMS	1896.1	22.37	60	Pass	401
1925	3000	1	RMS	2694	-47.18	-13	Pass	1076
3000	12000	1	RMS	11949	-39.78	-13	Pass	9001
12000	20000	1	RMS	19974	-29.01	-13	Pass	8001



12. LTE_Band66


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.57	-13	Pass	2986
30	1000	0.1	RMS	907.2	-60.9	-13	Pass	9701
1000	1700	1	RMS	1700	-50.5	-13	Pass	701
1700	1790	1	RMS	1710.35	23.08	60	Pass	401
1790	3000	1	RMS	2689	-47.21	-13	Pass	1211
3000	12000	1	RMS	11949	-39.71	-13	Pass	9001
12000	20000	1	RMS	19977	-28.97	-13	Pass	8001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-13	Pass	2986
30	1000	0.1	RMS	903.6	-61.03	-13	Pass	9701
1000	1700	1	RMS	1699	-50.64	-13	Pass	701
1700	1790	1	RMS	1710.35	22.17	60	Pass	401
1790	3000	1	RMS	2677	-47.23	-13	Pass	1211
3000	12000	1	RMS	11952	-39.76	-13	Pass	9001
12000	20000	1	RMS	19963	-28.86	-13	Pass	8001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-57.64	-13	Pass	2986
30	1000	0.1	RMS	986.8	-60.92	-13	Pass	9701
1000	1700	1	RMS	1694	-50.82	-13	Pass	701
1700	1790	1	RMS	1744.55	23.12	60	Pass	401
1790	3000	1	RMS	2694	-47.17	-13	Pass	1211
3000	12000	1	RMS	11944	-39.78	-13	Pass	9001
12000	20000	1	RMS	19954	-29	-13	Pass	8001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2986
30	1000	0.1	RMS	909.4	-60.91	-13	Pass	9701
1000	1700	1	RMS	1694	-50.86	-13	Pass	701
1700	1790	1	RMS	1744.55	22.5	60	Pass	401
1790	3000	1	RMS	2683	-47.19	-13	Pass	1211
3000	12000	1	RMS	11945	-39.76	-13	Pass	9001
12000	20000	1	RMS	19953	-28.99	-13	Pass	8001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	1000	0.1	RMS	992.2	-60.84	-13	Pass	9701
1000	1700	1	RMS	1690	-50.9	-13	Pass	701
1700	1790	1	RMS	1778.75	22.86	60	Pass	401
1790	3000	1	RMS	2677	-47.22	-13	Pass	1211
3000	12000	1	RMS	11941	-39.78	-13	Pass	9001
12000	20000	1	RMS	19979	-29.08	-13	Pass	8001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	1000	0.1	RMS	884.5	-60.92	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1790	1	RMS	1778.75	22.36	60	Pass	401
1790	3000	1	RMS	2678	-47.18	-13	Pass	1211
3000	12000	1	RMS	11943	-39.75	-13	Pass	9001
12000	20000	1	RMS	19952	-29.02	-13	Pass	8001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	1000	0.1	RMS	887.2	-61.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.43	-13	Pass	701
1700	1790	1	RMS	1710.35	23.13	60	Pass	401
1790	3000	1	RMS	2677	-47.18	-13	Pass	1211
3000	12000	1	RMS	11954	-39.75	-13	Pass	9001
12000	20000	1	RMS	19995	-29	-13	Pass	8001




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.56	-13	Pass	2986
30	1000	0.1	RMS	896	-60.99	-13	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	Pass	701
1700	1790	1	RMS	1710.125	22.29	60	Pass	401
1790	3000	1	RMS	2681	-47.15	-13	Pass	1211
3000	12000	1	RMS	11945	-39.77	-13	Pass	9001
12000	20000	1	RMS	19960	-28.98	-13	Pass	8001



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	1000	0.1	RMS	888.3	-60.98	-13	Pass	9701
1000	1700	1	RMS	1694	-50.77	-13	Pass	701
1700	1790	1	RMS	1743.65	23.36	60	Pass	401
1790	3000	1	RMS	2682	-47.21	-13	Pass	1211
3000	12000	1	RMS	11945	-39.71	-13	Pass	9001
12000	20000	1	RMS	19987	-29.02	-13	Pass	8001



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2986
30	1000	0.1	RMS	882.8	-60.98	-13	Pass	9701
1000	1700	1	RMS	1694	-50.89	-13	Pass	701
1700	1790	1	RMS	1743.65	22.39	60	Pass	401
1790	3000	1	RMS	2686	-47.21	-13	Pass	1211
3000	12000	1	RMS	11939	-39.8	-13	Pass	9001
12000	20000	1	RMS	19981	-28.99	-13	Pass	8001



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.71	-13	Pass	2986
30	1000	0.1	RMS	985.3	-61.03	-13	Pass	9701
1000	1700	1	RMS	1690	-50.93	-13	Pass	701
1700	1790	1	RMS	1777.175	23.14	60	Pass	401
1790	3000	1	RMS	2684	-47.23	-13	Pass	1211
3000	12000	1	RMS	11947	-39.75	-13	Pass	9001
12000	20000	1	RMS	19956	-28.95	-13	Pass	8001



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-13	Pass	2986
30	1000	0.1	RMS	886	-61.02	-13	Pass	9701
1000	1700	1	RMS	1689	-50.98	-13	Pass	701
1700	1790	1	RMS	1777.175	22.38	60	Pass	401
1790	3000	1	RMS	2691	-47.27	-13	Pass	1211
3000	12000	1	RMS	11946	-39.7	-13	Pass	9001
12000	20000	1	RMS	19954	-28.96	-13	Pass	8001

