


12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2986
30	1000	0.1	RMS	905.1	-60.94	-13	Pass	9701
1000	1700	1	RMS	1700	-50.52	-13	Pass	701
1700	1790	1	RMS	1710.35	23.37	60	Pass	401
1790	3000	1	RMS	2685	-47.18	-13	Pass	1211
3000	12000	1	RMS	11960	-39.72	-13	Pass	9001
12000	20000	1	RMS	19968	-29.01	-13	Pass	8001



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	1000	0.1	RMS	911.4	-60.86	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1790	1	RMS	1710.35	22.47	60	Pass	401
1790	3000	1	RMS	2678	-47.27	-13	Pass	1211
3000	12000	1	RMS	11942	-39.72	-13	Pass	9001
12000	20000	1	RMS	19963	-29.01	-13	Pass	8001



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	1000	0.1	RMS	902.9	-60.87	-13	Pass	9701
1000	1700	1	RMS	1693	-50.75	-13	Pass	701
1700	1790	1	RMS	1742.75	23.3	60	Pass	401
1790	3000	1	RMS	2688	-47.18	-13	Pass	1211
3000	12000	1	RMS	11952	-39.75	-13	Pass	9001
12000	20000	1	RMS	19963	-29.01	-13	Pass	8001



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2986
30	1000	0.1	RMS	894.7	-60.99	-13	Pass	9701
1000	1700	1	RMS	1690	-50.91	-13	Pass	701
1700	1790	1	RMS	1742.75	22.5	60	Pass	401
1790	3000	1	RMS	2679	-47.21	-13	Pass	1211
3000	12000	1	RMS	11956	-39.71	-13	Pass	9001
12000	20000	1	RMS	19965	-29.01	-13	Pass	8001



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-13	Pass	2986
30	1000	0.1	RMS	912.9	-61.06	-13	Pass	9701
1000	1700	1	RMS	1690	-50.93	-13	Pass	701
1700	1790	1	RMS	1775.375	23.22	60	Pass	401
1790	3000	1	RMS	2694	-47.19	-13	Pass	1211
3000	12000	1	RMS	11944	-39.77	-13	Pass	9001
12000	20000	1	RMS	19951	-29	-13	Pass	8001



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2986
30	1000	0.1	RMS	888.8	-60.99	-13	Pass	9701
1000	1700	1	RMS	1691	-50.99	-13	Pass	701
1700	1790	1	RMS	1775.375	22.42	60	Pass	401
1790	3000	1	RMS	2679	-47.22	-13	Pass	1211
3000	12000	1	RMS	11947	-39.77	-13	Pass	9001
12000	20000	1	RMS	19952	-29.01	-13	Pass	8001



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.73	-13	Pass	2986
30	1000	0.1	RMS	900	-60.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.43	-13	Pass	701
1700	1790	1	RMS	1710.575	23.3	60	Pass	401
1790	3000	1	RMS	2690	-47.2	-13	Pass	1211
3000	12000	1	RMS	11960	-39.76	-13	Pass	9001
12000	20000	1	RMS	19959	-29	-13	Pass	8001



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.19	-13	Pass	2986
30	1000	0.1	RMS	997.9	-60.92	-13	Pass	9701
1000	1700	1	RMS	1697	-50.47	-13	Pass	701
1700	1790	1	RMS	1710.575	22.42	60	Pass	401
1790	3000	1	RMS	2694	-47.19	-13	Pass	1211
3000	12000	1	RMS	11947	-39.73	-13	Pass	9001
12000	20000	1	RMS	19974	-28.99	-13	Pass	8001



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	1000	0.1	RMS	973.9	-60.99	-13	Pass	9701
1000	1700	1	RMS	1690	-50.84	-13	Pass	701
1700	1790	1	RMS	1740.5	23.37	60	Pass	401
1790	3000	1	RMS	2692	-47.2	-13	Pass	1211
3000	12000	1	RMS	11958	-39.74	-13	Pass	9001
12000	20000	1	RMS	19967	-29.03	-13	Pass	8001



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	1000	0.1	RMS	890.5	-60.9	-13	Pass	9701
1000	1700	1	RMS	1690	-50.86	-13	Pass	701
1700	1790	1	RMS	1740.5	22.64	60	Pass	401
1790	3000	1	RMS	2697	-47.2	-13	Pass	1211
3000	12000	1	RMS	11951	-39.79	-13	Pass	9001
12000	20000	1	RMS	19964	-28.95	-13	Pass	8001



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.23	-13	Pass	2986
30	1000	0.1	RMS	991.1	-60.83	-13	Pass	9701
1000	1700	1	RMS	1690	-50.89	-13	Pass	701
1700	1790	1	RMS	1770.65	23.17	60	Pass	401
1790	3000	1	RMS	2677	-47.19	-13	Pass	1211
3000	12000	1	RMS	11947	-39.76	-13	Pass	9001
12000	20000	1	RMS	19960	-29	-13	Pass	8001



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	885.9	-61.03	-13	Pass	9701
1000	1700	1	RMS	1690	-50.94	-13	Pass	701
1700	1790	1	RMS	1770.65	22.46	60	Pass	401
1790	3000	1	RMS	2691	-47.18	-13	Pass	1211
3000	12000	1	RMS	11947	-39.79	-13	Pass	9001
12000	20000	1	RMS	19958	-29.03	-13	Pass	8001



12.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2986
30	1000	0.1	RMS	898.7	-61	-13	Pass	9701
1000	1700	1	RMS	1698	-49.85	-13	Pass	701
1700	1790	1	RMS	1710.8	23.34	60	Pass	401
1790	3000	1	RMS	2686	-47.2	-13	Pass	1211
3000	12000	1	RMS	11968	-39.71	-13	Pass	9001
12000	20000	1	RMS	19960	-29.02	-13	Pass	8001



12.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.55	-13	Pass	2986
30	1000	0.1	RMS	961.7	-60.93	-13	Pass	9701
1000	1700	1	RMS	1697	-50.27	-13	Pass	701
1700	1790	1	RMS	1710.8	22.18	60	Pass	401
1790	3000	1	RMS	2688	-47.28	-13	Pass	1211
3000	12000	1	RMS	11949	-39.81	-13	Pass	9001
12000	20000	1	RMS	19954	-29.08	-13	Pass	8001



12.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2986
30	1000	0.1	RMS	999.5	-61.03	-13	Pass	9701
1000	1700	1	RMS	1700	-50.98	-13	Pass	701
1700	1790	1	RMS	1738.25	23.35	60	Pass	401
1790	3000	1	RMS	2684	-47.28	-13	Pass	1211
3000	12000	1	RMS	11963	-39.85	-13	Pass	9001
12000	20000	1	RMS	19955	-29.03	-13	Pass	8001



12.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.81	-13	Pass	2986
30	1000	0.1	RMS	878.4	-60.99	-13	Pass	9701
1000	1700	1	RMS	1699	-51.04	-13	Pass	701
1700	1790	1	RMS	1738.25	22.47	60	Pass	401
1790	3000	1	RMS	2687	-47.27	-13	Pass	1211
3000	12000	1	RMS	11959	-39.84	-13	Pass	9001
12000	20000	1	RMS	19957	-29.02	-13	Pass	8001



12.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.85	-13	Pass	2986
30	1000	0.1	RMS	877	-61.08	-13	Pass	9701
1000	1700	1	RMS	1698	-50.99	-13	Pass	701
1700	1790	1	RMS	1765.925	23.33	60	Pass	401
1790	3000	1	RMS	2689	-47.24	-13	Pass	1211
3000	12000	1	RMS	11955	-39.85	-13	Pass	9001
12000	20000	1	RMS	19961	-29.09	-13	Pass	8001



12.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	1000	0.1	RMS	880.8	-60.97	-13	Pass	9701
1000	1700	1	RMS	1665	-51.02	-13	Pass	701
1700	1790	1	RMS	1765.925	22.14	60	Pass	401
1790	3000	1	RMS	2691	-47.31	-13	Pass	1211
3000	12000	1	RMS	11965	-39.84	-13	Pass	9001
12000	20000	1	RMS	19959	-29.05	-13	Pass	8001



12.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	1000	0.1	RMS	903.3	-60.96	-13	Pass	9701
1000	1700	1	RMS	1696	-49.83	-13	Pass	701
1700	1790	1	RMS	1711.025	23.19	60	Pass	401
1790	3000	1	RMS	2682	-47.3	-13	Pass	1211
3000	12000	1	RMS	11950	-39.8	-13	Pass	9001
12000	20000	1	RMS	19959	-29.1	-13	Pass	8001



12.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2986
30	1000	0.1	RMS	882.3	-61.03	-13	Pass	9701
1000	1700	1	RMS	1693	-50.11	-13	Pass	701
1700	1790	1	RMS	1711.025	22.47	60	Pass	401
1790	3000	1	RMS	2694	-47.31	-13	Pass	1211
3000	12000	1	RMS	11952	-39.83	-13	Pass	9001
12000	20000	1	RMS	19958	-29.1	-13	Pass	8001



12.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.47	-13	Pass	2986
30	1000	0.1	RMS	901.2	-61.04	-13	Pass	9701
1000	1700	1	RMS	1668	-51.01	-13	Pass	701
1700	1790	1	RMS	1736	23.23	60	Pass	401
1790	3000	1	RMS	2684	-47.23	-13	Pass	1211
3000	12000	1	RMS	11951	-39.76	-13	Pass	9001
12000	20000	1	RMS	19969	-29.1	-13	Pass	8001



12.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2986
30	1000	0.1	RMS	886.8	-60.96	-13	Pass	9701
1000	1700	1	RMS	1689	-51	-13	Pass	701
1700	1790	1	RMS	1736	22.43	60	Pass	401
1790	3000	1	RMS	2690	-47.25	-13	Pass	1211
3000	12000	1	RMS	11943	-39.85	-13	Pass	9001
12000	20000	1	RMS	19957	-29.11	-13	Pass	8001



12.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.68	-13	Pass	2986
30	1000	0.1	RMS	977.2	-61.02	-13	Pass	9701
1000	1700	1	RMS	1698	-50.88	-13	Pass	701
1700	1790	1	RMS	1761.2	23.05	60	Pass	401
1790	3000	1	RMS	2673	-47.29	-13	Pass	1211
3000	12000	1	RMS	11959	-39.89	-13	Pass	9001
12000	20000	1	RMS	19956	-29.12	-13	Pass	8001



12.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2986
30	1000	0.1	RMS	987.5	-60.97	-13	Pass	9701
1000	1700	1	RMS	1698	-50.85	-13	Pass	701
1700	1790	1	RMS	1760.975	22.23	60	Pass	401
1790	3000	1	RMS	2684	-47.28	-13	Pass	1211
3000	12000	1	RMS	11960	-39.84	-13	Pass	9001
12000	20000	1	RMS	19958	-29.11	-13	Pass	8001



13. LTE_Band38


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.85	-25	Pass	2986
30	1000	0.1	RMS	873.8	-57.07	-25	Pass	9701
1000	2560	1	RMS	2558	-40.98	-25	Pass	1561
2560	2630	1	RMS	2570.15	23.24	60	Pass	401
2630	3000	1	RMS	2691.05	-43.61	-25	Pass	401
3000	12000	1	RMS	11840	-59.46	-25	Pass	9001
12000	26500	1	RMS	25604	-40.28	-25	Pass	14501




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.94	-25	Pass	2986
30	1000	0.1	RMS	984.6	-57.02	-25	Pass	9701
1000	2560	1	RMS	2560	-41.4	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.47	60	Pass	401
2630	3000	1	RMS	2695.675	-43.65	-25	Pass	401
3000	12000	1	RMS	11845	-59.46	-25	Pass	9001
12000	26500	1	RMS	25601	-40.25	-25	Pass	14501




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.13	-25	Pass	2986
30	1000	0.1	RMS	923.1	-57.03	-25	Pass	9701
1000	2560	1	RMS	2557	-43.42	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.8	60	Pass	401
2630	3000	1	RMS	2685.5	-43.63	-25	Pass	401
3000	12000	1	RMS	11964	-59.44	-25	Pass	9001
12000	26500	1	RMS	25591	-40.27	-25	Pass	14501




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.44	-25	Pass	2986
30	1000	0.1	RMS	888.6	-57.02	-25	Pass	9701
1000	2560	1	RMS	2554	-43.48	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.68	60	Pass	401
2630	3000	1	RMS	2691.975	-43.63	-25	Pass	401
3000	12000	1	RMS	11866	-59.42	-25	Pass	9001
12000	26500	1	RMS	25613	-40.3	-25	Pass	14501




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.14	-25	Pass	2986
30	1000	0.1	RMS	904	-57.04	-25	Pass	9701
1000	2560	1	RMS	2553	-43.47	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.11	60	Pass	401
2630	3000	1	RMS	2630.925	-43.23	-25	Pass	401
3000	12000	1	RMS	11869	-59.38	-25	Pass	9001
12000	26500	1	RMS	25602	-40.28	-25	Pass	14501




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.96	-25	Pass	2986
30	1000	0.1	RMS	863.4	-57.09	-25	Pass	9701
1000	2560	1	RMS	2540	-43.46	-25	Pass	1561
2560	2630	1	RMS	2615.475	22.67	60	Pass	401
2630	3000	1	RMS	2630	-43.19	-25	Pass	401
3000	12000	1	RMS	11933	-59.43	-25	Pass	9001
12000	26500	1	RMS	25597	-40.2	-25	Pass	14501




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.49	-25	Pass	2986
30	1000	0.1	RMS	886.8	-56.86	-25	Pass	9701
1000	2560	1	RMS	2560	-40.16	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.55	60	Pass	401
2630	3000	1	RMS	2685.5	-43.62	-25	Pass	401
3000	12000	1	RMS	11838	-59.44	-25	Pass	9001
12000	26500	1	RMS	25598	-40.2	-25	Pass	14501




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.44	-25	Pass	2986
30	1000	0.1	RMS	993.2	-57	-25	Pass	9701
1000	2560	1	RMS	2559	-40.77	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.76	60	Pass	401
2630	3000	1	RMS	2694.75	-43.63	-25	Pass	401
3000	12000	1	RMS	11855	-59.43	-25	Pass	9001
12000	26500	1	RMS	25598	-40.2	-25	Pass	14501



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.86	-25	Pass	2986
30	1000	0.1	RMS	930.7	-57.07	-25	Pass	9701
1000	2560	1	RMS	2551	-43.48	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.55	60	Pass	401
2630	3000	1	RMS	2687.35	-43.61	-25	Pass	401
3000	12000	1	RMS	11848	-59.41	-25	Pass	9001
12000	26500	1	RMS	25597	-40.28	-25	Pass	14501



13.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.85	-25	Pass	2986
30	1000	0.1	RMS	873.9	-57.1	-25	Pass	9701
1000	2560	1	RMS	2556	-43.48	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.35	60	Pass	401
2630	3000	1	RMS	2679.025	-43.61	-25	Pass	401
3000	12000	1	RMS	11849	-59.4	-25	Pass	9001
12000	26500	1	RMS	25599	-40.28	-25	Pass	14501



13.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.54	-25	Pass	2986
30	1000	0.1	RMS	985.6	-56.95	-25	Pass	9701
1000	2560	1	RMS	2560	-43.49	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.91	60	Pass	401
2630	3000	1	RMS	2677.175	-43.63	-25	Pass	401
3000	12000	1	RMS	11848	-59.36	-25	Pass	9001
12000	26500	1	RMS	25609	-40.27	-25	Pass	14501



13.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.44	-25	Pass	2986
30	1000	0.1	RMS	999.8	-56.98	-25	Pass	9701
1000	2560	1	RMS	2554	-43.56	-25	Pass	1561
2560	2630	1	RMS	2610.75	22.92	60	Pass	401
2630	3000	1	RMS	2688.275	-43.62	-25	Pass	401
3000	12000	1	RMS	11871	-59.42	-25	Pass	9001
12000	26500	1	RMS	25601	-40.29	-25	Pass	14501



13.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52	-25	Pass	2986
30	1000	0.1	RMS	895.5	-57.03	-25	Pass	9701
1000	2560	1	RMS	2560	-40.45	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.33	60	Pass	401
2630	3000	1	RMS	2689.2	-43.63	-25	Pass	401
3000	12000	1	RMS	11852	-59.44	-25	Pass	9001
12000	26500	1	RMS	25601	-40.32	-25	Pass	14501



13.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.51	-25	Pass	2986
30	1000	0.1	RMS	882.7	-56.98	-25	Pass	9701
1000	2560	1	RMS	2559	-42.1	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.86	60	Pass	401
2630	3000	1	RMS	2688.275	-43.61	-25	Pass	401
3000	12000	1	RMS	11852	-59.25	-25	Pass	9001
12000	26500	1	RMS	25601	-40.28	-25	Pass	14501



13.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.38	-25	Pass	2986
30	1000	0.1	RMS	882.8	-57.01	-25	Pass	9701
1000	2560	1	RMS	2547	-43.48	-25	Pass	1561
2560	2630	1	RMS	2588.525	23.53	60	Pass	401
2630	3000	1	RMS	2690.125	-43.63	-25	Pass	401
3000	12000	1	RMS	11852	-59.39	-25	Pass	9001
12000	26500	1	RMS	25582	-40.26	-25	Pass	14501



13.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.98	-25	Pass	2986
30	1000	0.1	RMS	922.3	-57.05	-25	Pass	9701
1000	2560	1	RMS	2560	-43.48	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.75	60	Pass	401
2630	3000	1	RMS	2685.5	-43.61	-25	Pass	401
3000	12000	1	RMS	11869	-59.34	-25	Pass	9001
12000	26500	1	RMS	25602	-40.25	-25	Pass	14501



13.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-25	Pass	2986
30	1000	0.1	RMS	898.8	-57.1	-25	Pass	9701
1000	2560	1	RMS	2539	-43.5	-25	Pass	1561
2560	2645	1	RMS	2605.9	23.48	60	Pass	401
2645	3000	1	RMS	2693.813	-43.64	-25	Pass	401
3000	12000	1	RMS	11862	-59.41	-25	Pass	9001
12000	26500	1	RMS	25589	-40.27	-25	Pass	14501



13.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.53	-25	Pass	2986
30	1000	0.1	RMS	901.8	-56.89	-25	Pass	9701
1000	2560	1	RMS	2560	-43.47	-25	Pass	1561
2560	2645	1	RMS	2605.9	22.49	60	Pass	401
2645	3000	1	RMS	2687.6	-43.61	-25	Pass	401
3000	12000	1	RMS	11864	-59.41	-25	Pass	9001
12000	26500	1	RMS	25605	-40.25	-25	Pass	14501



13.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.93	-25	Pass	2986
30	1000	0.1	RMS	906.8	-57.03	-25	Pass	9701
1000	2560	1	RMS	2559	-40.84	-25	Pass	1561
2560	2630	1	RMS	2571.025	23.67	60	Pass	401
2630	3000	1	RMS	2687.35	-43.62	-25	Pass	401
3000	12000	1	RMS	11865	-59.43	-25	Pass	9001
12000	26500	1	RMS	25608	-40.22	-25	Pass	14501



13.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.68	-25	Pass	2986
30	1000	0.1	RMS	896.4	-57.04	-25	Pass	9701
1000	2560	1	RMS	2558	-40.83	-25	Pass	1561
2560	2630	1	RMS	2571.025	22.63	60	Pass	401
2630	3000	1	RMS	2691.975	-43.63	-25	Pass	401
3000	12000	1	RMS	11859	-59.37	-25	Pass	9001
12000	26500	1	RMS	25594	-40.22	-25	Pass	14501



13.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.79	-25	Pass	2986
30	1000	0.1	RMS	885.5	-57.09	-25	Pass	9701
1000	2560	1	RMS	2553	-43.37	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.18	60	Pass	401
2630	3000	1	RMS	2686.425	-43.57	-25	Pass	401
3000	12000	1	RMS	11855	-59.36	-25	Pass	9001
12000	26500	1	RMS	25613	-40.29	-25	Pass	14501



13.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.27	-25	Pass	2986
30	1000	0.1	RMS	886.6	-57.05	-25	Pass	9701
1000	2560	1	RMS	2558	-43.4	-25	Pass	1561
2560	2630	1	RMS	2585.9	22.4	60	Pass	401
2630	3000	1	RMS	2682.725	-43.6	-25	Pass	401
3000	12000	1	RMS	11976	-59.41	-25	Pass	9001
12000	26500	1	RMS	25585	-40.24	-25	Pass	14501



13.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.48	-25	Pass	2986
30	1000	0.1	RMS	868.6	-57.11	-25	Pass	9701
1000	2560	1	RMS	2551	-43.43	-25	Pass	1561
2560	2645	1	RMS	2601.225	23.64	60	Pass	401
2645	3000	1	RMS	2689.375	-43.65	-25	Pass	401
3000	12000	1	RMS	11847	-59.44	-25	Pass	9001
12000	26500	1	RMS	25590	-40.32	-25	Pass	14501



13.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.3	-25	Pass	2986
30	1000	0.1	RMS	892.8	-56.94	-25	Pass	9701
1000	2560	1	RMS	2553	-43.48	-25	Pass	1561
2560	2645	1	RMS	2601.225	22.88	60	Pass	401
2645	3000	1	RMS	2679.613	-43.59	-25	Pass	401
3000	12000	1	RMS	11846	-59.42	-25	Pass	9001
12000	26500	1	RMS	25589	-40.19	-25	Pass	14501



14. LTE_Band41 full


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.03	-25	Pass	2986
30	1000	0.1	RMS	877	-56.88	-25	Pass	9701
1000	2486	1	RMS	2486	-41.94	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.54	60	Pass	401
2700	3000	1	RMS	2700	-43.76	-25	Pass	401
3000	12000	1	RMS	11848	-59.42	-25	Pass	9001
12000	27000	1	RMS	25600	-40.73	-25	Pass	15001




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.86	-25	Pass	2986
30	1000	0.1	RMS	996.1	-56.83	-25	Pass	9701
1000	2486	1	RMS	2486	-42.67	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.31	60	Pass	401
2700	3000	1	RMS	2700	-43.77	-25	Pass	401
3000	12000	1	RMS	11858	-59.47	-25	Pass	9001
12000	27000	1	RMS	25590	-40.59	-25	Pass	15001




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.81	-25	Pass	2986
30	1000	0.1	RMS	991.8	-56.93	-25	Pass	9701
1000	2486	1	RMS	2485	-44.2	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.3	60	Pass	401
2700	3000	1	RMS	2700.75	-43.75	-25	Pass	401
3000	12000	1	RMS	11854	-59.34	-25	Pass	9001
12000	27000	1	RMS	25603	-40.67	-25	Pass	15001




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.24	-25	Pass	2986
30	1000	0.1	RMS	931.7	-57	-25	Pass	9701
1000	2486	1	RMS	2486	-44.25	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.42	60	Pass	401
2700	3000	1	RMS	2700.75	-43.76	-25	Pass	401
3000	12000	1	RMS	11878	-59.46	-25	Pass	9001
12000	27000	1	RMS	25579	-40.75	-25	Pass	15001




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.59	-25	Pass	2986
30	1000	0.1	RMS	868.6	-56.97	-25	Pass	9701
1000	2486	1	RMS	2484	-44.22	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.54	60	Pass	401
2700	3000	1	RMS	2702.25	-43.06	-25	Pass	401
3000	12000	1	RMS	11849	-59.32	-25	Pass	9001
12000	27000	1	RMS	25602	-40.73	-25	Pass	15001




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.82	-25	Pass	2986
30	1000	0.1	RMS	925.9	-57.01	-25	Pass	9701
1000	2486	1	RMS	2459	-44.25	-25	Pass	1487
2486	2700	1	RMS	2685.555	21.85	60	Pass	401
2700	3000	1	RMS	2700	-43.1	-25	Pass	401
3000	12000	1	RMS	11862	-59.46	-25	Pass	9001
12000	27000	1	RMS	25610	-40.79	-25	Pass	15001




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.12	-25	Pass	2986
30	1000	0.1	RMS	861.3	-56.89	-25	Pass	9701
1000	2486	1	RMS	2486	-41.34	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.11	60	Pass	401
2700	3000	1	RMS	2701.5	-43.77	-25	Pass	401
3000	12000	1	RMS	11849	-59.46	-25	Pass	9001
12000	27000	1	RMS	25578	-40.7	-25	Pass	15001




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.46	-25	Pass	2986
30	1000	0.1	RMS	895.9	-57.09	-25	Pass	9701
1000	2486	1	RMS	2481	-42.66	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.41	60	Pass	401
2700	3000	1	RMS	2701.5	-43.77	-25	Pass	401
3000	12000	1	RMS	11850	-59.37	-25	Pass	9001
12000	27000	1	RMS	25607	-40.77	-25	Pass	15001



14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.29	-25	Pass	2986
30	1000	0.1	RMS	998	-57.11	-25	Pass	9701
1000	2486	1	RMS	2486	-44.21	-25	Pass	1487
2486	2700	1	RMS	2588.185	21.88	60	Pass	401
2700	3000	1	RMS	2700	-43.72	-25	Pass	401
3000	12000	1	RMS	11858	-59.4	-25	Pass	9001
12000	27000	1	RMS	25609	-40.77	-25	Pass	15001



14.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.89	-25	Pass	2986
30	1000	0.1	RMS	901.7	-57	-25	Pass	9701
1000	2486	1	RMS	2486	-44.19	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.06	60	Pass	401
2700	3000	1	RMS	2700	-43.73	-25	Pass	401
3000	12000	1	RMS	11847	-59.48	-25	Pass	9001
12000	27000	1	RMS	25597	-40.67	-25	Pass	15001



14.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.19	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.4	-25	Pass	2986
30	1000	0.1	RMS	899.1	-57.08	-25	Pass	9701
1000	2486	1	RMS	2486	-44.19	-25	Pass	1487
2486	2700	1	RMS	2680.74	22.71	60	Pass	401
2700	3000	1	RMS	2700	-43.23	-25	Pass	401
3000	12000	1	RMS	11852	-59.37	-25	Pass	9001
12000	27000	1	RMS	25601	-40.7	-25	Pass	15001



14.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.19	-25	Pass	2986
30	1000	0.1	RMS	872.4	-56.96	-25	Pass	9701
1000	2486	1	RMS	2479	-44.25	-25	Pass	1487
2486	2700	1	RMS	2680.205	21.4	60	Pass	401
2700	3000	1	RMS	2700	-43.45	-25	Pass	401
3000	12000	1	RMS	11848	-59.5	-25	Pass	9001
12000	27000	1	RMS	25625	-40.78	-25	Pass	15001



14.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.07	-25	Pass	2986
30	1000	0.1	RMS	888.1	-57.04	-25	Pass	9701
1000	2486	1	RMS	2485	-42.11	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.38	60	Pass	401
2700	3000	1	RMS	2700	-43.77	-25	Pass	401
3000	12000	1	RMS	11853	-59.43	-25	Pass	9001
12000	27000	1	RMS	25596	-40.79	-25	Pass	15001



14.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.06	-25	Pass	2986
30	1000	0.1	RMS	876.6	-57	-25	Pass	9701
1000	2486	1	RMS	2485	-41.89	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.7	60	Pass	401
2700	3000	1	RMS	2700.75	-43.74	-25	Pass	401
3000	12000	1	RMS	11937	-59.42	-25	Pass	9001
12000	27000	1	RMS	25605	-40.73	-25	Pass	15001



14.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.67	-25	Pass	2986
30	1000	0.1	RMS	875.8	-57.07	-25	Pass	9701
1000	2486	1	RMS	2486	-44.22	-25	Pass	1487
2486	2700	1	RMS	2586.58	22.65	60	Pass	401
2700	3000	1	RMS	2700	-43.73	-25	Pass	401
3000	12000	1	RMS	11861	-59.45	-25	Pass	9001
12000	27000	1	RMS	25605	-40.73	-25	Pass	15001



14.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.57	-25	Pass	2986
30	1000	0.1	RMS	996.3	-56.99	-25	Pass	9701
1000	2486	1	RMS	2485	-44.14	-25	Pass	1487
2486	2700	1	RMS	2586.58	21.65	60	Pass	401
2700	3000	1	RMS	2700	-43.76	-25	Pass	401
3000	12000	1	RMS	11843	-59.47	-25	Pass	9001
12000	27000	1	RMS	25600	-40.71	-25	Pass	15001



14.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.02	-25	Pass	2986
30	1000	0.1	RMS	996.5	-56.93	-25	Pass	9701
1000	2486	1	RMS	2483	-44.14	-25	Pass	1487
2486	2700	1	RMS	2675.925	23.08	60	Pass	401
2700	3000	1	RMS	2701.5	-43.47	-25	Pass	401
3000	12000	1	RMS	11855	-59.45	-25	Pass	9001
12000	27000	1	RMS	25595	-40.68	-25	Pass	15001



14.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.06	-25	Pass	2986
30	1000	0.1	RMS	970.1	-57.01	-25	Pass	9701
1000	2486	1	RMS	2485	-44.19	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.04	60	Pass	401
2700	3000	1	RMS	2703	-43.65	-25	Pass	401
3000	12000	1	RMS	11856	-59.43	-25	Pass	9001
12000	27000	1	RMS	25589	-40.74	-25	Pass	15001



14.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.46	-25	Pass	2986
30	1000	0.1	RMS	873.7	-56.93	-25	Pass	9701
1000	2486	1	RMS	2485	-41.7	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.75	60	Pass	401
2700	3000	1	RMS	2700	-43.7	-25	Pass	401
3000	12000	1	RMS	11840	-59.39	-25	Pass	9001
12000	27000	1	RMS	25595	-40.81	-25	Pass	15001



14.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.97	-25	Pass	2986
30	1000	0.1	RMS	913.7	-56.99	-25	Pass	9701
1000	2486	1	RMS	2486	-41.33	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.65	60	Pass	401
2700	3000	1	RMS	2700	-43.72	-25	Pass	401
3000	12000	1	RMS	11891	-59.43	-25	Pass	9001
12000	27000	1	RMS	25611	-40.78	-25	Pass	15001



14.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.02	-25	Pass	2986
30	1000	0.1	RMS	899.2	-57.02	-25	Pass	9701
1000	2486	1	RMS	2486	-44.2	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.67	60	Pass	401
2700	3000	1	RMS	2700.75	-43.77	-25	Pass	401
3000	12000	1	RMS	11859	-59.44	-25	Pass	9001
12000	27000	1	RMS	25605	-40.68	-25	Pass	15001



14.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.89	-25	Pass	2986
30	1000	0.1	RMS	903.1	-57.02	-25	Pass	9701
1000	2486	1	RMS	2485	-44.21	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.07	60	Pass	401
2700	3000	1	RMS	2701.5	-43.78	-25	Pass	401
3000	12000	1	RMS	11846	-59.45	-25	Pass	9001
12000	27000	1	RMS	25601	-40.75	-25	Pass	15001



14.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.32	-25	Pass	2986
30	1000	0.1	RMS	883.1	-57.05	-25	Pass	9701
1000	2486	1	RMS	2461	-44.24	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.52	60	Pass	401
2700	3000	1	RMS	2701.5	-43.69	-25	Pass	401
3000	12000	1	RMS	11847	-59.44	-25	Pass	9001
12000	27000	1	RMS	25597	-40.69	-25	Pass	15001



14.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.56	-25	Pass	2986
30	1000	0.1	RMS	996.4	-56.98	-25	Pass	9701
1000	2486	1	RMS	2486	-44.18	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.12	60	Pass	401
2700	3000	1	RMS	2702.25	-43.76	-25	Pass	401
3000	12000	1	RMS	11857	-59.42	-25	Pass	9001
12000	27000	1	RMS	25599	-40.73	-25	Pass	15001



1. LTE_Band18(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.57	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.92	-13	Pass	2986
30	810	0.1	Peak	809	-43.33	-13	Pass	7801
810	829	0.1	Peak	815.273	25.4	60	Pass	401
829	1000	0.1	Peak	963.2	-50.77	-13	Pass	1711
1000	3000	1	Peak	1631	-35.17	-13	Pass	2001
3000	10000	1	Peak	9930	-29.01	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.37	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.28	-13	Pass	2986
30	810	0.1	Peak	809.3	-40.6	-13	Pass	7801
810	829	0.1	Peak	815.415	26.14	60	Pass	401
829	1000	0.1	Peak	999.3	-51.44	-13	Pass	1711
1000	3000	1	Peak	1631	-35.14	-13	Pass	2001
3000	10000	1	Peak	9867	-29.45	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.75	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49.51	-13	Pass	2986
30	810	0.1	Peak	763.9	-49.96	-13	Pass	7801
810	829	0.1	Peak	817.315	25.64	60	Pass	401
829	1000	0.1	Peak	894.1	-51	-13	Pass	1711
1000	3000	1	Peak	1635	-34.55	-13	Pass	2001
3000	10000	1	Peak	9296	-29.17	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.88	-13	Pass	2986
30	810	0.1	Peak	769.6	-50.84	-13	Pass	7801
810	829	0.1	Peak	817.363	25.82	60	Pass	401
829	1000	0.1	Peak	993.7	-51.21	-13	Pass	1711
1000	3000	1	Peak	1635	-34.89	-13	Pass	2001
3000	10000	1	Peak	9980	-28.93	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.42	-13	Pass	2986
30	810	0.1	Peak	809.3	-50.49	-13	Pass	7801
810	829	0.1	Peak	819.31	25.61	60	Pass	401
829	1000	0.1	Peak	999.5	-50.43	-13	Pass	1711
1000	3000	1	Peak	2699	-34.83	-13	Pass	2001
3000	10000	1	Peak	9947	-29.13	-13	Pass	7001



1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-46.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.83	-13	Pass	2986
30	810	0.1	Peak	748	-50.98	-13	Pass	7801
810	829	0.1	Peak	819.405	26.26	60	Pass	401
829	1000	0.1	Peak	992	-51.64	-13	Pass	1711
1000	3000	1	Peak	1639	-34.5	-13	Pass	2001
3000	10000	1	Peak	9284	-29.39	-13	Pass	7001



2. LTE_Band26(part90)


2.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.3	-13	Pass	2986
30	809	0.1	Peak	771.6	-50.84	-13	Pass	7791
809	829	0.1	Peak	814.3	25.75	60	Pass	401
829	1000	0.1	Peak	884.3	-50.74	-13	Pass	1711
1000	3000	1	Peak	1629	-35.13	-13	Pass	2001
3000	10000	1	Peak	9896	-29.11	-13	Pass	7001




2.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.82	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.31	-13	Pass	2986
30	809	0.1	Peak	807.4	-50.21	-13	Pass	7791
809	829	0.1	Peak	814.2	25.9	60	Pass	401
829	1000	0.1	Peak	844.8	-51.51	-13	Pass	1711
1000	3000	1	Peak	1629	-34.82	-13	Pass	2001
3000	10000	1	Peak	9296	-28.81	-13	Pass	7001




2.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.91	-13	Pass	2986
30	809	0.1	Peak	578.3	-50.88	-13	Pass	7791
809	829	0.1	Peak	818.6	25.25	60	Pass	401
829	1000	0.1	Peak	911.8	-50.37	-13	Pass	1711
1000	3000	1	Peak	1637	-34.47	-13	Pass	2001
3000	10000	1	Peak	9927	-29.25	-13	Pass	7001




2.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.3	-13	Pass	2986
30	809	0.1	Peak	797.4	-50.57	-13	Pass	7791
809	829	0.1	Peak	818.6	25.76	60	Pass	401
829	1000	0.1	Peak	832.5	-50.9	-13	Pass	1711
1000	3000	1	Peak	1637	-33.89	-13	Pass	2001
3000	10000	1	Peak	9963	-28.92	-13	Pass	7001




2.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.02	-13	Pass	401
0.15	30	0.01	Peak	0.16	-46.79	-13	Pass	2986
30	809	0.1	Peak	713.9	-50.71	-13	Pass	7791
809	829	0.1	Peak	822.8	25.37	60	Pass	401
829	1000	0.1	Peak	859.4	-50.91	-13	Pass	1711
1000	3000	1	Peak	1646	-33.3	-13	Pass	2001
3000	10000	1	Peak	9925	-28.85	-13	Pass	7001




2.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-45.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.9	-13	Pass	2986
30	809	0.1	Peak	789.2	-50.47	-13	Pass	7791
809	829	0.1	Peak	822.8	25.83	60	Pass	401
829	1000	0.1	Peak	928.3	-50.91	-13	Pass	1711
1000	3000	1	Peak	1646	-34.44	-13	Pass	2001
3000	10000	1	Peak	9992	-29.09	-13	Pass	7001




2.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.52	-13	Pass	2986
30	809	0.1	Peak	806.5	-50.2	-13	Pass	7791
809	829	0.1	Peak	814.2	25.18	60	Pass	401
829	1000	0.1	Peak	936.9	-51.43	-13	Pass	1711
1000	3000	1	Peak	2674	-34.47	-13	Pass	2001
3000	10000	1	Peak	9299	-29.15	-13	Pass	7001




2.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.59	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.48	-13	Pass	2986
30	809	0.1	Peak	809	-38	-13	Pass	7791
809	829	0.1	Peak	814.2	26.17	60	Pass	401
829	1000	0.1	Peak	922.1	-50.99	-13	Pass	1711
1000	3000	1	Peak	2670	-34.86	-13	Pass	2001
3000	10000	1	Peak	9283	-29.2	-13	Pass	7001




2.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.95	-13	Pass	401
0.15	30	0.01	Peak	0.16	-47.93	-13	Pass	2986
30	809	0.1	Peak	808.8	-50.7	-13	Pass	7791
809	829	0.1	Peak	817.8	25.36	60	Pass	401
829	1000	0.1	Peak	836.1	-50.23	-13	Pass	1711
1000	3000	1	Peak	2643	-35.13	-13	Pass	2001
3000	10000	1	Peak	9887	-28.97	-13	Pass	7001




2.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-46.65	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.64	-13	Pass	2986
30	809	0.1	Peak	761.5	-49.79	-13	Pass	7791
809	829	0.1	Peak	817.75	25.64	60	Pass	401
829	1000	0.1	Peak	871.1	-51.26	-13	Pass	1711
1000	3000	1	Peak	1635	-34.46	-13	Pass	2001
3000	10000	1	Peak	9924	-28.33	-13	Pass	7001




2.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.11	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49.47	-13	Pass	2986
30	809	0.1	Peak	785.7	-50.86	-13	Pass	7791
809	829	0.1	Peak	821.2	25.52	60	Pass	401
829	1000	0.1	Peak	986.8	-50.64	-13	Pass	1711
1000	3000	1	Peak	2743	-35.3	-13	Pass	2001
3000	10000	1	Peak	9932	-28.95	-13	Pass	7001




2.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.94	-13	Pass	2986
30	809	0.1	Peak	808.1	-50.55	-13	Pass	7791
809	829	0.1	Peak	821.2	25.76	60	Pass	401
829	1000	0.1	Peak	830.9	-42.88	-13	Pass	1711
1000	3000	1	Peak	1643	-34.85	-13	Pass	2001
3000	10000	1	Peak	9983	-29.4	-13	Pass	7001




2.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.15	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.62	-13	Pass	2986
30	809	0.1	Peak	808.7	-45.49	-13	Pass	7791
809	829	0.1	Peak	814.3	25.6	60	Pass	401
829	1000	0.1	Peak	872.8	-51.62	-13	Pass	1711
1000	3000	1	Peak	2800	-35.16	-13	Pass	2001
3000	10000	1	Peak	9950	-28.79	-13	Pass	7001




2.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.27	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49.21	-13	Pass	2986
30	809	0.1	Peak	529.4	-51.03	-13	Pass	7791
809	829	0.1	Peak	814.3	25.6	60	Pass	401
829	1000	0.1	Peak	937.5	-51.06	-13	Pass	1711
1000	3000	1	Peak	1628	-35.43	-13	Pass	2001
3000	10000	1	Peak	9966	-29.41	-13	Pass	7001




2.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.79	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.94	-13	Pass	2986
30	809	0.1	Peak	697.9	-51.08	-13	Pass	7791
809	829	0.1	Peak	816.8	25.45	60	Pass	401
829	1000	0.1	Peak	998.3	-50.52	-13	Pass	1711
1000	3000	1	Peak	1634	-34.78	-13	Pass	2001
3000	10000	1	Peak	9964	-29.4	-13	Pass	7001




2.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.05	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.67	-13	Pass	2986
30	809	0.1	Peak	793.4	-50.73	-13	Pass	7791
809	829	0.1	Peak	816.85	25.68	60	Pass	401
829	1000	0.1	Peak	985.6	-51.07	-13	Pass	1711
1000	3000	1	Peak	2782	-35.17	-13	Pass	2001
3000	10000	1	Peak	9956	-28.72	-13	Pass	7001




2.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.53	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.87	-13	Pass	2986
30	809	0.1	Peak	721.3	-50.49	-13	Pass	7791
809	829	0.1	Peak	819.4	25.67	60	Pass	401
829	1000	0.1	Peak	964.1	-51.32	-13	Pass	1711
1000	3000	1	Peak	2796	-34.69	-13	Pass	2001
3000	10000	1	Peak	9915	-29.21	-13	Pass	7001




2.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.34	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.28	-13	Pass	2986
30	809	0.1	Peak	743.7	-49.87	-13	Pass	7791
809	829	0.1	Peak	819.4	26.19	60	Pass	401
829	1000	0.1	Peak	864.1	-51.59	-13	Pass	1711
1000	3000	1	Peak	1639	-34.79	-13	Pass	2001
3000	10000	1	Peak	9911	-29.01	-13	Pass	7001




**2.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.27	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.67	-13	Pass	2986
30	809	0.1	Peak	498.1	-50.83	-13	Pass	7791
809	829	0.1	Peak	814.5	25.47	60	Pass	401
829	1000	0.1	Peak	847.4	-50.64	-13	Pass	1711
1000	3000	1	Peak	1629	-34.99	-13	Pass	2001
3000	10000	1	Peak	9900	-29.02	-13	Pass	7001



2.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-46.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.26	-13	Pass	2986
30	809	0.1	Peak	808.6	-48.42	-13	Pass	7791
809	829	0.1	Peak	814.65	25.96	60	Pass	401
829	1000	0.1	Peak	832.4	-49.18	-13	Pass	1711
1000	3000	1	Peak	2705	-34.81	-13	Pass	2001
3000	10000	1	Peak	9974	-29.26	-13	Pass	7001



1. CA_7C

1.1. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.12	-25	30.12	Pass	401
0.15	30	0.01	RMS	0.15	-56.92	-25	31.92	Pass	2986
30	1000	0.1	RMS	943.4	-60.52	-25	35.52	Pass	9701
1000	2475	1	RMS	2473	-46.53	-25	21.53	Pass	1476
2475	2735	1	RMS	2501	12.99	60	47.01	Pass	401
2735	3000	1	RMS	2999.338	-45.39	-25	20.39	Pass	401
3000	12000	1	RMS	12000	-47.34	-25	22.34	Pass	9001
12000	26000	1	RMS	25013	-33.43	-25	8.43	Pass	14001



1.2. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-25	28.64	Pass	401
0.15	30	0.01	RMS	0.15	-56.8	-25	31.8	Pass	2986
30	1000	0.1	RMS	909.9	-60.73	-25	35.73	Pass	9701
1000	2475	1	RMS	2475	-46.59	-25	21.59	Pass	1476
2475	2735	1	RMS	2525.7	10.78	60	49.22	Pass	401
2735	3000	1	RMS	2995.363	-45.48	-25	20.48	Pass	401
3000	12000	1	RMS	11999	-47.33	-25	22.33	Pass	9001
12000	26000	1	RMS	25011	-33.29	-25	8.29	Pass	14001

