



1.3. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.94	-25	29.94	Pass	401
0.15	30	0.01	RMS	0.15	-56.3	-25	31.3	Pass	2986
30	1000	0.1	RMS	935.3	-60.69	-25	35.69	Pass	9701
1000	2475	1	RMS	2473	-46.42	-25	21.42	Pass	1476
2475	2735	1	RMS	2501	13.09	60	46.91	Pass	401
2735	3000	1	RMS	3000	-45.42	-25	20.42	Pass	401
3000	12000	1	RMS	11998	-47.38	-25	22.38	Pass	9001
12000	26000	1	RMS	25014	-33.39	-25	8.39	Pass	14001




1.4. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-25	29.09	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-25	30.76	Pass	2986
30	1000	0.1	RMS	937.9	-60.82	-25	35.82	Pass	9701
1000	2475	1	RMS	2475	-46.77	-25	21.77	Pass	1476
2475	2735	1	RMS	2526.35	9.91	60	50.09	Pass	401
2735	3000	1	RMS	2998.675	-45.41	-25	20.41	Pass	401
3000	12000	1	RMS	11997	-47.3	-25	22.3	Pass	9001
12000	26000	1	RMS	25012	-33.39	-25	8.39	Pass	14001




1.5. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.92	-25	28.92	Pass	401
0.15	30	0.01	RMS	0.15	-56.47	-25	31.47	Pass	2986
30	1000	0.1	RMS	907.2	-60.77	-25	35.77	Pass	9701
1000	2475	1	RMS	2469	-47.01	-25	22.01	Pass	1476
2475	2735	1	RMS	2521.15	13.26	60	46.74	Pass	401
2735	3000	1	RMS	3000	-45.43	-25	20.43	Pass	401
3000	12000	1	RMS	12000	-47.31	-25	22.31	Pass	9001
12000	26000	1	RMS	25010	-33.37	-25	8.37	Pass	14001




1.6. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-25	29.51	Pass	401
0.15	30	0.01	RMS	0.15	-57.15	-25	32.15	Pass	2986
30	1000	0.1	RMS	916.1	-60.79	-25	35.79	Pass	9701
1000	2475	1	RMS	2475	-46.89	-25	21.89	Pass	1476
2475	2735	1	RMS	2545.2	10.96	60	49.04	Pass	401
2735	3000	1	RMS	3000	-45.36	-25	20.36	Pass	401
3000	12000	1	RMS	12000	-47.36	-25	22.36	Pass	9001
12000	26000	1	RMS	25012	-33.44	-25	8.44	Pass	14001




1.7. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.56	-25	29.56	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-25	32.35	Pass	2986
30	1000	0.1	RMS	925.3	-60.81	-25	35.81	Pass	9701
1000	2475	1	RMS	2469	-47.02	-25	22.02	Pass	1476
2475	2735	1	RMS	2521.15	13.2	60	46.8	Pass	401
2735	3000	1	RMS	3000	-45.44	-25	20.44	Pass	401
3000	12000	1	RMS	11995	-47.31	-25	22.31	Pass	9001
12000	26000	1	RMS	25020	-33.4	-25	8.4	Pass	14001




1.8. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.84	-25	28.84	Pass	401
0.15	30	0.01	RMS	0.15	-56.53	-25	31.53	Pass	2986
30	1000	0.1	RMS	925.1	-60.52	-25	35.52	Pass	9701
1000	2475	1	RMS	2474	-46.91	-25	21.91	Pass	1476
2475	2735	1	RMS	2545.2	9.97	60	50.03	Pass	401
2735	3000	1	RMS	2999.338	-45.48	-25	20.48	Pass	401
3000	12000	1	RMS	11985	-47.25	-25	22.25	Pass	9001
12000	26000	1	RMS	25018	-33.47	-25	8.47	Pass	14001




1.9. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-25	28.69	Pass	401
0.15	30	0.01	RMS	0.15	-56.97	-25	31.97	Pass	2986
30	1000	0.1	RMS	928.7	-60.74	-25	35.74	Pass	9701
1000	2475	1	RMS	2475	-46.97	-25	21.97	Pass	1476
2475	2735	1	RMS	2541.3	12.99	60	47.01	Pass	401
2735	3000	1	RMS	2999.338	-45.45	-25	20.45	Pass	401
3000	12000	1	RMS	11999	-47.33	-25	22.33	Pass	9001
12000	26000	1	RMS	25013	-33.3	-25	8.3	Pass	14001




1.10. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.54	-25	30.54	Pass	401
0.15	30	0.01	RMS	0.15	-56.38	-25	31.38	Pass	2986
30	1000	0.1	RMS	918.4	-60.77	-25	35.77	Pass	9701
1000	2475	1	RMS	2471	-46.94	-25	21.94	Pass	1476
2475	2735	1	RMS	2566.65	11.01	60	48.99	Pass	401
2735	3000	1	RMS	3000	-45.36	-25	20.36	Pass	401
3000	12000	1	RMS	11998	-47.3	-25	22.3	Pass	9001
12000	26000	1	RMS	25011	-33.32	-25	8.32	Pass	14001




1.11. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.83	-25	29.83	Pass	401
0.15	30	0.01	RMS	0.15	-57.08	-25	32.08	Pass	2986
30	1000	0.1	RMS	918	-60.77	-25	35.77	Pass	9701
1000	2475	1	RMS	2474	-46.96	-25	21.96	Pass	1476
2475	2735	1	RMS	2541.3	13.17	60	46.83	Pass	401
2735	3000	1	RMS	2998.675	-45.45	-25	20.45	Pass	401
3000	12000	1	RMS	11997	-47.31	-25	22.31	Pass	9001
12000	26000	1	RMS	25019	-33.43	-25	8.43	Pass	14001




1.12. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-25	29.04	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-25	31.54	Pass	2986
30	1000	0.1	RMS	946.5	-60.74	-25	35.74	Pass	9701
1000	2475	1	RMS	2475	-46.82	-25	21.82	Pass	1476
2475	2735	1	RMS	2563.4	9.98	60	50.02	Pass	401
2735	3000	1	RMS	2998.013	-45.44	-25	20.44	Pass	401
3000	12000	1	RMS	11994	-47.28	-25	22.28	Pass	9001
12000	26000	1	RMS	25007	-33.48	-25	8.48	Pass	14001




1.13. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.81	-25	28.81	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-25	31.29	Pass	2986
30	1000	0.1	RMS	918.7	-60.7	-25	35.7	Pass	9701
1000	2475	1	RMS	2475	-46.98	-25	21.98	Pass	1476
2475	2735	1	RMS	2538.7	13.1	60	46.9	Pass	401
2735	3000	1	RMS	3000	-45.47	-25	20.47	Pass	401
3000	12000	1	RMS	12000	-47.36	-25	22.36	Pass	9001
12000	26000	1	RMS	25011	-33.37	-25	8.37	Pass	14001




1.14. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.11	-25	30.11	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-25	32.05	Pass	2986
30	1000	0.1	RMS	925	-60.74	-25	35.74	Pass	9701
1000	2475	1	RMS	2474	-46.84	-25	21.84	Pass	1476
2475	2735	1	RMS	2534.8	5.58	60	54.42	Pass	401
2735	3000	1	RMS	2999.338	-45.47	-25	20.47	Pass	401
3000	12000	1	RMS	11996	-47.33	-25	22.33	Pass	9001
12000	26000	1	RMS	25010	-33.35	-25	8.35	Pass	14001




1.15. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.24	-25	30.24	Pass	401
0.15	30	0.01	RMS	0.15	-56.89	-25	31.89	Pass	2986
30	1000	0.1	RMS	924	-60.73	-25	35.73	Pass	9701
1000	2475	1	RMS	2475	-46.97	-25	21.97	Pass	1476
2475	2735	1	RMS	2501	13.13	60	46.87	Pass	401
2735	3000	1	RMS	2997.35	-45.47	-25	20.47	Pass	401
3000	12000	1	RMS	11991	-47.3	-25	22.3	Pass	9001
12000	26000	1	RMS	25011	-33.4	-25	8.4	Pass	14001




1.16. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.23	-25	30.23	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-25	30.93	Pass	2986
30	1000	0.1	RMS	891.6	-60.83	-25	35.83	Pass	9701
1000	2475	1	RMS	2475	-46.56	-25	21.56	Pass	1476
2475	2735	1	RMS	2533.5	7.01	60	52.99	Pass	401
2735	3000	1	RMS	3000	-45.44	-25	20.44	Pass	401
3000	12000	1	RMS	11990	-47.38	-25	22.38	Pass	9001
12000	26000	1	RMS	25012	-33.54	-25	8.54	Pass	14001




1.17. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.45	-25	29.45	Pass	401
0.15	30	0.01	RMS	0.15	-57.02	-25	32.02	Pass	2986
30	1000	0.1	RMS	929.1	-60.78	-25	35.78	Pass	9701
1000	2475	1	RMS	2474	-46.98	-25	21.98	Pass	1476
2475	2735	1	RMS	2553.65	12.94	60	47.06	Pass	401
2735	3000	1	RMS	2998.675	-45.48	-25	20.48	Pass	401
3000	12000	1	RMS	11995	-47.36	-25	22.36	Pass	9001
12000	26000	1	RMS	25010	-33.45	-25	8.45	Pass	14001




1.18. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.58	-25	29.58	Pass	401
0.15	30	0.01	RMS	0.15	-57.12	-25	32.12	Pass	2986
30	1000	0.1	RMS	931.9	-60.79	-25	35.79	Pass	9701
1000	2475	1	RMS	2474	-47.01	-25	22.01	Pass	1476
2475	2735	1	RMS	2532.85	5.46	60	54.54	Pass	401
2735	3000	1	RMS	3000	-45.47	-25	20.47	Pass	401
3000	12000	1	RMS	11999	-47.37	-25	22.37	Pass	9001
12000	26000	1	RMS	25007	-33.49	-25	8.49	Pass	14001




1.19. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.11	-25	30.11	Pass	401
0.15	30	0.01	RMS	0.15	-56.83	-25	31.83	Pass	2986
30	1000	0.1	RMS	941.5	-60.78	-25	35.78	Pass	9701
1000	2475	1	RMS	2472	-46.98	-25	21.98	Pass	1476
2475	2735	1	RMS	2553.65	12.95	60	47.05	Pass	401
2735	3000	1	RMS	3000	-45.44	-25	20.44	Pass	401
3000	12000	1	RMS	12000	-47.3	-25	22.3	Pass	9001
12000	26000	1	RMS	25013	-33.35	-25	8.35	Pass	14001




1.20. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.7	-25	30.7	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-25	32.6	Pass	2986
30	1000	0.1	RMS	933.6	-60.79	-25	35.79	Pass	9701
1000	2475	1	RMS	2475	-46.84	-25	21.84	Pass	1476
2475	2735	1	RMS	2549.75	7.15	60	52.85	Pass	401
2735	3000	1	RMS	3000	-45.46	-25	20.46	Pass	401
3000	12000	1	RMS	12000	-47.42	-25	22.42	Pass	9001
12000	26000	1	RMS	25013	-33.29	-25	8.29	Pass	14001




1.21. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.86	-25	29.86	Pass	401
0.15	30	0.01	RMS	0.15	-58.34	-25	33.34	Pass	2986
30	1000	0.1	RMS	924.7	-60.82	-25	35.82	Pass	9701
1000	2475	1	RMS	2473	-47	-25	22	Pass	1476
2475	2735	1	RMS	2531.55	12.57	60	47.43	Pass	401
2735	3000	1	RMS	2998.675	-45.41	-25	20.41	Pass	401
3000	12000	1	RMS	12000	-47.32	-25	22.32	Pass	9001
12000	26000	1	RMS	25027	-33.46	-25	8.46	Pass	14001




1.22. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-25	28.29	Pass	401
0.15	30	0.01	RMS	0.15	-55.58	-25	30.58	Pass	2986
30	1000	0.1	RMS	931	-60.85	-25	35.85	Pass	9701
1000	2475	1	RMS	2475	-46.92	-25	21.92	Pass	1476
2475	2735	1	RMS	2539.35	5.51	60	54.49	Pass	401
2735	3000	1	RMS	2998.013	-45.42	-25	20.42	Pass	401
3000	12000	1	RMS	11991	-47.39	-25	22.39	Pass	9001
12000	26000	1	RMS	25016	-33.32	-25	8.32	Pass	14001




1.23. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.2	-25	29.2	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-25	30.28	Pass	2986
30	1000	0.1	RMS	936.9	-60.73	-25	35.73	Pass	9701
1000	2475	1	RMS	2474	-46.97	-25	21.97	Pass	1476
2475	2735	1	RMS	2531.55	12.51	60	47.49	Pass	401
2735	3000	1	RMS	3000	-45.45	-25	20.45	Pass	401
3000	12000	1	RMS	11998	-47.34	-25	22.34	Pass	9001
12000	26000	1	RMS	25010	-33.47	-25	8.47	Pass	14001



1.24. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.2	-25	30.2	Pass	401
0.15	30	0.01	RMS	0.15	-56.77	-25	31.77	Pass	2986
30	1000	0.1	RMS	950.8	-60.77	-25	35.77	Pass	9701
1000	2475	1	RMS	2463	-46.91	-25	21.91	Pass	1476
2475	2735	1	RMS	2541.95	7	60	53	Pass	401
2735	3000	1	RMS	3000	-45.43	-25	20.43	Pass	401
3000	12000	1	RMS	11999	-47.36	-25	22.36	Pass	9001
12000	26000	1	RMS	25013	-33.48	-25	8.48	Pass	14001



3. CA_41C_full


3.1. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.41	-25	23.41	Pass	401
0.15	30	0.01	RMS	0.15	-52.68	-25	27.68	Pass	2986
30	1000	0.1	RMS	919.3	-56.7	-25	31.7	Pass	9701
1000	2475	1	RMS	2475	-35.06	-25	10.06	Pass	1476
2475	2735	1	RMS	2497.1	9.93	60	50.07	Pass	401
2735	3000	1	RMS	2998.675	-41.41	-25	16.41	Pass	401
3000	12000	1	RMS	11997	-47.55	-25	22.55	Pass	9001
12000	27000	1	RMS	25014	-31.23	-25	6.23	Pass	15001




3.2. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.95	-25	22.95	Pass	401
0.15	30	0.01	RMS	0.15	-53.65	-25	28.65	Pass	2986
30	1000	0.1	RMS	936.5	-56.71	-25	31.71	Pass	9701
1000	2475	1	RMS	2473	-41.33	-25	16.33	Pass	1476
2475	2735	1	RMS	2517.25	12.92	60	47.08	Pass	401
2735	3000	1	RMS	3000	-41.39	-25	16.39	Pass	401
3000	12000	1	RMS	12000	-47.53	-25	22.53	Pass	9001
12000	27000	1	RMS	25010	-31.35	-25	6.35	Pass	15001




3.3. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.42	-25	23.42	Pass	401
0.15	30	0.01	RMS	0.15	-52.72	-25	27.72	Pass	2986
30	1000	0.1	RMS	892.2	-56.87	-25	31.87	Pass	9701
1000	2475	1	RMS	2474	-33.86	-25	8.86	Pass	1476
2475	2735	1	RMS	2519.85	10.08	60	49.92	Pass	401
2735	3000	1	RMS	2999.338	-41.47	-25	16.47	Pass	401
3000	12000	1	RMS	11997	-47.51	-25	22.51	Pass	9001
12000	27000	1	RMS	25016	-31.37	-25	6.37	Pass	15001




3.4. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.77	-25	21.77	Pass	401
0.15	30	0.01	RMS	0.15	-52.14	-25	27.14	Pass	2986
30	1000	0.1	RMS	915.8	-56.73	-25	31.73	Pass	9701
1000	2475	1	RMS	2473	-41.14	-25	16.14	Pass	1476
2475	2735	1	RMS	2517.9	12.98	60	47.02	Pass	401
2735	3000	1	RMS	2998.675	-41.46	-25	16.46	Pass	401
3000	12000	1	RMS	11995	-47.54	-25	22.54	Pass	9001
12000	27000	1	RMS	25013	-31.3	-25	6.3	Pass	15001




3.5. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.3	-25	22.3	Pass	401
0.15	30	0.01	RMS	0.15	-52.72	-25	27.72	Pass	2986
30	1000	0.1	RMS	796.4	-56.76	-25	31.76	Pass	9701
1000	2475	1	RMS	2471	-42.98	-25	17.98	Pass	1476
2475	2735	1	RMS	2581.6	9.89	60	50.11	Pass	401
2735	3000	1	RMS	3000	-41.37	-25	16.37	Pass	401
3000	12000	1	RMS	11998	-47.54	-25	22.54	Pass	9001
12000	27000	1	RMS	25012	-31.4	-25	6.4	Pass	15001




3.6. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:40595|40712, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.37	-25	23.37	Pass	401
0.15	30	0.01	RMS	0.15	-51.6	-25	26.6	Pass	2986
30	1000	0.1	RMS	918.2	-56.68	-25	31.68	Pass	9701
1000	2475	1	RMS	2474	-42.91	-25	17.91	Pass	1476
2475	2735	1	RMS	2601.1	13	60	47	Pass	401
2735	3000	1	RMS	3000	-41.44	-25	16.44	Pass	401
3000	12000	1	RMS	11999	-47.56	-25	22.56	Pass	9001
12000	27000	1	RMS	25013	-31.35	-25	6.35	Pass	15001




3.7. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.28	-25	22.28	Pass	401
0.15	30	0.01	RMS	0.17	-52.97	-25	27.97	Pass	2986
30	1000	0.1	RMS	907.7	-56.85	-25	31.85	Pass	9701
1000	2475	1	RMS	2471	-43.02	-25	18.02	Pass	1476
2475	2735	1	RMS	2581.6	9.74	60	50.26	Pass	401
2735	3000	1	RMS	2998.675	-41.49	-25	16.49	Pass	401
3000	12000	1	RMS	11997	-47.6	-25	22.6	Pass	9001
12000	27000	1	RMS	25008	-31.4	-25	6.4	Pass	15001




3.8. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:40595|40712, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.56	-25	21.56	Pass	401
0.15	30	0.01	RMS	0.15	-52.38	-25	27.38	Pass	2986
30	1000	0.1	RMS	902.8	-56.72	-25	31.72	Pass	9701
1000	2475	1	RMS	2475	-42.99	-25	17.99	Pass	1476
2475	2735	1	RMS	2602.4	12.67	60	47.33	Pass	401
2735	3000	1	RMS	2998.013	-41.44	-25	16.44	Pass	401
3000	12000	1	RMS	12000	-47.55	-25	22.55	Pass	9001
12000	27000	1	RMS	25013	-31.36	-25	6.36	Pass	15001




3.9. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.62	-25	21.62	Pass	401
0.15	30	0.01	RMS	0.15	-52.53	-25	27.53	Pass	2986
30	1000	0.1	RMS	931	-56.61	-25	31.61	Pass	9701
1000	2475	1	RMS	2472	-42.99	-25	17.99	Pass	1476
2475	2735	1	RMS	2666.1	9.77	60	50.23	Pass	401
2735	3000	1	RMS	2735	-38.98	-25	13.98	Pass	401
3000	12000	1	RMS	11995	-47.57	-25	22.57	Pass	9001
12000	27000	1	RMS	25011	-31.35	-25	6.35	Pass	15001




3.10. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.33	-25	21.33	Pass	401
0.15	30	0.01	RMS	0.16	-51.66	-25	26.66	Pass	2986
30	1000	0.1	RMS	940.7	-56.69	-25	31.69	Pass	9701
1000	2475	1	RMS	2473	-43.02	-25	18.02	Pass	1476
2475	2735	1	RMS	2686.25	13.02	60	46.98	Pass	401
2735	3000	1	RMS	2735	-39.8	-25	14.8	Pass	401
3000	12000	1	RMS	11997	-47.54	-25	22.54	Pass	9001
12000	27000	1	RMS	25012	-31.4	-25	6.4	Pass	15001




3.11. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.95	-25	22.95	Pass	401
0.15	30	0.01	RMS	0.15	-51.58	-25	26.58	Pass	2986
30	1000	0.1	RMS	955.9	-56.68	-25	31.68	Pass	9701
1000	2475	1	RMS	2472	-43.02	-25	18.02	Pass	1476
2475	2735	1	RMS	2688.85	9.75	60	50.25	Pass	401
2735	3000	1	RMS	2735	-39.17	-25	14.17	Pass	401
3000	12000	1	RMS	11998	-47.53	-25	22.53	Pass	9001
12000	27000	1	RMS	25009	-31.31	-25	6.31	Pass	15001




3.12. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.44	-25	22.44	Pass	401
0.15	30	0.01	RMS	0.15	-51.68	-25	26.68	Pass	2986
30	1000	0.1	RMS	912.1	-56.7	-25	31.7	Pass	9701
1000	2475	1	RMS	2475	-43	-25	18	Pass	1476
2475	2735	1	RMS	2686.25	12.68	60	47.32	Pass	401
2735	3000	1	RMS	2735	-40.07	-25	15.07	Pass	401
3000	12000	1	RMS	11997	-47.46	-25	22.46	Pass	9001
12000	27000	1	RMS	25009	-31.38	-25	6.38	Pass	15001




3.13. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.66	-25	21.66	Pass	401
0.15	30	0.01	RMS	0.15	-51.95	-25	26.95	Pass	2986
30	1000	0.1	RMS	914.3	-56.74	-25	31.74	Pass	9701
1000	2475	1	RMS	2471	-42.99	-25	17.99	Pass	1476
2475	2735	1	RMS	2497.1	8.36	60	51.64	Pass	401
2735	3000	1	RMS	3000	-41.44	-25	16.44	Pass	401
3000	12000	1	RMS	11999	-47.55	-25	22.55	Pass	9001
12000	27000	1	RMS	25012	-31.42	-25	6.42	Pass	15001




3.14. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.79	-25	23.79	Pass	401
0.15	30	0.01	RMS	0.15	-52.3	-25	27.3	Pass	2986
30	1000	0.1	RMS	913.3	-56.84	-25	31.84	Pass	9701
1000	2475	1	RMS	2474	-37.35	-25	12.35	Pass	1476
2475	2735	1	RMS	2503.6	6.14	60	53.86	Pass	401
2735	3000	1	RMS	3000	-41.47	-25	16.47	Pass	401
3000	12000	1	RMS	12000	-47.57	-25	22.57	Pass	9001
12000	27000	1	RMS	25012	-31.41	-25	6.41	Pass	15001




3.15. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.05	-25	23.05	Pass	401
0.15	30	0.01	RMS	0.15	-52.23	-25	27.23	Pass	2986
30	1000	0.1	RMS	930	-56.78	-25	31.78	Pass	9701
1000	2475	1	RMS	2475	-42.9	-25	17.9	Pass	1476
2475	2735	1	RMS	2497.1	8.59	60	51.41	Pass	401
2735	3000	1	RMS	2996.688	-41.45	-25	16.45	Pass	401
3000	12000	1	RMS	12000	-47.56	-25	22.56	Pass	9001
12000	27000	1	RMS	25011	-31.3	-25	6.3	Pass	15001




3.16. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.54	-25	22.54	Pass	401
0.15	30	0.01	RMS	0.15	-52.12	-25	27.12	Pass	2986
30	1000	0.1	RMS	909.8	-56.76	-25	31.76	Pass	9701
1000	2475	1	RMS	2474	-36.72	-25	11.72	Pass	1476
2475	2735	1	RMS	2506.85	7.53	60	52.47	Pass	401
2735	3000	1	RMS	2999.338	-41.47	-25	16.47	Pass	401
3000	12000	1	RMS	11987	-47.61	-25	22.61	Pass	9001
12000	27000	1	RMS	25011	-31.25	-25	6.25	Pass	15001




3.17. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.53	-25	22.53	Pass	401
0.15	30	0.01	RMS	0.15	-52.21	-25	27.21	Pass	2986
30	1000	0.1	RMS	921.9	-56.79	-25	31.79	Pass	9701
1000	2475	1	RMS	2475	-42.94	-25	17.94	Pass	1476
2475	2735	1	RMS	2574.45	8.38	60	51.62	Pass	401
2735	3000	1	RMS	3000	-41.45	-25	16.45	Pass	401
3000	12000	1	RMS	11988	-47.51	-25	22.51	Pass	9001
12000	27000	1	RMS	25017	-31.48	-25	6.48	Pass	15001




3.18. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:40521|40719, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.88	-25	22.88	Pass	401
0.15	30	0.01	RMS	0.16	-53.13	-25	28.13	Pass	2986
30	1000	0.1	RMS	927.2	-56.69	-25	31.69	Pass	9701
1000	2475	1	RMS	2475	-42.97	-25	17.97	Pass	1476
2475	2735	1	RMS	2585.5	5.96	60	54.04	Pass	401
2735	3000	1	RMS	2996.688	-41.45	-25	16.45	Pass	401
3000	12000	1	RMS	11994	-47.55	-25	22.55	Pass	9001
12000	27000	1	RMS	25011	-31.43	-25	6.43	Pass	15001




3.19. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.78	-25	22.78	Pass	401
0.15	30	0.01	RMS	0.15	-52.55	-25	27.55	Pass	2986
30	1000	0.1	RMS	949.9	-56.86	-25	31.86	Pass	9701
1000	2475	1	RMS	2475	-43.06	-25	18.06	Pass	1476
2475	2735	1	RMS	2574.45	8.25	60	51.75	Pass	401
2735	3000	1	RMS	2998.013	-41.5	-25	16.5	Pass	401
3000	12000	1	RMS	12000	-47.52	-25	22.52	Pass	9001
12000	27000	1	RMS	25015	-31.39	-25	6.39	Pass	15001




3.20. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:40521|40719, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.53	-25	22.53	Pass	401
0.15	30	0.01	RMS	0.15	-51.91	-25	26.91	Pass	2986
30	1000	0.1	RMS	926.3	-56.69	-25	31.69	Pass	9701
1000	2475	1	RMS	2475	-42.8	-25	17.8	Pass	1476
2475	2735	1	RMS	2585.5	7.25	60	52.75	Pass	401
2735	3000	1	RMS	3000	-41.43	-25	16.43	Pass	401
3000	12000	1	RMS	11999	-47.51	-25	22.51	Pass	9001
12000	27000	1	RMS	25013	-31.39	-25	6.39	Pass	15001




3.21. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.24	-25	22.24	Pass	401
0.15	30	0.01	RMS	0.15	-52.43	-25	27.43	Pass	2986
30	1000	0.1	RMS	918.7	-56.84	-25	31.84	Pass	9701
1000	2475	1	RMS	2470	-42.96	-25	17.96	Pass	1476
2475	2735	1	RMS	2688.85	8.02	60	51.98	Pass	401
2735	3000	1	RMS	3000	-41.39	-25	16.39	Pass	401
3000	12000	1	RMS	11999	-47.48	-25	22.48	Pass	9001
12000	27000	1	RMS	25014	-31.47	-25	6.47	Pass	15001




3.22. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-25	21.7	Pass	401
0.15	30	0.01	RMS	0.15	-51.12	-25	26.12	Pass	2986
30	1000	0.1	RMS	944.1	-56.6	-25	31.6	Pass	9701
1000	2475	1	RMS	2472	-42.95	-25	17.95	Pass	1476
2475	2735	1	RMS	2677.8	6.03	60	53.97	Pass	401
2735	3000	1	RMS	2735.663	-37.78	-25	12.78	Pass	401
3000	12000	1	RMS	11993	-47.48	-25	22.48	Pass	9001
12000	27000	1	RMS	25012	-31.22	-25	6.22	Pass	15001




3.23. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.06	-25	22.06	Pass	401
0.15	30	0.01	RMS	0.15	-53.51	-25	28.51	Pass	2986
30	1000	0.1	RMS	930.3	-56.71	-25	31.71	Pass	9701
1000	2475	1	RMS	2475	-43	-25	18	Pass	1476
2475	2735	1	RMS	2688.85	8.9	60	51.1	Pass	401
2735	3000	1	RMS	2764.15	-41.43	-25	16.43	Pass	401
3000	12000	1	RMS	11998	-47.56	-25	22.56	Pass	9001
12000	27000	1	RMS	25016	-31.4	-25	6.4	Pass	15001



3.24. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.88	-25	22.88	Pass	401
0.15	30	0.01	RMS	0.15	-53.08	-25	28.08	Pass	2986
30	1000	0.1	RMS	940.2	-56.66	-25	31.66	Pass	9701
1000	2475	1	RMS	2475	-42.94	-25	17.94	Pass	1476
2475	2735	1	RMS	2677.15	7.1	60	52.9	Pass	401
2735	3000	1	RMS	2735.663	-36.45	-25	11.45	Pass	401
3000	12000	1	RMS	11997	-47.58	-25	22.58	Pass	9001
12000	27000	1	RMS	25014	-31.4	-25	6.4	Pass	15001



1. CA_38C


1.10. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-25	45.5	Pass	401
0.15	30	0.01	RMS	0.23	-68.03	-25	43.03	Pass	2986
30	1000	0.1	RMS	840.1	-59.94	-25	34.94	Pass	9701
1000	2525	1	RMS	2514	-37.61	-25	12.61	Pass	1526
2525	2665	1	RMS	2570.5	8.4	60	51.6	Pass	401
2665	3000	1	RMS	2944.725	-45.23	-25	20.23	Pass	401
3000	12000	1	RMS	11946	-50.38	-25	25.38	Pass	9002
12000	26500	1	RMS	26495	-36.19	-25	11.19	Pass	14502




1.11. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.14	-25	45.14	Pass	401
0.15	30	0.01	RMS	0.23	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	850.701	-59.97	-25	34.97	Pass	9701
1000	2525	1	RMS	2523	-42.73	-25	17.73	Pass	1526
2525	2665	1	RMS	2595.7	5.59	60	54.41	Pass	401
2665	3000	1	RMS	2942.213	-45.22	-25	20.22	Pass	401
3000	12000	1	RMS	11943	-50.37	-25	25.37	Pass	9002
12000	26500	1	RMS	26499	-36.11	-25	11.11	Pass	14502




1.12. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.21	-25	45.21	Pass	401
0.15	30	0.01	RMS	0.18	-68.87	-25	43.87	Pass	2986
30	1000	0.1	RMS	846.8	-60.05	-25	35.05	Pass	9701
1000	2525	1	RMS	2514	-36.84	-25	11.84	Pass	1526
2525	2665	1	RMS	2570.5	12.01	60	47.99	Pass	401
2665	3000	1	RMS	2683.425	-44.08	-25	19.08	Pass	401
3000	12000	1	RMS	11945	-50.37	-25	25.37	Pass	9002
12000	26500	1	RMS	26496	-42.29	-25	17.29	Pass	14502




1.13. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.35	-25	45.35	Pass	401
0.15	30	0.01	RMS	0.2	-67.77	-25	42.77	Pass	2986
30	1000	0.1	RMS	857.606	-59.99	-25	34.99	Pass	9701
1000	2525	1	RMS	2524	-42.54	-25	17.54	Pass	1526
2525	2665	1	RMS	2588	7.43	60	52.57	Pass	401
2665	3000	1	RMS	2943.05	-45.2	-25	20.2	Pass	401
3000	12000	1	RMS	11953	-50.37	-25	25.37	Pass	9002
12000	26500	1	RMS	26499	-36.14	-25	11.14	Pass	14502




1.14. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.7	-25	44.7	Pass	401
0.15	30	0.01	RMS	0.15	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	838.8	-59.97	-25	34.97	Pass	9701
1000	2525	1	RMS	2524	-37.67	-25	12.67	Pass	1526
2525	2665	1	RMS	2580.65	8.67	60	51.33	Pass	401
2665	3000	1	RMS	2665.838	-40.42	-25	15.42	Pass	401
3000	12000	1	RMS	11951	-50.34	-25	25.34	Pass	9002
12000	26500	1	RMS	26496	-36.23	-25	11.23	Pass	14502




1.15. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.82	-25	44.82	Pass	401
0.15	30	0.01	RMS	0.18	-68.84	-25	43.84	Pass	2986
30	1000	0.1	RMS	841.1	-60	-25	35	Pass	9701
1000	2525	1	RMS	2521	-44.24	-25	19.24	Pass	1526
2525	2665	1	RMS	2589.05	5.87	60	54.13	Pass	401
2665	3000	1	RMS	2665	-45.12	-25	20.12	Pass	401
3000	12000	1	RMS	11950	-50.28	-25	25.28	Pass	9002
12000	26500	1	RMS	26487	-36.17	-25	11.17	Pass	14502




1.16. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.14	-25	45.14	Pass	401
0.15	30	0.01	RMS	0.27	-68.89	-25	43.89	Pass	2986
30	1000	0.1	RMS	861.108	-59.97	-25	34.97	Pass	9701
1000	2525	1	RMS	2524	-32.67	-25	7.67	Pass	1526
2525	2665	1	RMS	2580.65	12.1	60	47.9	Pass	401
2665	3000	1	RMS	2665	-36.02	-25	11.02	Pass	401
3000	12000	1	RMS	11971	-50.34	-25	25.34	Pass	9002
12000	26500	1	RMS	26480	-36.24	-25	11.24	Pass	14502




1.17. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.95	-25	44.95	Pass	401
0.15	30	0.01	RMS	0.27	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	840	-59.94	-25	34.94	Pass	9701
1000	2525	1	RMS	2523	-44.1	-25	19.1	Pass	1526
2525	2665	1	RMS	2599.9	7.1	60	52.9	Pass	401
2665	3000	1	RMS	2665	-43.99	-25	18.99	Pass	401
3000	12000	1	RMS	11951	-50.39	-25	25.39	Pass	9002
12000	26500	1	RMS	26490	-36.22	-25	11.22	Pass	14502




1.18. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.84	-25	44.84	Pass	401
0.15	30	0.01	RMS	0.27	-68.2	-25	43.2	Pass	2986
30	1000	0.1	RMS	841	-60.05	-25	35.05	Pass	9701
1000	2525	1	RMS	2505	-45.63	-25	20.63	Pass	1526
2525	2665	1	RMS	2590.8	8.56	60	51.44	Pass	401
2665	3000	1	RMS	2675.05	-40.5	-25	15.5	Pass	401
3000	12000	1	RMS	11952	-50.29	-25	25.29	Pass	9002
12000	26500	1	RMS	26498	-36.18	-25	11.18	Pass	14502




1.19. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.43	-25	45.43	Pass	401
0.15	30	0.01	RMS	0.16	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	851.602	-59.71	-25	34.71	Pass	9701
1000	2525	1	RMS	2525	-45.39	-25	20.39	Pass	1526
2525	2665	1	RMS	2594.3	5.94	60	54.06	Pass	401
2665	3000	1	RMS	2665	-42.89	-25	17.89	Pass	401
3000	12000	1	RMS	11952	-50.31	-25	25.31	Pass	9002
12000	26500	1	RMS	26485	-36.13	-25	11.13	Pass	14502




1.20. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.91	-25	44.91	Pass	401
0.15	30	0.01	RMS	0.2	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	833.5	-59.77	-25	34.77	Pass	9701
1000	2525	1	RMS	2505	-41.9	-25	16.9	Pass	1526
2525	2665	1	RMS	2590.8	11.85	60	48.15	Pass	401
2665	3000	1	RMS	2675.05	-35.59	-25	10.59	Pass	401
3000	12000	1	RMS	11950	-50.35	-25	25.35	Pass	9002
12000	26500	1	RMS	26495	-36.08	-25	11.08	Pass	14502




1.21. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.92	-25	44.92	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-25	43.7	Pass	2986
30	1000	0.1	RMS	876.018	-60.07	-25	35.07	Pass	9701
1000	2525	1	RMS	2524	-44.89	-25	19.89	Pass	1526
2525	2665	1	RMS	2593.95	7.35	60	52.65	Pass	401
2665	3000	1	RMS	2665	-41.87	-25	16.87	Pass	401
3000	12000	1	RMS	11980	-50.38	-25	25.38	Pass	9002
12000	26500	1	RMS	26495	-36.17	-25	11.17	Pass	14502




1.22. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.68	-25	44.68	Pass	401
0.15	30	0.01	RMS	0.16	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	853.203	-60.02	-25	35.02	Pass	9701
1000	2525	1	RMS	2495	-41.03	-25	16.03	Pass	1526
2525	2665	1	RMS	2608.3	8.45	60	51.55	Pass	401
2665	3000	1	RMS	2683.425	-41.51	-25	16.51	Pass	401
3000	12000	1	RMS	11951	-50.35	-25	25.35	Pass	9002
12000	26500	1	RMS	26496	-36.18	-25	11.18	Pass	14502




1.23. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.37	-25	44.37	Pass	401
0.15	30	0.01	RMS	0.17	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	853.803	-60.08	-25	35.08	Pass	9701
1000	2525	1	RMS	2523	-41.66	-25	16.66	Pass	1526
2525	2665	1	RMS	2577.85	4.39	60	55.61	Pass	401
2665	3000	1	RMS	2665	-42.92	-25	17.92	Pass	401
3000	12000	1	RMS	11948	-50.36	-25	25.36	Pass	9002
12000	26500	1	RMS	26500	-36.14	-25	11.14	Pass	14502




1.24. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.42	-25	44.42	Pass	401
0.15	30	0.01	RMS	0.18	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	845.2	-60.06	-25	35.06	Pass	9701
1000	2525	1	RMS	2496	-32.56	-25	7.56	Pass	1526
2525	2665	1	RMS	2570.85	11.92	60	48.08	Pass	401
2665	3000	1	RMS	2683.425	-35.91	-25	10.91	Pass	401
3000	12000	1	RMS	11943	-50.36	-25	25.36	Pass	9002
12000	26500	1	RMS	26497	-42.15	-25	17.15	Pass	14502




1.25. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-25	45.82	Pass	401
0.15	30	0.01	RMS	0.15	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	844.2	-59.85	-25	34.85	Pass	9701
1000	2525	1	RMS	2523	-41.44	-25	16.44	Pass	1526
2525	2665	1	RMS	2595.35	5.99	60	54.01	Pass	401
2665	3000	1	RMS	2665	-40.87	-25	15.87	Pass	401
3000	12000	1	RMS	11955	-50.38	-25	25.38	Pass	9002
12000	26500	1	RMS	26497	-36.07	-25	11.07	Pass	14502




1.26. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.96	-25	44.96	Pass	401
0.15	30	0.01	RMS	0.16	-68.78	-25	43.78	Pass	2986
30	1000	0.1	RMS	848.7	-60	-25	35	Pass	9701
1000	2525	1	RMS	2501	-37.23	-25	12.23	Pass	1526
2525	2665	1	RMS	2613.55	8.56	60	51.44	Pass	401
2665	3000	1	RMS	2688.45	-42.15	-25	17.15	Pass	401
3000	12000	1	RMS	11951	-50.31	-25	25.31	Pass	9002
12000	26500	1	RMS	26499	-36.08	-25	11.08	Pass	14502




1.27. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.2	-25	45.2	Pass	401
0.15	30	0.01	RMS	0.21	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	854.103	-60.02	-25	35.02	Pass	9701
1000	2525	1	RMS	2524	-42.16	-25	17.16	Pass	1526
2525	2665	1	RMS	2581.7	4.46	60	55.54	Pass	401
2665	3000	1	RMS	2665	-42.03	-25	17.03	Pass	401
3000	12000	1	RMS	11952	-50.35	-25	25.35	Pass	9002
12000	26500	1	RMS	26498	-36.14	-25	11.14	Pass	14502




1.28. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.62	-25	44.62	Pass	401
0.15	30	0.01	RMS	0.18	-67.69	-25	42.69	Pass	2986
30	1000	0.1	RMS	848.1	-59.81	-25	34.81	Pass	9701
1000	2525	1	RMS	2501	-31.52	-25	6.52	Pass	1526
2525	2665	1	RMS	2613.55	11.78	60	48.22	Pass	401
2665	3000	1	RMS	2688.45	-36.63	-25	11.63	Pass	401
3000	12000	1	RMS	11948	-50.32	-25	25.32	Pass	9002
12000	26500	1	RMS	26493	-42.19	-25	17.19	Pass	14502




1.29. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.25	-25	45.25	Pass	401
0.15	30	0.01	RMS	0.33	-69.11	-25	44.11	Pass	2986
30	1000	0.1	RMS	829.8	-60.02	-25	35.02	Pass	9701
1000	2525	1	RMS	2523	-42.06	-25	17.06	Pass	1526
2525	2665	1	RMS	2600.6	5.6	60	54.4	Pass	401
2665	3000	1	RMS	2665	-39.61	-25	14.61	Pass	401
3000	12000	1	RMS	11950	-50.33	-25	25.33	Pass	9002
12000	26500	1	RMS	26488	-36.11	-25	11.11	Pass	14502




1.30. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.91	-25	44.91	Pass	401
0.15	30	0.01	RMS	0.18	-68.16	-25	43.16	Pass	2986
30	1000	0.1	RMS	848.8	-59.95	-25	34.95	Pass	9701
1000	2525	1	RMS	2507	-42.53	-25	17.53	Pass	1526
2525	2665	1	RMS	2581.35	8.6	60	51.4	Pass	401
2665	3000	1	RMS	2693.475	-42.56	-25	17.56	Pass	401
3000	12000	1	RMS	11944	-50.28	-25	25.28	Pass	9002
12000	26500	1	RMS	26493	-36.2	-25	11.2	Pass	14502




1.31. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.37	-25	45.37	Pass	401
0.15	30	0.01	RMS	0.18	-69.08	-25	44.08	Pass	2986
30	1000	0.1	RMS	859.707	-60.03	-25	35.03	Pass	9701
1000	2525	1	RMS	2523	-42.72	-25	17.72	Pass	1526
2525	2665	1	RMS	2585.2	4.28	60	55.72	Pass	401
2665	3000	1	RMS	2665	-41.04	-25	16.04	Pass	401
3000	12000	1	RMS	11955	-50.36	-25	25.36	Pass	9002
12000	26500	1	RMS	26494	-36.2	-25	11.2	Pass	14502




1.32. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.76	-25	45.76	Pass	401
0.15	30	0.01	RMS	0.34	-68.66	-25	43.66	Pass	2986
30	1000	0.1	RMS	855.404	-59.94	-25	34.94	Pass	9701
1000	2525	1	RMS	2506	-31.83	-25	6.83	Pass	1526
2525	2665	1	RMS	2618.8	12.59	60	47.41	Pass	401
2665	3000	1	RMS	2693.475	-37.13	-25	12.13	Pass	401
3000	12000	1	RMS	11957	-50.32	-25	25.32	Pass	9002
12000	26500	1	RMS	26498	-42.16	-25	17.16	Pass	14502



1.33. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.39	-25	44.39	Pass	401
0.15	30	0.01	RMS	0.16	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	842.7	-60.04	-25	35.04	Pass	9701
1000	2525	1	RMS	2524	-42.61	-25	17.61	Pass	1526
2525	2665	1	RMS	2586.6	5.99	60	54.01	Pass	401
2665	3000	1	RMS	2665.838	-38.08	-25	13.08	Pass	401
3000	12000	1	RMS	11948	-50.38	-25	25.38	Pass	9002
12000	26500	1	RMS	26497	-36.13	-25	11.13	Pass	14502



1. n5


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.71	-13	56.71	Pass	401
0.15	30	0.01	RMS	0.16	-67.78	-13	54.78	Pass	2986
30	814	0.1	RMS	813.9	-55.52	-13	42.52	Pass	7841
814	859	0.1	RMS	826.2	4.47	60	55.53	Pass	451
859	1000	0.1	RMS	990.2	-58.79	-13	45.79	Pass	1411
1000	3000	1	RMS	2972	-44.98	-13	31.98	Pass	2001
3000	10000	1	RMS	9998	-55.08	-13	42.08	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.147	-70.57	-13	57.57	Pass	401
0.15	30	0.01	RMS	18.12	-67.69	-13	54.69	Pass	2986
30	814	0.1	RMS	477	-59.22	-13	46.22	Pass	7841
814	859	0.1	RMS	824.3	17.44	60	42.56	Pass	451
859	1000	0.1	RMS	919.9	-58.95	-13	45.95	Pass	1411
1000	3000	1	RMS	2975	-45	-13	32	Pass	2001
3000	10000	1	RMS	9980	-55.14	-13	42.14	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-69.98	-13	56.98	Pass	401
0.15	30	0.01	RMS	25.76	-67.73	-13	54.73	Pass	2986
30	814	0.1	RMS	747.1	-59.1	-13	46.1	Pass	7841
814	859	0.1	RMS	828.7	16.93	60	43.07	Pass	451
859	1000	0.1	RMS	901.4	-58.74	-13	45.74	Pass	1411
1000	3000	1	RMS	2970	-44.87	-13	31.87	Pass	2001
3000	10000	1	RMS	9994	-55.18	-13	42.18	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.24	-13	57.24	Pass	401
0.15	30	0.01	RMS	0.3	-67.26	-13	54.26	Pass	2986
30	814	0.1	RMS	718.3	-59.14	-13	46.14	Pass	7841
814	859	0.1	RMS	837.5	4.47	60	55.53	Pass	451
859	1000	0.1	RMS	877.6	-58.7	-13	45.7	Pass	1411
1000	3000	1	RMS	2973	-45.02	-13	32.02	Pass	2001
3000	10000	1	RMS	9999	-55.16	-13	42.16	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-70.59	-13	57.59	Pass	401
0.15	30	0.01	RMS	13.9	-68.34	-13	55.34	Pass	2986
30	814	0.1	RMS	736.1	-59.41	-13	46.41	Pass	7841
814	859	0.1	RMS	834.3	17.58	60	42.42	Pass	451
859	1000	0.1	RMS	862.5	-58.86	-13	45.86	Pass	1411
1000	3000	1	RMS	2971	-45.03	-13	32.03	Pass	2001
3000	10000	1	RMS	10000	-55.09	-13	42.09	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.16	-13	56.16	Pass	401
0.15	30	0.01	RMS	25.45	-67.97	-13	54.97	Pass	2986
30	814	0.1	RMS	488.6	-59.03	-13	46.03	Pass	7841
814	859	0.1	RMS	838.7	17	60	43	Pass	451
859	1000	0.1	RMS	881.2	-58.69	-13	45.69	Pass	1411
1000	3000	1	RMS	2970	-44.99	-13	31.99	Pass	2001
3000	10000	1	RMS	9997	-55.25	-13	42.25	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.43	-13	56.43	Pass	401
0.15	30	0.01	RMS	0.76	-67.93	-13	54.93	Pass	2986
30	814	0.1	RMS	729.2	-59.32	-13	46.32	Pass	7841
814	859	0.1	RMS	844.7	4.67	60	55.33	Pass	451
859	1000	0.1	RMS	908.8	-58.43	-13	45.43	Pass	1411
1000	3000	1	RMS	2976	-45.03	-13	32.03	Pass	2001
3000	10000	1	RMS	9986	-55.12	-13	42.12	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.146	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	28.03	-67.34	-13	54.34	Pass	2986
30	814	0.1	RMS	480.8	-59.13	-13	46.13	Pass	7841
814	859	0.1	RMS	844.3	17.45	60	42.55	Pass	451
859	1000	0.1	RMS	982.4	-58.82	-13	45.82	Pass	1411
1000	3000	1	RMS	2981	-45.12	-13	32.12	Pass	2001
3000	10000	1	RMS	9968	-55.13	-13	42.13	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-71.06	-13	58.06	Pass	401
0.15	30	0.01	RMS	25.86	-68.03	-13	55.03	Pass	2986
30	814	0.1	RMS	622.9	-59.22	-13	46.22	Pass	7841
814	859	0.1	RMS	848.7	16.91	60	43.09	Pass	451
859	1000	0.1	RMS	867.3	-58.89	-13	45.89	Pass	1411
1000	3000	1	RMS	2980	-45.1	-13	32.1	Pass	2001
3000	10000	1	RMS	9941	-55.14	-13	42.14	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.77	-13	56.77	Pass	401
0.15	30	0.01	RMS	8.83	-68.03	-13	55.03	Pass	2986
30	814	0.1	RMS	814	-49.98	-13	36.98	Pass	7841
814	859	0.1	RMS	838.4	-0.13	60	60.13	Pass	451
859	1000	0.1	RMS	906.3	-59.01	-13	46.01	Pass	1411
1000	3000	1	RMS	2970	-45	-13	32	Pass	2001
3000	10000	1	RMS	9991	-55.21	-13	42.21	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.11	-69.6	-13	56.6	Pass	401
0.15	30	0.01	RMS	6.9	-68.46	-13	55.46	Pass	2986
30	814	0.1	RMS	743.7	-59.19	-13	46.19	Pass	7841
814	859	0.1	RMS	824.5	17.51	60	42.49	Pass	451
859	1000	0.1	RMS	878.2	-58.9	-13	45.9	Pass	1411
1000	3000	1	RMS	2973	-45.07	-13	32.07	Pass	2001
3000	10000	1	RMS	9936	-55.31	-13	42.31	Pass	7001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.52	-13	57.52	Pass	401
0.15	30	0.01	RMS	25.26	-67.35	-13	54.35	Pass	2986
30	814	0.1	RMS	618	-59.29	-13	46.29	Pass	7841
814	859	0.1	RMS	838.5	17.73	60	42.27	Pass	451
859	1000	0.1	RMS	893.2	-58.85	-13	45.85	Pass	1411
1000	3000	1	RMS	2971	-45.11	-13	32.11	Pass	2001
3000	10000	1	RMS	9962	-55.42	-13	42.42	Pass	7001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.44	-13	57.44	Pass	401
0.15	30	0.01	RMS	0.29	-67.4	-13	54.4	Pass	2986
30	814	0.1	RMS	812.8	-52.85	-13	39.85	Pass	7841
814	859	0.1	RMS	838	-0.3	60	60.3	Pass	451
859	1000	0.1	RMS	901	-58.9	-13	45.9	Pass	1411
1000	3000	1	RMS	2970	-45.04	-13	32.04	Pass	2001
3000	10000	1	RMS	9997	-55.23	-13	42.23	Pass	7001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.7	-13	56.7	Pass	401
0.15	30	0.01	RMS	9.98	-67.94	-13	54.94	Pass	2986
30	814	0.1	RMS	728.9	-59.31	-13	46.31	Pass	7841
814	859	0.1	RMS	829.5	17.51	60	42.49	Pass	451
859	1000	0.1	RMS	900.4	-58.8	-13	45.8	Pass	1411
1000	3000	1	RMS	2968	-45.04	-13	32.04	Pass	2001
3000	10000	1	RMS	9962	-55.14	-13	42.14	Pass	7001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	20.55	-68.04	-13	55.04	Pass	2986
30	814	0.1	RMS	470.2	-59.33	-13	46.33	Pass	7841
814	859	0.1	RMS	843.5	17.63	60	42.37	Pass	451
859	1000	0.1	RMS	872.8	-58.85	-13	45.85	Pass	1411
1000	3000	1	RMS	2995	-45.28	-13	32.28	Pass	2001
3000	10000	1	RMS	9964	-55.2	-13	42.2	Pass	7001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	0.21	-68.07	-13	55.07	Pass	2986
30	814	0.1	RMS	813.9	-55.04	-13	42.04	Pass	7841
814	859	0.1	RMS	837.3	-0.27	60	60.27	Pass	451
859	1000	0.1	RMS	870.8	-58.96	-13	45.96	Pass	1411
1000	3000	1	RMS	2969	-45.06	-13	32.06	Pass	2001
3000	10000	1	RMS	9983	-55.38	-13	42.38	Pass	7001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.52	-13	56.52	Pass	401
0.15	30	0.01	RMS	4.84	-68.1	-13	55.1	Pass	2986
30	814	0.1	RMS	730.8	-59.13	-13	46.13	Pass	7841
814	859	0.1	RMS	834.5	17.46	60	42.54	Pass	451
859	1000	0.1	RMS	984.2	-58.63	-13	45.63	Pass	1411
1000	3000	1	RMS	2990	-45.27	-13	32.27	Pass	2001
3000	10000	1	RMS	9958	-55.1	-13	42.1	Pass	7001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-70.02	-13	57.02	Pass	401
0.15	30	0.01	RMS	12.65	-67.99	-13	54.99	Pass	2986
30	814	0.1	RMS	634.4	-59.32	-13	46.32	Pass	7841
814	859	0.1	RMS	848.5	17.6	60	42.4	Pass	451
859	1000	0.1	RMS	995.9	-58.9	-13	45.9	Pass	1411
1000	3000	1	RMS	2973	-44.99	-13	31.99	Pass	2001
3000	10000	1	RMS	9927	-55.45	-13	42.45	Pass	7001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.03	-13	56.03	Pass	401
0.15	30	0.01	RMS	19.49	-68.08	-13	55.08	Pass	2986
30	814	0.1	RMS	813.7	-50.31	-13	37.31	Pass	7841
814	859	0.1	RMS	841.2	-1.45	60	61.45	Pass	451
859	1000	0.1	RMS	995.7	-58.94	-13	45.94	Pass	1411
1000	3000	1	RMS	2987	-45.2	-13	32.2	Pass	2001
3000	10000	1	RMS	9986	-55.13	-13	42.13	Pass	7001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.06	-13	57.06	Pass	401
0.15	30	0.01	RMS	29.8	-68.07	-13	55.07	Pass	2986
30	814	0.1	RMS	735.6	-59.2	-13	46.2	Pass	7841
814	859	0.1	RMS	824.5	17.25	60	42.75	Pass	451
859	1000	0.1	RMS	877.3	-58.94	-13	45.94	Pass	1411
1000	3000	1	RMS	2968	-45.02	-13	32.02	Pass	2001
3000	10000	1	RMS	9967	-55.31	-13	42.31	Pass	7001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	22.34	-68.33	-13	55.33	Pass	2986
30	814	0.1	RMS	508.2	-59.11	-13	46.11	Pass	7841
814	859	0.1	RMS	843.4	17.1	60	42.9	Pass	451
859	1000	0.1	RMS	982.4	-58.91	-13	45.91	Pass	1411
1000	3000	1	RMS	2980	-44.92	-13	31.92	Pass	2001
3000	10000	1	RMS	9968	-55.24	-13	42.24	Pass	7001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.39	-13	57.39	Pass	401
0.15	30	0.01	RMS	0.33	-68.03	-13	55.03	Pass	2986
30	814	0.1	RMS	813.6	-51.59	-13	38.59	Pass	7841
814	859	0.1	RMS	836.7	-1.5	60	61.5	Pass	451
859	1000	0.1	RMS	905.7	-58.96	-13	45.96	Pass	1411
1000	3000	1	RMS	2981	-45.11	-13	32.11	Pass	2001
3000	10000	1	RMS	9925	-55.34	-13	42.34	Pass	7001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-70.41	-13	57.41	Pass	401
0.15	30	0.01	RMS	16.12	-68.15	-13	55.15	Pass	2986
30	814	0.1	RMS	694.6	-59.28	-13	46.28	Pass	7841
814	859	0.1	RMS	827	17.23	60	42.77	Pass	451
859	1000	0.1	RMS	902.6	-58.65	-13	45.65	Pass	1411
1000	3000	1	RMS	2964	-45.23	-13	32.23	Pass	2001
3000	10000	1	RMS	9978	-55.23	-13	42.23	Pass	7001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.127	-70.87	-13	57.87	Pass	401
0.15	30	0.01	RMS	18.86	-67.63	-13	54.63	Pass	2986
30	814	0.1	RMS	811.7	-59.23	-13	46.23	Pass	7841
814	859	0.1	RMS	845.9	17.19	60	42.81	Pass	451
859	1000	0.1	RMS	999.8	-58.87	-13	45.87	Pass	1411
1000	3000	1	RMS	2982	-45.16	-13	32.16	Pass	2001
3000	10000	1	RMS	9936	-55.17	-13	42.17	Pass	7001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	21.13	-67.67	-13	54.67	Pass	2986
30	814	0.1	RMS	813.6	-52.64	-13	39.64	Pass	7841
814	859	0.1	RMS	839.1	-1.61	60	61.61	Pass	451
859	1000	0.1	RMS	892.9	-58.87	-13	45.87	Pass	1411
1000	3000	1	RMS	2971	-45.11	-13	32.11	Pass	2001
3000	10000	1	RMS	9997	-55.25	-13	42.25	Pass	7001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.35	-13	56.35	Pass	401
0.15	30	0.01	RMS	25.57	-67.58	-13	54.58	Pass	2986
30	814	0.1	RMS	667.7	-59.37	-13	46.37	Pass	7841
814	859	0.1	RMS	829.5	17.19	60	42.81	Pass	451
859	1000	0.1	RMS	992.6	-58.87	-13	45.87	Pass	1411
1000	3000	1	RMS	2978	-45.04	-13	32.04	Pass	2001
3000	10000	1	RMS	9985	-55.31	-13	42.31	Pass	7001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.73	-13	57.73	Pass	401
0.15	30	0.01	RMS	29.42	-67.38	-13	54.38	Pass	2986
30	814	0.1	RMS	728.3	-59.22	-13	46.22	Pass	7841
814	859	0.1	RMS	848.4	17.28	60	42.72	Pass	451
859	1000	0.1	RMS	995.6	-58.9	-13	45.9	Pass	1411
1000	3000	1	RMS	2973	-44.97	-13	31.97	Pass	2001
3000	10000	1	RMS	9933	-55.41	-13	42.41	Pass	7001



2. n12 15kHz


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	25.46	-68.1	-13	55.1	Pass	2986
30	689	0.1	RMS	475.2	-59.13	-13	46.13	Pass	6591
689	726	0.1	RMS	702.968	4.4	60	55.6	Pass	401
726	1000	0.1	RMS	942.9	-58.36	-13	45.36	Pass	2741
1000	3000	1	RMS	2965	-45.09	-13	32.09	Pass	2001
3000	10000	1	RMS	9946	-55.24	-13	42.24	Pass	7001



2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.5	-13	56.5	Pass	401
0.15	30	0.01	RMS	11.87	-67.47	-13	54.47	Pass	2986
30	689	0.1	RMS	664.2	-59.45	-13	46.45	Pass	6591
689	726	0.1	RMS	699.36	17.5	60	42.5	Pass	401
726	1000	0.1	RMS	919.7	-58.39	-13	45.39	Pass	2741
1000	3000	1	RMS	2971	-45.03	-13	32.03	Pass	2001
3000	10000	1	RMS	9990	-55.55	-13	42.55	Pass	7001



2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	20.04	-66.75	-13	53.75	Pass	2986
30	689	0.1	RMS	501.3	-59.27	-13	46.27	Pass	6591
689	726	0.1	RMS	703.615	17.13	60	42.87	Pass	401
726	1000	0.1	RMS	895.3	-57.94	-13	44.94	Pass	2741
1000	3000	1	RMS	2979	-44.91	-13	31.91	Pass	2001
3000	10000	1	RMS	9971	-55.24	-13	42.24	Pass	7001

