



2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.41	-13	57.41	Pass	401
0.15	30	0.01	RMS	0.61	-68.14	-13	55.14	Pass	2986
30	689	0.1	RMS	499.6	-59.18	-13	46.18	Pass	6591
689	726	0.1	RMS	706.205	4.17	60	55.83	Pass	401
726	1000	0.1	RMS	925.4	-58.36	-13	45.36	Pass	2741
1000	3000	1	RMS	2964	-45.17	-13	32.17	Pass	2001
3000	10000	1	RMS	9950	-55.17	-13	42.17	Pass	7001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.145	-70.34	-13	57.34	Pass	401
0.15	30	0.01	RMS	22.07	-67.8	-13	54.8	Pass	2986
30	689	0.1	RMS	467.2	-59.1	-13	46.1	Pass	6591
689	726	0.1	RMS	705.373	16.9	60	43.1	Pass	401
726	1000	0.1	RMS	918	-58.43	-13	45.43	Pass	2741
1000	3000	1	RMS	2971	-45	-13	32	Pass	2001
3000	10000	1	RMS	9981	-55.29	-13	42.29	Pass	7001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.79	-13	56.79	Pass	401
0.15	30	0.01	RMS	29.25	-67.6	-13	54.6	Pass	2986
30	689	0.1	RMS	489.5	-59.09	-13	46.09	Pass	6591
689	726	0.1	RMS	709.628	17.24	60	42.76	Pass	401
726	1000	0.1	RMS	884.2	-58.36	-13	45.36	Pass	2741
1000	3000	1	RMS	2965	-45.29	-13	32.29	Pass	2001
3000	10000	1	RMS	9996	-55.03	-13	42.03	Pass	7001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-70.3	-13	57.3	Pass	401
0.15	30	0.01	RMS	29.71	-67.15	-13	54.15	Pass	2986
30	689	0.1	RMS	474.3	-59.2	-13	46.2	Pass	6591
689	726	0.1	RMS	712.125	4.31	60	55.69	Pass	401
726	1000	0.1	RMS	907.2	-58.22	-13	45.22	Pass	2741
1000	3000	1	RMS	2974	-44.85	-13	31.85	Pass	2001
3000	10000	1	RMS	9922	-55.26	-13	42.26	Pass	7001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.27	-13	56.27	Pass	401
0.15	30	0.01	RMS	9.66	-68.13	-13	55.13	Pass	2986
30	689	0.1	RMS	485.4	-59.17	-13	46.17	Pass	6591
689	726	0.1	RMS	711.293	17.05	60	42.95	Pass	401
726	1000	0.1	RMS	917.2	-58.07	-13	45.07	Pass	2741
1000	3000	1	RMS	2934	-45.27	-13	32.27	Pass	2001
3000	10000	1	RMS	9986	-55.24	-13	42.24	Pass	7001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-70.23	-13	57.23	Pass	401
0.15	30	0.01	RMS	29.31	-67.9	-13	54.9	Pass	2986
30	689	0.1	RMS	497.6	-59.32	-13	46.32	Pass	6591
689	726	0.1	RMS	715.64	17.72	60	42.28	Pass	401
726	1000	0.1	RMS	981.8	-58.33	-13	45.33	Pass	2741
1000	3000	1	RMS	2972	-45.08	-13	32.08	Pass	2001
3000	10000	1	RMS	9974	-55.12	-13	42.12	Pass	7001




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.62	-13	56.62	Pass	401
0.15	30	0.01	RMS	22.98	-68.28	-13	55.28	Pass	2986
30	689	0.1	RMS	633.1	-59.15	-13	46.15	Pass	6591
689	726	0.1	RMS	704.263	1.25	60	58.75	Pass	401
726	1000	0.1	RMS	922.1	-58.46	-13	45.46	Pass	2741
1000	3000	1	RMS	2958	-45.21	-13	32.21	Pass	2001
3000	10000	1	RMS	9966	-55.21	-13	42.21	Pass	7001




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-70.43	-13	57.43	Pass	401
0.15	30	0.01	RMS	0.15	-68.01	-13	55.01	Pass	2986
30	689	0.1	RMS	665.2	-59.1	-13	46.1	Pass	6591
689	726	0.1	RMS	699.36	17.32	60	42.68	Pass	401
726	1000	0.1	RMS	862.3	-58.25	-13	45.25	Pass	2741
1000	3000	1	RMS	2970	-44.86	-13	31.86	Pass	2001
3000	10000	1	RMS	9994	-55.31	-13	42.31	Pass	7001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-70.23	-13	57.23	Pass	401
0.15	30	0.01	RMS	15.9	-67.94	-13	54.94	Pass	2986
30	689	0.1	RMS	490.2	-59.18	-13	46.18	Pass	6591
689	726	0.1	RMS	708.61	17.25	60	42.75	Pass	401
726	1000	0.1	RMS	863.7	-58.43	-13	45.43	Pass	2741
1000	3000	1	RMS	2993	-45.28	-13	32.28	Pass	2001
3000	10000	1	RMS	9971	-55.17	-13	42.17	Pass	7001




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	0.22	-67.84	-13	54.84	Pass	2986
30	689	0.1	RMS	638.1	-59.11	-13	46.11	Pass	6591
689	726	0.1	RMS	705.373	1.05	60	58.95	Pass	401
726	1000	0.1	RMS	852.1	-58.38	-13	45.38	Pass	2741
1000	3000	1	RMS	2985	-45.16	-13	32.16	Pass	2001
3000	10000	1	RMS	9934	-55.39	-13	42.39	Pass	7001




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.5	-13	56.5	Pass	401
0.15	30	0.01	RMS	17.91	-68.12	-13	55.12	Pass	2986
30	689	0.1	RMS	491.2	-59.37	-13	46.37	Pass	6591
689	726	0.1	RMS	702.875	17.29	60	42.71	Pass	401
726	1000	0.1	RMS	897	-58.23	-13	45.23	Pass	2741
1000	3000	1	RMS	2973	-44.94	-13	31.94	Pass	2001
3000	10000	1	RMS	9999	-55.18	-13	42.18	Pass	7001




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.17	-13	56.17	Pass	401
0.15	30	0.01	RMS	10.22	-67.77	-13	54.77	Pass	2986
30	689	0.1	RMS	617.1	-59.25	-13	46.25	Pass	6591
689	726	0.1	RMS	712.125	16.86	60	43.14	Pass	401
726	1000	0.1	RMS	991	-58.19	-13	45.19	Pass	2741
1000	3000	1	RMS	2978	-45.04	-13	32.04	Pass	2001
3000	10000	1	RMS	9994	-55.11	-13	42.11	Pass	7001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-70.04	-13	57.04	Pass	401
0.15	30	0.01	RMS	17.64	-67.57	-13	54.57	Pass	2986
30	689	0.1	RMS	472.1	-59.3	-13	46.3	Pass	6591
689	726	0.1	RMS	713.328	0.98	60	59.02	Pass	401
726	1000	0.1	RMS	868.8	-58.23	-13	45.23	Pass	2741
1000	3000	1	RMS	2976	-45	-13	32	Pass	2001
3000	10000	1	RMS	9998	-55.16	-13	42.16	Pass	7001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.089	-70.1	-13	57.1	Pass	401
0.15	30	0.01	RMS	26.01	-67.01	-13	54.01	Pass	2986
30	689	0.1	RMS	483.9	-59.12	-13	46.12	Pass	6591
689	726	0.1	RMS	706.39	17.4	60	42.6	Pass	401
726	1000	0.1	RMS	904.9	-58.25	-13	45.25	Pass	2741
1000	3000	1	RMS	2970	-45.01	-13	32.01	Pass	2001
3000	10000	1	RMS	9922	-55.28	-13	42.28	Pass	7001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	29.29	-67.34	-13	54.34	Pass	2986
30	689	0.1	RMS	645	-59.2	-13	46.2	Pass	6591
689	726	0.1	RMS	715.548	17.47	60	42.53	Pass	401
726	1000	0.1	RMS	898	-58.18	-13	45.18	Pass	2741
1000	3000	1	RMS	2967	-45.01	-13	32.01	Pass	2001
3000	10000	1	RMS	9994	-55.14	-13	42.14	Pass	7001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-70.24	-13	57.24	Pass	401
0.15	30	0.01	RMS	29.24	-67.51	-13	54.51	Pass	2986
30	689	0.1	RMS	477	-59.23	-13	46.23	Pass	6591
689	726	0.1	RMS	704.725	-0.72	60	60.72	Pass	401
726	1000	0.1	RMS	922.4	-58.37	-13	45.37	Pass	2741
1000	3000	1	RMS	2969	-45.05	-13	32.05	Pass	2001
3000	10000	1	RMS	9857	-55.53	-13	42.53	Pass	7001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-69.86	-13	56.86	Pass	401
0.15	30	0.01	RMS	28.58	-67.76	-13	54.76	Pass	2986
30	689	0.1	RMS	496.5	-59	-13	46	Pass	6591
689	726	0.1	RMS	699.453	17.74	60	42.26	Pass	401
726	1000	0.1	RMS	888.4	-58.27	-13	45.27	Pass	2741
1000	3000	1	RMS	2994	-45.23	-13	32.23	Pass	2001
3000	10000	1	RMS	9971	-55.34	-13	42.34	Pass	7001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-70.29	-13	57.29	Pass	401
0.15	30	0.01	RMS	21.64	-67.88	-13	54.88	Pass	2986
30	689	0.1	RMS	472.1	-59.22	-13	46.22	Pass	6591
689	726	0.1	RMS	713.513	17.63	60	42.37	Pass	401
726	1000	0.1	RMS	900.6	-58.32	-13	45.32	Pass	2741
1000	3000	1	RMS	2970	-44.95	-13	31.95	Pass	2001
3000	10000	1	RMS	9974	-55.24	-13	42.24	Pass	7001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.077	-70.13	-13	57.13	Pass	401
0.15	30	0.01	RMS	10.35	-66.61	-13	53.61	Pass	2986
30	689	0.1	RMS	493.8	-59.3	-13	46.3	Pass	6591
689	726	0.1	RMS	703.338	-0.72	60	60.72	Pass	401
726	1000	0.1	RMS	902.2	-58.27	-13	45.27	Pass	2741
1000	3000	1	RMS	2969	-45.01	-13	32.01	Pass	2001
3000	10000	1	RMS	10000	-55.19	-13	42.19	Pass	7001




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.73	-13	56.73	Pass	401
0.15	30	0.01	RMS	29.64	-68.21	-13	55.21	Pass	2986
30	689	0.1	RMS	628	-59.25	-13	46.25	Pass	6591
689	726	0.1	RMS	700.47	17.73	60	42.27	Pass	401
726	1000	0.1	RMS	916.8	-58.13	-13	45.13	Pass	2741
1000	3000	1	RMS	2987	-45.27	-13	32.27	Pass	2001
3000	10000	1	RMS	9991	-55.19	-13	42.19	Pass	7001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-70.31	-13	57.31	Pass	401
0.15	30	0.01	RMS	27.56	-67.95	-13	54.95	Pass	2986
30	689	0.1	RMS	671.4	-59.31	-13	46.31	Pass	6591
689	726	0.1	RMS	714.53	17.52	60	42.48	Pass	401
726	1000	0.1	RMS	885	-58.08	-13	45.08	Pass	2741
1000	3000	1	RMS	2998	-45.22	-13	32.22	Pass	2001
3000	10000	1	RMS	9982	-55.07	-13	42.07	Pass	7001




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-69.93	-13	56.93	Pass	401
0.15	30	0.01	RMS	20.19	-68.29	-13	55.29	Pass	2986
30	689	0.1	RMS	667.6	-58.98	-13	45.98	Pass	6591
689	726	0.1	RMS	704.725	-0.79	60	60.79	Pass	401
726	1000	0.1	RMS	990.2	-58.22	-13	45.22	Pass	2741
1000	3000	1	RMS	2975	-44.99	-13	31.99	Pass	2001
3000	10000	1	RMS	9891	-55.45	-13	42.45	Pass	7001




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-69.42	-13	56.42	Pass	401
0.15	30	0.01	RMS	13.41	-66.81	-13	53.81	Pass	2986
30	689	0.1	RMS	491	-59.13	-13	46.13	Pass	6591
689	726	0.1	RMS	701.488	17.51	60	42.49	Pass	401
726	1000	0.1	RMS	899.8	-58.31	-13	45.31	Pass	2741
1000	3000	1	RMS	2970	-44.92	-13	31.92	Pass	2001
3000	10000	1	RMS	9988	-55.15	-13	42.15	Pass	7001



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-70.76	-13	57.76	Pass	401
0.15	30	0.01	RMS	24.05	-67.43	-13	54.43	Pass	2986
30	689	0.1	RMS	654	-59.29	-13	46.29	Pass	6591
689	726	0.1	RMS	715.548	17.18	60	42.82	Pass	401
726	1000	0.1	RMS	858.3	-58.13	-13	45.13	Pass	2741
1000	3000	1	RMS	2977	-45.05	-13	32.05	Pass	2001
3000	10000	1	RMS	9948	-55.23	-13	42.23	Pass	7001



3. n71 15kHz


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.59	-13	56.59	Pass	401
0.15	30	0.01	RMS	2.51	-68.09	-13	55.09	Pass	2986
30	653	0.1	RMS	486.9	-59.01	-13	46.01	Pass	6231
653	708	0.1	RMS	666.8	4.66	60	55.34	Pass	551
708	1000	0.1	RMS	923.3	-58.12	-13	45.12	Pass	2921
1000	3000	1	RMS	2969	-44.98	-13	31.98	Pass	2001
3000	10000	1	RMS	9997	-55.27	-13	42.27	Pass	7001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.16	-13	57.16	Pass	401
0.15	30	0.01	RMS	17.18	-68.04	-13	55.04	Pass	2986
30	653	0.1	RMS	475.8	-59.09	-13	46.09	Pass	6231
653	708	0.1	RMS	663.3	17.56	60	42.44	Pass	551
708	1000	0.1	RMS	859.4	-58.21	-13	45.21	Pass	2921
1000	3000	1	RMS	2969	-44.97	-13	31.97	Pass	2001
3000	10000	1	RMS	9988	-55.13	-13	42.13	Pass	7001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	0.38	-67.93	-13	54.93	Pass	2986
30	653	0.1	RMS	644.8	-59.46	-13	46.46	Pass	6231
653	708	0.1	RMS	667.6	16.77	60	43.23	Pass	551
708	1000	0.1	RMS	986	-57.91	-13	44.91	Pass	2921
1000	3000	1	RMS	2976	-44.9	-13	31.9	Pass	2001
3000	10000	1	RMS	9882	-55.47	-13	42.47	Pass	7001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.89	-13	56.89	Pass	401
0.15	30	0.01	RMS	16.98	-67.7	-13	54.7	Pass	2986
30	653	0.1	RMS	493.3	-59.2	-13	46.2	Pass	6231
653	708	0.1	RMS	682	4.29	60	55.71	Pass	551
708	1000	0.1	RMS	902.6	-58.17	-13	45.17	Pass	2921
1000	3000	1	RMS	2989	-45.2	-13	32.2	Pass	2001
3000	10000	1	RMS	9944	-55.3	-13	42.3	Pass	7001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.96	-13	56.96	Pass	401
0.15	30	0.01	RMS	17.24	-68.12	-13	55.12	Pass	2986
30	653	0.1	RMS	485.5	-59.24	-13	46.24	Pass	6231
653	708	0.1	RMS	678.3	17.27	60	42.73	Pass	551
708	1000	0.1	RMS	733.8	-58.18	-13	45.18	Pass	2921
1000	3000	1	RMS	2999	-45.2	-13	32.2	Pass	2001
3000	10000	1	RMS	9989	-55.08	-13	42.08	Pass	7001




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-69.58	-13	56.58	Pass	401
0.15	30	0.01	RMS	0.23	-67.78	-13	54.78	Pass	2986
30	653	0.1	RMS	617.7	-59.31	-13	46.31	Pass	6231
653	708	0.1	RMS	682.6	16.92	60	43.08	Pass	551
708	1000	0.1	RMS	887.1	-58.19	-13	45.19	Pass	2921
1000	3000	1	RMS	2975	-44.98	-13	31.98	Pass	2001
3000	10000	1	RMS	9991	-55.32	-13	42.32	Pass	7001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-70.07	-13	57.07	Pass	401
0.15	30	0.01	RMS	24.84	-67.51	-13	54.51	Pass	2986
30	653	0.1	RMS	623.2	-59.31	-13	46.31	Pass	6231
653	708	0.1	RMS	696.9	4.11	60	55.89	Pass	551
708	1000	0.1	RMS	865.3	-58.11	-13	45.11	Pass	2921
1000	3000	1	RMS	2969	-45.11	-13	32.11	Pass	2001
3000	10000	1	RMS	9991	-55.26	-13	42.26	Pass	7001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.65	-13	56.65	Pass	401
0.15	30	0.01	RMS	24.53	-67.65	-13	54.65	Pass	2986
30	653	0.1	RMS	488.4	-59.46	-13	46.46	Pass	6231
653	708	0.1	RMS	693.3	17.12	60	42.88	Pass	551
708	1000	0.1	RMS	869.1	-58.25	-13	45.25	Pass	2921
1000	3000	1	RMS	2978	-45.15	-13	32.15	Pass	2001
3000	10000	1	RMS	9936	-55.33	-13	42.33	Pass	7001




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-69.32	-13	56.32	Pass	401
0.15	30	0.01	RMS	17.19	-67.57	-13	54.57	Pass	2986
30	653	0.1	RMS	616.4	-59.37	-13	46.37	Pass	6231
653	708	0.1	RMS	697.7	16.55	60	43.45	Pass	551
708	1000	0.1	RMS	992.4	-58.15	-13	45.15	Pass	2921
1000	3000	1	RMS	2961	-45.2	-13	32.2	Pass	2001
3000	10000	1	RMS	9973	-55.32	-13	42.32	Pass	7001




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	0.19	-67.34	-13	54.34	Pass	2986
30	653	0.1	RMS	478.1	-59.4	-13	46.4	Pass	6231
653	708	0.1	RMS	668.7	-0.54	60	60.54	Pass	551
708	1000	0.1	RMS	892.8	-58.18	-13	45.18	Pass	2921
1000	3000	1	RMS	2976	-44.9	-13	31.9	Pass	2001
3000	10000	1	RMS	9918	-55.3	-13	42.3	Pass	7001




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.01	-13	56.01	Pass	401
0.15	30	0.01	RMS	26.76	-67.96	-13	54.96	Pass	2986
30	653	0.1	RMS	629.2	-59.37	-13	46.37	Pass	6231
653	708	0.1	RMS	663.5	17.56	60	42.44	Pass	551
708	1000	0.1	RMS	743	-58.54	-13	45.54	Pass	2921
1000	3000	1	RMS	2970	-45.07	-13	32.07	Pass	2001
3000	10000	1	RMS	9971	-55.23	-13	42.23	Pass	7001




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-69.89	-13	56.89	Pass	401
0.15	30	0.01	RMS	25.75	-68.21	-13	55.21	Pass	2986
30	653	0.1	RMS	475.8	-59.51	-13	46.51	Pass	6231
653	708	0.1	RMS	677.5	17.58	60	42.42	Pass	551
708	1000	0.1	RMS	904.6	-58.28	-13	45.28	Pass	2921
1000	3000	1	RMS	2967	-45.12	-13	32.12	Pass	2001
3000	10000	1	RMS	9939	-55.32	-13	42.32	Pass	7001




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-69.96	-13	56.96	Pass	401
0.15	30	0.01	RMS	2.41	-67.94	-13	54.94	Pass	2986
30	653	0.1	RMS	475.5	-59.17	-13	46.17	Pass	6231
653	708	0.1	RMS	685.3	-0.37	60	60.37	Pass	551
708	1000	0.1	RMS	708.1	-57.65	-13	44.65	Pass	2921
1000	3000	1	RMS	2987	-45.18	-13	32.18	Pass	2001
3000	10000	1	RMS	9951	-55.28	-13	42.28	Pass	7001




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-70.46	-13	57.46	Pass	401
0.15	30	0.01	RMS	11.5	-68.55	-13	55.55	Pass	2986
30	653	0.1	RMS	479.4	-59.24	-13	46.24	Pass	6231
653	708	0.1	RMS	673.5	17.3	60	42.7	Pass	551
708	1000	0.1	RMS	989.8	-58	-13	45	Pass	2921
1000	3000	1	RMS	2978	-45.13	-13	32.13	Pass	2001
3000	10000	1	RMS	9950	-55.23	-13	42.23	Pass	7001




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-70.02	-13	57.02	Pass	401
0.15	30	0.01	RMS	23.9	-68.14	-13	55.14	Pass	2986
30	653	0.1	RMS	644.2	-59.36	-13	46.36	Pass	6231
653	708	0.1	RMS	687.5	17.68	60	42.32	Pass	551
708	1000	0.1	RMS	873.1	-58.14	-13	45.14	Pass	2921
1000	3000	1	RMS	2973	-44.98	-13	31.98	Pass	2001
3000	10000	1	RMS	9927	-55.44	-13	42.44	Pass	7001




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	1.39	-67.9	-13	54.9	Pass	2986
30	653	0.1	RMS	475	-59.27	-13	46.27	Pass	6231
653	708	0.1	RMS	684.4	-0.59	60	60.59	Pass	551
708	1000	0.1	RMS	708.2	-54.85	-13	41.85	Pass	2921
1000	3000	1	RMS	2965	-45.14	-13	32.14	Pass	2001
3000	10000	1	RMS	9977	-55.23	-13	42.23	Pass	7001




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.081	-69.69	-13	56.69	Pass	401
0.15	30	0.01	RMS	15.51	-67.54	-13	54.54	Pass	2986
30	653	0.1	RMS	471.1	-59.35	-13	46.35	Pass	6231
653	708	0.1	RMS	683.5	17.43	60	42.57	Pass	551
708	1000	0.1	RMS	845.9	-58.28	-13	45.28	Pass	2921
1000	3000	1	RMS	2984	-45.09	-13	32.09	Pass	2001
3000	10000	1	RMS	9963	-55.1	-13	42.1	Pass	7001




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.134	-69.9	-13	56.9	Pass	401
0.15	30	0.01	RMS	20.1	-68.03	-13	55.03	Pass	2986
30	653	0.1	RMS	478.9	-59.48	-13	46.48	Pass	6231
653	708	0.1	RMS	697.5	17.28	60	42.72	Pass	551
708	1000	0.1	RMS	866.1	-57.8	-13	44.8	Pass	2921
1000	3000	1	RMS	2982	-45.12	-13	32.12	Pass	2001
3000	10000	1	RMS	9931	-55.3	-13	42.3	Pass	7001




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	29.21	-67.66	-13	54.66	Pass	2986
30	653	0.1	RMS	480.3	-59.41	-13	46.41	Pass	6231
653	708	0.1	RMS	682.3	-1.65	60	61.65	Pass	551
708	1000	0.1	RMS	708.1	-57.92	-13	44.92	Pass	2921
1000	3000	1	RMS	2972	-45.02	-13	32.02	Pass	2001
3000	10000	1	RMS	10000	-55.33	-13	42.33	Pass	7001




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.65	-13	56.65	Pass	401
0.15	30	0.01	RMS	28.91	-67.65	-13	54.65	Pass	2986
30	653	0.1	RMS	489.9	-59.18	-13	46.18	Pass	6231
653	708	0.1	RMS	663.5	17.25	60	42.75	Pass	551
708	1000	0.1	RMS	860.4	-58.2	-13	45.2	Pass	2921
1000	3000	1	RMS	2971	-44.91	-13	31.91	Pass	2001
3000	10000	1	RMS	9995	-55.29	-13	42.29	Pass	7001




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.13	-13	56.13	Pass	401
0.15	30	0.01	RMS	27.39	-67.87	-13	54.87	Pass	2986
30	653	0.1	RMS	502.3	-59.4	-13	46.4	Pass	6231
653	708	0.1	RMS	682.4	17.18	60	42.82	Pass	551
708	1000	0.1	RMS	903.5	-58.42	-13	45.42	Pass	2921
1000	3000	1	RMS	2988	-45.3	-13	32.3	Pass	2001
3000	10000	1	RMS	9912	-55.23	-13	42.23	Pass	7001




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-69.94	-13	56.94	Pass	401
0.15	30	0.01	RMS	10.93	-67.54	-13	54.54	Pass	2986
30	653	0.1	RMS	370.8	-59.39	-13	46.39	Pass	6231
653	708	0.1	RMS	683.9	-1.55	60	61.55	Pass	551
708	1000	0.1	RMS	708.1	-55.75	-13	42.75	Pass	2921
1000	3000	1	RMS	2977	-45.1	-13	32.1	Pass	2001
3000	10000	1	RMS	9975	-55.2	-13	42.2	Pass	7001




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-69.75	-13	56.75	Pass	401
0.15	30	0.01	RMS	7.57	-68.12	-13	55.12	Pass	2986
30	653	0.1	RMS	621.7	-59.07	-13	46.07	Pass	6231
653	708	0.1	RMS	671	17.04	60	42.96	Pass	551
708	1000	0.1	RMS	862.5	-58.13	-13	45.13	Pass	2921
1000	3000	1	RMS	2971	-44.96	-13	31.96	Pass	2001
3000	10000	1	RMS	9920	-55.4	-13	42.4	Pass	7001




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.07	-13	56.07	Pass	401
0.15	30	0.01	RMS	22.47	-68.29	-13	55.29	Pass	2986
30	653	0.1	RMS	641	-59.49	-13	46.49	Pass	6231
653	708	0.1	RMS	689.9	17.14	60	42.86	Pass	551
708	1000	0.1	RMS	923.1	-58.46	-13	45.46	Pass	2921
1000	3000	1	RMS	2975	-45.01	-13	32.01	Pass	2001
3000	10000	1	RMS	9985	-55.06	-13	42.06	Pass	7001




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.3	-13	57.3	Pass	401
0.15	30	0.01	RMS	24.04	-67.24	-13	54.24	Pass	2986
30	653	0.1	RMS	479.7	-59.27	-13	46.27	Pass	6231
653	708	0.1	RMS	682.2	-1.89	60	61.89	Pass	551
708	1000	0.1	RMS	708.3	-54.54	-13	41.54	Pass	2921
1000	3000	1	RMS	2969	-45.03	-13	32.03	Pass	2001
3000	10000	1	RMS	10000	-55.18	-13	42.18	Pass	7001




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.98	-13	55.98	Pass	401
0.15	30	0.01	RMS	10.4	-68.02	-13	55.02	Pass	2986
30	653	0.1	RMS	473.6	-59.28	-13	46.28	Pass	6231
653	708	0.1	RMS	678.5	17.11	60	42.89	Pass	551
708	1000	0.1	RMS	876.9	-57.9	-13	44.9	Pass	2921
1000	3000	1	RMS	2967	-45.25	-13	32.25	Pass	2001
3000	10000	1	RMS	10000	-55.09	-13	42.09	Pass	7001



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-70.69	-13	57.69	Pass	401
0.15	30	0.01	RMS	26.52	-66.97	-13	53.97	Pass	2986
30	653	0.1	RMS	481.6	-59.18	-13	46.18	Pass	6231
653	708	0.1	RMS	697.4	16.8	60	43.2	Pass	551
708	1000	0.1	RMS	911	-57.99	-13	44.99	Pass	2921
1000	3000	1	RMS	2970	-45.19	-13	32.19	Pass	2001
3000	10000	1	RMS	9948	-55.08	-13	42.08	Pass	7001



4. n2


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-69.88	-13	56.88	Pass	401
0.15	30	0.01	RMS	1.48	-67.33	-13	54.33	Pass	2986
30	1000	0.1	RMS	888.626	-58.39	-13	45.39	Pass	9701
1000	1840	1	RMS	1802	-47.7	-13	34.7	Pass	841
1840	1920	1	RMS	1853.4	14.3	60	45.7	Pass	401
1920	3000	1	RMS	2975	-45.16	-13	32.16	Pass	1081
3000	7000	1	RMS	6976	-57.03	-13	44.03	Pass	4001
7000	20000	1	RMS	17495	-45.17	-13	32.17	Pass	13002




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.059	-70.34	-13	57.34	Pass	401
0.15	30	0.01	RMS	21.54	-67.96	-13	54.96	Pass	2986
30	1000	0.1	RMS	907.439	-58.48	-13	45.48	Pass	9701
1000	1840	1	RMS	1813	-47.72	-13	34.72	Pass	841
1840	1920	1	RMS	1850.2	20.32	60	39.68	Pass	401
1920	3000	1	RMS	2972	-45.11	-13	32.11	Pass	1081
3000	7000	1	RMS	6996	-57.42	-13	44.42	Pass	4001
7000	20000	1	RMS	17503	-45.14	-13	32.14	Pass	13002




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.75	-13	56.75	Pass	401
0.15	30	0.01	RMS	0.2	-67.89	-13	54.89	Pass	2986
30	1000	0.1	RMS	990.694	-58.5	-13	45.5	Pass	9701
1000	1840	1	RMS	1816	-47.67	-13	34.67	Pass	841
1840	1920	1	RMS	1854.6	20.23	60	39.77	Pass	401
1920	3000	1	RMS	2971	-45.24	-13	32.24	Pass	1081
3000	7000	1	RMS	6985	-57.17	-13	44.17	Pass	4001
7000	20000	1	RMS	17497	-45.22	-13	32.22	Pass	13002




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-70.52	-13	57.52	Pass	401
0.15	30	0.01	RMS	0.44	-67.42	-13	54.42	Pass	2986
30	1000	0.1	RMS	991.294	-58.62	-13	45.62	Pass	9701
1000	1840	1	RMS	1807	-47.72	-13	34.72	Pass	841
1840	1920	1	RMS	1881	14.17	60	45.83	Pass	401
1920	3000	1	RMS	2977	-45.22	-13	32.22	Pass	1081
3000	7000	1	RMS	6977	-57.12	-13	44.12	Pass	4001
7000	20000	1	RMS	17498	-45.25	-13	32.25	Pass	13002




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-70.49	-13	57.49	Pass	401
0.15	30	0.01	RMS	18.57	-68.35	-13	55.35	Pass	2986
30	1000	0.1	RMS	897.432	-58.65	-13	45.65	Pass	9701
1000	1840	1	RMS	1808	-47.82	-13	34.82	Pass	841
1840	1920	1	RMS	1877.8	20.1	60	39.9	Pass	401
1920	3000	1	RMS	2998	-45.26	-13	32.26	Pass	1081
3000	7000	1	RMS	6981	-57.2	-13	44.2	Pass	4001
7000	20000	1	RMS	17501	-45.19	-13	32.19	Pass	13002




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	24.55	-67.94	-13	54.94	Pass	2986
30	1000	0.1	RMS	726.4	-58.75	-13	45.75	Pass	9701
1000	1840	1	RMS	1801	-47.55	-13	34.55	Pass	841
1840	1920	1	RMS	1882	20.07	60	39.93	Pass	401
1920	3000	1	RMS	2979	-45.15	-13	32.15	Pass	1081
3000	7000	1	RMS	6982	-57.12	-13	44.12	Pass	4001
7000	20000	1	RMS	17498	-45.19	-13	32.19	Pass	13002




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.52	-13	56.52	Pass	401
0.15	30	0.01	RMS	17.8	-67.67	-13	54.67	Pass	2986
30	1000	0.1	RMS	909.74	-58.34	-13	45.34	Pass	9701
1000	1840	1	RMS	1778	-47.93	-13	34.93	Pass	841
1840	1920	1	RMS	1908	14.06	60	45.94	Pass	401
1920	3000	1	RMS	2970	-45.01	-13	32.01	Pass	1081
3000	7000	1	RMS	6949	-57.36	-13	44.36	Pass	4001
7000	20000	1	RMS	17498	-45.25	-13	32.25	Pass	13002




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-70.29	-13	57.29	Pass	401
0.15	30	0.01	RMS	0.24	-67.09	-13	54.09	Pass	2986
30	1000	0.1	RMS	888.026	-58.72	-13	45.72	Pass	9701
1000	1840	1	RMS	1803	-47.57	-13	34.57	Pass	841
1840	1920	1	RMS	1905.2	20.04	60	39.96	Pass	401
1920	3000	1	RMS	2978	-45.01	-13	32.01	Pass	1081
3000	7000	1	RMS	6978	-57.06	-13	44.06	Pass	4001
7000	20000	1	RMS	17502	-45.39	-13	32.39	Pass	13002




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-69.26	-13	56.26	Pass	401
0.15	30	0.01	RMS	25.63	-67.29	-13	54.29	Pass	2986
30	1000	0.1	RMS	468.9	-58.57	-13	45.57	Pass	9701
1000	1840	1	RMS	1816	-47.7	-13	34.7	Pass	841
1840	1920	1	RMS	1909.6	20.03	60	39.97	Pass	401
1920	3000	1	RMS	2978	-45.15	-13	32.15	Pass	1081
3000	7000	1	RMS	6984	-57.07	-13	44.07	Pass	4001
7000	20000	1	RMS	17500	-45.29	-13	32.29	Pass	13002




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.31	-13	56.31	Pass	401
0.15	30	0.01	RMS	22.02	-67.26	-13	54.26	Pass	2986
30	1000	0.1	RMS	895.331	-58.47	-13	45.47	Pass	9701
1000	1840	1	RMS	1840	-40.63	-13	27.63	Pass	841
1840	1920	1	RMS	1859.8	8.04	60	51.96	Pass	401
1920	3000	1	RMS	2972	-44.95	-13	31.95	Pass	1081
3000	7000	1	RMS	6978	-57.38	-13	44.38	Pass	4001
7000	20000	1	RMS	17502	-45.25	-13	32.25	Pass	13002




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.01	-13	57.01	Pass	401
0.15	30	0.01	RMS	27.77	-67.28	-13	54.28	Pass	2986
30	1000	0.1	RMS	983.289	-58.42	-13	45.42	Pass	9701
1000	1840	1	RMS	1835	-47.63	-13	34.63	Pass	841
1840	1920	1	RMS	1850.4	20.24	60	39.76	Pass	401
1920	3000	1	RMS	2969	-45.15	-13	32.15	Pass	1081
3000	7000	1	RMS	6979	-57.15	-13	44.15	Pass	4001
7000	20000	1	RMS	17499	-45.03	-13	32.03	Pass	13002




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.56	-13	56.56	Pass	401
0.15	30	0.01	RMS	26.49	-67.61	-13	54.61	Pass	2986
30	1000	0.1	RMS	637.9	-58.57	-13	45.57	Pass	9701
1000	1840	1	RMS	1789	-47.76	-13	34.76	Pass	841
1840	1920	1	RMS	1869.4	20.14	60	39.86	Pass	401
1920	3000	1	RMS	2987	-44.99	-13	31.99	Pass	1081
3000	7000	1	RMS	6976	-57.5	-13	44.5	Pass	4001
7000	20000	1	RMS	19760	-45.21	-13	32.21	Pass	13002




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.57	-13	56.57	Pass	401
0.15	30	0.01	RMS	27.49	-67.39	-13	54.39	Pass	2986
30	1000	0.1	RMS	990.494	-58.51	-13	45.51	Pass	9701
1000	1840	1	RMS	1840	-47.42	-13	34.42	Pass	841
1840	1920	1	RMS	1888.2	8.17	60	51.83	Pass	401
1920	3000	1	RMS	2965	-45.11	-13	32.11	Pass	1081
3000	7000	1	RMS	6981	-57.5	-13	44.5	Pass	4001
7000	20000	1	RMS	17501	-45.13	-13	32.13	Pass	13002




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-69.28	-13	56.28	Pass	401
0.15	30	0.01	RMS	0.18	-67.48	-13	54.48	Pass	2986
30	1000	0.1	RMS	904.036	-58.4	-13	45.4	Pass	9701
1000	1840	1	RMS	1807	-47.72	-13	34.72	Pass	841
1840	1920	1	RMS	1870.4	20.09	60	39.91	Pass	401
1920	3000	1	RMS	2965	-44.88	-13	31.88	Pass	1081
3000	7000	1	RMS	6981	-56.98	-13	43.98	Pass	4001
7000	20000	1	RMS	19793	-45.2	-13	32.2	Pass	13002




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.31	-13	57.31	Pass	401
0.15	30	0.01	RMS	27.67	-67.48	-13	54.48	Pass	2986
30	1000	0.1	RMS	906.838	-58.23	-13	45.23	Pass	9701
1000	1840	1	RMS	1815	-47.88	-13	34.88	Pass	841
1840	1920	1	RMS	1889.4	20.05	60	39.95	Pass	401
1920	3000	1	RMS	2975	-45.14	-13	32.14	Pass	1081
3000	7000	1	RMS	6975	-57.42	-13	44.42	Pass	4001
7000	20000	1	RMS	17505	-45.24	-13	32.24	Pass	13002




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.18	-13	56.18	Pass	401
0.15	30	0.01	RMS	19.75	-67.53	-13	54.53	Pass	2986
30	1000	0.1	RMS	988.092	-58.27	-13	45.27	Pass	9701
1000	1840	1	RMS	1797	-47.64	-13	34.64	Pass	841
1840	1920	1	RMS	1891.6	8.41	60	51.59	Pass	401
1920	3000	1	RMS	1920	-44.43	-13	31.43	Pass	1081
3000	7000	1	RMS	6981	-56.98	-13	43.98	Pass	4001
7000	20000	1	RMS	17500	-45.26	-13	32.26	Pass	13002




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.66	-13	55.66	Pass	401
0.15	30	0.01	RMS	8.61	-67.7	-13	54.7	Pass	2986
30	1000	0.1	RMS	902.635	-58.64	-13	45.64	Pass	9701
1000	1840	1	RMS	1789	-47.8	-13	34.8	Pass	841
1840	1920	1	RMS	1890.4	20.12	60	39.88	Pass	401
1920	3000	1	RMS	2978	-44.94	-13	31.94	Pass	1081
3000	7000	1	RMS	6981	-57.26	-13	44.26	Pass	4001
7000	20000	1	RMS	17499	-45.35	-13	32.35	Pass	13002




4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.22	-13	57.22	Pass	401
0.15	30	0.01	RMS	28.05	-67.49	-13	54.49	Pass	2986
30	1000	0.1	RMS	923.149	-58.68	-13	45.68	Pass	9701
1000	1840	1	RMS	1817	-47.79	-13	34.79	Pass	841
1840	1920	1	RMS	1909.4	20.04	60	39.96	Pass	401
1920	3000	1	RMS	2969	-45.1	-13	32.1	Pass	1081
3000	7000	1	RMS	6985	-57.21	-13	44.21	Pass	4001
7000	20000	1	RMS	17501	-45.19	-13	32.19	Pass	13002




1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	15.41	-67.03	-13	54.03	Pass	2986
30	1000	0.1	RMS	915.844	-58.36	-13	45.36	Pass	9701
1000	1840	1	RMS	1840	-40.56	-13	27.56	Pass	841
1840	1920	1	RMS	1888.2	5.25	60	54.75	Pass	401
1920	3000	1	RMS	2970	-44.98	-13	31.98	Pass	1081
3000	7000	1	RMS	6954	-48.15	-13	35.15	Pass	4001
7000	20000	1	RMS	19865	-35.48	-13	22.48	Pass	13002




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.78	-13	56.78	Pass	401
0.15	30	0.01	RMS	0.62	-67.06	-13	54.06	Pass	2986
30	1000	0.1	RMS	891.228	-58.22	-13	45.22	Pass	9701
1000	1840	1	RMS	1809	-47.55	-13	34.55	Pass	841
1840	1920	1	RMS	1850.6	20.41	60	39.59	Pass	401
1920	3000	1	RMS	2969	-44.77	-13	31.77	Pass	1081
3000	7000	1	RMS	6981	-56.98	-13	43.98	Pass	4001
7000	20000	1	RMS	17498	-45.25	-13	32.25	Pass	13002




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.18	-13	56.18	Pass	401
0.15	30	0.01	RMS	2.35	-67.68	-13	54.68	Pass	2986
30	1000	0.1	RMS	908.94	-58.32	-13	45.32	Pass	9701
1000	1840	1	RMS	1781	-47.73	-13	34.73	Pass	841
1840	1920	1	RMS	1889.2	20.3	60	39.7	Pass	401
1920	3000	1	RMS	2971	-44.65	-13	31.65	Pass	1081
3000	7000	1	RMS	6977	-57.21	-13	44.21	Pass	4001
7000	20000	1	RMS	17498	-44.89	-13	31.89	Pass	13002




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-69.95	-13	56.95	Pass	401
0.15	30	0.01	RMS	13.1	-67.09	-13	54.09	Pass	2986
30	1000	0.1	RMS	477.2	-58.25	-13	45.25	Pass	9701
1000	1840	1	RMS	1840	-41.94	-13	28.94	Pass	841
1840	1920	1	RMS	1890.4	5.15	60	54.85	Pass	401
1920	3000	1	RMS	2977	-44.76	-13	31.76	Pass	1081
3000	7000	1	RMS	6982	-57.23	-13	44.23	Pass	4001
7000	20000	1	RMS	17498	-45.01	-13	32.01	Pass	13002




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.08	-69.81	-13	56.81	Pass	401
0.15	30	0.01	RMS	23.2	-67.5	-13	54.5	Pass	2986
30	1000	0.1	RMS	989.093	-58.26	-13	45.26	Pass	9701
1000	1840	1	RMS	1833	-47.58	-13	34.58	Pass	841
1840	1920	1	RMS	1860.6	20.39	60	39.61	Pass	401
1920	3000	1	RMS	2966	-44.87	-13	31.87	Pass	1081
3000	7000	1	RMS	6970	-57.37	-13	44.37	Pass	4001
7000	20000	1	RMS	17502	-45.15	-13	32.15	Pass	13002




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.99	-13	56.99	Pass	401
0.15	30	0.01	RMS	2.92	-67.58	-13	54.58	Pass	2986
30	1000	0.1	RMS	914.143	-57.78	-13	44.78	Pass	9701
1000	1840	1	RMS	1803	-47.67	-13	34.67	Pass	841
1840	1920	1	RMS	1899.2	20.14	60	39.86	Pass	401
1920	3000	1	RMS	2970	-45.07	-13	32.07	Pass	1081
3000	7000	1	RMS	3364	-50.37	-13	37.37	Pass	4001
7000	20000	1	RMS	15862	-38.83	-13	25.83	Pass	13002




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-70.58	-13	57.58	Pass	401
0.15	30	0.01	RMS	15.17	-67.19	-13	54.19	Pass	2986
30	1000	0.1	RMS	873.416	-58.3	-13	45.3	Pass	9701
1000	1840	1	RMS	1840	-45.17	-13	32.17	Pass	841
1840	1920	1	RMS	1890.2	5.28	60	54.72	Pass	401
1920	3000	1	RMS	1920	-44.43	-13	31.43	Pass	1081
3000	7000	1	RMS	6977	-56.79	-13	43.79	Pass	4001
7000	20000	1	RMS	19866	-35.63	-13	22.63	Pass	13002




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.25	-13	56.25	Pass	401
0.15	30	0.01	RMS	20.53	-67.37	-13	54.37	Pass	2986
30	1000	0.1	RMS	923.549	-58.26	-13	45.26	Pass	9701
1000	1840	1	RMS	1824	-47.58	-13	34.58	Pass	841
1840	1920	1	RMS	1870.6	20.34	60	39.66	Pass	401
1920	3000	1	RMS	2966	-44.87	-13	31.87	Pass	1081
3000	7000	1	RMS	6976	-57.2	-13	44.2	Pass	4001
7000	20000	1	RMS	17495	-45.07	-13	32.07	Pass	13002



1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.49	-13	56.49	Pass	401
0.15	30	0.01	RMS	23.75	-67.13	-13	54.13	Pass	2986
30	1000	0.1	RMS	987.392	-58.45	-13	45.45	Pass	9701
1000	1840	1	RMS	1800	-47.56	-13	34.56	Pass	841
1840	1920	1	RMS	1909.2	20.29	60	39.71	Pass	401
1920	3000	1	RMS	2972	-44.67	-13	31.67	Pass	1081
3000	7000	1	RMS	6979	-56.98	-13	43.98	Pass	4001
7000	20000	1	RMS	19787	-45.23	-13	32.23	Pass	13002



5. n66


5.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.14	-13	57.14	Pass	401
0.15	30	0.01	RMS	10.99	-67.57	-13	54.57	Pass	2986
30	1000	0.1	RMS	856.905	-58.6	-13	45.6	Pass	9701
1000	1700	1	RMS	1700	-47	-13	34	Pass	701
1700	1790	1	RMS	1713.5	14.11	60	45.89	Pass	401
1790	3000	1	RMS	2968	-44.72	-13	31.72	Pass	1211
3000	7000	1	RMS	6982	-57.05	-13	44.05	Pass	4001
7000	20000	1	RMS	17501	-44.98	-13	31.98	Pass	13002




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.78	-13	56.78	Pass	401
0.15	30	0.01	RMS	22.46	-67.9	-13	54.9	Pass	2986
30	1000	0.1	RMS	830.7	-58.01	-13	45.01	Pass	9701
1000	1700	1	RMS	1699	-47.87	-13	34.87	Pass	701
1700	1790	1	RMS	1710.125	20.02	60	39.98	Pass	401
1790	3000	1	RMS	2972	-44.68	-13	31.68	Pass	1211
3000	7000	1	RMS	6965	-57.23	-13	44.23	Pass	4001
7000	20000	1	RMS	17502	-45.1	-13	32.1	Pass	13002




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.68	-13	56.68	Pass	401
0.15	30	0.01	RMS	6.27	-66.44	-13	53.44	Pass	2986
30	1000	0.1	RMS	877.119	-57.59	-13	44.59	Pass	9701
1000	1700	1	RMS	1688	-48.11	-13	35.11	Pass	701
1700	1790	1	RMS	1714.625	19.96	60	40.04	Pass	401
1790	3000	1	RMS	2962	-44.91	-13	31.91	Pass	1211
3000	7000	1	RMS	6981	-56.97	-13	43.97	Pass	4001
7000	20000	1	RMS	17498	-45.14	-13	32.14	Pass	13002




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.14	-71.18	-13	58.18	Pass	401
0.15	30	0.01	RMS	0.41	-67.17	-13	54.17	Pass	2986
30	1000	0.1	RMS	647.5	-57.7	-13	44.7	Pass	9701
1000	1700	1	RMS	1673	-48.12	-13	35.12	Pass	701
1700	1790	1	RMS	1745.9	13.9	60	46.1	Pass	401
1790	3000	1	RMS	2975	-44.8	-13	31.8	Pass	1211
3000	7000	1	RMS	6977	-56.97	-13	43.97	Pass	4001
7000	20000	1	RMS	19800	-45.22	-13	32.22	Pass	13002




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-69.74	-13	56.74	Pass	401
0.15	30	0.01	RMS	0.49	-66.77	-13	53.77	Pass	2986
30	1000	0.1	RMS	939.86	-57.83	-13	44.83	Pass	9701
1000	1700	1	RMS	1697	-48	-13	35	Pass	701
1700	1790	1	RMS	1742.75	19.96	60	40.04	Pass	401
1790	3000	1	RMS	2962	-44.78	-13	31.78	Pass	1211
3000	7000	1	RMS	6976	-57.25	-13	44.25	Pass	4001
7000	20000	1	RMS	17498	-45.03	-13	32.03	Pass	13002




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.48	-13	56.48	Pass	401
0.15	30	0.01	RMS	28.1	-67.13	-13	54.13	Pass	2986
30	1000	0.1	RMS	861.708	-58.22	-13	45.22	Pass	9701
1000	1700	1	RMS	1692	-47.95	-13	34.95	Pass	701
1700	1790	1	RMS	1747.025	19.98	60	40.02	Pass	401
1790	3000	1	RMS	2959	-45.05	-13	32.05	Pass	1211
3000	7000	1	RMS	6979	-57.28	-13	44.28	Pass	4001
7000	20000	1	RMS	17505	-45.01	-13	32.01	Pass	13002




5.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.98	-13	56.98	Pass	401
0.15	30	0.01	RMS	1.76	-67.1	-13	54.1	Pass	2986
30	1000	0.1	RMS	902.435	-58.43	-13	45.43	Pass	9701
1000	1700	1	RMS	1696	-48.03	-13	35.03	Pass	701
1700	1790	1	RMS	1778.525	14.21	60	45.79	Pass	401
1790	3000	1	RMS	2993	-44.91	-13	31.91	Pass	1211
3000	7000	1	RMS	6982	-56.98	-13	43.98	Pass	4001
7000	20000	1	RMS	17501	-45.42	-13	32.42	Pass	13002




5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.32	-13	56.32	Pass	401
0.15	30	0.01	RMS	16.33	-67.8	-13	54.8	Pass	2986
30	1000	0.1	RMS	894.43	-58.35	-13	45.35	Pass	9701
1000	1700	1	RMS	1682	-48.23	-13	35.23	Pass	701
1700	1790	1	RMS	1775.15	20.17	60	39.83	Pass	401
1790	3000	1	RMS	2998	-45.06	-13	32.06	Pass	1211
3000	7000	1	RMS	6980	-56.98	-13	43.98	Pass	4001
7000	20000	1	RMS	17498	-45.29	-13	32.29	Pass	13002




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.19	-13	56.19	Pass	401
0.15	30	0.01	RMS	9.72	-67.44	-13	54.44	Pass	2986
30	1000	0.1	RMS	893.229	-58.44	-13	45.44	Pass	9701
1000	1700	1	RMS	1699	-47.99	-13	34.99	Pass	701
1700	1790	1	RMS	1779.425	20.11	60	39.89	Pass	401
1790	3000	1	RMS	2984	-45.13	-13	32.13	Pass	1211
3000	7000	1	RMS	6979	-57.09	-13	44.09	Pass	4001
7000	20000	1	RMS	17497	-45.43	-13	32.43	Pass	13002




2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.48	-13	56.48	Pass	401
0.15	30	0.01	RMS	12.77	-67.35	-13	54.35	Pass	2986
30	1000	0.1	RMS	850.501	-58.28	-13	45.28	Pass	9701
1000	1700	1	RMS	1700	-34.73	-13	21.73	Pass	701
1700	1790	1	RMS	1725.875	7.88	60	52.12	Pass	401
1790	3000	1	RMS	2934	-44.93	-13	31.93	Pass	1211
3000	7000	1	RMS	6978	-57.08	-13	44.08	Pass	4001
7000	20000	1	RMS	17497	-45.42	-13	32.42	Pass	13002




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-69.99	-13	56.99	Pass	401
0.15	30	0.01	RMS	20.87	-67.31	-13	54.31	Pass	2986
30	1000	0.1	RMS	962.475	-58.32	-13	45.32	Pass	9701
1000	1700	1	RMS	1700	-47.96	-13	34.96	Pass	701
1700	1790	1	RMS	1710.35	20.11	60	39.89	Pass	401
1790	3000	1	RMS	2970	-44.61	-13	31.61	Pass	1211
3000	7000	1	RMS	6956	-48.63	-13	35.63	Pass	4001
7000	20000	1	RMS	13874	-40.51	-13	27.51	Pass	13002




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.03	-13	57.03	Pass	401
0.15	30	0.01	RMS	23.16	-66.96	-13	53.96	Pass	2986
30	1000	0.1	RMS	992.595	-58.29	-13	45.29	Pass	9701
1000	1700	1	RMS	1693	-47.95	-13	34.95	Pass	701
1700	1790	1	RMS	1729.25	19.79	60	40.21	Pass	401
1790	3000	1	RMS	2931	-44.91	-13	31.91	Pass	1211
3000	7000	1	RMS	6982	-57.39	-13	44.39	Pass	4001
7000	20000	1	RMS	19872	-36	-13	23	Pass	13002




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.56	-13	56.56	Pass	401
0.15	30	0.01	RMS	15.56	-67.35	-13	54.35	Pass	2986
30	1000	0.1	RMS	892.028	-58.16	-13	45.16	Pass	9701
1000	1700	1	RMS	1700	-47.21	-13	34.21	Pass	701
1700	1790	1	RMS	1752.875	7.96	60	52.04	Pass	401
1790	3000	1	RMS	2930	-44.98	-13	31.98	Pass	1211
3000	7000	1	RMS	6984	-57.24	-13	44.24	Pass	4001
7000	20000	1	RMS	17496	-45.11	-13	32.11	Pass	13002




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.17	-13	56.17	Pass	401
0.15	30	0.01	RMS	24.06	-67.13	-13	54.13	Pass	2986
30	1000	0.1	RMS	904.337	-58.27	-13	45.27	Pass	9701
1000	1700	1	RMS	1621	-48.13	-13	35.13	Pass	701
1700	1790	1	RMS	1735.325	19.99	60	40.01	Pass	401
1790	3000	1	RMS	2975	-44.9	-13	31.9	Pass	1211
3000	7000	1	RMS	6984	-56.99	-13	43.99	Pass	4001
7000	20000	1	RMS	19779	-45.28	-13	32.28	Pass	13002




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-69.36	-13	56.36	Pass	401
0.15	30	0.01	RMS	17.25	-66.97	-13	53.97	Pass	2986
30	1000	0.1	RMS	995.697	-58.17	-13	45.17	Pass	9701
1000	1700	1	RMS	1691	-48.17	-13	35.17	Pass	701
1700	1790	1	RMS	1754.225	19.82	60	40.18	Pass	401
1790	3000	1	RMS	2962	-44.87	-13	31.87	Pass	1211
3000	7000	1	RMS	6984	-57.21	-13	44.21	Pass	4001
7000	20000	1	RMS	17501	-45.16	-13	32.16	Pass	13002




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.82	-13	56.82	Pass	401
0.15	30	0.01	RMS	10.18	-67.06	-13	54.06	Pass	2986
30	1000	0.1	RMS	903.636	-58.3	-13	45.3	Pass	9701
1000	1700	1	RMS	1700	-48.19	-13	35.19	Pass	701
1700	1790	1	RMS	1761.425	8.4	60	51.6	Pass	401
1790	3000	1	RMS	1790	-35.56	-13	22.56	Pass	1211
3000	7000	1	RMS	6954	-47.51	-13	34.51	Pass	4001
7000	20000	1	RMS	13875	-40.87	-13	27.87	Pass	13002




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-69.84	-13	56.84	Pass	401
0.15	30	0.01	RMS	18.84	-66.75	-13	53.75	Pass	2986
30	1000	0.1	RMS	885.124	-58.27	-13	45.27	Pass	9701
1000	1700	1	RMS	1698	-47.97	-13	34.97	Pass	701
1700	1790	1	RMS	1760.525	20.11	60	39.89	Pass	401
1790	3000	1	RMS	2982	-44.98	-13	31.98	Pass	1211
3000	7000	1	RMS	6978	-57.04	-13	44.04	Pass	4001
7000	20000	1	RMS	19869	-35.34	-13	22.34	Pass	13002




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.46	-13	57.46	Pass	401
0.15	30	0.01	RMS	26.27	-67.24	-13	54.24	Pass	2986
30	1000	0.1	RMS	900.634	-58.17	-13	45.17	Pass	9701
1000	1700	1	RMS	1699	-48.25	-13	35.25	Pass	701
1700	1790	1	RMS	1779.425	20.08	60	39.92	Pass	401
1790	3000	1	RMS	2975	-44.69	-13	31.69	Pass	1211
3000	7000	1	RMS	6972	-57.17	-13	44.17	Pass	4001
7000	20000	1	RMS	19797	-45.26	-13	32.26	Pass	13002




5.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.29	-13	56.29	Pass	401
0.15	30	0.01	RMS	16.48	-67.4	-13	54.4	Pass	2986
30	1000	0.1	RMS	988.592	-58.61	-13	45.61	Pass	9701
1000	1700	1	RMS	1700	-34.03	-13	21.03	Pass	701
1700	1790	1	RMS	1719.125	4.81	60	55.19	Pass	401
1790	3000	1	RMS	1790	-42.82	-13	29.82	Pass	1211
3000	7000	1	RMS	6981	-56.87	-13	43.87	Pass	4001
7000	20000	1	RMS	17497	-45.55	-13	32.55	Pass	13002




5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-70.31	-13	57.31	Pass	401
0.15	30	0.01	RMS	11.66	-66.82	-13	53.82	Pass	2986
30	1000	0.1	RMS	909.34	-58.48	-13	45.48	Pass	9701
1000	1700	1	RMS	1694	-47.82	-13	34.82	Pass	701
1700	1790	1	RMS	1710.575	20.11	60	39.89	Pass	401
1790	3000	1	RMS	2973	-45.21	-13	32.21	Pass	1211
3000	7000	1	RMS	6977	-57.34	-13	44.34	Pass	4001
7000	20000	1	RMS	17502	-45.18	-13	32.18	Pass	13002



5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.6	-13	56.6	Pass	401
0.15	30	0.01	RMS	1.64	-67.27	-13	54.27	Pass	2986
30	1000	0.1	RMS	900.234	-58.35	-13	45.35	Pass	9701
1000	1700	1	RMS	1577	-48.23	-13	35.23	Pass	701
1700	1790	1	RMS	1749.275	20.12	60	39.88	Pass	401
1790	3000	1	RMS	2974	-44.74	-13	31.74	Pass	1211
3000	7000	1	RMS	6977	-57.32	-13	44.32	Pass	4001
7000	20000	1	RMS	17503	-45.21	-13	32.21	Pass	13002



5.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.49	-13	56.49	Pass	401
0.15	30	0.01	RMS	17.93	-67.34	-13	54.34	Pass	2986
30	1000	0.1	RMS	903.236	-58.37	-13	45.37	Pass	9701
1000	1700	1	RMS	1700	-39.55	-13	26.55	Pass	701
1700	1790	1	RMS	1759.4	5.01	60	54.99	Pass	401
1790	3000	1	RMS	1790	-39.41	-13	26.41	Pass	1211
3000	7000	1	RMS	6968	-57.3	-13	44.3	Pass	4001
7000	20000	1	RMS	17496	-45.19	-13	32.19	Pass	13002

