



5.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.07	-13	56.07	Pass	401
0.15	30	0.01	RMS	26.62	-67.48	-13	54.48	Pass	2986
30	1000	0.1	RMS	904.737	-58.59	-13	45.59	Pass	9701
1000	1700	1	RMS	1695	-47.92	-13	34.92	Pass	701
1700	1790	1	RMS	1725.425	19.9	60	40.1	Pass	401
1790	3000	1	RMS	2989	-45.09	-13	32.09	Pass	1211
3000	7000	1	RMS	6975	-56.96	-13	43.96	Pass	4001
7000	20000	1	RMS	19649	-45.37	-13	32.37	Pass	13002




5.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.131	-70.16	-13	57.16	Pass	401
0.15	30	0.01	RMS	28.38	-67.05	-13	54.05	Pass	2986
30	1000	0.1	RMS	907.138	-58.43	-13	45.43	Pass	9701
1000	1700	1	RMS	1529	-48.19	-13	35.19	Pass	701
1700	1790	1	RMS	1764.125	19.95	60	40.05	Pass	401
1790	3000	1	RMS	2985	-45.2	-13	32.2	Pass	1211
3000	7000	1	RMS	6981	-57.01	-13	44.01	Pass	4001
7000	20000	1	RMS	17503	-45.47	-13	32.47	Pass	13002




5.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.74	-13	56.74	Pass	401
0.15	30	0.01	RMS	7.73	-67.11	-13	54.11	Pass	2986
30	1000	0.1	RMS	878.119	-58.56	-13	45.56	Pass	9701
1000	1700	1	RMS	1700	-44.63	-13	31.63	Pass	701
1700	1790	1	RMS	1760.3	5.02	60	54.98	Pass	401
1790	3000	1	RMS	1790	-36.1	-13	23.1	Pass	1211
3000	7000	1	RMS	6999	-57.35	-13	44.35	Pass	4001
7000	20000	1	RMS	17493	-45.27	-13	32.27	Pass	13002




5.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-70.28	-13	57.28	Pass	401
0.15	30	0.01	RMS	29.53	-67.59	-13	54.59	Pass	2986
30	1000	0.1	RMS	913.343	-58.32	-13	45.32	Pass	9701
1000	1700	1	RMS	1661	-48.29	-13	35.29	Pass	701
1700	1790	1	RMS	1740.5	19.96	60	40.04	Pass	401
1790	3000	1	RMS	2972	-44.89	-13	31.89	Pass	1211
3000	7000	1	RMS	6975	-57.32	-13	44.32	Pass	4001
7000	20000	1	RMS	17499	-45.14	-13	32.14	Pass	13002



5.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	0.71	-67.28	-13	54.28	Pass	2986
30	1000	0.1	RMS	907.839	-58.39	-13	45.39	Pass	9701
1000	1700	1	RMS	1666	-48.17	-13	35.17	Pass	701
1700	1790	1	RMS	1779.2	20.34	60	39.66	Pass	401
1790	3000	1	RMS	2976	-44.75	-13	31.75	Pass	1211
3000	7000	1	RMS	6977	-57.3	-13	44.3	Pass	4001
7000	20000	1	RMS	19800	-45.17	-13	32.17	Pass	13002



1. n7


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.18	-71.06	-25	46.06	Pass	2986
30	1000	0.1	RMS	897.632	-63.3	-25	38.3	Pass	9701
1000	2495	1	RMS	2495	-36.18	-25	11.18	Pass	1496
2495	2575	1	RMS	2503.4	14.92	60	45.08	Pass	401
2575	3000	1	RMS	2869	-48.2	-25	23.2	Pass	426
3000	7000	1	RMS	6931	-60.7	-25	35.7	Pass	4001
7000	26000	1	RMS	25205	-43.81	-25	18.81	Pass	19003




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.3	-25	43.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-25	46.04	Pass	2986
30	1000	0.1	RMS	899.633	-63.41	-25	38.41	Pass	9701
1000	2495	1	RMS	2495	-44.72	-25	19.72	Pass	1496
2495	2575	1	RMS	2500.2	20.91	60	39.09	Pass	401
2575	3000	1	RMS	2869	-48.21	-25	23.21	Pass	426
3000	7000	1	RMS	6935	-60.74	-25	35.74	Pass	4001
7000	26000	1	RMS	25195	-43.74	-25	18.74	Pass	19003




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.03	-25	43.03	Pass	401
0.15	30	0.01	RMS	0.16	-71.11	-25	46.11	Pass	2986
30	1000	0.1	RMS	978.986	-63.51	-25	38.51	Pass	9701
1000	2495	1	RMS	2495	-48.36	-25	23.36	Pass	1496
2495	2575	1	RMS	2504.6	21.01	60	38.99	Pass	401
2575	3000	1	RMS	2870	-48.23	-25	23.23	Pass	426
3000	7000	1	RMS	6932	-60.71	-25	35.71	Pass	4001
7000	26000	1	RMS	25200	-43.76	-25	18.76	Pass	19003




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.26	-25	43.26	Pass	401
0.15	30	0.01	RMS	0.18	-70.99	-25	45.99	Pass	2986
30	1000	0.1	RMS	894.33	-63.44	-25	38.44	Pass	9701
1000	2495	1	RMS	2494	-50.1	-25	25.1	Pass	1496
2495	2575	1	RMS	2536	14.99	60	45.01	Pass	401
2575	3000	1	RMS	2870	-48.26	-25	23.26	Pass	426
3000	7000	1	RMS	6934	-60.79	-25	35.79	Pass	4001
7000	26000	1	RMS	25201	-43.63	-25	18.63	Pass	19003




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-25	46.44	Pass	2986
30	1000	0.1	RMS	900.034	-63.34	-25	38.34	Pass	9701
1000	2495	1	RMS	2495	-49.96	-25	24.96	Pass	1496
2495	2575	1	RMS	2532.8	20.98	60	39.02	Pass	401
2575	3000	1	RMS	2869	-48.23	-25	23.23	Pass	426
3000	7000	1	RMS	6923	-60.76	-25	35.76	Pass	4001
7000	26000	1	RMS	25202	-43.67	-25	18.67	Pass	19003




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-25	46.31	Pass	2986
30	1000	0.1	RMS	902.936	-63.48	-25	38.48	Pass	9701
1000	2495	1	RMS	2492	-50.03	-25	25.03	Pass	1496
2495	2575	1	RMS	2537	21.1	60	38.9	Pass	401
2575	3000	1	RMS	2871	-48.24	-25	23.24	Pass	426
3000	7000	1	RMS	6938	-60.73	-25	35.73	Pass	4001
7000	26000	1	RMS	25195	-43.75	-25	18.75	Pass	19003




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.23	-71.56	-25	46.56	Pass	2986
30	1000	0.1	RMS	917.846	-63.48	-25	38.48	Pass	9701
1000	2495	1	RMS	2495	-49.99	-25	24.99	Pass	1496
2495	2575	1	RMS	2568.4	14.81	60	45.19	Pass	401
2575	3000	1	RMS	2575	-38.21	-25	13.21	Pass	426
3000	7000	1	RMS	6936	-60.76	-25	35.76	Pass	4001
7000	26000	1	RMS	25200	-43.72	-25	18.72	Pass	19003




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-25	45.93	Pass	2986
30	1000	0.1	RMS	905.037	-63.46	-25	38.46	Pass	9701
1000	2495	1	RMS	2495	-50.07	-25	25.07	Pass	1496
2495	2575	1	RMS	2565.2	21	60	39	Pass	401
2575	3000	1	RMS	2871	-48.25	-25	23.25	Pass	426
3000	7000	1	RMS	6928	-60.75	-25	35.75	Pass	4001
7000	26000	1	RMS	25198	-43.71	-25	18.71	Pass	19003




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.14	-25	43.14	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-25	46.61	Pass	2986
30	1000	0.1	RMS	900.334	-63.36	-25	38.36	Pass	9701
1000	2495	1	RMS	2494	-50.1	-25	25.1	Pass	1496
2495	2575	1	RMS	2569.6	20.98	60	39.02	Pass	401
2575	3000	1	RMS	2576	-44.99	-25	19.99	Pass	426
3000	7000	1	RMS	6920	-60.7	-25	35.7	Pass	4001
7000	26000	1	RMS	25204	-43.72	-25	18.72	Pass	19003




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	0.19	-71.27	-25	46.27	Pass	2986
30	1000	0.1	RMS	898.032	-63.42	-25	38.42	Pass	9701
1000	2475	1	RMS	2475	-50.35	-25	25.35	Pass	1476
2475	2595	1	RMS	2522.7	8.13	60	51.87	Pass	401
2595	3000	1	RMS	2868	-48.22	-25	23.22	Pass	406
3000	7000	1	RMS	6926	-60.68	-25	35.68	Pass	4001
7000	26000	1	RMS	25200	-43.66	-25	18.66	Pass	19003




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.26	-25	43.26	Pass	401
0.15	30	0.01	RMS	0.2	-71.33	-25	46.33	Pass	2986
30	1000	0.1	RMS	899.233	-63.5	-25	38.5	Pass	9701
1000	2475	1	RMS	2467	-50.29	-25	25.29	Pass	1476
2475	2595	1	RMS	2500.5	20.88	60	39.12	Pass	401
2595	3000	1	RMS	2870	-48.2	-25	23.2	Pass	406
3000	7000	1	RMS	6922	-60.76	-25	35.76	Pass	4001
7000	26000	1	RMS	25201	-43.79	-25	18.79	Pass	19003




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-25	45.52	Pass	2986
30	1000	0.1	RMS	885.724	-63.25	-25	38.25	Pass	9701
1000	2475	1	RMS	2463	-50.31	-25	25.31	Pass	1476
2475	2595	1	RMS	2524.2	21.05	60	38.95	Pass	401
2595	3000	1	RMS	2870	-48.2	-25	23.2	Pass	406
3000	7000	1	RMS	6925	-60.78	-25	35.78	Pass	4001
7000	26000	1	RMS	25197	-43.72	-25	18.72	Pass	19003




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.21	-71.38	-25	46.38	Pass	2986
30	1000	0.1	RMS	905.738	-63.47	-25	38.47	Pass	9701
1000	2475	1	RMS	2475	-50.33	-25	25.33	Pass	1476
2475	2595	1	RMS	2531.1	7.73	60	52.27	Pass	401
2595	3000	1	RMS	2866	-48.25	-25	23.25	Pass	406
3000	7000	1	RMS	6931	-60.74	-25	35.74	Pass	4001
7000	26000	1	RMS	25200	-43.62	-25	18.62	Pass	19003




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-25	45.75	Pass	2986
30	1000	0.1	RMS	872.616	-63.46	-25	38.46	Pass	9701
1000	2475	1	RMS	2474	-50.27	-25	25.27	Pass	1476
2475	2595	1	RMS	2523	21.03	60	38.97	Pass	401
2595	3000	1	RMS	2872	-48.24	-25	23.24	Pass	406
3000	7000	1	RMS	6918	-60.75	-25	35.75	Pass	4001
7000	26000	1	RMS	25201	-43.65	-25	18.65	Pass	19003




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-25	46.6	Pass	2986
30	1000	0.1	RMS	902.335	-63.41	-25	38.41	Pass	9701
1000	2475	1	RMS	2475	-50.32	-25	25.32	Pass	1476
2475	2595	1	RMS	2546.7	21.05	60	38.95	Pass	401
2595	3000	1	RMS	2869	-48.2	-25	23.2	Pass	406
3000	7000	1	RMS	6930	-60.75	-25	35.75	Pass	4001
7000	26000	1	RMS	25197	-43.63	-25	18.63	Pass	19003




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.58	-25	43.58	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-25	46.68	Pass	2986
30	1000	0.1	RMS	882.322	-63.14	-25	38.14	Pass	9701
1000	2475	1	RMS	2452	-50.27	-25	25.27	Pass	1476
2475	2595	1	RMS	2546.4	7.65	60	52.35	Pass	401
2595	3000	1	RMS	2595	-47.47	-25	22.47	Pass	406
3000	7000	1	RMS	6928	-60.72	-25	35.72	Pass	4001
7000	26000	1	RMS	25196	-43.77	-25	18.77	Pass	19003




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.27	-25	44.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-25	46.15	Pass	2986
30	1000	0.1	RMS	927.952	-63.48	-25	38.48	Pass	9701
1000	2475	1	RMS	2446	-50.38	-25	25.38	Pass	1476
2475	2595	1	RMS	2545.5	20.92	60	39.08	Pass	401
2595	3000	1	RMS	2868	-48.21	-25	23.21	Pass	406
3000	7000	1	RMS	6935	-60.73	-25	35.73	Pass	4001
7000	26000	1	RMS	25198	-43.74	-25	18.74	Pass	19003




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.86	-25	43.86	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-25	45.5	Pass	2986
30	1000	0.1	RMS	903.936	-63.35	-25	38.35	Pass	9701
1000	2475	1	RMS	2463	-50.34	-25	25.34	Pass	1476
2475	2595	1	RMS	2569.2	20.99	60	39.01	Pass	401
2595	3000	1	RMS	2869	-48.19	-25	23.19	Pass	406
3000	7000	1	RMS	6926	-60.73	-25	35.73	Pass	4001
7000	26000	1	RMS	25203	-43.87	-25	18.87	Pass	19003




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.77	-25	43.77	Pass	401
0.15	30	0.01	RMS	0.15	-70.31	-25	45.31	Pass	2986
30	1000	0.1	RMS	895.831	-63.41	-25	38.41	Pass	9701
1000	2460	1	RMS	2449	-50.33	-25	25.33	Pass	1461
2460	2610	1	RMS	2532.375	5.95	60	54.05	Pass	401
2610	3000	1	RMS	2868.375	-48.24	-25	23.24	Pass	401
3000	7000	1	RMS	6931	-60.74	-25	35.74	Pass	4001
7000	26000	1	RMS	25205	-43.81	-25	18.81	Pass	19003




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.68	-25	43.68	Pass	401
0.15	30	0.01	RMS	0.16	-70.43	-25	45.43	Pass	2986
30	1000	0.1	RMS	899.734	-63.44	-25	38.44	Pass	9701
1000	2460	1	RMS	2452	-50.39	-25	25.39	Pass	1461
2460	2610	1	RMS	2500.5	20.96	60	39.04	Pass	401
2610	3000	1	RMS	2870.325	-48.19	-25	23.19	Pass	401
3000	7000	1	RMS	6939	-60.7	-25	35.7	Pass	4001
7000	26000	1	RMS	25200	-43.72	-25	18.72	Pass	19003




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	0.2	-71.17	-25	46.17	Pass	2986
30	1000	0.1	RMS	884.624	-63.29	-25	38.29	Pass	9701
1000	2460	1	RMS	2456	-50.33	-25	25.33	Pass	1461
2460	2610	1	RMS	2539.125	20.94	60	39.06	Pass	401
2610	3000	1	RMS	2868.375	-48.16	-25	23.16	Pass	401
3000	7000	1	RMS	6932	-60.69	-25	35.69	Pass	4001
7000	26000	1	RMS	25199	-43.7	-25	18.7	Pass	19003




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.23	-25	44.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-25	46.51	Pass	2986
30	1000	0.1	RMS	905.637	-63.49	-25	38.49	Pass	9701
1000	2460	1	RMS	2445	-50.36	-25	25.36	Pass	1461
2460	2610	1	RMS	2530.5	5.6	60	54.4	Pass	401
2610	3000	1	RMS	2868.375	-48.2	-25	23.2	Pass	401
3000	7000	1	RMS	6932	-60.71	-25	35.71	Pass	4001
7000	26000	1	RMS	25206	-43.78	-25	18.78	Pass	19003




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.34	-25	43.34	Pass	401
0.15	30	0.01	RMS	0.16	-70.63	-25	45.63	Pass	2986
30	1000	0.1	RMS	902.635	-63.33	-25	38.33	Pass	9701
1000	2460	1	RMS	2451	-50.27	-25	25.27	Pass	1461
2460	2610	1	RMS	2515.5	20.9	60	39.1	Pass	401
2610	3000	1	RMS	2869.35	-48.22	-25	23.22	Pass	401
3000	7000	1	RMS	6930	-60.71	-25	35.71	Pass	4001
7000	26000	1	RMS	25203	-43.72	-25	18.72	Pass	19003




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.17	-25	44.17	Pass	401
0.15	30	0.01	RMS	0.19	-71.07	-25	46.07	Pass	2986
30	1000	0.1	RMS	889.627	-63.42	-25	38.42	Pass	9701
1000	2460	1	RMS	2459	-50.4	-25	25.4	Pass	1461
2460	2610	1	RMS	2554.125	20.93	60	39.07	Pass	401
2610	3000	1	RMS	2868.375	-48.21	-25	23.21	Pass	401
3000	7000	1	RMS	6925	-60.72	-25	35.72	Pass	4001
7000	26000	1	RMS	25199	-43.72	-25	18.72	Pass	19003




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.26	-25	43.26	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-25	45.95	Pass	2986
30	1000	0.1	RMS	900.534	-63.38	-25	38.38	Pass	9701
1000	2460	1	RMS	2446	-50.36	-25	25.36	Pass	1461
2460	2610	1	RMS	2531.625	5.8	60	54.2	Pass	401
2610	3000	1	RMS	2868.375	-48.18	-25	23.18	Pass	401
3000	7000	1	RMS	6935	-60.73	-25	35.73	Pass	4001
7000	26000	1	RMS	25197	-43.81	-25	18.81	Pass	19003




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.2	-25	43.2	Pass	401
0.15	30	0.01	RMS	0.21	-71.32	-25	46.32	Pass	2986
30	1000	0.1	RMS	995.097	-63.3	-25	38.3	Pass	9701
1000	2460	1	RMS	2452	-50.38	-25	25.38	Pass	1461
2460	2610	1	RMS	2530.5	20.98	60	39.02	Pass	401
2610	3000	1	RMS	2868.375	-48.21	-25	23.21	Pass	401
3000	7000	1	RMS	6923	-60.69	-25	35.69	Pass	4001
7000	26000	1	RMS	25199	-43.68	-25	18.68	Pass	19003



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.64	-25	42.64	Pass	401
0.15	30	0.01	RMS	0.16	-71.01	-25	46.01	Pass	2986
30	1000	0.1	RMS	911.541	-63.44	-25	38.44	Pass	9701
1000	2460	1	RMS	2450	-50.37	-25	25.37	Pass	1461
2460	2610	1	RMS	2569.125	20.87	60	39.13	Pass	401
2610	3000	1	RMS	2866.425	-48.21	-25	23.21	Pass	401
3000	7000	1	RMS	6925	-60.71	-25	35.71	Pass	4001
7000	26000	1	RMS	25200	-43.75	-25	18.75	Pass	19003



2. n38_PC3


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.59	-25	44.59	Pass	401
0.15	30	0.01	RMS	0.16	-62.65	-25	37.65	Pass	2986
30	1000	0.1	RMS	931.555	-60.93	-25	35.93	Pass	9701
1000	2560	1	RMS	2560	-41.77	-25	16.77	Pass	1561
2560	2630	1	RMS	2577.15	12.25	60	47.75	Pass	401
2630	3000	1	RMS	2871.425	-48.14	-25	23.14	Pass	401
3000	7000	1	RMS	6920	-60.54	-25	35.54	Pass	4001
7000	26500	1	RMS	25529	-43.16	-25	18.16	Pass	19503




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.39	-25	44.39	Pass	401
0.15	30	0.01	RMS	0.16	-61.38	-25	36.38	Pass	2986
30	1000	0.1	RMS	925.451	-60.99	-25	35.99	Pass	9701
1000	2560	1	RMS	2558	-49.54	-25	24.54	Pass	1561
2560	2630	1	RMS	2570.85	21.07	60	38.93	Pass	401
2630	3000	1	RMS	2868.65	-48.04	-25	23.04	Pass	401
3000	7000	1	RMS	6938	-60.48	-25	35.48	Pass	4001
7000	26500	1	RMS	25490	-43.03	-25	18.03	Pass	19503




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.92	-25	43.92	Pass	401
0.15	30	0.01	RMS	0.16	-61.3	-25	36.3	Pass	2986
30	1000	0.1	RMS	751.4	-59.99	-25	34.99	Pass	9701
1000	2560	1	RMS	2556	-49.8	-25	24.8	Pass	1561
2560	2630	1	RMS	2579.075	20.97	60	39.03	Pass	401
2630	3000	1	RMS	2862.175	-48.18	-25	23.18	Pass	401
3000	7000	1	RMS	6934	-60.43	-25	35.43	Pass	4001
7000	26500	1	RMS	25205	-42.95	-25	17.95	Pass	19503




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.08	-25	43.08	Pass	401
0.15	30	0.01	RMS	0.16	-61.54	-25	36.54	Pass	2986
30	1000	0.1	RMS	903.736	-60.8	-25	35.8	Pass	9701
1000	2560	1	RMS	2497	-49.78	-25	24.78	Pass	1561
2560	2630	1	RMS	2593.075	12.16	60	47.84	Pass	401
2630	3000	1	RMS	2871.425	-48.12	-25	23.12	Pass	401
3000	7000	1	RMS	6932	-60.26	-25	35.26	Pass	4001
7000	26500	1	RMS	25458	-43.1	-25	18.1	Pass	19503




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.21	-25	43.21	Pass	401
0.15	30	0.01	RMS	0.16	-63	-25	38	Pass	2986
30	1000	0.1	RMS	906.838	-61.04	-25	36.04	Pass	9701
1000	2560	1	RMS	2499	-49.74	-25	24.74	Pass	1561
2560	2630	1	RMS	2590.8	21.08	60	38.92	Pass	401
2630	3000	1	RMS	2879.75	-48.15	-25	23.15	Pass	401
3000	7000	1	RMS	6928	-60.42	-25	35.42	Pass	4001
7000	26500	1	RMS	25801	-42.78	-25	17.78	Pass	19503




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.32	-25	43.32	Pass	401
0.15	30	0.01	RMS	0.16	-61.57	-25	36.57	Pass	2986
30	1000	0.1	RMS	920.047	-60.76	-25	35.76	Pass	9701
1000	2560	1	RMS	2536	-49.83	-25	24.83	Pass	1561
2560	2630	1	RMS	2599.2	20.89	60	39.11	Pass	401
2630	3000	1	RMS	2869.575	-48.12	-25	23.12	Pass	401
3000	7000	1	RMS	6883	-60.43	-25	35.43	Pass	4001
7000	26500	1	RMS	25189	-42.62	-25	17.62	Pass	19503




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.58	-25	42.58	Pass	401
0.15	30	0.01	RMS	0.19	-62.58	-25	37.58	Pass	2986
30	1000	0.1	RMS	869.814	-61	-25	36	Pass	9701
1000	2560	1	RMS	2507	-49.76	-25	24.76	Pass	1561
2560	2630	1	RMS	2612.675	12.18	60	47.82	Pass	401
2630	3000	1	RMS	2630	-42.57	-25	17.57	Pass	401
3000	7000	1	RMS	6880	-60.43	-25	35.43	Pass	4001
7000	26500	1	RMS	25873	-43.08	-25	18.08	Pass	19503




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.74	-25	42.74	Pass	401
0.15	30	0.01	RMS	0.16	-62.05	-25	37.05	Pass	2986
30	1000	0.1	RMS	990.994	-60.6	-25	35.6	Pass	9701
1000	2560	1	RMS	2496	-49.77	-25	24.77	Pass	1561
2560	2630	1	RMS	2610.75	20.97	60	39.03	Pass	401
2630	3000	1	RMS	2868.65	-48.11	-25	23.11	Pass	401
3000	7000	1	RMS	6918	-60.26	-25	35.26	Pass	4001
7000	26500	1	RMS	25813	-43.13	-25	18.13	Pass	19503




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.05	-25	43.05	Pass	401
0.15	30	0.01	RMS	0.16	-61.18	-25	36.18	Pass	2986
30	1000	0.1	RMS	746.7	-60.72	-25	35.72	Pass	9701
1000	2560	1	RMS	2508	-49.76	-25	24.76	Pass	1561
2560	2630	1	RMS	2619.15	20.86	60	39.14	Pass	401
2630	3000	1	RMS	2872.35	-48.17	-25	23.17	Pass	401
3000	7000	1	RMS	6930	-60.35	-25	35.35	Pass	4001
7000	26500	1	RMS	25862	-42.76	-25	17.76	Pass	19503




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.12	-25	43.12	Pass	401
0.15	30	0.01	RMS	0.16	-62.43	-25	37.43	Pass	2986
30	1000	0.1	RMS	976.584	-60.37	-25	35.37	Pass	9701
1000	2550	1	RMS	2550	-43.4	-25	18.4	Pass	1551
2550	2640	1	RMS	2584.875	8.91	60	51.09	Pass	401
2640	3000	1	RMS	2877.6	-48.19	-25	23.19	Pass	401
3000	7000	1	RMS	6941	-60.36	-25	35.36	Pass	4001
7000	26500	1	RMS	25499	-42.66	-25	17.66	Pass	19503




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.27	-25	43.27	Pass	401
0.15	30	0.01	RMS	0.18	-62.83	-25	37.83	Pass	2986
30	1000	0.1	RMS	950.567	-61.12	-25	36.12	Pass	9701
1000	2550	1	RMS	2503	-49.64	-25	24.64	Pass	1551
2550	2640	1	RMS	2570.925	19.57	60	40.43	Pass	401
2640	3000	1	RMS	2874	-48.14	-25	23.14	Pass	401
3000	7000	1	RMS	6926	-60.19	-25	35.19	Pass	4001
7000	26500	1	RMS	25895	-42.8	-25	17.8	Pass	19503




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.06	-25	44.06	Pass	401
0.15	30	0.01	RMS	0.16	-62.04	-25	37.04	Pass	2986
30	1000	0.1	RMS	901.935	-61.03	-25	36.03	Pass	9701
1000	2550	1	RMS	2517	-49.8	-25	24.8	Pass	1551
2550	2640	1	RMS	2588.925	19.26	60	40.74	Pass	401
2640	3000	1	RMS	2868.6	-48.03	-25	23.03	Pass	401
3000	7000	1	RMS	6895	-60.46	-25	35.46	Pass	4001
7000	26500	1	RMS	25520	-42.95	-25	17.95	Pass	19503




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.23	-25	43.23	Pass	401
0.15	30	0.01	RMS	0.16	-60.57	-25	35.57	Pass	2986
30	1000	0.1	RMS	858.306	-61.12	-25	36.12	Pass	9701
1000	2550	1	RMS	2550	-48.8	-25	23.8	Pass	1551
2550	2640	1	RMS	2587.575	9.07	60	50.93	Pass	401
2640	3000	1	RMS	2640	-47.64	-25	22.64	Pass	401
3000	7000	1	RMS	6931	-60.45	-25	35.45	Pass	4001
7000	26500	1	RMS	25425	-43.16	-25	18.16	Pass	19503




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.16	-61.87	-25	36.87	Pass	2986
30	1000	0.1	RMS	873.116	-61.06	-25	36.06	Pass	9701
1000	2550	1	RMS	2524	-49.78	-25	24.78	Pass	1551
2550	2640	1	RMS	2586	19.6	60	40.4	Pass	401
2640	3000	1	RMS	2881.2	-48.15	-25	23.15	Pass	401
3000	7000	1	RMS	6918	-60.36	-25	35.36	Pass	4001
7000	26500	1	RMS	25205	-42.99	-25	17.99	Pass	19503




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.29	-25	42.29	Pass	401
0.15	30	0.01	RMS	0.16	-61.32	-25	36.32	Pass	2986
30	1000	0.1	RMS	899.834	-60.68	-25	35.68	Pass	9701
1000	2550	1	RMS	2492	-49.72	-25	24.72	Pass	1551
2550	2640	1	RMS	2604	19.43	60	40.57	Pass	401
2640	3000	1	RMS	2866.8	-48.13	-25	23.13	Pass	401
3000	7000	1	RMS	6931	-60.35	-25	35.35	Pass	4001
7000	26500	1	RMS	25494	-43	-25	18	Pass	19503




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.5	-25	44.5	Pass	401
0.15	30	0.01	RMS	0.18	-62	-25	37	Pass	2986
30	1000	0.1	RMS	899.633	-61.4	-25	36.4	Pass	9701
1000	2550	1	RMS	2547	-49.57	-25	24.57	Pass	1551
2550	2640	1	RMS	2602.65	9.16	60	50.84	Pass	401
2640	3000	1	RMS	2640	-43.39	-25	18.39	Pass	401
3000	7000	1	RMS	6930	-60.33	-25	35.33	Pass	4001
7000	26500	1	RMS	25197	-42.92	-25	17.92	Pass	19503




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.36	-25	45.36	Pass	401
0.15	30	0.01	RMS	0.16	-61.98	-25	36.98	Pass	2986
30	1000	0.1	RMS	877.619	-61.27	-25	36.27	Pass	9701
1000	2550	1	RMS	2519	-49.77	-25	24.77	Pass	1551
2550	2640	1	RMS	2601.075	19.58	60	40.42	Pass	401
2640	3000	1	RMS	2869.5	-48.16	-25	23.16	Pass	401
3000	7000	1	RMS	6909	-60.39	-25	35.39	Pass	4001
7000	26500	1	RMS	25163	-42.92	-25	17.92	Pass	19503




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.69	-25	43.69	Pass	401
0.15	30	0.01	RMS	0.16	-60.71	-25	35.71	Pass	2986
30	1000	0.1	RMS	913.443	-61.16	-25	36.16	Pass	9701
1000	2550	1	RMS	2516	-49.73	-25	24.73	Pass	1551
2550	2640	1	RMS	2619.075	19.27	60	40.73	Pass	401
2640	3000	1	RMS	2868.6	-48.06	-25	23.06	Pass	401
3000	7000	1	RMS	6927	-60.44	-25	35.44	Pass	4001
7000	26500	1	RMS	25202	-42.44	-25	17.44	Pass	19503




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.97	-25	42.97	Pass	401
0.15	30	0.01	RMS	0.21	-62.1	-25	37.1	Pass	2986
30	1000	0.1	RMS	891.728	-60.69	-25	35.69	Pass	9701
1000	2530	1	RMS	2530	-43.96	-25	18.96	Pass	1531
2530	2660	1	RMS	2576.8	5.93	60	54.07	Pass	401
2660	3000	1	RMS	2660	-44.66	-25	19.66	Pass	401
3000	7000	1	RMS	6893	-60.39	-25	35.39	Pass	4001
7000	26500	1	RMS	25200	-43	-25	18	Pass	19503




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.16	-62.76	-25	37.76	Pass	2986
30	1000	0.1	RMS	872.816	-61.23	-25	36.23	Pass	9701
1000	2530	1	RMS	2528	-49.78	-25	24.78	Pass	1531
2530	2660	1	RMS	2570.95	21.13	60	38.87	Pass	401
2660	3000	1	RMS	2870.8	-48.11	-25	23.11	Pass	401
3000	7000	1	RMS	6928	-60.36	-25	35.36	Pass	4001
7000	26500	1	RMS	25190	-42.96	-25	17.96	Pass	19503




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.87	-25	43.87	Pass	401
0.15	30	0.01	RMS	0.16	-62.15	-25	37.15	Pass	2986
30	1000	0.1	RMS	945.264	-60.83	-25	35.83	Pass	9701
1000	2530	1	RMS	2516	-49.48	-25	24.48	Pass	1531
2530	2660	1	RMS	2608.975	20.68	60	39.32	Pass	401
2660	3000	1	RMS	2869.95	-48.17	-25	23.17	Pass	401
3000	7000	1	RMS	6941	-60.41	-25	35.41	Pass	4001
7000	26500	1	RMS	25200	-43.04	-25	18.04	Pass	19503




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.42	-25	42.42	Pass	401
0.15	30	0.01	RMS	0.16	-62.12	-25	37.12	Pass	2986
30	1000	0.1	RMS	904.437	-60.66	-25	35.66	Pass	9701
1000	2530	1	RMS	2530	-45.05	-25	20.05	Pass	1531
2530	2660	1	RMS	2578.425	6.15	60	53.85	Pass	401
2660	3000	1	RMS	2660	-44	-25	19	Pass	401
3000	7000	1	RMS	6932	-60.25	-25	35.25	Pass	4001
7000	26500	1	RMS	25196	-42.94	-25	17.94	Pass	19503




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.47	-25	42.47	Pass	401
0.15	30	0.01	RMS	0.16	-61.27	-25	36.27	Pass	2986
30	1000	0.1	RMS	918.246	-60.48	-25	35.48	Pass	9701
1000	2530	1	RMS	2526	-49.69	-25	24.69	Pass	1531
2530	2660	1	RMS	2576.15	21.3	60	38.7	Pass	401
2660	3000	1	RMS	2864	-48.11	-25	23.11	Pass	401
3000	7000	1	RMS	6934	-60.29	-25	35.29	Pass	4001
7000	26500	1	RMS	25202	-42.88	-25	17.88	Pass	19503




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.34	-25	43.34	Pass	401
0.15	30	0.01	RMS	0.16	-61.05	-25	36.05	Pass	2986
30	1000	0.1	RMS	891.828	-60.53	-25	35.53	Pass	9701
1000	2530	1	RMS	2511	-49.56	-25	24.56	Pass	1531
2530	2660	1	RMS	2613.85	20.75	60	39.25	Pass	401
2660	3000	1	RMS	2868.25	-48.14	-25	23.14	Pass	401
3000	7000	1	RMS	6937	-60.17	-25	35.17	Pass	4001
7000	26500	1	RMS	25209	-43.25	-25	18.25	Pass	19503




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.76	-25	42.76	Pass	401
0.15	30	0.01	RMS	0.18	-61.97	-25	36.97	Pass	2986
30	1000	0.1	RMS	750.8	-60.79	-25	35.79	Pass	9701
1000	2530	1	RMS	2530	-45.98	-25	20.98	Pass	1531
2530	2660	1	RMS	2583.625	6.21	60	53.79	Pass	401
2660	3000	1	RMS	2660	-43.25	-25	18.25	Pass	401
3000	7000	1	RMS	6892	-60.54	-25	35.54	Pass	4001
7000	26500	1	RMS	25201	-42.82	-25	17.82	Pass	19503




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.73	-25	42.73	Pass	401
0.15	30	0.01	RMS	0.16	-62.5	-25	37.5	Pass	2986
30	1000	0.1	RMS	708.6	-60.37	-25	35.37	Pass	9701
1000	2530	1	RMS	2524	-49.79	-25	24.79	Pass	1531
2530	2660	1	RMS	2581.025	21.26	60	38.74	Pass	401
2660	3000	1	RMS	2869.95	-48.16	-25	23.16	Pass	401
3000	7000	1	RMS	6945	-60.34	-25	35.34	Pass	4001
7000	26500	1	RMS	25203	-42.74	-25	17.74	Pass	19503



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.03	-25	44.03	Pass	401
0.15	30	0.01	RMS	0.16	-61.77	-25	36.77	Pass	2986
30	1000	0.1	RMS	775.4	-61.27	-25	36.27	Pass	9701
1000	2530	1	RMS	2498	-49.86	-25	24.86	Pass	1531
2530	2660	1	RMS	2618.725	20.44	60	39.56	Pass	401
2660	3000	1	RMS	2864.85	-48.2	-25	23.2	Pass	401
3000	7000	1	RMS	6939	-60.3	-25	35.3	Pass	4001
7000	26500	1	RMS	25195	-42.57	-25	17.57	Pass	19503



3. n41


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.23	-25	42.23	Pass	401
0.15	30	0.01	RMS	0.18	-61.68	-25	36.68	Pass	2986
30	1000	0.1	RMS	944.263	-60.63	-25	35.63	Pass	9701
1000	2486	1	RMS	2486	-41.53	-25	16.53	Pass	1487
2486	2700	1	RMS	2503.12	12.97	60	47.03	Pass	401
2700	3000	1	RMS	2869.5	-48.2	-25	23.2	Pass	401
3000	7000	1	RMS	6924	-60.43	-25	35.43	Pass	4001
7000	26500	1	RMS	25461	-42.83	-25	17.83	Pass	19503




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.29	-25	43.29	Pass	401
0.15	30	0.01	RMS	0.16	-60.9	-25	35.9	Pass	2986
30	1000	0.1	RMS	736.5	-60.67	-25	35.67	Pass	9701
1000	2486	1	RMS	2485	-49.71	-25	24.71	Pass	1487
2486	2700	1	RMS	2496.7	20.8	60	39.2	Pass	401
2700	3000	1	RMS	2868	-48.2	-25	23.2	Pass	401
3000	7000	1	RMS	6939	-60.58	-25	35.58	Pass	4001
7000	26500	1	RMS	25934	-43.06	-25	18.06	Pass	19503




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.31	-25	44.31	Pass	401
0.15	30	0.01	RMS	0.16	-62.84	-25	37.84	Pass	2986
30	1000	0.1	RMS	686.7	-60.66	-25	35.66	Pass	9701
1000	2486	1	RMS	2486	-49.91	-25	24.91	Pass	1487
2486	2700	1	RMS	2505.26	20.58	60	39.42	Pass	401
2700	3000	1	RMS	2866.5	-48.24	-25	23.24	Pass	401
3000	7000	1	RMS	6925	-60.38	-25	35.38	Pass	4001
7000	26500	1	RMS	25188	-43.04	-25	18.04	Pass	19503




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.47	-25	44.47	Pass	401
0.15	30	0.01	RMS	0.16	-61.25	-25	36.25	Pass	2986
30	1000	0.1	RMS	622.9	-61.32	-25	36.32	Pass	9701
1000	2486	1	RMS	2452	-50.23	-25	25.23	Pass	1487
2486	2700	1	RMS	2594.07	12.88	60	47.12	Pass	401
2700	3000	1	RMS	2868	-48.19	-25	23.19	Pass	401
3000	7000	1	RMS	6937	-60.31	-25	35.31	Pass	4001
7000	26500	1	RMS	25211	-43.08	-25	18.08	Pass	19503




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.41	-25	42.41	Pass	401
0.15	30	0.01	RMS	0.16	-61.01	-25	36.01	Pass	2986
30	1000	0.1	RMS	718.6	-60.98	-25	35.98	Pass	9701
1000	2486	1	RMS	2485	-50.02	-25	25.02	Pass	1487
2486	2700	1	RMS	2588.72	20.69	60	39.31	Pass	401
2700	3000	1	RMS	2883	-48.25	-25	23.25	Pass	401
3000	7000	1	RMS	6935	-60.47	-25	35.47	Pass	4001
7000	26500	1	RMS	25476	-42.97	-25	17.97	Pass	19503




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.38	-25	42.38	Pass	401
0.15	30	0.01	RMS	0.16	-63.06	-25	38.06	Pass	2986
30	1000	0.1	RMS	729.5	-61.04	-25	36.04	Pass	9701
1000	2486	1	RMS	2484	-50.05	-25	25.05	Pass	1487
2486	2700	1	RMS	2597.28	20.62	60	39.38	Pass	401
2700	3000	1	RMS	2867.25	-48.13	-25	23.13	Pass	401
3000	7000	1	RMS	6924	-60.44	-25	35.44	Pass	4001
7000	26500	1	RMS	25499	-43.08	-25	18.08	Pass	19503




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.16	-62.55	-25	37.55	Pass	2986
30	1000	0.1	RMS	926.151	-60.88	-25	35.88	Pass	9701
1000	2486	1	RMS	2482	-50.27	-25	25.27	Pass	1487
2486	2700	1	RMS	2682.88	12.08	60	47.92	Pass	401
2700	3000	1	RMS	2700	-42.9	-25	17.9	Pass	401
3000	7000	1	RMS	6935	-60.46	-25	35.46	Pass	4001
7000	26500	1	RMS	25201	-42.93	-25	17.93	Pass	19503




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.57	-25	43.57	Pass	401
0.15	30	0.01	RMS	0.16	-61.66	-25	36.66	Pass	2986
30	1000	0.1	RMS	972.182	-61.1	-25	36.1	Pass	9701
1000	2486	1	RMS	2483	-50.21	-25	25.21	Pass	1487
2486	2700	1	RMS	2680.74	19.92	60	40.08	Pass	401
2700	3000	1	RMS	2869.5	-48.2	-25	23.2	Pass	401
3000	7000	1	RMS	6929	-60.39	-25	35.39	Pass	4001
7000	26500	1	RMS	25203	-42.88	-25	17.88	Pass	19503




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.91	-25	43.91	Pass	401
0.15	30	0.01	RMS	0.16	-63.56	-25	38.56	Pass	2986
30	1000	0.1	RMS	795.8	-60.74	-25	35.74	Pass	9701
1000	2486	1	RMS	2477	-50.17	-25	25.17	Pass	1487
2486	2700	1	RMS	2689.3	19.72	60	40.28	Pass	401
2700	3000	1	RMS	2875.5	-48.22	-25	23.22	Pass	401
3000	7000	1	RMS	6929	-60.25	-25	35.25	Pass	4001
7000	26500	1	RMS	25203	-42.78	-25	17.78	Pass	19503




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.69	-25	42.69	Pass	401
0.15	30	0.01	RMS	0.16	-61.43	-25	36.43	Pass	2986
30	1000	0.1	RMS	905.637	-60.97	-25	35.97	Pass	9701
1000	2446	1	RMS	2441	-50.42	-25	25.42	Pass	1447
2446	2740	1	RMS	2507.005	5.77	60	54.23	Pass	401
2740	3000	1	RMS	2869.35	-48.22	-25	23.22	Pass	401
3000	7000	1	RMS	6922	-60.58	-25	35.58	Pass	4001
7000	26500	1	RMS	25800	-42.82	-25	17.82	Pass	19503




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.72	-25	42.72	Pass	401
0.15	30	0.01	RMS	0.18	-62.05	-25	37.05	Pass	2986
30	1000	0.1	RMS	860.307	-60.44	-25	35.44	Pass	9701
1000	2446	1	RMS	2443	-50.38	-25	25.38	Pass	1447
2446	2740	1	RMS	2497.45	20.59	60	39.41	Pass	401
2740	3000	1	RMS	2866.75	-48.24	-25	23.24	Pass	401
3000	7000	1	RMS	6928	-60.54	-25	35.54	Pass	4001
7000	26500	1	RMS	25213	-43.1	-25	18.1	Pass	19503




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.79	-25	44.79	Pass	401
0.15	30	0.01	RMS	0.16	-62.45	-25	37.45	Pass	2986
30	1000	0.1	RMS	790.5	-61.19	-25	36.19	Pass	9701
1000	2446	1	RMS	2434	-50.41	-25	25.41	Pass	1447
2446	2740	1	RMS	2544.49	20.25	60	39.75	Pass	401
2740	3000	1	RMS	2868.05	-48.21	-25	23.21	Pass	401
3000	7000	1	RMS	6936	-60.42	-25	35.42	Pass	4001
7000	26500	1	RMS	25199	-42.76	-25	17.76	Pass	19503




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.54	-25	42.54	Pass	401
0.15	30	0.01	RMS	0.18	-62.57	-25	37.57	Pass	2986
30	1000	0.1	RMS	961.174	-61.13	-25	36.13	Pass	9701
1000	2446	1	RMS	2436	-50.42	-25	25.42	Pass	1447
2446	2740	1	RMS	2586.385	5.75	60	54.25	Pass	401
2740	3000	1	RMS	2868.7	-48.16	-25	23.16	Pass	401
3000	7000	1	RMS	6931	-60.51	-25	35.51	Pass	4001
7000	26500	1	RMS	25495	-43.16	-25	18.16	Pass	19503




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.93	-25	42.93	Pass	401
0.15	30	0.01	RMS	0.16	-60.31	-25	35.31	Pass	2986
30	1000	0.1	RMS	992.595	-61.47	-25	36.47	Pass	9701
1000	2446	1	RMS	2436	-50.33	-25	25.33	Pass	1447
2446	2740	1	RMS	2569.48	20.13	60	39.87	Pass	401
2740	3000	1	RMS	2870	-48.22	-25	23.22	Pass	401
3000	7000	1	RMS	6938	-60.4	-25	35.4	Pass	4001
7000	26500	1	RMS	25197	-43	-25	18	Pass	19503




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.57	-25	43.57	Pass	401
0.15	30	0.01	RMS	0.16	-61.34	-25	36.34	Pass	2986
30	1000	0.1	RMS	756.9	-61.38	-25	36.38	Pass	9701
1000	2446	1	RMS	2432	-50.48	-25	25.48	Pass	1447
2446	2740	1	RMS	2616.52	20.4	60	39.6	Pass	401
2740	3000	1	RMS	2874.55	-48.22	-25	23.22	Pass	401
3000	7000	1	RMS	6938	-60.33	-25	35.33	Pass	4001
7000	26500	1	RMS	25202	-42.84	-25	17.84	Pass	19503




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.93	-25	42.93	Pass	401
0.15	30	0.01	RMS	0.16	-62.15	-25	37.15	Pass	2986
30	1000	0.1	RMS	861.408	-60.89	-25	35.89	Pass	9701
1000	2446	1	RMS	2434	-50.41	-25	25.41	Pass	1447
2446	2740	1	RMS	2657.68	5.12	60	54.88	Pass	401
2740	3000	1	RMS	2740	-45.5	-25	20.5	Pass	401
3000	7000	1	RMS	6922	-60.42	-25	35.42	Pass	4001
7000	26500	1	RMS	25210	-42.88	-25	17.88	Pass	19503




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.04	-25	43.04	Pass	401
0.15	30	0.01	RMS	0.16	-61.9	-25	36.9	Pass	2986
30	1000	0.1	RMS	881.521	-61.13	-25	36.13	Pass	9701
1000	2446	1	RMS	2415	-50.51	-25	25.51	Pass	1447
2446	2740	1	RMS	2641.51	19.74	60	40.26	Pass	401
2740	3000	1	RMS	2872.6	-48.29	-25	23.29	Pass	401
3000	7000	1	RMS	6919	-60.38	-25	35.38	Pass	4001
7000	26500	1	RMS	25176	-42.87	-25	17.87	Pass	19503




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.7	-25	45.7	Pass	401
0.15	30	0.01	RMS	0.15	-60.78	-25	35.78	Pass	2986
30	1000	0.1	RMS	708.6	-61.33	-25	36.33	Pass	9701
1000	2446	1	RMS	2430	-50.44	-25	25.44	Pass	1447
2446	2740	1	RMS	2688.55	19.65	60	40.35	Pass	401
2740	3000	1	RMS	2877.15	-48.32	-25	23.32	Pass	401
3000	7000	1	RMS	6933	-60.58	-25	35.58	Pass	4001
7000	26500	1	RMS	25482	-43.04	-25	18.04	Pass	19503




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.23	-25	43.23	Pass	401
0.15	30	0.01	RMS	0.16	-61.63	-25	36.63	Pass	2986
30	1000	0.1	RMS	962.075	-61.3	-25	36.3	Pass	9701
1000	2396	1	RMS	2390	-50.66	-25	25.66	Pass	1397
2396	2790	1	RMS	2593.985	2.99	60	57.01	Pass	401
2790	3000	1	RMS	2869.275	-48.3	-25	23.3	Pass	401
3000	7000	1	RMS	6925	-60.47	-25	35.47	Pass	4001
7000	26500	1	RMS	25508	-43.02	-25	18.02	Pass	19503




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.63	-25	42.63	Pass	401
0.15	30	0.01	RMS	0.16	-61.69	-25	36.69	Pass	2986
30	1000	0.1	RMS	830.5	-61.41	-25	36.41	Pass	9701
1000	2396	1	RMS	2395	-50.65	-25	25.65	Pass	1397
2396	2790	1	RMS	2497.455	19.18	60	40.82	Pass	401
2790	3000	1	RMS	2871.375	-48.3	-25	23.3	Pass	401
3000	7000	1	RMS	6927	-60.61	-25	35.61	Pass	4001
7000	26500	1	RMS	25770	-43.11	-25	18.11	Pass	19503




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	0.16	-61.4	-25	36.4	Pass	2986
30	1000	0.1	RMS	734.7	-60.07	-25	35.07	Pass	9701
1000	2396	1	RMS	2392	-50.52	-25	25.52	Pass	1397
2396	2790	1	RMS	2594.97	20.58	60	39.42	Pass	401
2790	3000	1	RMS	2865.6	-48.25	-25	23.25	Pass	401
3000	7000	1	RMS	6929	-60.39	-25	35.39	Pass	4001
7000	26500	1	RMS	25200	-43.13	-25	18.13	Pass	19503




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.97	-25	43.97	Pass	401
0.15	30	0.01	RMS	0.18	-61.57	-25	36.57	Pass	2986
30	1000	0.1	RMS	887.125	-61.06	-25	36.06	Pass	9701
1000	2396	1	RMS	2394	-50.57	-25	25.57	Pass	1397
2396	2790	1	RMS	2577.24	2.85	60	57.15	Pass	401
2790	3000	1	RMS	2867.7	-48.31	-25	23.31	Pass	401
3000	7000	1	RMS	6931	-60.53	-25	35.53	Pass	4001
7000	26500	1	RMS	25197	-42.98	-25	17.98	Pass	19503




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.37	-25	42.37	Pass	401
0.15	30	0.01	RMS	0.16	-62.63	-25	37.63	Pass	2986
30	1000	0.1	RMS	892.729	-61.28	-25	36.28	Pass	9701
1000	2396	1	RMS	2388	-50.63	-25	25.63	Pass	1397
2396	2790	1	RMS	2543.75	19.98	60	40.02	Pass	401
2790	3000	1	RMS	2866.125	-48.28	-25	23.28	Pass	401
3000	7000	1	RMS	6936	-60.58	-25	35.58	Pass	4001
7000	26500	1	RMS	25505	-43.19	-25	18.19	Pass	19503




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.06	-25	44.06	Pass	401
0.15	30	0.01	RMS	0.18	-62.67	-25	37.67	Pass	2986
30	1000	0.1	RMS	910.441	-61.28	-25	36.28	Pass	9701
1000	2396	1	RMS	2391	-50.7	-25	25.7	Pass	1397
2396	2790	1	RMS	2642.25	19.46	60	40.54	Pass	401
2790	3000	1	RMS	2868.225	-48.28	-25	23.28	Pass	401
3000	7000	1	RMS	6928	-60.48	-25	35.48	Pass	4001
7000	26500	1	RMS	25201	-43.07	-25	18.07	Pass	19503




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.63	-25	42.63	Pass	401
0.15	30	0.01	RMS	0.16	-60.69	-25	35.69	Pass	2986
30	1000	0.1	RMS	452.8	-61.21	-25	36.21	Pass	9701
1000	2396	1	RMS	2392	-50.54	-25	25.54	Pass	1397
2396	2790	1	RMS	2593	2.86	60	57.14	Pass	401
2790	3000	1	RMS	2868.225	-48.25	-25	23.25	Pass	401
3000	7000	1	RMS	6921	-60.51	-25	35.51	Pass	4001
7000	26500	1	RMS	25206	-43.08	-25	18.08	Pass	19503




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.03	-25	43.03	Pass	401
0.15	30	0.01	RMS	0.16	-62.44	-25	37.44	Pass	2986
30	1000	0.1	RMS	882.322	-61.52	-25	36.52	Pass	9701
1000	2396	1	RMS	2387	-50.66	-25	25.66	Pass	1397
2396	2790	1	RMS	2591.03	20.59	60	39.41	Pass	401
2790	3000	1	RMS	2867.175	-48.29	-25	23.29	Pass	401
3000	7000	1	RMS	6920	-60.55	-25	35.55	Pass	4001
7000	26500	1	RMS	25897	-42.96	-25	17.96	Pass	19503



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.31	-25	42.31	Pass	401
0.15	30	0.01	RMS	0.18	-63.35	-25	38.35	Pass	2986
30	1000	0.1	RMS	886.425	-61.4	-25	36.4	Pass	9701
1000	2396	1	RMS	2388	-50.56	-25	25.56	Pass	1397
2396	2790	1	RMS	2688.545	18.56	60	41.44	Pass	401
2790	3000	1	RMS	2867.175	-48.34	-25	23.34	Pass	401
3000	7000	1	RMS	6921	-60.47	-25	35.47	Pass	4001
7000	26500	1	RMS	25212	-43.05	-25	18.05	Pass	19503



1. n77(3700-3980)


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.89	-13	55.89	Pass	401
0.15	30	0.01	RMS	23.04	-63.22	-13	50.22	Pass	2986
30	1000	0.1	RMS	873.216	-53.71	-13	40.71	Pass	9701
1000	3000	1	RMS	2984	-43.06	-13	30.06	Pass	2001
3000	3690	1	RMS	3690	-38.81	-13	25.81	Pass	691
3690	3990	1	RMS	3717	5.55	60	54.45	Pass	401
3990	7000	1	RMS	6976	-55.36	-13	42.36	Pass	3011
7000	26500	1	RMS	25118	-40.65	-13	27.65	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.56	-13	55.56	Pass	401
0.15	30	0.01	RMS	20.13	-62.9	-13	49.9	Pass	2986
30	1000	0.1	RMS	947.365	-54.08	-13	41.08	Pass	9701
1000	3000	1	RMS	2963	-43.77	-13	30.77	Pass	2001
3000	3690	1	RMS	3365	-39.55	-13	26.55	Pass	691
3690	3990	1	RMS	3701.25	16.53	60	43.47	Pass	401
3990	7000	1	RMS	4008	-50.51	-13	37.51	Pass	3011
7000	26500	1	RMS	24085	-41.32	-13	28.32	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-70.3	-13	57.3	Pass	401
0.15	30	0.01	RMS	26.26	-63.74	-13	50.74	Pass	2986
30	1000	0.1	RMS	623.4	-54.01	-13	41.01	Pass	9701
1000	3000	1	RMS	2974	-43.6	-13	30.6	Pass	2001
3000	3690	1	RMS	3421	-39.1	-13	26.1	Pass	691
3690	3990	1	RMS	3719.25	16.68	60	43.32	Pass	401
3990	7000	1	RMS	4026	-54.08	-13	41.08	Pass	3011
7000	26500	1	RMS	25079	-41.41	-13	28.41	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.11	-13	57.11	Pass	401
0.15	30	0.01	RMS	28.72	-64.73	-13	51.73	Pass	2986
30	1000	0.1	RMS	392.5	-53.82	-13	40.82	Pass	9701
1000	3000	1	RMS	2970	-43.56	-13	30.56	Pass	2001
3000	3690	1	RMS	3410	-38.89	-13	25.89	Pass	691
3690	3990	1	RMS	3833.25	6.35	60	53.65	Pass	401
3990	7000	1	RMS	6948	-55.25	-13	42.25	Pass	3011
7000	26500	1	RMS	26135	-41.06	-13	28.06	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.56	-13	56.56	Pass	401
0.15	30	0.01	RMS	24.67	-63.99	-13	50.99	Pass	2986
30	1000	0.1	RMS	873.216	-53.83	-13	40.83	Pass	9701
1000	3000	1	RMS	2872	-43.77	-13	30.77	Pass	2001
3000	3690	1	RMS	3422	-39.44	-13	26.44	Pass	691
3690	3990	1	RMS	3831	18.1	60	41.9	Pass	401
3990	7000	1	RMS	6982	-55.95	-13	42.95	Pass	3011
7000	26500	1	RMS	25048	-41.64	-13	28.64	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.02	-13	57.02	Pass	401
0.15	30	0.01	RMS	14.52	-62.93	-13	49.93	Pass	2986
30	1000	0.1	RMS	876.318	-53.56	-13	40.56	Pass	9701
1000	3000	1	RMS	2893	-43.73	-13	30.73	Pass	2001
3000	3690	1	RMS	3424	-38.96	-13	25.96	Pass	691
3690	3990	1	RMS	3849	17.62	60	42.38	Pass	401
3990	7000	1	RMS	4156	-55.9	-13	42.9	Pass	3011
7000	26500	1	RMS	24066	-41.37	-13	28.37	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.22	-13	56.22	Pass	401
0.15	30	0.01	RMS	27	-62.94	-13	49.94	Pass	2986
30	1000	0.1	RMS	877.319	-54.51	-13	41.51	Pass	9701
1000	3000	1	RMS	2909	-44.16	-13	31.16	Pass	2001
3000	3690	1	RMS	3437	-39.16	-13	26.16	Pass	691
3690	3990	1	RMS	3972.75	6.17	60	53.83	Pass	401
3990	7000	1	RMS	3991	-41.93	-13	28.93	Pass	3011
7000	26500	1	RMS	24129	-41.93	-13	28.93	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-70.11	-13	57.11	Pass	401
0.15	30	0.01	RMS	0.21	-64.89	-13	51.89	Pass	2986
30	1000	0.1	RMS	814.1	-54.05	-13	41.05	Pass	9701
1000	3000	1	RMS	2912	-43.62	-13	30.62	Pass	2001
3000	3690	1	RMS	3415	-39.21	-13	26.21	Pass	691
3690	3990	1	RMS	3960.75	16.97	60	43.03	Pass	401
3990	7000	1	RMS	4268	-53.88	-13	40.88	Pass	3011
7000	26500	1	RMS	25388	-41.68	-13	28.68	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.08	-13	57.08	Pass	401
0.15	30	0.01	RMS	21.18	-64.14	-13	51.14	Pass	2986
30	1000	0.1	RMS	372.9	-54.12	-13	41.12	Pass	9701
1000	3000	1	RMS	2877	-43.87	-13	30.87	Pass	2001
3000	3690	1	RMS	3421	-39.39	-13	26.39	Pass	691
3690	3990	1	RMS	3978.75	17.22	60	42.78	Pass	401
3990	7000	1	RMS	4286	-52.62	-13	39.62	Pass	3011
7000	26500	1	RMS	25742	-41.65	-13	28.65	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-69.14	-13	56.14	Pass	401
0.15	30	0.01	RMS	28.81	-63.66	-13	50.66	Pass	2986
30	1000	0.1	RMS	787.2	-54.32	-13	41.32	Pass	9701
1000	3000	1	RMS	2974	-43.72	-13	30.72	Pass	2001
3000	3690	1	RMS	3688	-39.16	-13	26.16	Pass	691
3690	3990	1	RMS	3753	1	60	59	Pass	401
3990	7000	1	RMS	6981	-55.5	-13	42.5	Pass	3011
7000	26500	1	RMS	25114	-41.01	-13	28.01	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-69.54	-13	56.54	Pass	401
0.15	30	0.01	RMS	28.19	-64	-13	51	Pass	2986
30	1000	0.1	RMS	638.3	-54.24	-13	41.24	Pass	9701
1000	3000	1	RMS	2960	-43.33	-13	30.33	Pass	2001
3000	3690	1	RMS	3398	-39.54	-13	26.54	Pass	691
3690	3990	1	RMS	3701.25	16.8	60	43.2	Pass	401
3990	7000	1	RMS	4008	-52.41	-13	39.41	Pass	3011
7000	26500	1	RMS	24187	-41.51	-13	28.51	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-70.69	-13	57.69	Pass	401
0.15	30	0.01	RMS	17.02	-63.1	-13	50.1	Pass	2986
30	1000	0.1	RMS	817.2	-53.96	-13	40.96	Pass	9701
1000	3000	1	RMS	2956	-44.01	-13	31.01	Pass	2001
3000	3690	1	RMS	3435	-39.35	-13	26.35	Pass	691
3690	3990	1	RMS	3759	17.68	60	42.32	Pass	401
3990	7000	1	RMS	4066	-52.73	-13	39.73	Pass	3011
7000	26500	1	RMS	25083	-40.89	-13	27.89	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-70.44	-13	57.44	Pass	401
0.15	30	0.01	RMS	0.24	-64.29	-13	51.29	Pass	2986
30	1000	0.1	RMS	969.58	-53.52	-13	40.52	Pass	9701
1000	3000	1	RMS	2964	-43.76	-13	30.76	Pass	2001
3000	3690	1	RMS	3422	-39.41	-13	26.41	Pass	691
3690	3990	1	RMS	3816	1.58	60	58.42	Pass	401
3990	7000	1	RMS	6971	-55.28	-13	42.28	Pass	3011
7000	26500	1	RMS	25340	-41.53	-13	28.53	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-70.04	-13	57.04	Pass	401
0.15	30	0.01	RMS	21.72	-62.22	-13	49.22	Pass	2986
30	1000	0.1	RMS	610.3	-53.99	-13	40.99	Pass	9701
1000	3000	1	RMS	2934	-44.2	-13	31.2	Pass	2001
3000	3690	1	RMS	3393	-39.22	-13	26.22	Pass	691
3690	3990	1	RMS	3810.75	17.58	60	42.42	Pass	401
3990	7000	1	RMS	6986	-55.63	-13	42.63	Pass	3011
7000	26500	1	RMS	24440	-41.88	-13	28.88	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.77	-13	56.77	Pass	401
0.15	30	0.01	RMS	0.58	-63.79	-13	50.79	Pass	2986
30	1000	0.1	RMS	901.935	-54.51	-13	41.51	Pass	9701
1000	3000	1	RMS	2768	-43.64	-13	30.64	Pass	2001
3000	3690	1	RMS	3391	-39.48	-13	26.48	Pass	691
3690	3990	1	RMS	3869.25	16.8	60	43.2	Pass	401
3990	7000	1	RMS	6976	-55.42	-13	42.42	Pass	3011
7000	26500	1	RMS	25395	-41.81	-13	28.81	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-69.13	-13	56.13	Pass	401
0.15	30	0.01	RMS	4.4	-64.87	-13	51.87	Pass	2986
30	1000	0.1	RMS	799	-54.25	-13	41.25	Pass	9701
1000	3000	1	RMS	2959	-43.98	-13	30.98	Pass	2001
3000	3690	1	RMS	3418	-39.12	-13	26.12	Pass	691
3690	3990	1	RMS	3946.5	1.35	60	58.65	Pass	401
3990	7000	1	RMS	3991	-42.01	-13	29.01	Pass	3011
7000	26500	1	RMS	24167	-41.97	-13	28.97	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-69.83	-13	56.83	Pass	401
0.15	30	0.01	RMS	17.53	-63.66	-13	50.66	Pass	2986
30	1000	0.1	RMS	721.4	-54.39	-13	41.39	Pass	9701
1000	3000	1	RMS	2957	-43.3	-13	30.3	Pass	2001
3000	3690	1	RMS	3412	-39.25	-13	26.25	Pass	691
3690	3990	1	RMS	3921	17.85	60	42.15	Pass	401
3990	7000	1	RMS	4228	-54.67	-13	41.67	Pass	3011
7000	26500	1	RMS	25664	-41.77	-13	28.77	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.26	-13	56.26	Pass	401
0.15	30	0.01	RMS	9.24	-64.37	-13	51.37	Pass	2986
30	1000	0.1	RMS	942.662	-54.23	-13	41.23	Pass	9701
1000	3000	1	RMS	2967	-43.82	-13	30.82	Pass	2001
3000	3690	1	RMS	3399	-39.24	-13	26.24	Pass	691
3690	3990	1	RMS	3978.75	17.14	60	42.86	Pass	401
3990	7000	1	RMS	3990	-50.66	-13	37.66	Pass	3011
7000	26500	1	RMS	24113	-40.95	-13	27.95	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.23	-13	57.23	Pass	401
0.15	30	0.01	RMS	27.16	-63.94	-13	50.94	Pass	2986
30	1000	0.1	RMS	933.156	-53.92	-13	40.92	Pass	9701
1000	3000	1	RMS	2984	-43.67	-13	30.67	Pass	2001
3000	3690	1	RMS	3407	-39.35	-13	26.35	Pass	691
3690	3990	1	RMS	3771	-1.05	60	61.05	Pass	401
3990	7000	1	RMS	6990	-55.59	-13	42.59	Pass	3011
7000	26500	1	RMS	25814	-41.27	-13	28.27	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.69	-13	55.69	Pass	401
0.15	30	0.01	RMS	4.11	-63.31	-13	50.31	Pass	2986
30	1000	0.1	RMS	958.973	-54.55	-13	41.55	Pass	9701
1000	3000	1	RMS	2947	-43.82	-13	30.82	Pass	2001
3000	3690	1	RMS	3417	-39.48	-13	26.48	Pass	691
3690	3990	1	RMS	3701.25	17.03	60	42.97	Pass	401
3990	7000	1	RMS	4008	-55.31	-13	42.31	Pass	3011
7000	26500	1	RMS	25948	-41.58	-13	28.58	Pass	19503




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.094	-68.74	-13	55.74	Pass	401
0.15	30	0.01	RMS	8.47	-64.34	-13	51.34	Pass	2986
30	1000	0.1	RMS	913.943	-54.3	-13	41.3	Pass	9701
1000	3000	1	RMS	2839	-44.06	-13	31.06	Pass	2001
3000	3690	1	RMS	3434	-39.34	-13	26.34	Pass	691
3690	3990	1	RMS	3798.75	17.18	60	42.82	Pass	401
3990	7000	1	RMS	4106	-49.99	-13	36.99	Pass	3011
7000	26500	1	RMS	24401	-41.72	-13	28.72	Pass	19503




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.85	-13	55.85	Pass	401
0.15	30	0.01	RMS	16.79	-63.62	-13	50.62	Pass	2986
30	1000	0.1	RMS	514.5	-54.27	-13	41.27	Pass	9701
1000	3000	1	RMS	2885	-44.05	-13	31.05	Pass	2001
3000	3690	1	RMS	3423	-39.28	-13	26.28	Pass	691
3690	3990	1	RMS	3821.25	-0.59	60	60.59	Pass	401
3990	7000	1	RMS	3993	-52.83	-13	39.83	Pass	3011
7000	26500	1	RMS	24374	-41.37	-13	28.37	Pass	19503




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-69.59	-13	56.59	Pass	401
0.15	30	0.01	RMS	25.49	-64.37	-13	51.37	Pass	2986
30	1000	0.1	RMS	836.8	-53.94	-13	40.94	Pass	9701
1000	3000	1	RMS	2752	-43.6	-13	30.6	Pass	2001
3000	3690	1	RMS	3386	-39.36	-13	26.36	Pass	691
3690	3990	1	RMS	3791.25	17.39	60	42.61	Pass	401
3990	7000	1	RMS	6985	-55.62	-13	42.62	Pass	3011
7000	26500	1	RMS	24744	-41.83	-13	28.83	Pass	19503




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-70.29	-13	57.29	Pass	401
0.15	30	0.01	RMS	24.63	-64.5	-13	51.5	Pass	2986
30	1000	0.1	RMS	677	-54.2	-13	41.2	Pass	9701
1000	3000	1	RMS	2986	-43.87	-13	30.87	Pass	2001
3000	3690	1	RMS	3428	-39.46	-13	26.46	Pass	691
3690	3990	1	RMS	3888.75	17.97	60	42.03	Pass	401
3990	7000	1	RMS	6983	-55.49	-13	42.49	Pass	3011
7000	26500	1	RMS	24366	-41.77	-13	28.77	Pass	19503




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.85	-13	55.85	Pass	401
0.15	30	0.01	RMS	2	-64.46	-13	51.46	Pass	2986
30	1000	0.1	RMS	826.9	-53.78	-13	40.78	Pass	9701
1000	3000	1	RMS	2969	-43.83	-13	30.83	Pass	2001
3000	3690	1	RMS	3402	-39.33	-13	26.33	Pass	691
3690	3990	1	RMS	3947.25	-0.76	60	60.76	Pass	401
3990	7000	1	RMS	3996	-43.92	-13	30.92	Pass	3011
7000	26500	1	RMS	24183	-41.36	-13	28.36	Pass	19503




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.31	-13	55.31	Pass	401
0.15	30	0.01	RMS	22.44	-63.09	-13	50.09	Pass	2986
30	1000	0.1	RMS	919.146	-54.19	-13	41.19	Pass	9701
1000	3000	1	RMS	2981	-43.87	-13	30.87	Pass	2001
3000	3690	1	RMS	3400	-39.47	-13	26.47	Pass	691
3690	3990	1	RMS	3881.25	17.15	60	42.85	Pass	401
3990	7000	1	RMS	6980	-55.5	-13	42.5	Pass	3011
7000	26500	1	RMS	26124	-41.78	-13	28.78	Pass	19503



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	17.52	-64.09	-13	51.09	Pass	2986
30	1000	0.1	RMS	929.453	-53.39	-13	40.39	Pass	9701
1000	3000	1	RMS	2975	-43.77	-13	30.77	Pass	2001
3000	3690	1	RMS	3412	-39.17	-13	26.17	Pass	691
3690	3990	1	RMS	3978.75	17.34	60	42.66	Pass	401
3990	7000	1	RMS	4028	-51.18	-13	38.18	Pass	3011
7000	26500	1	RMS	25107	-41.36	-13	28.36	Pass	19503



2. n77(3450-3550)


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-68.95	-13	55.95	Pass	401
0.15	30	0.01	RMS	28.03	-64.23	-13	51.23	Pass	2986
30	1000	0.1	RMS	903.736	-53.9	-13	40.9	Pass	9701
1000	3000	1	RMS	2789	-43.63	-13	30.63	Pass	2001
3000	3440	1	RMS	3440	-37.21	-13	24.21	Pass	441
3440	3560	1	RMS	3454.7	7.94	60	52.06	Pass	401
3560	7000	1	RMS	6994	-55.24	-13	42.24	Pass	3441
7000	26500	1	RMS	24140	-41.22	-13	28.22	Pass	19503




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.95	-13	54.95	Pass	401
0.15	30	0.01	RMS	18.36	-63.65	-13	50.65	Pass	2986
30	1000	0.1	RMS	631.6	-53.72	-13	40.72	Pass	9701
1000	3000	1	RMS	2741	-43.88	-13	30.88	Pass	2001
3000	3440	1	RMS	3433	-39.7	-13	26.7	Pass	441
3440	3560	1	RMS	3451.1	19.75	60	40.25	Pass	401
3560	7000	1	RMS	6934	-55.88	-13	42.88	Pass	3441
7000	26500	1	RMS	25009	-41.49	-13	28.49	Pass	19503




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.16	-13	56.16	Pass	401
0.15	30	0.01	RMS	10.05	-63.22	-13	50.22	Pass	2986
30	1000	0.1	RMS	736.9	-54.03	-13	41.03	Pass	9701
1000	3000	1	RMS	2744	-43.79	-13	30.79	Pass	2001
3000	3440	1	RMS	3387	-39.66	-13	26.66	Pass	441
3440	3560	1	RMS	3469.1	19.52	60	40.48	Pass	401
3560	7000	1	RMS	3776	-53.47	-13	40.47	Pass	3441
7000	26500	1	RMS	25170	-41.52	-13	28.52	Pass	19503




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.42	-13	55.42	Pass	401
0.15	30	0.01	RMS	2.9	-64.67	-13	51.67	Pass	2986
30	1000	0.1	RMS	774.4	-53.77	-13	40.77	Pass	9701
1000	3000	1	RMS	2947	-43.92	-13	30.92	Pass	2001
3000	3440	1	RMS	3429	-39.44	-13	26.44	Pass	441
3440	3560	1	RMS	3494.6	7.24	60	52.76	Pass	401
3560	7000	1	RMS	6974	-55.51	-13	42.51	Pass	3441
7000	26500	1	RMS	24351	-41.98	-13	28.98	Pass	19503




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.67	-13	56.67	Pass	401
0.15	30	0.01	RMS	26.25	-62.76	-13	49.76	Pass	2986
30	1000	0.1	RMS	883.723	-53.85	-13	40.85	Pass	9701
1000	3000	1	RMS	2843	-43.9	-13	30.9	Pass	2001
3000	3440	1	RMS	3406	-39.37	-13	26.37	Pass	441
3440	3560	1	RMS	3491	19.47	60	40.53	Pass	401
3560	7000	1	RMS	3798	-50.25	-13	37.25	Pass	3441
7000	26500	1	RMS	26085	-41.78	-13	28.78	Pass	19503




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.79	-13	55.79	Pass	401
0.15	30	0.01	RMS	1.92	-64.69	-13	51.69	Pass	2986
30	1000	0.1	RMS	874.617	-52.88	-13	39.88	Pass	9701
1000	3000	1	RMS	2917	-43.84	-13	30.84	Pass	2001
3000	3440	1	RMS	3433	-39.65	-13	26.65	Pass	441
3440	3560	1	RMS	3509	19.21	60	40.79	Pass	401
3560	7000	1	RMS	3816	-52.72	-13	39.72	Pass	3441
7000	26500	1	RMS	24097	-41.43	-13	28.43	Pass	19503




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.24	-13	54.24	Pass	401
0.15	30	0.01	RMS	25.75	-64.07	-13	51.07	Pass	2986
30	1000	0.1	RMS	831.5	-54.11	-13	41.11	Pass	9701
1000	3000	1	RMS	2977	-43.4	-13	30.4	Pass	2001
3000	3440	1	RMS	3410	-39.7	-13	26.7	Pass	441
3440	3560	1	RMS	3534.8	7.04	60	52.96	Pass	401
3560	7000	1	RMS	3560	-38.21	-13	25.21	Pass	3441
7000	26500	1	RMS	25114	-41.67	-13	28.67	Pass	19503




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	1.87	-63.4	-13	50.4	Pass	2986
30	1000	0.1	RMS	842.4	-54.2	-13	41.2	Pass	9701
1000	3000	1	RMS	2928	-43.72	-13	30.72	Pass	2001
3000	3440	1	RMS	3419	-39.6	-13	26.6	Pass	441
3440	3560	1	RMS	3530.9	18.96	60	41.04	Pass	401
3560	7000	1	RMS	3838	-49.77	-13	36.77	Pass	3441
7000	26500	1	RMS	25099	-41.32	-13	28.32	Pass	19503




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-69.56	-13	56.56	Pass	401
0.15	30	0.01	RMS	13.51	-64.31	-13	51.31	Pass	2986
30	1000	0.1	RMS	495.5	-52.53	-13	39.53	Pass	9701
1000	3000	1	RMS	2968	-43.2	-13	30.2	Pass	2001
3000	3440	1	RMS	3404	-39.58	-13	26.58	Pass	441
3440	3560	1	RMS	3548.9	18.99	60	41.01	Pass	401
3560	7000	1	RMS	3856	-52.38	-13	39.38	Pass	3441
7000	26500	1	RMS	24101	-41.24	-13	28.24	Pass	19503




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.75	-13	54.75	Pass	401
0.15	30	0.01	RMS	0.79	-64.46	-13	51.46	Pass	2986
30	1000	0.1	RMS	389.2	-52.8	-13	39.8	Pass	9701
1000	3000	1	RMS	2973	-43.54	-13	30.54	Pass	2001
3000	3440	1	RMS	3437	-36.37	-13	23.37	Pass	441
3440	3560	1	RMS	3456.5	2.91	60	57.09	Pass	401
3560	7000	1	RMS	3560	-47.95	-13	34.95	Pass	3441
7000	26500	1	RMS	25457	-41.22	-13	28.22	Pass	19503




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-70.2	-13	57.2	Pass	401
0.15	30	0.01	RMS	15.14	-63.76	-13	50.76	Pass	2986
30	1000	0.1	RMS	875.017	-54	-13	41	Pass	9701
1000	3000	1	RMS	2971	-43.88	-13	30.88	Pass	2001
3000	3440	1	RMS	3420	-39.36	-13	26.36	Pass	441
3440	3560	1	RMS	3451.1	19.84	60	40.16	Pass	401
3560	7000	1	RMS	3758	-52.63	-13	39.63	Pass	3441
7000	26500	1	RMS	24101	-40.49	-13	27.49	Pass	19503




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-69.56	-13	56.56	Pass	401
0.15	30	0.01	RMS	14.67	-65.02	-13	52.02	Pass	2986
30	1000	0.1	RMS	654.7	-54.16	-13	41.16	Pass	9701
1000	3000	1	RMS	2959	-43.88	-13	30.88	Pass	2001
3000	3440	1	RMS	3396	-39.46	-13	26.46	Pass	441
3440	3560	1	RMS	3509	19.24	60	40.76	Pass	401
3560	7000	1	RMS	3816	-50.83	-13	37.83	Pass	3441
7000	26500	1	RMS	25449	-41.69	-13	28.69	Pass	19503




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.23	-13	55.23	Pass	401
0.15	30	0.01	RMS	23.17	-63.79	-13	50.79	Pass	2986
30	1000	0.1	RMS	631.4	-53.65	-13	40.65	Pass	9701
1000	3000	1	RMS	2893	-43.95	-13	30.95	Pass	2001
3000	3440	1	RMS	3440	-38.81	-13	25.81	Pass	441
3440	3560	1	RMS	3478.4	2.6	60	57.4	Pass	401
3560	7000	1	RMS	3560	-43.83	-13	30.83	Pass	3441
7000	26500	1	RMS	25266	-41.56	-13	28.56	Pass	19503




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.32	-13	56.32	Pass	401
0.15	30	0.01	RMS	3.03	-64.4	-13	51.4	Pass	2986
30	1000	0.1	RMS	498.6	-53.41	-13	40.41	Pass	9701
1000	3000	1	RMS	2592	-43.88	-13	30.88	Pass	2001
3000	3440	1	RMS	3410	-39.38	-13	26.38	Pass	441
3440	3560	1	RMS	3470.9	19.7	60	40.3	Pass	401
3560	7000	1	RMS	3778	-51.33	-13	38.33	Pass	3441
7000	26500	1	RMS	25940	-41.86	-13	28.86	Pass	19503




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-69.59	-13	56.59	Pass	401
0.15	30	0.01	RMS	1.57	-64.64	-13	51.64	Pass	2986
30	1000	0.1	RMS	992.695	-54.1	-13	41.1	Pass	9701
1000	3000	1	RMS	2756	-44.07	-13	31.07	Pass	2001
3000	3440	1	RMS	3425	-39.46	-13	26.46	Pass	441
3440	3560	1	RMS	3529.1	18.72	60	41.28	Pass	401
3560	7000	1	RMS	3836	-51.17	-13	38.17	Pass	3441
7000	26500	1	RMS	24218	-41.35	-13	28.35	Pass	19503




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	27.04	-65.25	-13	52.25	Pass	2986
30	1000	0.1	RMS	723.2	-54.23	-13	41.23	Pass	9701
1000	3000	1	RMS	2749	-44.21	-13	31.21	Pass	2001
3000	3440	1	RMS	3411	-39.28	-13	26.28	Pass	441
3440	3560	1	RMS	3492.8	2.19	60	57.81	Pass	401
3560	7000	1	RMS	3560	-41.16	-13	28.16	Pass	3441
7000	26500	1	RMS	24148	-41.76	-13	28.76	Pass	19503




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-69.59	-13	56.59	Pass	401
0.15	30	0.01	RMS	24.79	-63.26	-13	50.26	Pass	2986
30	1000	0.1	RMS	890.327	-54.17	-13	41.17	Pass	9701
1000	3000	1	RMS	2747	-43.85	-13	30.85	Pass	2001
3000	3440	1	RMS	3418	-39.62	-13	26.62	Pass	441
3440	3560	1	RMS	3491	19.52	60	40.48	Pass	401
3560	7000	1	RMS	3798	-51.64	-13	38.64	Pass	3441
7000	26500	1	RMS	26213	-41.85	-13	28.85	Pass	19503




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.058	-69.2	-13	56.2	Pass	401
0.15	30	0.01	RMS	14.3	-63.14	-13	50.14	Pass	2986
30	1000	0.1	RMS	487	-54.36	-13	41.36	Pass	9701
1000	3000	1	RMS	2974	-43.41	-13	30.41	Pass	2001
3000	3440	1	RMS	3410	-39.62	-13	26.62	Pass	441
3440	3560	1	RMS	3548.9	19.01	60	40.99	Pass	401
3560	7000	1	RMS	3856	-51.49	-13	38.49	Pass	3441
7000	26500	1	RMS	25473	-41.89	-13	28.89	Pass	19503




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-69.34	-13	56.34	Pass	401
0.15	30	0.01	RMS	29.4	-63.37	-13	50.37	Pass	2986
30	1000	0.1	RMS	774	-54.11	-13	41.11	Pass	9701
1000	3000	1	RMS	2827	-44.16	-13	31.16	Pass	2001
3000	3440	1	RMS	3440	-37.32	-13	24.32	Pass	441
3440	3560	1	RMS	3456.2	0.66	60	59.34	Pass	401
3560	7000	1	RMS	3561	-42.31	-13	29.31	Pass	3441
7000	26500	1	RMS	25773	-41.61	-13	28.61	Pass	19503




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.2	-13	56.2	Pass	401
0.15	30	0.01	RMS	7.56	-64.22	-13	51.22	Pass	2986
30	1000	0.1	RMS	656.1	-54.78	-13	41.78	Pass	9701
1000	3000	1	RMS	2982	-43.79	-13	30.79	Pass	2001
3000	3440	1	RMS	3402	-39.35	-13	26.35	Pass	441
3440	3560	1	RMS	3451.1	19.99	60	40.01	Pass	401
3560	7000	1	RMS	3758	-50.89	-13	37.89	Pass	3441
7000	26500	1	RMS	24066	-41.04	-13	28.04	Pass	19503



2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-68.7	-13	55.7	Pass	401
0.15	30	0.01	RMS	18.49	-63.54	-13	50.54	Pass	2986
30	1000	0.1	RMS	931.054	-53.99	-13	40.99	Pass	9701
1000	3000	1	RMS	2921	-44.02	-13	31.02	Pass	2001
3000	3440	1	RMS	3425	-39.41	-13	26.41	Pass	441
3440	3560	1	RMS	3548.9	19.32	60	40.68	Pass	401
3560	7000	1	RMS	3598	-47.94	-13	34.94	Pass	3441
7000	26500	1	RMS	25397	-41.5	-13	28.5	Pass	19503



1. n25


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.18	-13	57.18	Pass	401
0.15	30	0.01	RMS	9.03	-67.5	-13	54.5	Pass	2986
30	1000	0.1	RMS	897.532	-58.92	-13	45.92	Pass	9701
1000	1840	1	RMS	1799	-47.62	-13	34.62	Pass	841
1840	1925	1	RMS	1853.388	13.67	60	46.33	Pass	401
1925	3000	1	RMS	2958	-45.2	-13	32.2	Pass	1076
3000	7000	1	RMS	6982	-57.04	-13	44.04	Pass	4001
7000	20000	1	RMS	17499	-45.09	-13	32.09	Pass	13002




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-70.53	-13	57.53	Pass	401
0.15	30	0.01	RMS	0.51	-67.98	-13	54.98	Pass	2986
30	1000	0.1	RMS	980.687	-58.81	-13	45.81	Pass	9701
1000	1840	1	RMS	1794	-47.91	-13	34.91	Pass	841
1840	1925	1	RMS	1850.2	19.75	60	40.25	Pass	401
1925	3000	1	RMS	2972	-45.01	-13	32.01	Pass	1076
3000	7000	1	RMS	6981	-57.47	-13	44.47	Pass	4001
7000	20000	1	RMS	17496	-45.16	-13	32.16	Pass	13002




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.08	-70.36	-13	57.36	Pass	401
0.15	30	0.01	RMS	0.59	-68.01	-13	55.01	Pass	2986
30	1000	0.1	RMS	877.919	-58.08	-13	45.08	Pass	9701
1000	1840	1	RMS	1806	-47.51	-13	34.51	Pass	841
1840	1925	1	RMS	1854.45	19.62	60	40.38	Pass	401
1925	3000	1	RMS	2969	-45.15	-13	32.15	Pass	1076
3000	7000	1	RMS	6983	-57.06	-13	44.06	Pass	4001
7000	20000	1	RMS	17497	-45.08	-13	32.08	Pass	13002




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.18	-13	57.18	Pass	401
0.15	30	0.01	RMS	28.82	-68	-13	55	Pass	2986
30	1000	0.1	RMS	486.3	-58.8	-13	45.8	Pass	9701
1000	1840	1	RMS	1808	-47.7	-13	34.7	Pass	841
1840	1925	1	RMS	1883.35	13.61	60	46.39	Pass	401
1925	3000	1	RMS	2971	-45.02	-13	32.02	Pass	1076
3000	7000	1	RMS	6979	-57.11	-13	44.11	Pass	4001
7000	20000	1	RMS	17498	-45.23	-13	32.23	Pass	13002




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-70.39	-13	57.39	Pass	401
0.15	30	0.01	RMS	20.31	-68.08	-13	55.08	Pass	2986
30	1000	0.1	RMS	911.742	-58.71	-13	45.71	Pass	9701
1000	1840	1	RMS	1780	-47.91	-13	34.91	Pass	841
1840	1925	1	RMS	1880.163	19.68	60	40.32	Pass	401
1925	3000	1	RMS	2965	-45.17	-13	32.17	Pass	1076
3000	7000	1	RMS	6979	-57.48	-13	44.48	Pass	4001
7000	20000	1	RMS	17500	-44.98	-13	31.98	Pass	13002




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.02	-13	57.02	Pass	401
0.15	30	0.01	RMS	0.32	-67.59	-13	54.59	Pass	2986
30	1000	0.1	RMS	927.452	-58.84	-13	45.84	Pass	9701
1000	1840	1	RMS	1779	-47.77	-13	34.77	Pass	841
1840	1925	1	RMS	1884.625	19.45	60	40.55	Pass	401
1925	3000	1	RMS	2970	-45.03	-13	32.03	Pass	1076
3000	7000	1	RMS	6975	-57.21	-13	44.21	Pass	4001
7000	20000	1	RMS	17494	-45.21	-13	32.21	Pass	13002




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.64	-13	56.64	Pass	401
0.15	30	0.01	RMS	24.99	-68.42	-13	55.42	Pass	2986
30	1000	0.1	RMS	499.2	-58.88	-13	45.88	Pass	9701
1000	1840	1	RMS	1796	-47.89	-13	34.89	Pass	841
1840	1925	1	RMS	1911.188	13.7	60	46.3	Pass	401
1925	3000	1	RMS	2969	-44.76	-13	31.76	Pass	1076
3000	7000	1	RMS	6979	-57.46	-13	44.46	Pass	4001
7000	20000	1	RMS	17493	-45.16	-13	32.16	Pass	13002




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-71.29	-13	58.29	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-13	54.86	Pass	2986
30	1000	0.1	RMS	910.541	-58.82	-13	45.82	Pass	9701
1000	1840	1	RMS	1806	-47.61	-13	34.61	Pass	841
1840	1925	1	RMS	1910.125	19.58	60	40.42	Pass	401
1925	3000	1	RMS	2987	-44.99	-13	31.99	Pass	1076
3000	7000	1	RMS	6977	-57	-13	44	Pass	4001
7000	20000	1	RMS	17500	-45.27	-13	32.27	Pass	13002




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.7	-13	57.7	Pass	401
0.15	30	0.01	RMS	13.27	-68.06	-13	55.06	Pass	2986
30	1000	0.1	RMS	905.437	-58.57	-13	45.57	Pass	9701
1000	1840	1	RMS	1804	-47.53	-13	34.53	Pass	841
1840	1925	1	RMS	1914.588	19.75	60	40.25	Pass	401
1925	3000	1	RMS	2972	-44.87	-13	31.87	Pass	1076
3000	7000	1	RMS	6973	-57.17	-13	44.17	Pass	4001
7000	20000	1	RMS	17501	-45.18	-13	32.18	Pass	13002




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-70.69	-13	57.69	Pass	401
0.15	30	0.01	RMS	0.67	-67.49	-13	54.49	Pass	2986
30	1000	0.1	RMS	972.382	-58.75	-13	45.75	Pass	9701
1000	1840	1	RMS	1840	-43.61	-13	30.61	Pass	841
1840	1925	1	RMS	1861.675	7.41	60	52.59	Pass	401
1925	3000	1	RMS	2986	-45	-13	32	Pass	1076
3000	7000	1	RMS	6976	-56.95	-13	43.95	Pass	4001
7000	20000	1	RMS	17496	-45.45	-13	32.45	Pass	13002




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.7	-13	56.7	Pass	401
0.15	30	0.01	RMS	0.21	-68.06	-13	55.06	Pass	2986
30	1000	0.1	RMS	480.7	-58.71	-13	45.71	Pass	9701
1000	1840	1	RMS	1838	-47.86	-13	34.86	Pass	841
1840	1925	1	RMS	1850.413	19.64	60	40.36	Pass	401
1925	3000	1	RMS	2976	-44.97	-13	31.97	Pass	1076
3000	7000	1	RMS	7000	-57.39	-13	44.39	Pass	4001
7000	20000	1	RMS	17499	-44.87	-13	31.87	Pass	13002




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.79	-13	56.79	Pass	401
0.15	30	0.01	RMS	10.26	-68.18	-13	55.18	Pass	2986
30	1000	0.1	RMS	898.032	-58.58	-13	45.58	Pass	9701
1000	1840	1	RMS	1801	-47.64	-13	34.64	Pass	841
1840	1925	1	RMS	1869.325	19.76	60	40.24	Pass	401
1925	3000	1	RMS	2973	-44.97	-13	31.97	Pass	1076
3000	7000	1	RMS	6977	-57.38	-13	44.38	Pass	4001
7000	20000	1	RMS	17503	-45.12	-13	32.12	Pass	13002




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.18	-13	56.18	Pass	401
0.15	30	0.01	RMS	14.86	-67.86	-13	54.86	Pass	2986
30	1000	0.1	RMS	928.453	-58.6	-13	45.6	Pass	9701
1000	1840	1	RMS	1840	-47.7	-13	34.7	Pass	841
1840	1925	1	RMS	1888.875	7.5	60	52.5	Pass	401
1925	3000	1	RMS	2946	-45.11	-13	32.11	Pass	1076
3000	7000	1	RMS	6987	-57.14	-13	44.14	Pass	4001
7000	20000	1	RMS	17502	-44.88	-13	31.88	Pass	13002




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-70.12	-13	57.12	Pass	401
0.15	30	0.01	RMS	24.45	-67.39	-13	54.39	Pass	2986
30	1000	0.1	RMS	902.035	-58.51	-13	45.51	Pass	9701
1000	1840	1	RMS	1801	-47.79	-13	34.79	Pass	841
1840	1925	1	RMS	1872.938	19.68	60	40.32	Pass	401
1925	3000	1	RMS	2973	-45.04	-13	32.04	Pass	1076
3000	7000	1	RMS	6948	-57.5	-13	44.5	Pass	4001
7000	20000	1	RMS	17501	-45.09	-13	32.09	Pass	13002




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.94	-13	56.94	Pass	401
0.15	30	0.01	RMS	20.06	-68.42	-13	55.42	Pass	2986
30	1000	0.1	RMS	871.715	-58.75	-13	45.75	Pass	9701
1000	1840	1	RMS	1798	-47.75	-13	34.75	Pass	841
1840	1925	1	RMS	1891.85	19.47	60	40.53	Pass	401
1925	3000	1	RMS	2978	-44.98	-13	31.98	Pass	1076
3000	7000	1	RMS	6973	-57.15	-13	44.15	Pass	4001
7000	20000	1	RMS	17500	-44.93	-13	31.93	Pass	13002




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-70.51	-13	57.51	Pass	401
0.15	30	0.01	RMS	4.92	-68.44	-13	55.44	Pass	2986
30	1000	0.1	RMS	470.6	-58.76	-13	45.76	Pass	9701
1000	1840	1	RMS	1804	-47.59	-13	34.59	Pass	841
1840	1925	1	RMS	1896.313	7.59	60	52.41	Pass	401
1925	3000	1	RMS	2970	-45.17	-13	32.17	Pass	1076
3000	7000	1	RMS	6980	-56.92	-13	43.92	Pass	4001
7000	20000	1	RMS	17498	-45.49	-13	32.49	Pass	13002




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.083	-71.14	-13	58.14	Pass	401
0.15	30	0.01	RMS	0.76	-68.26	-13	55.26	Pass	2986
30	1000	0.1	RMS	492.5	-58.64	-13	45.64	Pass	9701
1000	1840	1	RMS	1797	-47.8	-13	34.8	Pass	841
1840	1925	1	RMS	1895.463	19.36	60	40.64	Pass	401
1925	3000	1	RMS	2968	-44.86	-13	31.86	Pass	1076
3000	7000	1	RMS	6977	-57.38	-13	44.38	Pass	4001
7000	20000	1	RMS	17500	-45	-13	32	Pass	13002




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.74	-13	56.74	Pass	401
0.15	30	0.01	RMS	25.45	-68.37	-13	55.37	Pass	2986
30	1000	0.1	RMS	905.838	-58.83	-13	45.83	Pass	9701
1000	1840	1	RMS	1811	-47.71	-13	34.71	Pass	841
1840	1925	1	RMS	1914.375	19.77	60	40.23	Pass	401
1925	3000	1	RMS	2981	-44.89	-13	31.89	Pass	1076
3000	7000	1	RMS	6971	-57.37	-13	44.37	Pass	4001
7000	20000	1	RMS	17498	-45.03	-13	32.03	Pass	13002




1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-70.42	-13	57.42	Pass	401
0.15	30	0.01	RMS	22.24	-68.03	-13	55.03	Pass	2986
30	1000	0.1	RMS	985.791	-58.7	-13	45.7	Pass	9701
1000	1840	1	RMS	1840	-42.6	-13	29.6	Pass	841
1840	1925	1	RMS	1888.025	4.55	60	55.45	Pass	401
1925	3000	1	RMS	2974	-44.88	-13	31.88	Pass	1076
3000	7000	1	RMS	6982	-57.15	-13	44.15	Pass	4001
7000	20000	1	RMS	17499	-45.22	-13	32.22	Pass	13002




1.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-70.18	-13	57.18	Pass	401
0.15	30	0.01	RMS	27.6	-67.93	-13	54.93	Pass	2986
30	1000	0.1	RMS	905.938	-58.56	-13	45.56	Pass	9701
1000	1840	1	RMS	1840	-47.66	-13	34.66	Pass	841
1840	1925	1	RMS	1850.625	19.63	60	40.37	Pass	401
1925	3000	1	RMS	2972	-45.15	-13	32.15	Pass	1076
3000	7000	1	RMS	6987	-57.11	-13	44.11	Pass	4001
7000	20000	1	RMS	17500	-44.94	-13	31.94	Pass	13002




1.29. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.78	-13	56.78	Pass	401
0.15	30	0.01	RMS	16.77	-68.35	-13	55.35	Pass	2986
30	1000	0.1	RMS	902.936	-58.56	-13	45.56	Pass	9701
1000	1840	1	RMS	1809	-47.62	-13	34.62	Pass	841
1840	1925	1	RMS	1889.3	19.49	60	40.51	Pass	401
1925	3000	1	RMS	2977	-44.9	-13	31.9	Pass	1076
3000	7000	1	RMS	6967	-57.21	-13	44.21	Pass	4001
7000	20000	1	RMS	17500	-44.94	-13	31.94	Pass	13002




1.30. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	25.57	-68.5	-13	55.5	Pass	2986
30	1000	0.1	RMS	997.398	-58.37	-13	45.37	Pass	9701
1000	1840	1	RMS	1840	-44.93	-13	31.93	Pass	841
1840	1925	1	RMS	1889.088	4.42	60	55.58	Pass	401
1925	3000	1	RMS	2971	-44.81	-13	31.81	Pass	1076
3000	7000	1	RMS	6981	-57.36	-13	44.36	Pass	4001
7000	20000	1	RMS	17502	-45.14	-13	32.14	Pass	13002




1.31. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-70.34	-13	57.34	Pass	401
0.15	30	0.01	RMS	6.29	-67.85	-13	54.85	Pass	2986
30	1000	0.1	RMS	997.598	-58.57	-13	45.57	Pass	9701
1000	1840	1	RMS	1815	-47.65	-13	34.65	Pass	841
1840	1925	1	RMS	1862.95	19.73	60	40.27	Pass	401
1925	3000	1	RMS	2969	-44.65	-13	31.65	Pass	1076
3000	7000	1	RMS	6980	-57.21	-13	44.21	Pass	4001
7000	20000	1	RMS	19775	-45.31	-13	32.31	Pass	13002




1.32. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-70.48	-13	57.48	Pass	401
0.15	30	0.01	RMS	19.3	-68	-13	55	Pass	2986
30	1000	0.1	RMS	905.637	-58.6	-13	45.6	Pass	9701
1000	1840	1	RMS	1799	-47.84	-13	34.84	Pass	841
1840	1925	1	RMS	1901.838	19.47	60	40.53	Pass	401
1925	3000	1	RMS	2980	-45.16	-13	32.16	Pass	1076
3000	7000	1	RMS	6980	-56.96	-13	43.96	Pass	4001
7000	20000	1	RMS	17499	-45.4	-13	32.4	Pass	13002




1.33. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.18	-13	57.18	Pass	401
0.15	30	0.01	RMS	25.49	-68.18	-13	55.18	Pass	2986
30	1000	0.1	RMS	998.099	-58.68	-13	45.68	Pass	9701
1000	1840	1	RMS	1840	-46.74	-13	33.74	Pass	841
1840	1925	1	RMS	1887.175	4.72	60	55.28	Pass	401
1925	3000	1	RMS	2970	-44.8	-13	31.8	Pass	1076
3000	7000	1	RMS	6973	-57.08	-13	44.08	Pass	4001
7000	20000	1	RMS	17504	-45.2	-13	32.2	Pass	13002




1.34. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	23.99	-68.37	-13	55.37	Pass	2986
30	1000	0.1	RMS	936.358	-58.47	-13	45.47	Pass	9701
1000	1840	1	RMS	1800	-47.65	-13	34.65	Pass	841
1840	1925	1	RMS	1875.488	19.74	60	40.26	Pass	401
1925	3000	1	RMS	2968	-44.98	-13	31.98	Pass	1076
3000	7000	1	RMS	6974	-57.23	-13	44.23	Pass	4001
7000	20000	1	RMS	17502	-45.04	-13	32.04	Pass	13002



1.35. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.077	-70.46	-13	57.46	Pass	401
0.15	30	0.01	RMS	0.16	-67.62	-13	54.62	Pass	2986
30	1000	0.1	RMS	969.38	-58.58	-13	45.58	Pass	9701
1000	1840	1	RMS	1785	-47.71	-13	34.71	Pass	841
1840	1925	1	RMS	1914.163	19.81	60	40.19	Pass	401
1925	3000	1	RMS	2967	-44.8	-13	31.8	Pass	1076
3000	7000	1	RMS	6970	-57.3	-13	44.3	Pass	4001
7000	20000	1	RMS	17500	-45.11	-13	32.11	Pass	13002



--BLANK BELOW--