



2.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.188	12.96	30	17.04	Pass	401
824	824.0375	0.02	RMS	824.002	-24.96	-20	4.96	Pass	401
824.0375	829	0.1	RMS	824.038	-20.29	-13	7.29	Pass	401




2.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.41	30	9.59	Pass	401
824	824.0375	0.002	RMS	824.009	-28.61	-20	8.61	Pass	401
824.0375	829	0.1	RMS	824.038	-17.86	-13	4.86	Pass	51




2.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.963	11.97	30	18.03	Pass	401
824	824.0375	0.02	RMS	824.003	-25.9	-20	5.9	Pass	401
824.0375	829	0.1	RMS	824.038	-21.62	-13	8.62	Pass	401




2.9. LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.43	-13	7.43	Pass	51
813.9625	814	0.002	RMS	813.998	-32.85	-20	12.85	Pass	20
814	819	0.1	RMS	814.225	21.31	30	8.69	Pass	401




2.10. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.66	-13	7.66	Pass	401
813.9625	814	0.03	RMS	813.999	-24.04	-20	4.04	Pass	401
814	819	0.1	RMS	816.35	9.13	30	20.87	Pass	401




2.11. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.38	-13	7.38	Pass	51
813.9625	814	0.002	RMS	814	-33.15	-20	13.15	Pass	20
814	819	0.1	RMS	814.238	20.6	30	9.4	Pass	401




2.12. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.63	-13	8.63	Pass	401
813.9625	814	0.03	RMS	813.999	-25.07	-20	5.07	Pass	401
814	819	0.1	RMS	816.225	8.23	30	21.77	Pass	401




2.13. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	21.29	30	8.71	Pass	401
824	824.0375	0.002	RMS	824.004	-33.31	-20	13.31	Pass	20
824.0375	829	0.1	RMS	824.038	-21.2	-13	8.2	Pass	51




2.14. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.588	9.23	30	20.77	Pass	401
824	824.0375	0.03	RMS	824	-25.09	-20	5.09	Pass	401
824.0375	829	0.1	RMS	824.038	-22.48	-13	9.48	Pass	401




2.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.738	20.47	30	9.53	Pass	401
824	824.0375	0.002	RMS	824.002	-32.12	-20	12.12	Pass	401
824.0375	829	0.1	RMS	824.038	-20.77	-13	7.77	Pass	51




2.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.713	8.27	30	21.73	Pass	401
824	824.0375	0.03	RMS	824.001	-26.18	-20	6.18	Pass	401
824.0375	829	0.1	RMS	824.038	-23.21	-13	10.21	Pass	401




2.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.07	-13	8.07	Pass	401
813.9625	814	0.002	RMS	813.999	-33.66	-20	13.66	Pass	401
814	819	0.1	RMS	814.35	21.27	30	8.73	Pass	401




2.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.06	-13	11.06	Pass	401
813.9625	814	0.051	RMS	813.993	-25.77	-20	5.77	Pass	401
814	819	0.1	RMS	817.338	7.04	30	22.96	Pass	401




2.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.32	-13	9.32	Pass	401
813.9625	814	0.002	RMS	813.999	-34.54	-20	14.54	Pass	401
814	819	0.1	RMS	814.338	20.51	30	9.49	Pass	401




2.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.21	-13	12.21	Pass	401
813.9625	814	0.051	RMS	813.997	-26.53	-20	6.53	Pass	401
814	819	0.1	RMS	817.163	6.04	30	23.96	Pass	401




2.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.675	21.21	30	8.79	Pass	401
824	824.0375	0.002	RMS	824.002	-33.94	-20	13.94	Pass	401
824.0375	829	0.1	RMS	824.038	-22.13	-13	9.13	Pass	401




2.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.138	7.08	30	22.92	Pass	401
824	824.0375	0.051	RMS	824.004	-26.34	-20	6.34	Pass	401
824.0375	829	0.1	RMS	824.038	-25.13	-13	12.13	Pass	401




2.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.675	20.36	30	9.64	Pass	401
824	824.0375	0.002	RMS	824.001	-34.97	-20	14.97	Pass	401
824.0375	829	0.1	RMS	824.038	-23.39	-13	10.39	Pass	401




2.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.475	6.08	30	23.92	Pass	401
824	824.0375	0.051	RMS	824	-27.09	-20	7.09	Pass	401
824.0375	829	0.1	RMS	824.038	-26.16	-13	13.16	Pass	401




2.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.35	-13	20.35	Pass	401
813.9625	814	0.02	RMS	813.999	-38.31	-20	18.31	Pass	401
814	819	0.1	RMS	814.588	21.25	30	8.75	Pass	401




2.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.33	-13	17.33	Pass	401
813.9625	814	0.1	RMS	813.999	-29.57	-20	9.57	Pass	401
814	819	0.1	RMS	818.038	4.2	30	25.8	Pass	401




2.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-34.33	-13	21.33	Pass	401
813.9625	814	0.02	RMS	813.999	-38.58	-20	18.58	Pass	401
814	819	0.1	RMS	814.575	20.37	30	9.63	Pass	401




2.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.85	-13	18.85	Pass	401
813.9625	814	0.1	RMS	814	-30.94	-20	10.94	Pass	401
814	819	0.1	RMS	817.838	3.19	30	26.81	Pass	401




2.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	21.2	30	8.8	Pass	401
824	824.0375	0.02	RMS	824.001	-39.05	-20	19.05	Pass	401
824.0375	829	0.1	RMS	824.038	-34.62	-13	21.62	Pass	401




2.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.3	4.09	30	25.91	Pass	401
824	824.0375	0.1	RMS	824	-29.95	-20	9.95	Pass	401
824.0375	829	0.1	RMS	824.038	-30.82	-13	17.82	Pass	401




2.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	20.37	30	9.63	Pass	401
824	824.0375	0.02	RMS	824	-39.14	-20	19.14	Pass	401
824.0375	829	0.1	RMS	824.038	-34.72	-13	21.72	Pass	401



2.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.138	3.13	30	26.87	Pass	401
824	824.0375	0.1	RMS	824.003	-31.08	-20	11.08	Pass	401
824.0375	829	0.1	RMS	824.05	-32.32	-13	19.32	Pass	401



1. CA_7C


1.1. LTE-A Band Edge_Part22-24-27(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2482.163	-34.24	-25	9.24	Pass	401
2490	2496	1	RMS	2495.865	-47.7	-13	34.7	Pass	401
2496	2499	1	RMS	2499	-41.97	-10	31.97	Pass	401
2499	2500	1	RMS	2500	-26.11	-10	16.11	Pass	2
2500	2530	0.1	RMS	2501.125	9.23	30	20.77	Pass	401




1.2. LTE-A Band Edge_Part22-24-27(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.225	-47.9	-25	22.9	Pass	401
2490	2496	1	RMS	2495.985	-47.8	-13	34.8	Pass	401
2496	2499	1	RMS	2499	-41.91	-10	31.91	Pass	401
2499	2500	1	RMS	2500	-26.09	-10	16.09	Pass	2
2500	2530	0.1	RMS	2528.8	9.48	30	20.52	Pass	401




1.3. LTE-A Band Edge_Part22-24-27(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.88	-25	9.88	Pass	401
2490	2496	1	RMS	2495.985	-31.42	-13	18.42	Pass	401
2496	2499	1	RMS	2499	-29.41	-10	19.41	Pass	401
2499	2500	1	RMS	2500	-27.62	-10	17.62	Pass	2
2500	2530	0.1	RMS	2528.5	-0.35	30	30.35	Pass	401




1.4. LTE-A Band Edge_Part22-24-27(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2482.2	-33.64	-25	8.64	Pass	401
2490	2496	1	RMS	2496	-47.59	-13	34.59	Pass	401
2496	2499	1	RMS	2499	-41.87	-10	31.87	Pass	401
2499	2500	1	RMS	2500	-25.89	-10	15.89	Pass	2
2500	2530	0.1	RMS	2520.025	9.35	30	20.65	Pass	401




1.5. LTE-A Band Edge_Part22-24-27(Subtest:5, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.225	-47.9	-25	22.9	Pass	401
2490	2496	1	RMS	2495.835	-47.77	-13	34.77	Pass	401
2496	2499	1	RMS	2499	-41.91	-10	31.91	Pass	401
2499	2500	1	RMS	2500	-25.97	-10	15.97	Pass	2
2500	2530	0.1	RMS	2528.8	9.71	30	20.29	Pass	401




1.6. LTE-A Band Edge_Part22-24-27(Subtest:6, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.93	-25	10.93	Pass	401
2490	2496	1	RMS	2496	-33.37	-13	20.37	Pass	401
2496	2499	1	RMS	2499	-32.04	-10	22.04	Pass	401
2499	2500	1	RMS	2500	-29.83	-10	19.83	Pass	2
2500	2530	0.1	RMS	2528.35	-1.31	30	31.31	Pass	401




1.7. LTE-A Band Edge_Part22-24-27(Subtest:7, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	9.64	30	20.36	Pass	401
2570	2571	1	RMS	2570	-41.51	-10	31.51	Pass	2
2571	2575	1	RMS	2571	-43.64	-10	33.64	Pass	401
2575	2600	1	RMS	2596.625	-30.73	-13	17.73	Pass	401
2600	2615	1	RMS	2614.7	-47.08	-25	22.08	Pass	401




1.8. LTE-A Band Edge_Part22-24-27(Subtest:8, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.875	13.45	30	16.55	Pass	401
2570	2571	1	RMS	2570	-37.87	-10	27.87	Pass	2
2571	2575	1	RMS	2571	-40.77	-10	30.77	Pass	401
2575	2600	1	RMS	2578.75	-22.67	-13	9.67	Pass	401
2600	2615	1	RMS	2614.138	-47.09	-25	22.09	Pass	401




1.9. LTE-A Band Edge_Part22-24-27(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.2	-0.22	30	30.22	Pass	401
2570	2571	1	RMS	2570	-25.9	-10	15.9	Pass	2
2571	2575	1	RMS	2571	-26.59	-10	16.59	Pass	401
2575	2600	1	RMS	2575	-27.96	-13	14.96	Pass	401
2600	2615	1	RMS	2600	-45.04	-25	20.04	Pass	401




1.10. LTE-A Band Edge_Part22-24-27(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	9.73	30	20.27	Pass	401
2570	2571	1	RMS	2570	-41.46	-10	31.46	Pass	2
2571	2575	1	RMS	2571.01	-43.48	-10	33.48	Pass	401
2575	2600	1	RMS	2596.688	-30.65	-13	17.65	Pass	401
2600	2615	1	RMS	2614.25	-47.09	-25	22.09	Pass	401




1.11. LTE-A Band Edge_Part22-24-27(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2540	2570	0.1	RMS	2558.975	13.51	30	16.49	Pass	401
2570	2571	1	RMS	2570	-38.01	-10	28.01	Pass	2
2571	2575	1	RMS	2571.01	-40.52	-10	30.52	Pass	401
2575	2600	1	RMS	2578.875	-22.11	-13	9.11	Pass	401
2600	2615	1	RMS	2613.275	-47.07	-25	22.07	Pass	401




1.12. LTE-A Band Edge_Part22-24-27(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2540	2570	0.1	RMS	2568.5	-1.24	30	31.24	Pass	401
2570	2571	1	RMS	2570	-28.9	-10	18.9	Pass	2
2571	2575	1	RMS	2571.01	-29.78	-10	19.78	Pass	401
2575	2600	1	RMS	2575.063	-30.57	-13	17.57	Pass	401
2600	2615	1	RMS	2600	-45.18	-25	20.18	Pass	401




1.13. LTE-A Band Edge_Part22-24-27(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2481.263	-29.09	-25	4.09	Pass	401
2490	2496	1	RMS	2495.805	-47.49	-13	34.49	Pass	401
2496	2499	1	RMS	2498.993	-38.22	-10	28.22	Pass	401
2499	2500	1	RMS	2500	-22.06	-10	12.06	Pass	2
2500	2540	0.1	RMS	2501.1	13.57	30	16.43	Pass	401




1.14. LTE-A Band Edge_Part22-24-27(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-48.08	-25	23.08	Pass	401
2490	2496	1	RMS	2495.655	-47.83	-13	34.83	Pass	401
2496	2499	1	RMS	2499	-41.76	-10	31.76	Pass	401
2499	2500	1	RMS	2500	-26.01	-10	16.01	Pass	2
2500	2540	0.1	RMS	2501.1	9.5	30	20.5	Pass	401




1.15. LTE-A Band Edge_Part22-24-27(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.17	-25	11.17	Pass	16
2490	2496	1	RMS	2495.895	-33.53	-13	20.53	Pass	401
2496	2499	1	RMS	2498.993	-32.55	-10	22.55	Pass	401
2499	2500	1	RMS	2500	-30.72	-10	20.72	Pass	2
2500	2540	0.1	RMS	2538.1	-5.71	30	35.71	Pass	401




1.16. LTE-A Band Edge_Part22-24-27(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2481.263	-29.13	-25	4.13	Pass	401
2490	2496	1	RMS	2495.91	-47.44	-13	34.44	Pass	401
2496	2499	1	RMS	2498.985	-38.3	-10	28.3	Pass	401
2499	2500	1	RMS	2500	-21.89	-10	11.89	Pass	2
2500	2540	0.1	RMS	2501.1	13.48	30	16.52	Pass	401




1.17. LTE-A Band Edge_Part22-24-27(Subtest:17, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.588	-48.08	-25	23.08	Pass	401
2490	2496	1	RMS	2495.955	-47.73	-13	34.73	Pass	401
2496	2499	1	RMS	2498.993	-41.82	-10	31.82	Pass	401
2499	2500	1	RMS	2500	-26.02	-10	16.02	Pass	2
2500	2540	0.1	RMS	2501.1	9.63	30	20.37	Pass	401




1.18. LTE-A Band Edge_Part22-24-27(Subtest:18, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.02	-25	10.02	Pass	401
2490	2496	1	RMS	2495.94	-32.46	-13	19.46	Pass	401
2496	2499	1	RMS	2498.925	-31.56	-10	21.56	Pass	401
2499	2500	1	RMS	2500	-29.56	-10	19.56	Pass	2
2500	2540	0.1	RMS	2533.7	-4.21	30	34.21	Pass	401




1.19. LTE-A Band Edge_Part22-24-27(Subtest:19, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	9.64	30	20.36	Pass	401
2570	2571	1	RMS	2570	-26.01	-10	16.01	Pass	2
2571	2575	1	RMS	2571	-41.63	-10	31.63	Pass	401
2575	2610	1	RMS	2606.588	-45.88	-13	32.88	Pass	401
2610	2735	1	RMS	2652.813	-46.69	-25	21.69	Pass	401




1.20. LTE-A Band Edge_Part22-24-27(Subtest:20, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	13.73	30	16.27	Pass	401
2570	2571	1	RMS	2570	-21.97	-10	11.97	Pass	2
2571	2575	1	RMS	2571	-38.1	-10	28.1	Pass	401
2575	2610	1	RMS	2588.65	-24.59	-13	11.59	Pass	401
2610	2735	1	RMS	2651.563	-46.67	-25	21.67	Pass	401




1.21. LTE-A Band Edge_Part22-24-27(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	0.1	RMS	2542.9	-5.7	30	35.7	Pass	401
2570	2571	1	RMS	2570	-30.79	-10	20.79	Pass	2
2571	2575	1	RMS	2571.14	-32.83	-10	22.83	Pass	401
2575	2610	1	RMS	2575	-34.08	-13	21.08	Pass	401
2610	2735	1	RMS	2641.563	-46.66	-25	21.66	Pass	401




1.22. LTE-A Band Edge_Part22-24-27(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	0.1	RMS	2568.9	9.59	30	20.41	Pass	401
2570	2571	1	RMS	2570	-25.83	-10	15.83	Pass	2
2571	2575	1	RMS	2571	-41.67	-10	31.67	Pass	401
2575	2610	1	RMS	2606.5	-45.85	-13	32.85	Pass	401
2610	2735	1	RMS	2657.5	-46.66	-25	21.66	Pass	401




1.23. LTE-A Band Edge_Part22-24-27(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	13.67	30	16.33	Pass	401
2570	2571	1	RMS	2570	-21.71	-10	11.71	Pass	2
2571	2575	1	RMS	2571	-37.92	-10	27.92	Pass	401
2575	2610	1	RMS	2588.65	-24.13	-13	11.13	Pass	401
2610	2735	1	RMS	2651.875	-46.68	-25	21.68	Pass	401



1.24. LTE-A Band Edge_Part22-24-27(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	0.1	RMS	2553.5	-4.18	30	34.18	Pass	401
2570	2571	1	RMS	2570	-29.33	-10	19.33	Pass	2
2571	2575	1	RMS	2571.03	-31.28	-10	21.28	Pass	401
2575	2610	1	RMS	2575	-32	-13	19	Pass	401
2610	2735	1	RMS	2652.188	-46.66	-25	21.66	Pass	401



2. CA_38C


2.1. LTE-A Band Edge_Part22-24-27(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2540	1	RMS	2539.963	-41.32	-25	16.32	Pass	401
2540	2565	1	RMS	2555.875	-31.02	-13	18.02	Pass	401
2565	2569	1	RMS	2569	-36.98	-10	26.98	Pass	401
2569	2570	1	RMS	2570	-24.03	-10	14.03	Pass	2
2570	2600	0.1	RMS	2570.825	6.58	30	23.42	Pass	401




2.2. LTE-A Band Edge_Part22-24-27(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2540	1	RMS	2526.5	-43.72	-25	18.72	Pass	401
2540	2565	1	RMS	2542.563	-28.73	-13	15.73	Pass	401
2565	2569	1	RMS	2569	-36.86	-10	26.86	Pass	401
2569	2570	1	RMS	2570	-23.88	-10	13.88	Pass	2
2570	2600	0.1	RMS	2570.825	5.41	30	24.59	Pass	401




2.3. LTE-A Band Edge_Part22-24-27(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2540	1	RMS	2539.888	-40.76	-25	15.76	Pass	401
2540	2565	1	RMS	2564.125	-33.35	-13	20.35	Pass	401
2565	2569	1	RMS	2568.97	-31.41	-10	21.41	Pass	401
2569	2570	1	RMS	2570	-28.19	-10	18.19	Pass	2
2570	2600	0.1	RMS	2580.875	-4.3	30	34.3	Pass	401




2.4. LTE-A Band Edge_Part22-24-27(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2540	1	RMS	2525.863	-34.26	-25	9.26	Pass	401
2540	2565	1	RMS	2555.688	-22.24	-13	9.24	Pass	401
2565	2569	1	RMS	2569	-29.41	-10	19.41	Pass	401
2569	2570	1	RMS	2570	-16.27	-10	6.27	Pass	2
2570	2600	0.1	RMS	2570.9	13.17	30	16.83	Pass	401




2.5. LTE-A Band Edge_Part22-24-27(Subtest:5, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2540	1	RMS	2525.413	-43.71	-25	18.71	Pass	401
2540	2565	1	RMS	2542.438	-26.71	-13	13.71	Pass	401
2565	2569	1	RMS	2569	-32.93	-10	22.93	Pass	401
2569	2570	1	RMS	2570	-20.35	-10	10.35	Pass	2
2570	2600	0.1	RMS	2570.825	9.91	30	20.09	Pass	401




2.6. LTE-A Band Edge_Part22-24-27(Subtest:6, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2540	1	RMS	2539.888	-40.24	-25	15.24	Pass	401
2540	2565	1	RMS	2564.813	-30.37	-13	17.37	Pass	401
2565	2569	1	RMS	2568.99	-29.52	-10	19.52	Pass	401
2569	2570	1	RMS	2570	-26.51	-10	16.51	Pass	2
2570	2600	0.1	RMS	2581.85	-2.78	30	32.78	Pass	401




2.7. LTE-A Band Edge_Part22-24-27(Subtest:7, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.9	5.7	30	24.3	Pass	401
2620	2621	1	RMS	2620	-24.42	-10	14.42	Pass	2
2621	2625	1	RMS	2621	-36.43	-10	26.43	Pass	401
2625	2650	1	RMS	2647.438	-30.41	-13	17.41	Pass	401
2650	2665	1	RMS	2653.713	-42.68	-25	17.68	Pass	401



2.8. LTE-A Band Edge_Part22-24-27(Subtest:8, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.175	5.58	30	24.42	Pass	401
2620	2621	1	RMS	2620	-24.27	-10	14.27	Pass	2
2621	2625	1	RMS	2621.01	-37.02	-10	27.02	Pass	401
2625	2650	1	RMS	2634.125	-32.25	-13	19.25	Pass	401
2650	2665	1	RMS	2650.038	-41.39	-25	16.39	Pass	401




2.9. LTE-A Band Edge_Part22-24-27(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2594.5	-4.41	30	34.41	Pass	401
2620	2621	1	RMS	2620	-28.09	-10	18.09	Pass	2
2621	2625	1	RMS	2621	-31.3	-10	21.3	Pass	401
2625	2650	1	RMS	2625.125	-31.86	-13	18.86	Pass	401
2650	2665	1	RMS	2650.038	-38.38	-25	13.38	Pass	401




2.10. LTE-A Band Edge_Part22-24-27(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.9	9.11	30	20.89	Pass	401
2620	2621	1	RMS	2620	-20.91	-10	10.91	Pass	2
2621	2625	1	RMS	2621.01	-34.45	-10	24.45	Pass	401
2625	2650	1	RMS	2647.438	-24.63	-13	11.63	Pass	401
2650	2665	1	RMS	2650	-42.67	-25	17.67	Pass	401




2.11. LTE-A Band Edge_Part22-24-27(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.1	12.67	30	17.33	Pass	401
2620	2621	1	RMS	2620	-17.11	-10	7.11	Pass	2
2621	2625	1	RMS	2621	-30.48	-10	20.48	Pass	401
2625	2650	1	RMS	2634.063	-22.18	-13	9.18	Pass	401
2650	2665	1	RMS	2650	-34.75	-25	9.75	Pass	401




2.12. LTE-A Band Edge_Part22-24-27(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	0.1	RMS	2594.575	-2.45	30	32.45	Pass	401
2620	2621	1	RMS	2620	-27.06	-10	17.06	Pass	2
2621	2625	1	RMS	2621	-30.56	-10	20.56	Pass	401
2625	2650	1	RMS	2625	-31.37	-13	18.37	Pass	401
2650	2665	1	RMS	2650	-36.62	-25	11.62	Pass	401




2.13. LTE-A Band Edge_Part22-24-27(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.975	-43.68	-25	18.68	Pass	401
2530	2565	1	RMS	2551.263	-30.22	-13	17.22	Pass	401
2565	2569	1	RMS	2568.97	-40.35	-10	30.35	Pass	401
2569	2570	1	RMS	2570	-29.08	-10	19.08	Pass	2
2570	2610	0.1	RMS	2571.1	5.78	30	24.22	Pass	401




2.14. LTE-A Band Edge_Part22-24-27(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2527.975	-43.72	-25	18.72	Pass	401
2530	2565	1	RMS	2533.5	-27.24	-13	14.24	Pass	401
2565	2569	1	RMS	2568.99	-40.21	-10	30.21	Pass	401
2569	2570	1	RMS	2570	-29.13	-10	19.13	Pass	2
2570	2610	0.1	RMS	2571.1	5.58	30	24.42	Pass	401




2.15. LTE-A Band Edge_Part22-24-27(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.675	-40.41	-25	15.41	Pass	401
2530	2565	1	RMS	2565	-33.86	-13	20.86	Pass	401
2565	2569	1	RMS	2568.96	-32.29	-10	22.29	Pass	401
2569	2570	1	RMS	2570	-31.15	-10	21.15	Pass	2
2570	2610	0.1	RMS	2585.8	-5.1	30	35.1	Pass	401




2.16. LTE-A Band Edge_Part22-24-27(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.988	-43.39	-25	18.39	Pass	401
2530	2565	1	RMS	2551.35	-22.31	-13	9.31	Pass	401
2565	2569	1	RMS	2568.99	-34.78	-10	24.78	Pass	401
2569	2570	1	RMS	2570	-21.52	-10	11.52	Pass	2
2570	2610	0.1	RMS	2571.1	13.89	30	16.11	Pass	401




2.17. LTE-A Band Edge_Part22-24-27(Subtest:17, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2526.538	-43.71	-25	18.71	Pass	401
2530	2565	1	RMS	2533.5	-24.56	-13	11.56	Pass	401
2565	2569	1	RMS	2568.96	-37.46	-10	27.46	Pass	401
2569	2570	1	RMS	2570	-25.47	-10	15.47	Pass	2
2570	2610	0.1	RMS	2571.1	9.73	30	20.27	Pass	401




2.18. LTE-A Band Edge_Part22-24-27(Subtest:18, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.863	-39.6	-25	14.6	Pass	401
2530	2565	1	RMS	2564.913	-30.56	-13	17.56	Pass	401
2565	2569	1	RMS	2568.78	-30.1	-10	20.1	Pass	401
2569	2570	1	RMS	2570	-29.12	-10	19.12	Pass	2
2570	2610	0.1	RMS	2588.3	-3.69	30	33.69	Pass	401




2.19. LTE-A Band Edge_Part22-24-27(Subtest:19, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	6.69	30	23.31	Pass	401
2620	2621	1	RMS	2620	-29.53	-10	19.53	Pass	2
2621	2625	1	RMS	2621	-40.05	-10	30.05	Pass	401
2625	2660	1	RMS	2656.5	-29.08	-13	16.08	Pass	401
2660	2665	1	RMS	2664.1	-42.7	-25	17.7	Pass	401




2.20. LTE-A Band Edge_Part22-24-27(Subtest:20, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	5.46	30	24.54	Pass	401
2620	2621	1	RMS	2620	-29.48	-10	19.48	Pass	2
2621	2625	1	RMS	2621.01	-40.06	-10	30.06	Pass	401
2625	2660	1	RMS	2638.738	-32.38	-13	19.38	Pass	401
2660	2665	1	RMS	2660.638	-42.7	-25	17.7	Pass	401




2.21. LTE-A Band Edge_Part22-24-27(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2589.9	-5.46	30	35.46	Pass	401
2620	2621	1	RMS	2620	-30.6	-10	20.6	Pass	2
2621	2625	1	RMS	2621.12	-32.12	-10	22.12	Pass	401
2625	2660	1	RMS	2625.7	-32.32	-13	19.32	Pass	401
2660	2665	1	RMS	2660.075	-38.53	-25	13.53	Pass	401




2.22. LTE-A Band Edge_Part22-24-27(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	8.67	30	21.33	Pass	401
2620	2621	1	RMS	2620	-25.97	-10	15.97	Pass	2
2621	2625	1	RMS	2621.01	-37.79	-10	27.79	Pass	401
2625	2660	1	RMS	2656.5	-22.86	-13	9.86	Pass	401
2660	2665	1	RMS	2661.275	-42.67	-25	17.67	Pass	401




2.23. LTE-A Band Edge_Part22-24-27(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	12.15	30	17.85	Pass	401
2620	2621	1	RMS	2620	-22.03	-10	12.03	Pass	2
2621	2625	1	RMS	2621.05	-34.79	-10	24.79	Pass	401
2625	2660	1	RMS	2638.738	-21.56	-13	8.56	Pass	401
2660	2665	1	RMS	2660.013	-42.21	-25	17.21	Pass	401



2.24. LTE-A Band Edge_Part22-24-27(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	0.1	RMS	2585.5	-3.71	30	33.71	Pass	401
2620	2621	1	RMS	2620	-29.48	-10	19.48	Pass	2
2621	2625	1	RMS	2621.14	-31.13	-10	21.13	Pass	401
2625	2660	1	RMS	2625	-31.22	-13	18.22	Pass	401
2660	2665	1	RMS	2660.05	-36.39	-25	11.39	Pass	401



3. CA_41C_full


3.1. LTE-A Band Edge_Part22-24-27(Subtest:1, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2478.638	-34.3	-25	9.3	Pass	401
2490	2495	1	RMS	2495	-41.91	-13	28.91	Pass	6
2495	2496	0.3	RMS	2496	-37.88	-13	24.88	Pass	401
2496	2521	0.1	RMS	2515.563	6.3	30	23.7	Pass	401




3.2. LTE-A Band Edge_Part22-24-27(Subtest:2, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2475.038	-39.49	-25	14.49	Pass	401
2490	2495	1	RMS	2495	-41.95	-13	28.95	Pass	6
2495	2496	0.3	RMS	2495.998	-37.43	-13	24.43	Pass	401
2496	2521	0.1	RMS	2519.875	5.74	30	24.26	Pass	401




3.3. LTE-A Band Edge_Part22-24-27(Subtest:3, Channel:39750|39867, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-33.54	-25	8.54	Pass	401
2490	2495	1	RMS	2495	-31.36	-13	18.36	Pass	6
2495	2496	0.3	RMS	2495.993	-34.19	-13	21.19	Pass	401
2496	2521	0.1	RMS	2516.125	1.22	30	28.78	Pass	401




3.4. LTE-A Band Edge_Part22-24-27(Subtest:4, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2478.563	-34.24	-25	9.24	Pass	401
2490	2495	1	RMS	2495	-41.89	-13	28.89	Pass	6
2495	2496	0.3	RMS	2496	-37.49	-13	24.49	Pass	401
2496	2521	0.1	RMS	2497.125	6.28	30	23.72	Pass	401




3.5. LTE-A Band Edge_Part22-24-27(Subtest:5, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2475.038	-39.71	-25	14.71	Pass	401
2490	2495	1	RMS	2495	-42	-13	29	Pass	6
2495	2496	0.3	RMS	2496	-37.64	-13	24.64	Pass	401
2496	2521	0.1	RMS	2519.875	6.11	30	23.89	Pass	401




3.6. LTE-A Band Edge_Part22-24-27(Subtest:6, Channel:39750|39867, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-33.76	-25	8.76	Pass	401
2490	2495	1	RMS	2495	-31.96	-13	18.96	Pass	6
2495	2496	0.3	RMS	2495.993	-34.67	-13	21.67	Pass	401
2496	2521	0.1	RMS	2516.5	1.11	30	28.89	Pass	401




3.7. LTE-A Band Edge_Part22-24-27(Subtest:7, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	5.98	30	24.02	Pass	401
2690	2691	0.51	RMS	2690.03	-42.36	-10	32.36	Pass	401
2691	2695	1	RMS	2691	-42.02	-10	32.02	Pass	5
2695	2715	1	RMS	2711.65	-30.9	-13	17.9	Pass	401
2715	2735	1	RMS	2734.45	-37.38	-25	12.38	Pass	401




3.8. LTE-A Band Edge_Part22-24-27(Subtest:8, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	6.17	30	23.83	Pass	401
2690	2691	0.51	RMS	2690.018	-41.73	-10	31.73	Pass	401
2691	2695	1	RMS	2694	-35.78	-10	25.78	Pass	5
2695	2715	1	RMS	2698.7	-37.08	-13	24.08	Pass	401
2715	2735	1	RMS	2734.4	-43.3	-25	18.3	Pass	401




3.9. LTE-A Band Edge_Part22-24-27(Subtest:9, Channel:41440|41557, Bandwidth:20|5, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2687	1.73	30	28.27	Pass	401
2690	2691	0.51	RMS	2690.015	-31.7	-10	21.7	Pass	401
2691	2695	1	RMS	2691	-30.89	-10	20.89	Pass	5
2695	2715	1	RMS	2695	-31.4	-13	18.4	Pass	401
2715	2735	1	RMS	2715.3	-36.58	-25	11.58	Pass	401




3.10. LTE-A Band Edge_Part22-24-27(Subtest:10, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	6.24	30	23.76	Pass	401
2690	2691	0.51	RMS	2690.025	-42.12	-10	32.12	Pass	401
2691	2695	1	RMS	2691	-43.54	-10	33.54	Pass	5
2695	2715	1	RMS	2711.6	-31.42	-13	18.42	Pass	401
2715	2735	1	RMS	2734.4	-38.63	-25	13.63	Pass	401



3.11. LTE-A Band Edge_Part22-24-27(Subtest:11, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.938	5.8	30	24.2	Pass	401
2690	2691	0.51	RMS	2690.035	-42.58	-10	32.58	Pass	401
2691	2695	1	RMS	2694	-35.2	-10	25.2	Pass	5
2695	2715	1	RMS	2698.85	-38.29	-13	25.29	Pass	401
2715	2735	1	RMS	2733.25	-45.73	-25	20.73	Pass	401




3.12. LTE-A Band Edge_Part22-24-27(Subtest:12, Channel:41440|41557, Bandwidth:20|5, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2665	2690	0.1	RMS	2686.125	1.59	30	28.41	Pass	401
2690	2691	0.51	RMS	2690.01	-31.76	-10	21.76	Pass	401
2691	2695	1	RMS	2691	-30.33	-10	20.33	Pass	5
2695	2715	1	RMS	2695.3	-30.99	-13	17.99	Pass	401
2715	2735	1	RMS	2715	-36.56	-25	11.56	Pass	401




3.13. LTE-A Band Edge_Part22-24-27(Subtest:13, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2477.288	-34.15	-25	9.15	Pass	401
2490	2495	1	RMS	2495	-42.34	-13	29.34	Pass	6
2495	2496	0.51	RMS	2496	-34.29	-13	21.29	Pass	401
2496	2536	0.1	RMS	2516.9	5.14	30	24.86	Pass	401




3.14. LTE-A Band Edge_Part22-24-27(Subtest:14, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43.97	-25	18.97	Pass	401
2490	2495	1	RMS	2495	-42.34	-13	29.34	Pass	6
2495	2496	0.51	RMS	2495.998	-34.38	-13	21.38	Pass	401
2496	2536	0.1	RMS	2497.1	5.33	30	24.67	Pass	401




3.15. LTE-A Band Edge_Part22-24-27(Subtest:15, Channel:39750|39948, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.51	-25	8.51	Pass	401
2490	2495	1	RMS	2495	-32.64	-13	19.64	Pass	6
2495	2496	0.51	RMS	2495.96	-32.75	-13	19.75	Pass	401
2496	2536	0.1	RMS	2507.5	-4.65	30	34.65	Pass	401




3.16. LTE-A Band Edge_Part22-24-27(Subtest:16, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2477.25	-34.5	-25	9.5	Pass	401
2490	2495	1	RMS	2495	-42.28	-13	29.28	Pass	6
2495	2496	0.51	RMS	2496	-33.66	-13	20.66	Pass	401
2496	2536	0.1	RMS	2497.1	4.09	30	25.91	Pass	401




3.17. LTE-A Band Edge_Part22-24-27(Subtest:17, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.7	-43.89	-25	18.89	Pass	401
2490	2495	1	RMS	2495	-42.33	-13	29.33	Pass	6
2495	2496	0.51	RMS	2495.995	-34.4	-13	21.4	Pass	401
2496	2536	0.1	RMS	2534.7	3.88	30	26.12	Pass	401




3.18. LTE-A Band Edge_Part22-24-27(Subtest:18, Channel:39750|39948, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-32.14	-25	7.14	Pass	401
2490	2495	1	RMS	2495	-31.52	-13	18.52	Pass	6
2495	2496	0.51	RMS	2495.985	-31.6	-13	18.6	Pass	401
2496	2536	0.1	RMS	2504.5	-3.62	30	33.62	Pass	401




3.19. LTE-A Band Edge_Part22-24-27(Subtest:19, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	4.95	30	25.05	Pass	401
2690	2691	1	RMS	2690	-30.35	-10	20.35	Pass	2
2691	2695	1	RMS	2691	-41.68	-10	31.68	Pass	5
2695	2730	1	RMS	2726.675	-30.94	-13	17.94	Pass	401
2730	2735	1	RMS	2734.15	-43.28	-25	18.28	Pass	401




3.20. LTE-A Band Edge_Part22-24-27(Subtest:20, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	4.27	30	25.73	Pass	401
2690	2691	1	RMS	2690	-30.38	-10	20.38	Pass	2
2691	2695	1	RMS	2691	-41.57	-10	31.57	Pass	5
2695	2730	1	RMS	2708.65	-35.39	-13	22.39	Pass	401
2730	2735	1	RMS	2734.35	-43.3	-25	18.3	Pass	401




3.21. LTE-A Band Edge_Part22-24-27(Subtest:21, Channel:41292|41490, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2677.6	-5.1	30	35.1	Pass	401
2690	2691	1	RMS	2690	-17.23	-10	7.23	Pass	401
2691	2695	1	RMS	2691	-32.61	-10	22.61	Pass	5
2695	2730	1	RMS	2695.088	-32.36	-13	19.36	Pass	401
2730	2735	1	RMS	2730.025	-37.67	-25	12.67	Pass	401




3.22. LTE-A Band Edge_Part22-24-27(Subtest:22, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	4.28	30	25.72	Pass	401
2690	2691	1	RMS	2690	-30.09	-10	20.09	Pass	2
2691	2695	1	RMS	2691	-41.63	-10	31.63	Pass	5
2695	2730	1	RMS	2726.588	-30.57	-13	17.57	Pass	401
2730	2735	1	RMS	2733.35	-43.29	-25	18.29	Pass	401




3.23. LTE-A Band Edge_Part22-24-27(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.9	5.17	30	24.83	Pass	401
2690	2691	1	RMS	2690	-30.26	-10	20.26	Pass	2
2691	2695	1	RMS	2691	-41.53	-10	31.53	Pass	5
2695	2730	1	RMS	2708.65	-35.58	-13	22.58	Pass	401
2730	2735	1	RMS	2734.75	-43.3	-25	18.3	Pass	401



3.24. LTE-A Band Edge_Part22-24-27(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:High|High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2690	0.1	RMS	2680.1	-3.58	30	33.58	Pass	401
2690	2691	1	RMS	2690	-15.92	-10	5.92	Pass	401
2691	2695	1	RMS	2691	-32.27	-10	22.27	Pass	5
2695	2730	1	RMS	2695	-32.23	-13	19.23	Pass	401
2730	2735	1	RMS	2730	-36.43	-25	11.43	Pass	401



1. n5


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.168	-49.02	-13	36.02	Pass	401
823	824	0.02	RMS	824	-21.3	-13	8.3	Pass	401
824	829	0.1	RMS	824.338	17.9	30	12.1	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.933	-36.46	-13	23.46	Pass	401
823	824	0.051	RMS	824	-26.98	-13	13.98	Pass	401
824	829	0.1	RMS	826.263	4.53	30	25.47	Pass	401



1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	17.79	30	12.21	Pass	401
849	850	0.02	RMS	849	-22.19	-13	9.19	Pass	401
850	859	0.1	RMS	850.81	-45.57	-13	32.57	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.738	4.65	30	25.35	Pass	401
849	850	0.051	RMS	849	-29.63	-13	16.63	Pass	401
850	859	0.1	RMS	850	-38.79	-13	25.79	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	823	-47.68	-13	34.68	Pass	401
823	824	0.02	RMS	824	-26.84	-13	13.84	Pass	401
824	839	0.1	RMS	824.488	17.99	30	12.01	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.953	-42.41	-13	29.41	Pass	401
823	824	0.15	RMS	824	-30.41	-13	17.41	Pass	401
824	839	0.1	RMS	838.138	-0.01	30	30.01	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	17.85	30	12.15	Pass	401
849	850	0.02	RMS	849	-27.35	-13	14.35	Pass	401
850	869	0.1	RMS	850.048	-47.13	-13	34.13	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.813	-0.29	30	30.29	Pass	401
849	850	0.15	RMS	849	-34.47	-13	21.47	Pass	401
850	869	0.1	RMS	850.143	-41.02	-13	28.02	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-47.81	-13	34.81	Pass	401
823	824	0.02	RMS	824	-30.63	-13	17.63	Pass	401
824	844	0.1	RMS	824.55	17.88	30	12.12	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-42.13	-13	29.13	Pass	401
823	824	0.2	RMS	824	-31.97	-13	18.97	Pass	401
824	844	0.1	RMS	841.25	-1.45	30	31.45	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	17.84	30	12.16	Pass	401
849	850	0.02	RMS	849	-31.2	-13	18.2	Pass	401
850	874	0.1	RMS	850	-48.68	-13	35.68	Pass	401



1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	840.45	-1.37	30	31.37	Pass	401
849	850	0.2	RMS	849.003	-33.18	-13	20.18	Pass	401
850	874	0.1	RMS	850	-39.95	-13	26.95	Pass	401



2. n12 15kHz


2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-20.67	-13	7.67	Pass	401
698.9	699	0.03	RMS	699	-19.93	-13	6.93	Pass	401
699	704	0.1	RMS	699.338	17.99	30	12.01	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-27.35	-13	14.35	Pass	401
698.9	699	0.03	RMS	698.997	-29.46	-13	16.46	Pass	401
699	704	0.1	RMS	702.875	4.39	30	25.61	Pass	401



2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	17.76	30	12.24	Pass	401
716	716.1	0.03	RMS	716	-21.44	-13	8.44	Pass	401
716.1	726	0.1	RMS	716.1	-22.37	-13	9.37	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.25	4.3	30	25.7	Pass	401
716	716.1	0.03	RMS	716.001	-31.07	-13	18.07	Pass	401
716.1	726	0.1	RMS	716.1	-28.61	-13	15.61	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-21.43	-13	8.43	Pass	401
698.9	699	0.03	RMS	699	-22.03	-13	9.03	Pass	401
699	709	0.1	RMS	699.4	17.97	30	12.03	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-31.54	-13	18.54	Pass	401
698.9	699	0.03	RMS	698.999	-34.19	-13	21.19	Pass	401
699	709	0.1	RMS	704.55	1.23	30	28.77	Pass	401




2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.575	17.77	30	12.23	Pass	401
716	716.1	0.03	RMS	716.001	-23.17	-13	10.17	Pass	401
716.1	731	0.1	RMS	716.1	-22.96	-13	9.96	Pass	401




2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	707.175	1.09	30	28.91	Pass	401
716	716.1	0.03	RMS	716.005	-34.07	-13	21.07	Pass	401
716.1	731	0.1	RMS	716.1	-31.73	-13	18.73	Pass	401




2.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-24.92	-13	11.92	Pass	401
698.9	699	0.03	RMS	698.999	-25.08	-13	12.08	Pass	401
699	714	0.1	RMS	699.488	17.9	30	12.1	Pass	401




2.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-36.9	-13	23.9	Pass	401
698.9	699	0.03	RMS	699	-39.64	-13	26.64	Pass	401
699	714	0.1	RMS	705.263	-0.8	30	30.8	Pass	401



2.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	17.83	30	12.17	Pass	401
716	716.1	0.03	RMS	716	-26.13	-13	13.13	Pass	401
716.1	736	0.1	RMS	716.1	-26	-13	13	Pass	401



2.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	703.888	-0.78	30	30.78	Pass	401
716	716.1	0.03	RMS	716	-41.57	-13	28.57	Pass	401
716.1	736	0.1	RMS	716.1	-38.83	-13	25.83	Pass	401



3. n71 15kHz


3.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-20.39	-13	7.39	Pass	401
662.9	663	0.03	RMS	662.999	-19.81	-13	6.81	Pass	401
663	668	0.1	RMS	663.338	18.1	30	11.9	Pass	401




3.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-27.22	-13	14.22	Pass	401
662.9	663	0.03	RMS	662.998	-29.83	-13	16.83	Pass	401
663	668	0.1	RMS	666.388	4.61	30	25.39	Pass	401



3.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.65	17.55	30	12.45	Pass	401
698	698.1	0.03	RMS	698.001	-20.81	-13	7.81	Pass	401
698.1	708	0.1	RMS	698.1	-21.77	-13	8.77	Pass	401




3.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	695.838	4.31	30	25.69	Pass	401
698	698.1	0.03	RMS	698.001	-29.53	-13	16.53	Pass	401
698.1	708	0.1	RMS	698.1	-27.25	-13	14.25	Pass	401




3.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-24.68	-13	11.68	Pass	401
662.9	663	0.03	RMS	663	-24.98	-13	11.98	Pass	401
663	678	0.1	RMS	663.488	18.07	30	11.93	Pass	401




3.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-36.22	-13	23.22	Pass	401
662.9	663	0.03	RMS	662.992	-38.44	-13	25.44	Pass	401
663	678	0.1	RMS	668.4	-0.49	30	30.49	Pass	401




3.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.513	17.56	30	12.44	Pass	401
698	698.1	0.03	RMS	698	-26.69	-13	13.69	Pass	401
698.1	718	0.1	RMS	698.1	-26.53	-13	13.53	Pass	401




3.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	684.838	-0.56	30	30.56	Pass	401
698	698.1	0.03	RMS	698	-40.3	-13	27.3	Pass	401
698.1	718	0.1	RMS	698.1	-37.78	-13	24.78	Pass	401




3.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-28.83	-13	15.83	Pass	401
662.9	663	0.03	RMS	663	-28.68	-13	15.68	Pass	401
663	683	0.1	RMS	663.55	17.95	30	12.05	Pass	401




3.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-38.17	-13	25.17	Pass	401
662.9	663	0.03	RMS	663	-41.73	-13	28.73	Pass	401
663	683	0.1	RMS	680.25	-1.71	30	31.71	Pass	401




3.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	17.48	30	12.52	Pass	401
698	698.1	0.03	RMS	698.001	-30.74	-13	17.74	Pass	401
698.1	723	0.1	RMS	698.1	-31.04	-13	18.04	Pass	401



3.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	689.5	-1.85	30	31.85	Pass	401
698	698.1	0.03	RMS	698.013	-41.32	-13	28.32	Pass	401
698.1	723	0.1	RMS	698.1	-37.76	-13	24.76	Pass	401



5. n2


5.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-29.1	-13	16.1	Pass	401
1849	1850	0.051	RMS	1850	-17.71	-13	4.71	Pass	401
1850	1855	1	RMS	1850.325	20.5	30	9.5	Pass	401




5.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-31.65	-13	18.65	Pass	401
1849	1850	0.051	RMS	1849.998	-26.46	-13	13.46	Pass	401
1850	1855	1	RMS	1853.563	14.49	30	15.51	Pass	401




5.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.663	20.24	30	9.76	Pass	401
1910	1911	0.02	RMS	1910	-22.15	-13	9.15	Pass	401
1911.5	1920	1	RMS	1911.5	-31.54	-13	18.54	Pass	401




5.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1908.4	14.23	30	15.77	Pass	401
1910	1911	0.051	RMS	1910	-26.96	-13	13.96	Pass	401
1911.5	1920	1	RMS	1911.5	-32.99	-13	19.99	Pass	401




5.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-34.48	-13	21.48	Pass	401
1849	1850	0.2	RMS	1850	-19	-13	6	Pass	401
1850	1870	1	RMS	1850.5	20.58	30	9.42	Pass	401




5.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-28.77	-13	15.77	Pass	401
1849	1850	0.2	RMS	1849.998	-32.78	-13	19.78	Pass	401
1850	1870	1	RMS	1861.6	8.28	30	21.72	Pass	401



5.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.4	20.3	30	9.7	Pass	401
1910	1911	0.2	RMS	1910	-18.54	-13	5.54	Pass	401
1911.5	1935	1	RMS	1911.5	-35.19	-13	22.19	Pass	401




5.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1891.65	8.66	30	21.34	Pass	401
1910	1911	0.2	RMS	1910.003	-33.33	-13	20.33	Pass	401
1911	1935	1	RMS	1911	-31.03	-13	18.03	Pass	401




5.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1848.5	1	RMS	1848.5	-34.87	-13	21.87	Pass	401
1849	1849.8	0.39	RMS	1849.8	-25.97	-13	12.97	Pass	401
1850	1890	1	RMS	1850.6	20.34	30	9.66	Pass	401




5.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-31.82	-13	18.82	Pass	401
1849	1850	0.39	RMS	1850	-31.02	-13	18.02	Pass	401
1850	1890	1	RMS	1888.2	5.38	30	24.62	Pass	401




5.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1910	1	RMS	1909.3	20.35	30	9.65	Pass	401
1910.2	1911	0.39	RMS	1910.202	-26.56	-13	13.56	Pass	401
1911	1955	1	RMS	1911	-21.43	-13	8.43	Pass	401



5.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1910	1	RMS	1890.3	5.5	30	24.5	Pass	401
1910	1911	0.39	RMS	1910	-31.83	-13	18.83	Pass	401
1911	1955	1	RMS	1911	-33.18	-13	20.18	Pass	401



6. n25


6.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-29.69	-13	16.69	Pass	401
1849	1850	0.051	RMS	1850	-18.15	-13	5.15	Pass	401
1850	1855	1	RMS	1850.325	19.92	30	10.08	Pass	401




6.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-33.75	-13	20.75	Pass	401
1849	1850	0.051	RMS	1850	-27.03	-13	14.03	Pass	401
1850	1855	1	RMS	1853.35	13.9	30	16.1	Pass	401




6.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1914.65	19.78	30	10.22	Pass	401
1915	1916	0.051	RMS	1915	-19.13	-13	6.13	Pass	401
1916.5	1925	1	RMS	1916.5	-30.18	-13	17.18	Pass	401




6.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1911.625	13.7	30	16.3	Pass	401
1915	1916	0.051	RMS	1915.003	-27.96	-13	14.96	Pass	401
1916.5	1925	1	RMS	1916.5	-34.46	-13	21.46	Pass	401




6.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.441	-34.87	-13	21.87	Pass	401
1849	1850	0.2	RMS	1850	-19.57	-13	6.57	Pass	401
1850	1870	1	RMS	1850.5	19.88	30	10.12	Pass	401




6.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-29.98	-13	16.98	Pass	401
1849	1850	0.2	RMS	1850	-33.88	-13	20.88	Pass	401
1850	1870	1	RMS	1861.55	7.51	30	22.49	Pass	401




6.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1914.4	19.79	30	10.21	Pass	401
1915	1916	0.2	RMS	1915	-20.81	-13	7.81	Pass	401
1916.5	1940	1	RMS	1916.559	-35.55	-13	22.55	Pass	401




6.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1896.3	7.55	30	22.45	Pass	401
1915	1916	0.2	RMS	1915	-34.88	-13	21.88	Pass	401
1916	1940	1	RMS	1916	-33.2	-13	20.2	Pass	401




6.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1848.5	1	RMS	1848.5	-36.7	-13	23.7	Pass	401
1849	1849.8	0.39	RMS	1849.8	-26.51	-13	13.51	Pass	401
1850	1890	1	RMS	1850.6	19.8	30	10.2	Pass	401




6.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-32.66	-13	19.66	Pass	401
1849	1850	0.39	RMS	1850	-31.47	-13	18.47	Pass	401
1850	1890	1	RMS	1888.1	4.78	30	25.22	Pass	401




6.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1875	1915	1	RMS	1914.3	19.93	30	10.07	Pass	401
1915.2	1916	0.39	RMS	1915.2	-27.37	-13	14.37	Pass	401
1916	1960	1	RMS	1916	-21.9	-13	8.9	Pass	401



6.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1875	1915	1	RMS	1891.3	5.05	30	24.95	Pass	401
1915	1916	0.39	RMS	1915	-34.17	-13	21.17	Pass	401
1916	1960	1	RMS	1916	-37.03	-13	24.03	Pass	401



7. n66


7.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-29.18	-13	16.18	Pass	401
1709	1710	0.02	RMS	1710	-21.12	-13	8.12	Pass	401
1710	1715	1	RMS	1710.313	20.4	30	9.6	Pass	401




7.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.479	-25.84	-13	12.84	Pass	401
1709	1710	0.051	RMS	1710	-26.57	-13	13.57	Pass	401
1710	1715	1	RMS	1713.675	14.4	30	15.6	Pass	401




7.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.613	20.33	30	9.67	Pass	401
1780	1781	0.051	RMS	1780	-18.14	-13	5.14	Pass	401
1781.5	1790	1	RMS	1781.5	-31.74	-13	18.74	Pass	401




7.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1778.513	14.2	30	15.8	Pass	401
1780	1781	0.051	RMS	1780	-26.15	-13	13.15	Pass	401
1781.5	1790	1	RMS	1781.5	-26.2	-13	13.2	Pass	401




7.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-39.93	-13	26.93	Pass	401
1709	1710	0.2	RMS	1710	-18.25	-13	5.25	Pass	401
1710	1730	1	RMS	1710.5	20.47	30	9.53	Pass	401




7.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-29.99	-13	16.99	Pass	401
1709	1710	0.2	RMS	1710	-31.82	-13	18.82	Pass	401
1710	1730	1	RMS	1721.75	7.97	30	22.03	Pass	401




7.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.45	20.17	30	9.83	Pass	401
1780	1781	0.2	RMS	1780	-19.3	-13	6.3	Pass	401
1781.5	1805	1	RMS	1781.5	-41.95	-13	28.95	Pass	401




7.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1761.45	8.33	30	21.67	Pass	401
1780	1781	0.2	RMS	1780	-32.07	-13	19.07	Pass	401
1781.5	1805	1	RMS	1781.5	-29.88	-13	16.88	Pass	401




7.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.391	-36.28	-13	23.28	Pass	401
1709	1709.8	0.39	RMS	1709.8	-25.64	-13	12.64	Pass	401
1710	1750	1	RMS	1710.6	20.41	30	9.59	Pass	401




7.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-30.21	-13	17.21	Pass	401
1709	1710	0.39	RMS	1710	-30.44	-13	17.44	Pass	401
1710	1750	1	RMS	1717.9	5.04	30	24.96	Pass	401




7.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1779.3	20.38	30	9.62	Pass	401
1780.2	1781	0.39	RMS	1780.2	-26.38	-13	13.38	Pass	401
1781	1825	1	RMS	1781	-32.93	-13	19.93	Pass	45



7.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1756.5	4.95	30	25.05	Pass	401
1780	1781	0.39	RMS	1780	-31.64	-13	18.64	Pass	401
1781	1825	1	RMS	1781	-31.8	-13	18.8	Pass	401



8. n77(3700-3980)


8.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.6	-42.35	-13	29.35	Pass	401
3695	3699	0.62	RMS	3698.99	-36.02	-13	23.02	Pass	401
3699	3700	0.051	RMS	3700	-30	-13	17	Pass	401
3700	3720	1	RMS	3701	17.59	40	22.41	Pass	401




8.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.95	-35.94	-13	22.94	Pass	401
3695	3699	0.62	RMS	3699	-36.09	-13	23.09	Pass	401
3699	3700	0.39	RMS	3699.995	-31.13	-13	18.13	Pass	401
3700	3720	1	RMS	3715.75	5.61	40	34.39	Pass	401




8.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3979	18.26	40	21.74	Pass	401
3980	3981	0.051	RMS	3980	-30.54	-13	17.54	Pass	401
3981	3985	0.62	RMS	3981.01	-38.31	-13	25.31	Pass	401
3985	4005	1	RMS	3986.75	-41.66	-13	28.66	Pass	401




8.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3970.7	6.21	40	33.79	Pass	401
3980	3981	0.39	RMS	3980	-29.98	-13	16.98	Pass	401
3981	3985	0.62	RMS	3981.01	-33.72	-13	20.72	Pass	401
3985	4005	1	RMS	3985.8	-36.61	-13	23.61	Pass	401




8.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3653.9	-42.33	-13	29.33	Pass	401
3695	3699	0.62	RMS	3698.99	-36.72	-13	23.72	Pass	401
3699	3700	0.051	RMS	3699.99	-30.91	-13	17.91	Pass	401
3700	3760	1	RMS	3701.05	17.5	40	22.5	Pass	401




8.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3693.95	-39.17	-13	26.17	Pass	401
3695	3699	0.62	RMS	3698.8	-40	-13	27	Pass	401
3699	3700	0.39	RMS	3699.998	-36.25	-13	23.25	Pass	401
3700	3760	1	RMS	3751.75	0.8	40	39.2	Pass	401



8.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3978.95	17.85	40	22.15	Pass	401
3980	3981	0.051	RMS	3980	-32	-13	19	Pass	401
3981	3985	0.62	RMS	3981	-36.03	-13	23.03	Pass	401
3985	4045	1	RMS	3989.35	-41.73	-13	28.73	Pass	401




8.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3946.55	1.12	40	38.88	Pass	401
3980	3981	0.39	RMS	3980.005	-36.7	-13	23.7	Pass	401
3981	3985	0.62	RMS	3981	-39.41	-13	26.41	Pass	401
3985	4045	1	RMS	3985.3	-39.01	-13	26.01	Pass	401




8.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3652	-41.68	-13	28.68	Pass	401
3695	3699	0.62	RMS	3699	-36.27	-13	23.27	Pass	401
3699	3700	0.051	RMS	3699.998	-30.79	-13	17.79	Pass	401
3700	3800	1	RMS	3701	17.7	40	22.3	Pass	401




8.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3688.75	-39.86	-13	26.86	Pass	401
3695	3699	0.62	RMS	3698.54	-41.78	-13	28.78	Pass	401
3699	3700	0.39	RMS	3699.995	-37.55	-13	24.55	Pass	401
3700	3800	1	RMS	3771.75	-1.17	40	41.17	Pass	401




8.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	17.96	40	22.04	Pass	401
3980	3981	0.051	RMS	3980	-31.44	-13	18.44	Pass	401
3981	3985	0.62	RMS	3981	-35.63	-13	22.63	Pass	401
3985	4085	1	RMS	3987.25	-41.52	-13	28.52	Pass	401



8.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3946.5	-0.79	40	40.79	Pass	401
3980	3981	0.39	RMS	3980.008	-38.17	-13	25.17	Pass	401
3981	3985	0.62	RMS	3981.2	-41.61	-13	28.61	Pass	401
3985	4085	1	RMS	3985	-39.81	-13	26.81	Pass	401



9. n77(3450-3550)


9.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3442.35	-40.07	-13	27.07	Pass	401
3445	3449	0.62	RMS	3448.99	-36.37	-13	23.37	Pass	401
3449	3450	0.051	RMS	3449.998	-28.47	-13	15.47	Pass	401
3450	3470	1	RMS	3451.05	19.74	40	20.26	Pass	401




9.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.95	-34.49	-13	21.49	Pass	401
3445	3449	0.62	RMS	3448.98	-32.66	-13	19.66	Pass	401
3449	3450	0.2	RMS	3449.993	-31.3	-13	18.3	Pass	401
3450	3470	1	RMS	3460.1	7.96	40	32.04	Pass	401




9.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549	19.14	40	20.86	Pass	401
3550	3551	0.051	RMS	3550	-28.28	-13	15.28	Pass	401
3551	3555	0.62	RMS	3551.03	-35.68	-13	22.68	Pass	401
3555	3575	1	RMS	3560.45	-41.51	-13	28.51	Pass	401




9.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3534	7.04	40	32.96	Pass	401
3550	3551	0.2	RMS	3550	-33.1	-13	20.1	Pass	401
3551	3555	0.62	RMS	3551.01	-33.9	-13	20.9	Pass	401
3555	3575	1	RMS	3555.05	-34.39	-13	21.39	Pass	401




9.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3429.25	-39.95	-13	26.95	Pass	401
3445	3449	0.62	RMS	3449	-36.01	-13	23.01	Pass	401
3449	3450	0.2	RMS	3450	-21.42	-13	8.42	Pass	401
3450	3510	1	RMS	3451.05	19.66	40	20.34	Pass	401




9.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3444.7	-35.93	-13	22.93	Pass	401
3445	3449	0.62	RMS	3448.94	-35.69	-13	22.69	Pass	401
3449	3450	0.2	RMS	3449.993	-35.73	-13	22.73	Pass	401
3450	3510	1	RMS	3458.55	2.68	40	37.32	Pass	401




9.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3548.95	18.93	40	21.07	Pass	401
3550	3551	0.2	RMS	3550.008	-23.49	-13	10.49	Pass	401
3551	3555	0.62	RMS	3551.02	-36.22	-13	23.22	Pass	401
3555	3615	1	RMS	3558.15	-41.9	-13	28.9	Pass	401




9.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3492.7	2.04	40	37.96	Pass	401
3550	3551	0.2	RMS	3550.003	-37.09	-13	24.09	Pass	401
3551	3555	0.62	RMS	3551.09	-36.73	-13	23.73	Pass	401
3555	3615	1	RMS	3555	-38.16	-13	25.16	Pass	401




9.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3402	-39.73	-13	26.73	Pass	401
3445	3449	0.62	RMS	3449	-36.35	-13	23.35	Pass	401
3449	3450	0.051	RMS	3449.998	-28.66	-13	15.66	Pass	401
3450	3550	1	RMS	3451	19.94	40	20.06	Pass	401




9.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3442.75	-37.39	-13	24.39	Pass	401
3445	3449	0.62	RMS	3447.24	-39.23	-13	26.23	Pass	401
3449	3450	0.2	RMS	3449.99	-38.07	-13	25.07	Pass	401
3450	3550	1	RMS	3456.5	0.51	40	39.49	Pass	401




9.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.23	40	20.77	Pass	401
3550	3551	0.2	RMS	3550.003	-23.73	-13	10.73	Pass	401
3551	3555	0.62	RMS	3551	-36.34	-13	23.34	Pass	401
3555	3655	1	RMS	3598	-41.28	-13	28.28	Pass	401



9.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3459.75	0.47	40	39.53	Pass	401
3550	3551	0.2	RMS	3550.008	-39.95	-13	26.95	Pass	401
3551	3555	0.62	RMS	3551.05	-40.57	-13	27.57	Pass	401
3555	3655	1	RMS	3555.75	-39.53	-13	26.53	Pass	401



1. n7


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.339	-48.77	-25	23.77	Pass	401
2490.5	2496	1	RMS	2495.986	-40.86	-13	27.86	Pass	401
2496	2498.5	1	RMS	2498.5	-31.44	-10	21.44	Pass	4
2499	2500	0.051	RMS	2499.998	-17.25	-10	7.25	Pass	401
2500	2505	1	RMS	2500.3	20.62	30	9.38	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.495	-46.19	-25	21.19	Pass	401
2490.5	2496	1	RMS	2496	-32.09	-13	19.09	Pass	401
2496	2498.5	1	RMS	2498.5	-18.41	-10	8.41	Pass	401
2499	2500	0.1	RMS	2499.998	-22.42	-10	12.42	Pass	401
2500	2505	1	RMS	2501.45	14.44	30	15.56	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2569.638	21.23	30	8.77	Pass	401
2570	2571	0.051	RMS	2570	-18.91	-10	8.91	Pass	401
2571.5	2575	1	RMS	2571.5	-27.11	-10	17.11	Pass	401
2575	2576	1	RMS	2575.03	-44.11	-13	31.11	Pass	401
2576	2580	1	RMS	2576.02	-45.38	-25	20.38	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2568.525	15.04	30	14.96	Pass	401
2570	2571	0.1	RMS	2570.003	-21.08	-10	11.08	Pass	401
2571	2575	1	RMS	2571	-15.49	-10	5.49	Pass	5
2575	2576	1	RMS	2575	-37.5	-13	24.5	Pass	401
2576	2580	1	RMS	2576	-40.64	-25	15.64	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2470	2490.5	1	RMS	2489.936	-48.22	-25	23.22	Pass	401
2490.5	2496	1	RMS	2495.973	-42.36	-13	29.36	Pass	401
2496	2499	1	RMS	2499	-30.84	-10	20.84	Pass	4
2499	2500	0.051	RMS	2500	-29.81	-10	19.81	Pass	401
2500	2525	1	RMS	2500.563	20.61	30	9.39	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2470	2490.5	1	RMS	2490.5	-29.57	-25	4.57	Pass	401
2490.5	2496	1	RMS	2495.876	-25.63	-13	12.63	Pass	401
2496	2499	1	RMS	2499	-23.92	-10	13.92	Pass	401
2499	2500	0.51	RMS	2500	-17.13	-10	7.13	Pass	401
2500	2525	1	RMS	2523.25	8.04	30	21.96	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2570	1	RMS	2569.438	21.19	30	8.81	Pass	401
2570	2571	0.051	RMS	2570.003	-32.29	-10	22.29	Pass	401
2571	2575	1	RMS	2571	-16.5	-10	6.5	Pass	401
2575	2595	1	RMS	2575.1	-45.11	-13	32.11	Pass	401
2595	2600	1	RMS	2596.588	-49.58	-25	24.58	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2570	1	RMS	2568.25	7.94	30	22.06	Pass	401
2570	2571	0.51	RMS	2570	-16.8	-10	6.8	Pass	401
2571	2575	1	RMS	2571	-20.95	-10	10.95	Pass	401
2575	2595	1	RMS	2575	-23.37	-13	10.37	Pass	401
2595	2600	1	RMS	2595.013	-48.29	-25	23.29	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2455	2490.5	1	RMS	2489.968	-48.31	-25	23.31	Pass	401
2490.5	2496	1	RMS	2496	-42.46	-13	29.46	Pass	401
2496	2499	1	RMS	2499	-17.43	-10	7.43	Pass	401
2499	2500	0.051	RMS	2500	-31.42	-10	21.42	Pass	401
2500	2540	1	RMS	2500.6	20.61	30	9.39	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2455	2490.5	1	RMS	2490.5	-31.31	-25	6.31	Pass	401
2490.5	2496	1	RMS	2495.945	-28.07	-13	15.07	Pass	401
2496	2499	1	RMS	2498.978	-26.12	-10	16.12	Pass	401
2499	2499.6	0.82	RMS	2499.6	-21.41	-10	11.41	Pass	401
2500	2540	1	RMS	2530.8	5.79	30	24.21	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	1	RMS	2569.3	21.23	30	8.77	Pass	401
2570	2571	0.051	RMS	2570	-32.29	-10	22.29	Pass	401
2571	2575	1	RMS	2571	-18.26	-10	8.26	Pass	401
2575	2610	1	RMS	2575.175	-45.33	-13	32.33	Pass	401
2610	2615	1	RMS	2612.913	-49.69	-25	24.69	Pass	401



1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2530	2570	1	RMS	2531.8	5.84	30	24.16	Pass	401
2570.4	2571	0.82	RMS	2570.4	-20.35	-10	10.35	Pass	401
2571	2575	1	RMS	2571.06	-23.84	-10	13.84	Pass	401
2575	2610	1	RMS	2575	-25.49	-13	12.49	Pass	401
2610	2615	1	RMS	2614.363	-49.68	-25	24.68	Pass	401



2. n38_PC3


2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.5	-44.86	-25	19.86	Pass	401
2560	2565	1	RMS	2564.875	-44.19	-13	31.19	Pass	401
2565	2569	1	RMS	2569	-21.21	-10	11.21	Pass	401
2569	2570	0.051	RMS	2569.973	-21.85	-10	11.85	Pass	401
2570	2580	1	RMS	2570.85	23.65	30	6.35	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2560	1	RMS	2559.288	-41.65	-25	16.65	Pass	401
2560	2565	1	RMS	2564.963	-24.11	-13	11.11	Pass	401
2565	2569	1	RMS	2568.99	-22.38	-10	12.38	Pass	401
2569	2570	0.2	RMS	2569.998	-22.96	-10	12.96	Pass	401
2570	2580	1	RMS	2574.3	14.62	30	15.38	Pass	401




2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2619.125	23.37	30	6.63	Pass	401
2620	2621	0.051	RMS	2620.003	-24.55	-10	14.55	Pass	401
2621	2625	1	RMS	2621	-23.48	-10	13.48	Pass	401
2625	2630	1	RMS	2625.225	-44.38	-13	31.38	Pass	401
2630	2635	1	RMS	2630.888	-44.92	-25	19.92	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:523000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	1	RMS	2612.75	15.02	30	14.98	Pass	401
2620	2621	0.2	RMS	2620	-23.31	-10	13.31	Pass	401
2621	2625	1	RMS	2621	-23.47	-10	13.47	Pass	401
2625	2630	1	RMS	2625	-26	-13	13	Pass	401
2630	2635	1	RMS	2631.375	-43.81	-25	18.81	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2545.875	-45.46	-25	20.46	Pass	401
2550	2565	1	RMS	2564.7	-44.2	-13	31.2	Pass	401
2565	2569	1	RMS	2569	-24.84	-10	14.84	Pass	401
2569	2570	0.051	RMS	2569.998	-24.29	-10	14.29	Pass	401
2570	2590	1	RMS	2571	23.67	30	6.33	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2548.6	-41.53	-25	16.53	Pass	401
2550	2565	1	RMS	2562.075	-24.23	-13	11.23	Pass	401
2565	2569	1	RMS	2568.99	-22.29	-10	12.29	Pass	401
2569	2570	0.39	RMS	2570	-22.86	-10	12.86	Pass	401
2570	2590	1	RMS	2583.25	11.91	30	18.09	Pass	401




2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2618.95	23.21	30	6.79	Pass	401
2620	2621	0.051	RMS	2620.01	-26.48	-10	16.48	Pass	401
2621	2625	1	RMS	2621	-27.24	-10	17.24	Pass	401
2625	2640	1	RMS	2625.638	-44.58	-13	31.58	Pass	401
2640	2645	1	RMS	2641.4	-45.03	-25	20.03	Pass	401




2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2607.15	12.26	30	17.74	Pass	401
2620	2621	0.39	RMS	2620.015	-24.58	-10	14.58	Pass	401
2621	2625	1	RMS	2621	-23.88	-10	13.88	Pass	401
2625	2640	1	RMS	2627.663	-25.42	-13	12.42	Pass	401
2640	2645	1	RMS	2644.938	-43.66	-25	18.66	Pass	401




2.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2528.388	-45.3	-25	20.3	Pass	401
2530	2565	1	RMS	2564.213	-44.47	-13	31.47	Pass	401
2565	2569	1	RMS	2569	-27.62	-10	17.62	Pass	401
2569	2570	0.051	RMS	2570	-26.72	-10	16.72	Pass	401
2570	2610	1	RMS	2571.1	23.86	30	6.14	Pass	401




2.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2525.288	-42.42	-25	17.42	Pass	401
2530	2565	1	RMS	2551.963	-28.96	-13	15.96	Pass	401
2565	2569	1	RMS	2569	-25.43	-10	15.43	Pass	401
2569	2570	0.82	RMS	2570	-15.9	-10	5.9	Pass	401
2570	2610	1	RMS	2596.9	8.62	30	21.38	Pass	401




2.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	22.96	30	7.04	Pass	401
2620	2621	0.051	RMS	2620	-28.31	-10	18.31	Pass	401
2621	2625	1	RMS	2621	-29.02	-10	19.02	Pass	401
2625	2660	1	RMS	2629.463	-44.9	-13	31.9	Pass	401
2660	2665	1	RMS	2661.988	-45.16	-25	20.16	Pass	401



2.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2590.5	8.8	30	21.2	Pass	401
2620	2621	0.82	RMS	2620.05	-28.22	-10	18.22	Pass	401
2621	2625	1	RMS	2621.01	-28.97	-10	18.97	Pass	401
2625	2660	1	RMS	2635.588	-31.72	-13	18.72	Pass	401
2660	2665	1	RMS	2663.2	-43.13	-25	18.13	Pass	401



3. n41


3.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490.5	1	RMS	2489.954	-48.46	-25	23.46	Pass	401
2490.5	2495	1	RMS	2495	-24.04	-13	11.04	Pass	401
2495	2496	0.051	RMS	2496	-25.16	-13	12.16	Pass	401
2496	2506	1	RMS	2496.9	20.79	40	19.21	Pass	401




3.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2481	2490	1	RMS	2489.82	-35.58	-25	10.58	Pass	401
2490.5	2495	1	RMS	2494.933	-26.32	-13	13.32	Pass	401
2495	2496	0.2	RMS	2495.98	-25.57	-13	12.57	Pass	401
2496	2506	1	RMS	2503.025	12.64	40	27.36	Pass	401




3.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2689.15	20.68	40	19.32	Pass	401
2690	2691	0.051	RMS	2690	-24.2	-10	14.2	Pass	401
2691	2695	1	RMS	2691	-24.26	-10	14.26	Pass	401
2695	2700	1	RMS	2695	-48.01	-13	35.01	Pass	401
2700	2705	1	RMS	2700.75	-48.78	-25	23.78	Pass	401




3.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	1	RMS	2686.825	12.58	40	27.42	Pass	401
2690	2691	0.2	RMS	2690.008	-26.34	-10	16.34	Pass	401
2691	2695	1	RMS	2691.12	-27.08	-10	17.08	Pass	401
2695	2700	1	RMS	2695.075	-34.31	-13	21.31	Pass	401
2700	2705	1	RMS	2700.075	-42.07	-25	17.07	Pass	401




3.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2490.5	-48.42	-25	23.42	Pass	401
2490.5	2495	1	RMS	2495	-33.93	-13	20.93	Pass	401
2495	2496	0.051	RMS	2495.998	-34.45	-13	21.45	Pass	401
2496	2546	1	RMS	2497.25	20.9	40	19.1	Pass	401




3.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490	1	RMS	2489.633	-35.05	-25	10.05	Pass	401
2490.5	2495	1	RMS	2494.831	-31.5	-13	18.5	Pass	401
2495	2496	1	RMS	2496	-18.06	-13	5.06	Pass	401
2496	2546	1	RMS	2509.375	5.6	40	34.4	Pass	401




3.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2688.75	20.75	40	19.25	Pass	401
2690	2691	0.051	RMS	2690.003	-36.82	-10	26.82	Pass	401
2691	2695	1	RMS	2691.01	-34.94	-10	24.94	Pass	401
2695	2740	1	RMS	2695	-48.26	-13	35.26	Pass	401
2740	2745	1	RMS	2744.538	-48.85	-25	23.85	Pass	401




3.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2676.25	5.27	40	34.73	Pass	401
2690	2691	1	RMS	2690	-19.78	-10	9.78	Pass	401
2691	2695	1	RMS	2692.27	-31.26	-10	21.26	Pass	401
2695	2740	1	RMS	2695.788	-34.61	-13	21.61	Pass	401
2740	2745	1	RMS	2740.075	-45.94	-25	20.94	Pass	401




3.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.003	-48.17	-25	23.17	Pass	401
2490.5	2495	1	RMS	2495	-28.92	-13	15.92	Pass	401
2495	2496	0.051	RMS	2496	-28.6	-13	15.6	Pass	401
2496	2596	1	RMS	2497	20.77	40	19.23	Pass	401




3.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490	1	RMS	2489.01	-39.36	-25	14.36	Pass	401
2490.5	2495	1	RMS	2495	-36.53	-13	23.53	Pass	401
2495	2495.5	1	RMS	2495.5	-30.69	-13	17.69	Pass	401
2496	2596	1	RMS	2592.75	2.67	40	37.33	Pass	401




3.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.59	40	19.41	Pass	401
2690	2691	0.051	RMS	2690.008	-28.4	-10	18.4	Pass	401
2691	2695	1	RMS	2691	-29.76	-10	19.76	Pass	401
2695	2790	1	RMS	2695.238	-48.05	-13	35.05	Pass	401
2790	2795	1	RMS	2793.288	-48.86	-25	23.86	Pass	401



3.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2598.75	2.93	40	37.07	Pass	401
2690.5	2691	1	RMS	2690.501	-31.52	-10	21.52	Pass	401
2691	2695	1	RMS	2691.15	-35.25	-10	25.25	Pass	401
2695	2790	1	RMS	2695	-36.43	-13	23.43	Pass	401
2790	2795	1	RMS	2790.75	-48.83	-25	23.83	Pass	401



--BLANK BELOW--