

A.5 Spurious Emission at Antenna Terminals

1. LTE_Band48


1.1. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-40	33.98	Pass	401
0.15	30	0.01	RMS	0.2	-71.93	-40	31.93	Pass	2986
30	1000	0.1	RMS	872.916	-63.48	-40	23.48	Pass	9701
1000	3000	1	RMS	2969	-48.75	-40	8.75	Pass	2001
3000	3500	1	RMS	3242	-46.56	-40	6.56	Pass	501
3500	3750	1	RMS	3550	22.46	60	37.54	Pass	401
3750	6500	1	RMS	3858	-46.65	-40	6.65	Pass	2751
6500	26500	1	RMS	26497	-49.14	-40	9.14	Pass	20003




1.2. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.47	-40	33.47	Pass	401
0.15	30	0.01	RMS	0.23	-73.08	-40	33.08	Pass	2986
30	1000	0.1	RMS	858.706	-63.63	-40	23.63	Pass	9701
1000	3000	1	RMS	2957	-48.73	-40	8.73	Pass	2001
3000	3500	1	RMS	3242	-46.82	-40	6.82	Pass	501
3500	3750	1	RMS	3550	21.83	60	38.17	Pass	401
3750	6500	1	RMS	3857	-47	-40	7	Pass	2751
6500	26500	1	RMS	26500	-49.17	-40	9.17	Pass	20003




1.3. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.57	-40	33.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-40	32.39	Pass	2986
30	1000	0.1	RMS	857.506	-63.59	-40	23.59	Pass	9701
1000	3000	1	RMS	2960	-48.71	-40	8.71	Pass	2001
3000	3500	1	RMS	3315	-46.54	-40	6.54	Pass	501
3500	3750	1	RMS	3622.5	22.07	60	37.93	Pass	401
3750	6500	1	RMS	3931	-49.06	-40	9.06	Pass	2751
6500	26500	1	RMS	26500	-49.06	-40	9.06	Pass	20003




1.4. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:4, Channel:55990, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-40	34.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-40	31.51	Pass	2986
30	1000	0.1	RMS	856.305	-63.73	-40	23.73	Pass	9701
1000	3000	1	RMS	2936	-48.74	-40	8.74	Pass	2001
3000	3500	1	RMS	3315	-46.2	-40	6.2	Pass	501
3500	3750	1	RMS	3622.5	20.76	60	39.24	Pass	401
3750	6500	1	RMS	3930	-48.25	-40	8.25	Pass	2751
6500	26500	1	RMS	26500	-49.06	-40	9.06	Pass	20003




1.5. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.35	-40	34.35	Pass	401
0.15	30	0.01	RMS	0.17	-72.56	-40	32.56	Pass	2986
30	1000	0.1	RMS	849.3	-63.32	-40	23.32	Pass	9701
1000	3000	1	RMS	2968	-48.76	-40	8.76	Pass	2001
3000	3500	1	RMS	3387	-46.41	-40	6.41	Pass	501
3500	3750	1	RMS	3695	21.94	60	38.06	Pass	401
3750	6500	1	RMS	4002	-46.97	-40	6.97	Pass	2751
6500	26500	1	RMS	26490	-49.04	-40	9.04	Pass	20003




1.6. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:6, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.88	-40	33.88	Pass	401
0.15	30	0.01	RMS	0.19	-72.57	-40	32.57	Pass	2986
30	1000	0.1	RMS	855.604	-63.71	-40	23.71	Pass	9701
1000	3000	1	RMS	2958	-48.75	-40	8.75	Pass	2001
3000	3500	1	RMS	3387	-46.78	-40	6.78	Pass	501
3500	3750	1	RMS	3695	20.62	60	39.38	Pass	401
3750	6500	1	RMS	4003	-47.12	-40	7.12	Pass	2751
6500	26500	1	RMS	26497	-49.13	-40	9.13	Pass	20003




**1.7. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:7,
Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.29	-40	34.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-40	32.68	Pass	2986
30	1000	0.1	RMS	999.5	-63.63	-40	23.63	Pass	9701
1000	3000	1	RMS	2961	-48.75	-40	8.75	Pass	2001
3000	3500	1	RMS	3243	-46.46	-40	6.46	Pass	501
3500	3750	1	RMS	3550	22.77	60	37.23	Pass	401
3750	6500	1	RMS	3858	-46.3	-40	6.3	Pass	2751
6500	26500	1	RMS	26488	-49.05	-40	9.05	Pass	20003




1.8. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:8, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.29	-40	32.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-40	32.54	Pass	2986
30	1000	0.1	RMS	852.702	-63.63	-40	23.63	Pass	9701
1000	3000	1	RMS	2945	-48.74	-40	8.74	Pass	2001
3000	3500	1	RMS	3243	-46.91	-40	6.91	Pass	501
3500	3750	1	RMS	3550	21.95	60	38.05	Pass	401
3750	6500	1	RMS	3858	-47.72	-40	7.72	Pass	2751
6500	26500	1	RMS	26498	-48.95	-40	8.95	Pass	20003




1.9. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:9, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.04	-40	34.04	Pass	401
0.15	30	0.01	RMS	0.17	-71.82	-40	31.82	Pass	2986
30	1000	0.1	RMS	856.205	-63.54	-40	23.54	Pass	9701
1000	3000	1	RMS	2957	-48.7	-40	8.7	Pass	2001
3000	3500	1	RMS	3313	-46.09	-40	6.09	Pass	501
3500	3750	1	RMS	3620	22.55	60	37.45	Pass	401
3750	6500	1	RMS	3928	-49.08	-40	9.08	Pass	2751
6500	26500	1	RMS	26473	-49	-40	9	Pass	20003




1.10. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.3	-40	34.3	Pass	401
0.15	30	0.01	RMS	0.22	-72.24	-40	32.24	Pass	2986
30	1000	0.1	RMS	856.505	-63.5	-40	23.5	Pass	9701
1000	3000	1	RMS	2968	-48.73	-40	8.73	Pass	2001
3000	3500	1	RMS	3313	-46.54	-40	6.54	Pass	501
3500	3750	1	RMS	3620	21.33	60	38.67	Pass	401
3750	6500	1	RMS	3927	-48.11	-40	8.11	Pass	2751
6500	26500	1	RMS	26493	-49.06	-40	9.06	Pass	20003




1.11. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:11, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-40	33.78	Pass	401
0.15	30	0.01	RMS	0.16	-72.32	-40	32.32	Pass	2986
30	1000	0.1	RMS	844.6	-63.6	-40	23.6	Pass	9701
1000	3000	1	RMS	2954	-48.74	-40	8.74	Pass	2001
3000	3500	1	RMS	3383	-46.38	-40	6.38	Pass	501
3500	3750	1	RMS	3690	21.24	60	38.76	Pass	401
3750	6500	1	RMS	3998	-47.25	-40	7.25	Pass	2751
6500	26500	1	RMS	26498	-49.06	-40	9.06	Pass	20003




1.12. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.49	-40	34.49	Pass	401
0.15	30	0.01	RMS	0.19	-72.98	-40	32.98	Pass	2986
30	1000	0.1	RMS	826.4	-63.65	-40	23.65	Pass	9701
1000	3000	1	RMS	2957	-48.7	-40	8.7	Pass	2001
3000	3500	1	RMS	3383	-46.52	-40	6.52	Pass	501
3500	3750	1	RMS	3690	20.58	60	39.42	Pass	401
3750	6500	1	RMS	3998	-46.52	-40	6.52	Pass	2751
6500	26500	1	RMS	26499	-49.11	-40	9.11	Pass	20003




1.13. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-40	34.48	Pass	401
0.15	30	0.01	RMS	0.19	-72.43	-40	32.43	Pass	2986
30	1000	0.1	RMS	843.9	-63.63	-40	23.63	Pass	9701
1000	3000	1	RMS	2964	-48.72	-40	8.72	Pass	2001
3000	3500	1	RMS	3243	-46.41	-40	6.41	Pass	501
3500	3750	1	RMS	3550.625	21.6	60	38.4	Pass	401
3750	6500	1	RMS	3859	-48.36	-40	8.36	Pass	2751
6500	26500	1	RMS	26500	-49.11	-40	9.11	Pass	20003




1.14. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.57	-40	33.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-40	32.53	Pass	2986
30	1000	0.1	RMS	860.307	-63.48	-40	23.48	Pass	9701
1000	3000	1	RMS	2965	-48.68	-40	8.68	Pass	2001
3000	3500	1	RMS	3243	-46.73	-40	6.73	Pass	501
3500	3750	1	RMS	3550.625	21.22	60	38.78	Pass	401
3750	6500	1	RMS	3858	-47.04	-40	7.04	Pass	2751
6500	26500	1	RMS	26491	-48.99	-40	8.99	Pass	20003




**1.15. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:15,
Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.2	-40	34.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-40	31.95	Pass	2986
30	1000	0.1	RMS	857.005	-63.5	-40	23.5	Pass	9701
1000	3000	1	RMS	2963	-48.75	-40	8.75	Pass	2001
3000	3500	1	RMS	3310	-46.3	-40	6.3	Pass	501
3500	3750	1	RMS	3618.125	21.87	60	38.13	Pass	401
3750	6500	1	RMS	3926	-46.21	-40	6.21	Pass	2751
6500	26500	1	RMS	26485	-49.13	-40	9.13	Pass	20003




1.16. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.15	-40	34.15	Pass	401
0.15	30	0.01	RMS	0.19	-72	-40	32	Pass	2986
30	1000	0.1	RMS	829.5	-63.49	-40	23.49	Pass	9701
1000	3000	1	RMS	2963	-48.75	-40	8.75	Pass	2001
3000	3500	1	RMS	3310	-46.91	-40	6.91	Pass	501
3500	3750	1	RMS	3618.125	20.76	60	39.24	Pass	401
3750	6500	1	RMS	3925	-47.73	-40	7.73	Pass	2751
6500	26500	1	RMS	26495	-49.02	-40	9.02	Pass	20003




**1.17. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:17,
Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-40	32.99	Pass	401
0.15	30	0.01	RMS	0.19	-72.56	-40	32.56	Pass	2986
30	1000	0.1	RMS	837.7	-63.66	-40	23.66	Pass	9701
1000	3000	1	RMS	2969	-48.68	-40	8.68	Pass	2001
3000	3500	1	RMS	3378	-46.39	-40	6.39	Pass	501
3500	3750	1	RMS	3685	20.78	60	39.22	Pass	401
3750	6500	1	RMS	3993	-46.24	-40	6.24	Pass	2751
6500	26500	1	RMS	26490	-49.07	-40	9.07	Pass	20003




1.18. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:18, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-40	32.91	Pass	401
0.15	30	0.01	RMS	0.22	-72.54	-40	32.54	Pass	2986
30	1000	0.1	RMS	837.3	-63.52	-40	23.52	Pass	9701
1000	3000	1	RMS	2955	-48.7	-40	8.7	Pass	2001
3000	3500	1	RMS	3378	-46.46	-40	6.46	Pass	501
3500	3750	1	RMS	3685.625	20.55	60	39.45	Pass	401
3750	6500	1	RMS	3994	-48.76	-40	8.76	Pass	2751
6500	26500	1	RMS	26500	-48.99	-40	8.99	Pass	20003




1.19. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.66	-40	34.66	Pass	401
0.15	30	0.01	RMS	0.37	-72.71	-40	32.71	Pass	2986
30	1000	0.1	RMS	849.5	-63.58	-40	23.58	Pass	9701
1000	3000	1	RMS	2973	-48.72	-40	8.72	Pass	2001
3000	3500	1	RMS	3243	-46.81	-40	6.81	Pass	501
3500	3750	1	RMS	3550.625	23.11	60	36.89	Pass	401
3750	6500	1	RMS	3859	-47.51	-40	7.51	Pass	2751
6500	26500	1	RMS	26498	-48.95	-40	8.95	Pass	20003




1.20. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.77	-40	33.77	Pass	401
0.15	30	0.01	RMS	0.2	-72.41	-40	32.41	Pass	2986
30	1000	0.1	RMS	832.1	-63.61	-40	23.61	Pass	9701
1000	3000	1	RMS	2964	-48.75	-40	8.75	Pass	2001
3000	3500	1	RMS	3243	-47.55	-40	7.55	Pass	501
3500	3750	1	RMS	3550.625	21.71	60	38.29	Pass	401
3750	6500	1	RMS	3859	-49.13	-40	9.13	Pass	2751
6500	26500	1	RMS	26488	-49.06	-40	9.06	Pass	20003




**1.21. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:21,
Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.15	-40	35.15	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-40	32.39	Pass	2986
30	1000	0.1	RMS	864.41	-63.58	-40	23.58	Pass	9701
1000	3000	1	RMS	2957	-48.69	-40	8.69	Pass	2001
3000	3500	1	RMS	3308	-46.55	-40	6.55	Pass	501
3500	3750	1	RMS	3615.625	22.57	60	37.43	Pass	401
3750	6500	1	RMS	3924	-46.23	-40	6.23	Pass	2751
6500	26500	1	RMS	26493	-49.1	-40	9.1	Pass	20003




1.22. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-40	33.1	Pass	401
0.15	30	0.01	RMS	0.2	-73.03	-40	33.03	Pass	2986
30	1000	0.1	RMS	846.7	-63.6	-40	23.6	Pass	9701
1000	3000	1	RMS	2960	-48.74	-40	8.74	Pass	2001
3000	3500	1	RMS	3308	-47.18	-40	7.18	Pass	501
3500	3750	1	RMS	3615.625	21.64	60	38.36	Pass	401
3750	6500	1	RMS	3924	-47.72	-40	7.72	Pass	2751
6500	26500	1	RMS	26499	-49.03	-40	9.03	Pass	20003




1.23. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.55	-40	32.55	Pass	401
0.15	30	0.01	RMS	0.19	-72.25	-40	32.25	Pass	2986
30	1000	0.1	RMS	850.201	-63.46	-40	23.46	Pass	9701
1000	3000	1	RMS	2960	-48.77	-40	8.77	Pass	2001
3000	3500	1	RMS	3373	-46.61	-40	6.61	Pass	501
3500	3750	1	RMS	3680.625	22.17	60	37.83	Pass	401
3750	6500	1	RMS	3989	-47.12	-40	7.12	Pass	2751
6500	26500	1	RMS	26498	-49.05	-40	9.05	Pass	20003



1.24. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-40	32.98	Pass	401
0.15	30	0.01	RMS	0.28	-73.16	-40	33.16	Pass	2986
30	1000	0.1	RMS	828.4	-63.46	-40	23.46	Pass	9701
1000	3000	1	RMS	2971	-48.74	-40	8.74	Pass	2001
3000	3500	1	RMS	3373	-46.9	-40	6.9	Pass	501
3500	3750	1	RMS	3680.625	20.9	60	39.1	Pass	401
3750	6500	1	RMS	3988	-46.21	-40	6.21	Pass	2751
6500	26500	1	RMS	26497	-49.08	-40	9.08	Pass	20003



1. n48 30kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.64	-40	28.64	Pass	401
0.15	30	0.01	RMS	16.07	-67.39	-40	27.39	Pass	2986
30	1000	0.1	RMS	370.6	-57.93	-40	17.93	Pass	9701
1000	3000	1	RMS	2923	-47.31	-40	7.31	Pass	2001
3000	3500	1	RMS	3401	-49.29	-40	9.29	Pass	501
3500	3750	1	RMS	3555	10.85	60	49.15	Pass	401
3750	7000	1	RMS	3865	-57.62	-40	17.62	Pass	3251
7000	26500	1	RMS	25687	-51.53	-40	11.53	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.8	-40	30.8	Pass	401
0.15	30	0.01	RMS	14.35	-67.86	-40	27.86	Pass	2986
30	1000	0.1	RMS	943.463	-58.64	-40	18.64	Pass	9701
1000	3000	1	RMS	2982	-47.32	-40	7.32	Pass	2001
3000	3500	1	RMS	3430	-49.26	-40	9.26	Pass	501
3500	3750	1	RMS	3550.625	18.97	60	41.03	Pass	401
3750	7000	1	RMS	3858	-50.87	-40	10.87	Pass	3251
7000	26500	1	RMS	25531	-51.3	-40	11.3	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.96	-40	27.96	Pass	401
0.15	30	0.01	RMS	10.22	-67.3	-40	27.3	Pass	2986
30	1000	0.1	RMS	871.715	-58.31	-40	18.31	Pass	9701
1000	3000	1	RMS	2992	-47.32	-40	7.32	Pass	2001
3000	3500	1	RMS	3430	-48.98	-40	8.98	Pass	501
3500	3750	1	RMS	3559.375	18.67	60	41.33	Pass	401
3750	7000	1	RMS	3866	-50.5	-40	10.5	Pass	3251
7000	26500	1	RMS	24110	-51.43	-40	11.43	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.88	-40	28.88	Pass	401
0.15	30	0.01	RMS	12.34	-66.37	-40	26.37	Pass	2986
30	1000	0.1	RMS	868.413	-58.27	-40	18.27	Pass	9701
1000	3000	1	RMS	2972	-47.38	-40	7.38	Pass	2001
3000	3500	1	RMS	3412	-49.36	-40	9.36	Pass	501
3500	3750	1	RMS	3626.25	10.51	60	49.49	Pass	401
3750	7000	1	RMS	3935	-57.41	-40	17.41	Pass	3251
7000	26500	1	RMS	25979	-51.06	-40	11.06	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.88	-40	29.88	Pass	401
0.15	30	0.01	RMS	18.41	-67.61	-40	27.61	Pass	2986
30	1000	0.1	RMS	969.78	-57.76	-40	17.76	Pass	9701
1000	3000	1	RMS	2981	-47.12	-40	7.12	Pass	2001
3000	3500	1	RMS	3314	-49.02	-40	9.02	Pass	501
3500	3750	1	RMS	3620.625	18.56	60	41.44	Pass	401
3750	7000	1	RMS	3928	-49.9	-40	9.9	Pass	3251
7000	26500	1	RMS	25792	-51.38	-40	11.38	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.21	-40	29.21	Pass	401
0.15	30	0.01	RMS	20.3	-67.95	-40	27.95	Pass	2986
30	1000	0.1	RMS	915.144	-57.98	-40	17.98	Pass	9701
1000	3000	1	RMS	2959	-47.72	-40	7.72	Pass	2001
3000	3500	1	RMS	3322	-48.2	-40	8.2	Pass	501
3500	3750	1	RMS	3629.375	18.39	60	41.61	Pass	401
3750	7000	1	RMS	3936	-49.45	-40	9.45	Pass	3251
7000	26500	1	RMS	25831	-50.68	-40	10.68	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.22	-40	31.22	Pass	401
0.15	30	0.01	RMS	6.71	-67.52	-40	27.52	Pass	2986
30	1000	0.1	RMS	865.311	-57.45	-40	17.45	Pass	9701
1000	3000	1	RMS	2828	-47.47	-40	7.47	Pass	2001
3000	3500	1	RMS	3388	-49.22	-40	9.22	Pass	501
3500	3750	1	RMS	3695.625	10.09	60	49.91	Pass	401
3750	7000	1	RMS	4000	-58.8	-40	18.8	Pass	3251
7000	26500	1	RMS	24444	-51.18	-40	11.18	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.05	-40	30.05	Pass	401
0.15	30	0.01	RMS	10.22	-67.18	-40	27.18	Pass	2986
30	1000	0.1	RMS	992.395	-57.17	-40	17.17	Pass	9701
1000	3000	1	RMS	2983	-47.78	-40	7.78	Pass	2001
3000	3500	1	RMS	3384	-47.89	-40	7.89	Pass	501
3500	3750	1	RMS	3690.625	18.26	60	41.74	Pass	401
3750	7000	1	RMS	3998	-50.93	-40	10.93	Pass	3251
7000	26500	1	RMS	25781	-51.63	-40	11.63	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.24	-40	31.24	Pass	401
0.15	30	0.01	RMS	16.89	-67.39	-40	27.39	Pass	2986
30	1000	0.1	RMS	967.478	-58.21	-40	18.21	Pass	9701
1000	3000	1	RMS	2741	-47.69	-40	7.69	Pass	2001
3000	3500	1	RMS	3392	-47.49	-40	7.49	Pass	501
3500	3750	1	RMS	3699.375	17.9	60	42.1	Pass	401
3750	7000	1	RMS	4006	-51.47	-40	11.47	Pass	3251
7000	26500	1	RMS	25157	-51.2	-40	11.2	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.83	-40	28.83	Pass	401
0.15	30	0.01	RMS	26.55	-66.75	-40	26.75	Pass	2986
30	1000	0.1	RMS	927.752	-57.82	-40	17.82	Pass	9701
1000	3000	1	RMS	2760	-47.07	-40	7.07	Pass	2001
3000	3500	1	RMS	3374	-49.27	-40	9.27	Pass	501
3500	3750	1	RMS	3551.875	7.54	60	52.46	Pass	401
3750	7000	1	RMS	3875	-59.35	-40	19.35	Pass	3251
7000	26500	1	RMS	26105	-51.87	-40	11.87	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.51	-40	29.51	Pass	401
0.15	30	0.01	RMS	22.73	-67.54	-40	27.54	Pass	2986
30	1000	0.1	RMS	930.654	-58.67	-40	18.67	Pass	9701
1000	3000	1	RMS	2962	-47.77	-40	7.77	Pass	2001
3000	3500	1	RMS	3389	-49.2	-40	9.2	Pass	501
3500	3750	1	RMS	3551.25	18.68	60	41.32	Pass	401
3750	7000	1	RMS	3858	-48.85	-40	8.85	Pass	3251
7000	26500	1	RMS	25079	-51.36	-40	11.36	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.46	-40	29.46	Pass	401
0.15	30	0.01	RMS	8.96	-66.64	-40	26.64	Pass	2986
30	1000	0.1	RMS	923.049	-57.96	-40	17.96	Pass	9701
1000	3000	1	RMS	2999	-47.09	-40	7.09	Pass	2001
3000	3500	1	RMS	3395	-49.2	-40	9.2	Pass	501
3500	3750	1	RMS	3568.75	18.54	60	41.46	Pass	401
3750	7000	1	RMS	3876	-48.28	-40	8.28	Pass	3251
7000	26500	1	RMS	25087	-51.82	-40	11.82	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.05	-40	31.05	Pass	401
0.15	30	0.01	RMS	12.06	-67.86	-40	27.86	Pass	2986
30	1000	0.1	RMS	895.931	-57.88	-40	17.88	Pass	9701
1000	3000	1	RMS	2943	-47.62	-40	7.62	Pass	2001
3000	3500	1	RMS	3422	-49.1	-40	9.1	Pass	501
3500	3750	1	RMS	3631.25	6.97	60	53.03	Pass	401
3750	7000	1	RMS	3940	-58.59	-40	18.59	Pass	3251
7000	26500	1	RMS	24097	-51.98	-40	11.98	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70	-40	30	Pass	401
0.15	30	0.01	RMS	11.03	-68.65	-40	28.65	Pass	2986
30	1000	0.1	RMS	916.144	-58	-40	18	Pass	9701
1000	3000	1	RMS	2952	-47.68	-40	7.68	Pass	2001
3000	3500	1	RMS	3309	-48.63	-40	8.63	Pass	501
3500	3750	1	RMS	3616.25	18	60	42	Pass	401
3750	7000	1	RMS	3923	-48.81	-40	8.81	Pass	3251
7000	26500	1	RMS	25079	-51.43	-40	11.43	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.75	-40	27.75	Pass	401
0.15	30	0.01	RMS	25.63	-66.74	-40	26.74	Pass	2986
30	1000	0.1	RMS	800	-58.06	-40	18.06	Pass	9701
1000	3000	1	RMS	2978	-46.97	-40	6.97	Pass	2001
3000	3500	1	RMS	3327	-48.12	-40	8.12	Pass	501
3500	3750	1	RMS	3633.75	18.27	60	41.73	Pass	401
3750	7000	1	RMS	3941	-47.79	-40	7.79	Pass	3251
7000	26500	1	RMS	25752	-50.54	-40	10.54	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.91	-40	27.91	Pass	401
0.15	30	0.01	RMS	26.77	-67.65	-40	27.65	Pass	2986
30	1000	0.1	RMS	839.5	-57.54	-40	17.54	Pass	9701
1000	3000	1	RMS	2937	-47.42	-40	7.42	Pass	2001
3000	3500	1	RMS	3377	-49.2	-40	9.2	Pass	501
3500	3750	1	RMS	3697.5	6.78	60	53.22	Pass	401
3750	7000	1	RMS	3750	-58.49	-40	18.49	Pass	3251
7000	26500	1	RMS	25091	-51	-40	11	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.73	-40	27.73	Pass	401
0.15	30	0.01	RMS	16.12	-67.37	-40	27.37	Pass	2986
30	1000	0.1	RMS	805.6	-57.38	-40	17.38	Pass	9701
1000	3000	1	RMS	2969	-47.11	-40	7.11	Pass	2001
3000	3500	1	RMS	3374	-48.82	-40	8.82	Pass	501
3500	3750	1	RMS	3681.25	17.91	60	42.09	Pass	401
3750	7000	1	RMS	3988	-49.77	-40	9.77	Pass	3251
7000	26500	1	RMS	25940	-51.35	-40	11.35	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.62	-40	29.62	Pass	401
0.15	30	0.01	RMS	22.07	-67.09	-40	27.09	Pass	2986
30	1000	0.1	RMS	836.3	-58.28	-40	18.28	Pass	9701
1000	3000	1	RMS	2960	-47.1	-40	7.1	Pass	2001
3000	3500	1	RMS	3392	-46.24	-40	6.24	Pass	501
3500	3750	1	RMS	3698.75	17.87	60	42.13	Pass	401
3750	7000	1	RMS	4006	-51.89	-40	11.89	Pass	3251
7000	26500	1	RMS	25029	-51.55	-40	11.55	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.48	-40	27.48	Pass	401
0.15	30	0.01	RMS	27.8	-67.99	-40	27.99	Pass	2986
30	1000	0.1	RMS	898.633	-57.4	-40	17.4	Pass	9701
1000	3000	1	RMS	2982	-47.58	-40	7.58	Pass	2001
3000	3500	1	RMS	3500	-48.34	-40	8.34	Pass	501
3500	3750	1	RMS	3553.125	4.63	60	55.37	Pass	401
3750	7000	1	RMS	3860	-62.79	-40	22.79	Pass	3251
7000	26500	1	RMS	25375	-51.74	-40	11.74	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.94	-40	28.94	Pass	401
0.15	30	0.01	RMS	19.93	-67.04	-40	27.04	Pass	2986
30	1000	0.1	RMS	887.826	-58.22	-40	18.22	Pass	9701
1000	3000	1	RMS	2932	-47.14	-40	7.14	Pass	2001
3000	3500	1	RMS	3405	-49.25	-40	9.25	Pass	501
3500	3750	1	RMS	3551.25	19.18	60	40.82	Pass	401
3750	7000	1	RMS	3858	-49.77	-40	9.77	Pass	3251
7000	26500	1	RMS	25103	-50.85	-40	10.85	Pass	19503




1.21. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.57	-40	30.57	Pass	401
0.15	30	0.01	RMS	6.21	-67.7	-40	27.7	Pass	2986
30	1000	0.1	RMS	946.765	-58.09	-40	18.09	Pass	9701
1000	3000	1	RMS	2975	-47.29	-40	7.29	Pass	2001
3000	3500	1	RMS	3282	-48.91	-40	8.91	Pass	501
3500	3750	1	RMS	3588.75	18.51	60	41.49	Pass	401
3750	7000	1	RMS	3896	-53.12	-40	13.12	Pass	3251
7000	26500	1	RMS	26053	-52.08	-40	12.08	Pass	19503




1.22. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.82	-40	28.82	Pass	401
0.15	30	0.01	RMS	21.51	-67.37	-40	27.37	Pass	2986
30	1000	0.1	RMS	985.691	-58.08	-40	18.08	Pass	9701
1000	3000	1	RMS	2989	-47.51	-40	7.51	Pass	2001
3000	3500	1	RMS	3400	-49.26	-40	9.26	Pass	501
3500	3750	1	RMS	3608.125	3.99	60	56.01	Pass	401
3750	7000	1	RMS	3751	-62.66	-40	22.66	Pass	3251
7000	26500	1	RMS	24117	-51.2	-40	11.2	Pass	19503




1.23. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.1	-40	28.1	Pass	401
0.15	30	0.01	RMS	10.5	-67.58	-40	27.58	Pass	2986
30	1000	0.1	RMS	489.9	-58.28	-40	18.28	Pass	9701
1000	3000	1	RMS	2976	-47.3	-40	7.3	Pass	2001
3000	3500	1	RMS	3299	-48.42	-40	8.42	Pass	501
3500	3750	1	RMS	3606.25	18.67	60	41.33	Pass	401
3750	7000	1	RMS	3913	-52.96	-40	12.96	Pass	3251
7000	26500	1	RMS	25122	-51.65	-40	11.65	Pass	19503




1.24. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.35	-40	31.35	Pass	401
0.15	30	0.01	RMS	10.2	-66.67	-40	26.67	Pass	2986
30	1000	0.1	RMS	513.7	-58.64	-40	18.64	Pass	9701
1000	3000	1	RMS	2866	-47.45	-40	7.45	Pass	2001
3000	3500	1	RMS	3337	-48.71	-40	8.71	Pass	501
3500	3750	1	RMS	3643.75	18.52	60	41.48	Pass	401
3750	7000	1	RMS	3951	-48.81	-40	8.81	Pass	3251
7000	26500	1	RMS	26131	-51.94	-40	11.94	Pass	19503




1.25. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.33	-40	28.33	Pass	401
0.15	30	0.01	RMS	15.7	-66.66	-40	26.66	Pass	2986
30	1000	0.1	RMS	902.135	-58.35	-40	18.35	Pass	9701
1000	3000	1	RMS	2965	-47.4	-40	7.4	Pass	2001
3000	3500	1	RMS	3424	-49.02	-40	9.02	Pass	501
3500	3750	1	RMS	3661.875	3.82	60	56.18	Pass	401
3750	7000	1	RMS	3750	-49.92	-40	9.92	Pass	3251
7000	26500	1	RMS	25081	-50.73	-40	10.73	Pass	19503




1.26. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-70.97	-40	30.97	Pass	401
0.15	30	0.01	RMS	24.96	-66.13	-40	26.13	Pass	2986
30	1000	0.1	RMS	988.793	-58.45	-40	18.45	Pass	9701
1000	3000	1	RMS	2920	-47.38	-40	7.38	Pass	2001
3000	3500	1	RMS	3354	-48.14	-40	8.14	Pass	501
3500	3750	1	RMS	3661.25	18.63	60	41.37	Pass	401
3750	7000	1	RMS	3968	-51.71	-40	11.71	Pass	3251
7000	26500	1	RMS	25714	-51.57	-40	11.57	Pass	19503



1.27. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.56	-40	29.56	Pass	401
0.15	30	0.01	RMS	1.17	-68.2	-40	28.2	Pass	2986
30	1000	0.1	RMS	966.278	-57.94	-40	17.94	Pass	9701
1000	3000	1	RMS	2999	-47.11	-40	7.11	Pass	2001
3000	3500	1	RMS	3392	-48.29	-40	8.29	Pass	501
3500	3750	1	RMS	3698.75	18.26	60	41.74	Pass	401
3750	7000	1	RMS	4006	-53.19	-40	13.19	Pass	3251
7000	26500	1	RMS	24113	-51.01	-40	11.01	Pass	19503



--BLANK BELOW--