


A.6 Band Edge

1. LTE_Band48


1.1. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3511.925	-48.66	-40	8.66	Pass	401
3530	3540	1	RMS	3539.975	-44.61	-25	19.61	Pass	401
3540	3545	1	RMS	3544.888	-39.41	-25	14.41	Pass	401
3545	3549	1	RMS	3549	-25.48	-13	12.48	Pass	5
3549	3550	0.01	RMS	3550	-27.46	-13	14.46	Pass	401
3550	3555	0.1	RMS	3550.35	21.74	30	8.26	Pass	401




1.2. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.7	-48.83	-40	8.83	Pass	401
3530	3540	1	RMS	3539.975	-44.19	-25	19.19	Pass	401
3540	3545	1	RMS	3544.625	-38.19	-25	13.19	Pass	401
3545	3549	1	RMS	3549	-28.05	-13	15.05	Pass	5
3549	3550	0.051	RMS	3549.995	-25.07	-13	12.07	Pass	401
3550	3555	0.1	RMS	3552.75	7.35	30	22.65	Pass	401




1.3. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3511.775	-48.79	-40	8.79	Pass	401
3530	3540	1	RMS	3539.5	-44.83	-25	19.83	Pass	401
3540	3545	1	RMS	3544.975	-39.91	-25	14.91	Pass	401
3545	3549	1	RMS	3549	-26.52	-13	13.52	Pass	5
3549	3550	0.01	RMS	3549.998	-29.79	-13	16.79	Pass	401
3550	3555	0.1	RMS	3550.325	20.63	30	9.37	Pass	401




1.4. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3528.425	-49.19	-40	9.19	Pass	401
3530	3540	1	RMS	3540	-44.44	-25	19.44	Pass	401
3540	3545	1	RMS	3544.913	-38.53	-25	13.53	Pass	401
3545	3549	1	RMS	3549	-28.08	-13	15.08	Pass	5
3549	3550	0.051	RMS	3550	-26.38	-13	13.38	Pass	401
3550	3555	0.1	RMS	3551.788	6.65	30	23.35	Pass	401




1.5. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3699.638	23.68	30	6.32	Pass	401
3700	3701	0.01	RMS	3700.003	-27.6	-13	14.6	Pass	401
3701	3705	1	RMS	3701	-25.32	-13	12.32	Pass	5
3705	3710	1	RMS	3705.063	-39.83	-25	14.83	Pass	401
3710	3720	1	RMS	3710.45	-44.91	-25	19.91	Pass	401
3720	3750	1	RMS	3720	-48.93	-40	8.93	Pass	401




1.6. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3698.738	16.9	30	13.1	Pass	401
3700	3701	0.051	RMS	3700	-26.1	-13	13.1	Pass	401
3701	3705	1	RMS	3701	-28.66	-13	15.66	Pass	5
3705	3710	1	RMS	3705.45	-38.17	-25	13.17	Pass	401
3710	3720	1	RMS	3710.325	-42.82	-25	17.82	Pass	401
3720	3750	1	RMS	3721.275	-48.82	-40	8.82	Pass	401




1.7. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3699.663	23	30	7	Pass	401
3700	3701	0.01	RMS	3700.003	-27.63	-13	14.63	Pass	401
3701	3705	1	RMS	3701	-26.25	-13	13.25	Pass	5
3705	3710	1	RMS	3705.313	-39.9	-25	14.9	Pass	401
3710	3720	1	RMS	3710.45	-45.33	-25	20.33	Pass	401
3720	3750	1	RMS	3721.95	-49.28	-40	9.28	Pass	401




1.8. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3698.6	16.23	30	13.77	Pass	401
3700	3701	0.051	RMS	3700.008	-26.01	-13	13.01	Pass	401
3701	3705	1	RMS	3701	-28.98	-13	15.98	Pass	5
3705	3710	1	RMS	3705.463	-37.82	-25	12.82	Pass	401
3710	3720	1	RMS	3710.225	-43.87	-25	18.87	Pass	401
3720	3750	1	RMS	3721.875	-49.38	-40	9.38	Pass	401




1.9. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3528.875	-48.42	-40	8.42	Pass	401
3530	3540	1	RMS	3539.925	-44.16	-25	19.16	Pass	401
3540	3549	1	RMS	3549	-24.78	-13	11.78	Pass	10
3549	3550	0.01	RMS	3550	-37.66	-13	24.66	Pass	401
3550	3560	0.1	RMS	3550.6	21.95	30	8.05	Pass	401




1.10. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-48.07	-40	8.07	Pass	31
3530	3540	1	RMS	3539.9	-42.32	-25	17.32	Pass	401
3540	3549	1	RMS	3548.978	-24.8	-13	11.8	Pass	401
3549	3550	0.1	RMS	3549.998	-29.63	-13	16.63	Pass	401
3550	3560	0.1	RMS	3554.575	4.37	30	25.63	Pass	401




1.11. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.4	-48.54	-40	8.54	Pass	401
3530	3540	1	RMS	3539.65	-44.23	-25	19.23	Pass	401
3540	3549	1	RMS	3549	-25.58	-13	12.58	Pass	10
3549	3550	0.01	RMS	3549.998	-37.3	-13	24.3	Pass	401
3550	3560	0.1	RMS	3550.625	20.52	30	9.48	Pass	401




1.12. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.325	-47.86	-40	7.86	Pass	401
3530	3540	1	RMS	3539.65	-41.91	-25	16.91	Pass	401
3540	3549	1	RMS	3549	-26.34	-13	13.34	Pass	401
3549	3550	0.1	RMS	3549.99	-31.03	-13	18.03	Pass	401
3550	3560	0.1	RMS	3555.925	3.31	30	26.69	Pass	401




1.13. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.45	24.29	30	5.71	Pass	401
3700	3701	0.01	RMS	3700	-37.67	-13	24.67	Pass	401
3701	3710	1	RMS	3701	-24.85	-13	11.85	Pass	10
3710	3720	1	RMS	3711	-44.56	-25	19.56	Pass	401
3720	3750	1	RMS	3720.3	-48.67	-40	8.67	Pass	401




1.14. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3695.525	14.12	30	15.88	Pass	401
3700	3701	0.1	RMS	3700.025	-30.69	-13	17.69	Pass	401
3701	3710	1	RMS	3701.023	-26.65	-13	13.65	Pass	401
3710	3720	1	RMS	3711.725	-41.52	-25	16.52	Pass	401
3720	3750	1	RMS	3720.525	-47.09	-40	7.09	Pass	401




1.15. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.375	22.85	30	7.15	Pass	401
3700	3701	0.01	RMS	3700.028	-38.76	-13	25.76	Pass	401
3701	3710	1	RMS	3701	-25.71	-13	12.71	Pass	10
3710	3720	1	RMS	3710.2	-44.28	-25	19.28	Pass	401
3720	3750	1	RMS	3720	-48.28	-40	8.28	Pass	401




1.16. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3695.375	13.34	30	16.66	Pass	401
3700	3701	0.1	RMS	3700.013	-31.66	-13	18.66	Pass	401
3701	3710	1	RMS	3701	-27.22	-13	14.22	Pass	401
3710	3720	1	RMS	3710.5	-41.55	-25	16.55	Pass	401
3720	3750	1	RMS	3721.275	-48	-40	8	Pass	401




1.17. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-48.34	-40	8.34	Pass	401
3530	3540	1	RMS	3540	-43.95	-25	18.95	Pass	401
3540	3549	1	RMS	3549	-22.35	-13	9.35	Pass	401
3549	3550	0.01	RMS	3549.98	-37.52	-13	24.52	Pass	401
3550	3565	0.1	RMS	3550.825	21.36	30	8.64	Pass	401




1.18. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3528	-45.33	-40	5.33	Pass	31
3530	3540	1	RMS	3538.775	-37.49	-25	12.49	Pass	401
3540	3549	1	RMS	3548.933	-26.75	-13	13.75	Pass	401
3549	3550	0.15	RMS	3549.985	-31.02	-13	18.02	Pass	401
3550	3565	0.1	RMS	3555.663	2.57	30	27.43	Pass	401




1.19. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.55	-48.27	-40	8.27	Pass	401
3530	3540	1	RMS	3539.975	-43.08	-25	18.08	Pass	401
3540	3549	1	RMS	3549	-23.75	-13	10.75	Pass	401
3549	3550	0.01	RMS	3549.998	-37.23	-13	24.23	Pass	401
3550	3565	0.1	RMS	3550.863	21.05	30	8.95	Pass	401




1.20. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-46.32	-40	6.32	Pass	31
3530	3540	1	RMS	3539.425	-39.76	-25	14.76	Pass	401
3540	3549	1	RMS	3548.933	-33.2	-13	20.2	Pass	401
3549	3550	0.15	RMS	3549.978	-34.35	-13	21.35	Pass	401
3550	3565	0.1	RMS	3554.125	1.33	30	28.67	Pass	401



1.21. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3699.213	24.17	30	5.83	Pass	401
3700	3701	0.01	RMS	3700.003	-36.67	-13	23.67	Pass	401
3701	3710	1	RMS	3701.045	-23.78	-13	10.78	Pass	401
3710	3720	1	RMS	3710.475	-44.36	-25	19.36	Pass	401
3720	3750	1	RMS	3720.15	-48.45	-40	8.45	Pass	401




1.22. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3691.338	12.09	30	17.91	Pass	401
3700	3701	0.15	RMS	3700.023	-31.8	-13	18.8	Pass	401
3701	3710	1	RMS	3701	-28.06	-13	15.06	Pass	401
3710	3720	1	RMS	3711.55	-40.04	-25	15.04	Pass	401
3720	3750	1	RMS	3720	-44	-40	4	Pass	31



1.23. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3699.138	22.57	30	7.43	Pass	401
3700	3701	0.01	RMS	3700	-37.54	-13	24.54	Pass	401
3701	3710	1	RMS	3701	-23.93	-13	10.93	Pass	401
3710	3720	1	RMS	3711.2	-43.52	-25	18.52	Pass	401
3720	3750	1	RMS	3720.975	-48.74	-40	8.74	Pass	401




1.24. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3690.325	10.92	30	19.08	Pass	401
3700	3701	0.15	RMS	3700.008	-34.29	-13	21.29	Pass	401
3701	3710	1	RMS	3701.045	-34.04	-13	21.04	Pass	401
3710	3720	1	RMS	3710.575	-40.79	-25	15.79	Pass	401
3720	3750	1	RMS	3720	-44.52	-40	4.52	Pass	31




1.25. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.625	-48.27	-40	8.27	Pass	401
3530	3540	1	RMS	3539.9	-44.07	-25	19.07	Pass	401
3540	3549	1	RMS	3548.955	-27.77	-13	14.77	Pass	401
3549	3550	0.01	RMS	3549.975	-38	-13	25	Pass	401
3550	3570	0.1	RMS	3551.05	21.28	30	8.72	Pass	401




1.26. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529	-45.93	-40	5.93	Pass	31
3530	3540	1	RMS	3538.325	-38.88	-25	13.88	Pass	401
3540	3549	1	RMS	3548.955	-29	-13	16	Pass	401
3549	3550	0.2	RMS	3550	-32.66	-13	19.66	Pass	401
3550	3570	0.1	RMS	3562.8	1.06	30	28.94	Pass	401




1.27. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.1	-48.29	-40	8.29	Pass	401
3530	3540	1	RMS	3539.6	-44.3	-25	19.3	Pass	401
3540	3549	1	RMS	3548.978	-27.15	-13	14.15	Pass	401
3549	3550	0.01	RMS	3549.955	-38.47	-13	25.47	Pass	401
3550	3570	0.1	RMS	3551.05	20.55	30	9.45	Pass	401




1.28. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-45.65	-40	5.65	Pass	31
3530	3540	1	RMS	3539.975	-40.37	-25	15.37	Pass	401
3540	3549	1	RMS	3549	-30.98	-13	17.98	Pass	401
3549	3550	0.2	RMS	3549.978	-34.19	-13	21.19	Pass	401
3550	3570	0.1	RMS	3556.95	0.13	30	29.87	Pass	401




1.29. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3698.95	24.04	30	5.96	Pass	401
3700	3701	0.01	RMS	3700.023	-37.67	-13	24.67	Pass	401
3701	3710	1	RMS	3701.023	-27.79	-13	14.79	Pass	401
3710	3720	1	RMS	3710.225	-44.53	-25	19.53	Pass	401
3720	3750	1	RMS	3720.15	-48.5	-40	8.5	Pass	401




1.30. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3693.3	11.16	30	18.84	Pass	401
3700	3701	0.2	RMS	3700.003	-32.78	-13	19.78	Pass	401
3701	3710	1	RMS	3701.023	-30.02	-13	17.02	Pass	401
3710	3720	1	RMS	3716.225	-40.91	-25	15.91	Pass	401
3720	3750	1	RMS	3727	-44.7	-40	4.7	Pass	31




1.31. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3698.85	23.1	30	6.9	Pass	401
3700	3701	0.01	RMS	3700.02	-39.11	-13	26.11	Pass	401
3701	3710	1	RMS	3701	-28.04	-13	15.04	Pass	401
3710	3720	1	RMS	3710.35	-44.93	-25	19.93	Pass	401
3720	3750	1	RMS	3720.525	-48.61	-40	8.61	Pass	401



1.32. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3691.95	9.95	30	20.05	Pass	401
3700	3701	0.2	RMS	3700	-35.27	-13	22.27	Pass	401
3701	3710	1	RMS	3701.045	-32.34	-13	19.34	Pass	401
3710	3720	1	RMS	3710.125	-41.11	-25	16.11	Pass	401
3720	3750	1	RMS	3721	-44.73	-40	4.73	Pass	31



2. n48 30kHz


2.1. Band Edge for SA_Part96(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3502.475	-45.45	-40	5.45	Pass	401
3530	3540	1	RMS	3533.025	-45.63	-25	20.63	Pass	401
3540	3549	1	RMS	3549	-25.78	-13	12.78	Pass	401
3549	3550	0.1	RMS	3550	-24.42	-13	11.42	Pass	401
3550	3560	1	RMS	3550.85	18.58	40	21.42	Pass	401




2.2. Band Edge for SA_Part96(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.85	-45.48	-40	5.48	Pass	401
3530	3540	1	RMS	3539.925	-42.82	-25	17.82	Pass	401
3540	3549	1	RMS	3549	-27.98	-13	14.98	Pass	401
3549	3550	0.1	RMS	3549.995	-30.47	-13	17.47	Pass	401
3550	3560	1	RMS	3552.875	9.58	40	30.42	Pass	401




2.3. Band Edge for SA_Part96(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.125	17.06	40	22.94	Pass	401
3700	3701	0.1	RMS	3700.003	-26.13	-13	13.13	Pass	401
3701	3710	1	RMS	3701	-28.3	-13	15.3	Pass	401
3710	3720	1	RMS	3711.15	-46.49	-25	21.49	Pass	401
3720	3750	1	RMS	3720.3	-46.43	-40	6.43	Pass	401




2.4. Band Edge for SA_Part96(Subtest:4, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3696.2	8.16	40	31.84	Pass	401
3700	3701	0.1	RMS	3700.005	-32.54	-13	19.54	Pass	401
3701	3710	1	RMS	3701	-28.41	-13	15.41	Pass	401
3710	3720	1	RMS	3710.125	-41.87	-25	16.87	Pass	401
3720	3750	1	RMS	3721.5	-46.15	-40	6.15	Pass	401




2.5. Band Edge for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3501.95	-45.44	-40	5.44	Pass	401
3530	3540	1	RMS	3533.05	-45.64	-25	20.64	Pass	401
3540	3549	1	RMS	3549	-31.7	-13	18.7	Pass	401
3549	3550	0.051	RMS	3550	-31.36	-13	18.36	Pass	401
3550	3570	1	RMS	3551	15.53	40	24.47	Pass	401




2.6. Band Edge for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-45.41	-40	5.41	Pass	401
3530	3540	1	RMS	3540	-43.65	-25	18.65	Pass	401
3540	3549	1	RMS	3549	-36.89	-13	23.89	Pass	401
3549	3550	0.2	RMS	3549.995	-35.99	-13	22.99	Pass	401
3550	3570	1	RMS	3552	3.4	40	36.6	Pass	401




2.7. Band Edge for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3698.95	13.94	40	26.06	Pass	401
3700	3701	0.051	RMS	3700.003	-34.06	-13	21.06	Pass	401
3701	3710	1	RMS	3701	-33.68	-13	20.68	Pass	401
3710	3720	1	RMS	3710.75	-46.42	-25	21.42	Pass	401
3720	3750	1	RMS	3740.25	-46.39	-40	6.39	Pass	401




2.8. Band Edge for SA_Part96(Subtest:4, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3682.05	2.06	40	37.94	Pass	401
3700	3701	0.2	RMS	3700	-39.05	-13	26.05	Pass	401
3701	3710	1	RMS	3701	-36.12	-13	23.12	Pass	401
3710	3720	1	RMS	3710.375	-41.47	-25	16.47	Pass	401
3720	3750	1	RMS	3721.125	-45.77	-40	5.77	Pass	401




2.9. Band Edge for SA_Part96(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3500.675	-45.4	-40	5.4	Pass	401
3530	3540	1	RMS	3533.45	-45.67	-25	20.67	Pass	401
3540	3549	1	RMS	3549	-39.02	-13	26.02	Pass	401
3549	3550	0.051	RMS	3550	-39.45	-13	26.45	Pass	401
3550	3590	1	RMS	3551.1	10.32	40	29.68	Pass	401




2.10. Band Edge for SA_Part96(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3502.434	-45.39	-40	5.39	Pass	401
3530	3540	1	RMS	3537.575	-45.33	-25	20.33	Pass	401
3540	3549	1	RMS	3549	-40	-13	27	Pass	401
3549	3550	0.39	RMS	3549.998	-40.84	-13	27.84	Pass	401
3550	3590	1	RMS	3552.1	-4.81	40	44.81	Pass	401




2.11. Band Edge for SA_Part96(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3698.9	8.5	40	31.5	Pass	401
3700	3701	0.051	RMS	3700	-43.2	-13	30.2	Pass	401
3701	3710	1	RMS	3701	-41.48	-13	28.48	Pass	401
3710	3720	1	RMS	3716.85	-46.57	-25	21.57	Pass	401
3720	3750	1	RMS	3734.55	-46.3	-40	6.3	Pass	401



2.12. Band Edge for SA_Part96(Subtest:4, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3661.9	-5.82	40	45.82	Pass	401
3700	3701	0.39	RMS	3700.005	-42.74	-13	29.74	Pass	401
3701	3710	1	RMS	3701.023	-41.8	-13	28.8	Pass	401
3710	3720	1	RMS	3710.575	-46.23	-25	21.23	Pass	401
3720.5	3750	1	RMS	3733.111	-46.46	-40	6.46	Pass	401



--BLANK BELOW--