



## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 8350.18         | 41.68            | 48.71          | 7.03          | 74.00          | 25.29       | PK       | Vertical | PASS    |
| 2              | 9460.73         | 40.12            | 49.09          | 8.97          | 74.00          | 24.91       | PK       | Vertical | PASS    |
| 3              | 11471.74        | 39.88            | 49.27          | 9.39          | 74.00          | 24.73       | PK       | Vertical | PASS    |
| 4              | 12662.33        | 38.57            | 49.54          | 10.97         | 74.00          | 24.46       | PK       | Vertical | PASS    |
| 5              | 15793.90        | 36.84            | 49.40          | 12.56         | 74.00          | 24.60       | PK       | Vertical | PASS    |
| 6              | 17929.96        | 33.44            | 50.56          | 17.12         | 74.00          | 23.44       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9985.99         | 40.71            | 49.64          | 8.93          | 68.20          | 18.56       | PK       | Horizontal | PASS    |
| 2              | 12172.09        | 39.13            | 49.11          | 9.98          | 74.00          | 24.89       | PK       | Horizontal | PASS    |
| 3              | 13647.82        | 37.54            | 48.67          | 11.13         | 68.20          | 19.53       | PK       | Horizontal | PASS    |
| 4              | 14888.44        | 36.77            | 48.60          | 11.83         | 68.20          | 19.60       | PK       | Horizontal | PASS    |
| 5              | 16414.21        | 34.16            | 48.19          | 14.03         | 68.20          | 20.01       | PK       | Horizontal | PASS    |
| 6              | 17834.92        | 32.87            | 49.68          | 16.81         | 74.00          | 24.32       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 10356.18        | 40.75            | 49.06          | 8.31          | 68.20          | 19.14       | PK       | Vertical | PASS    |
| 2              | 12262.13        | 38.64            | 48.77          | 10.13         | 74.00          | 25.23       | PK       | Vertical | PASS    |
| 3              | 13327.66        | 38.14            | 49.32          | 11.18         | 74.00          | 24.68       | PK       | Vertical | PASS    |
| 4              | 15338.67        | 37.41            | 49.52          | 12.11         | 68.20          | 18.68       | PK       | Vertical | PASS    |
| 5              | 16709.35        | 34.16            | 49.02          | 14.86         | 68.20          | 19.18       | PK       | Vertical | PASS    |
| 6              | 17829.91        | 33.23            | 50.02          | 16.79         | 74.00          | 23.98       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9860.93         | 41.27            | 49.68          | 8.41          | 68.20          | 18.52       | PK       | Horizontal | PASS    |
| 2              | 11911.96        | 39.55            | 49.25          | 9.70          | 74.00          | 24.75       | PK       | Horizontal | PASS    |
| 3              | 13147.57        | 38.22            | 49.17          | 10.95         | 68.20          | 19.03       | PK       | Horizontal | PASS    |
| 4              | 14978.49        | 37.06            | 48.99          | 11.93         | 68.20          | 19.21       | PK       | Horizontal | PASS    |
| 5              | 16749.37        | 32.98            | 47.89          | 14.91         | 68.20          | 20.31       | PK       | Horizontal | PASS    |
| 6              | 17964.98        | 32.77            | 49.99          | 17.22         | 74.00          | 24.01       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
 (2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9485.74         | 39.44            | 48.54          | 9.10          | 74.00          | 25.46       | PK       | Vertical | PASS    |
| 2              | 11606.80        | 38.67            | 48.65          | 9.98          | 74.00          | 25.35       | PK       | Vertical | PASS    |
| 3              | 12822.41        | 37.85            | 48.94          | 11.09         | 68.20          | 19.26       | PK       | Vertical | PASS    |
| 4              | 14683.34        | 37.19            | 49.23          | 12.04         | 68.20          | 18.97       | PK       | Vertical | PASS    |
| 5              | 15818.91        | 36.41            | 49.02          | 12.61         | 74.00          | 24.98       | PK       | Vertical | PASS    |
| 6              | 17899.95        | 32.98            | 49.99          | 17.01         | 74.00          | 24.01       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9510.76         | 40.82            | 49.89          | 9.07          | 68.20          | 18.31       | PK       | Horizontal | PASS    |
| 2              | 10561.28        | 40.75            | 49.14          | 8.39          | 68.20          | 19.06       | PK       | Horizontal | PASS    |
| 3              | 12892.45        | 38.69            | 49.74          | 11.05         | 68.20          | 18.46       | PK       | Horizontal | PASS    |
| 4              | 15008.50        | 37.22            | 49.16          | 11.94         | 68.20          | 19.04       | PK       | Horizontal | PASS    |
| 5              | 16604.30        | 32.80            | 47.50          | 14.70         | 68.20          | 20.70       | PK       | Horizontal | PASS    |
| 6              | 17889.94        | 32.62            | 49.60          | 16.98         | 74.00          | 24.40       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 10081.04        | 40.63            | 49.14          | 8.51          | 68.20          | 19.06       | PK       | Vertical | PASS    |
| 2              | 11421.71        | 39.40            | 48.58          | 9.18          | 74.00          | 25.42       | PK       | Vertical | PASS    |
| 3              | 13257.63        | 37.60            | 48.64          | 11.04         | 74.00          | 25.36       | PK       | Vertical | PASS    |
| 4              | 14353.18        | 37.68            | 49.51          | 11.83         | 68.20          | 18.69       | PK       | Vertical | PASS    |
| 5              | 15563.78        | 36.25            | 48.67          | 12.42         | 74.00          | 25.33       | PK       | Vertical | PASS    |
| 6              | 17824.91        | 33.08            | 49.85          | 16.77         | 74.00          | 24.15       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9285.64         | 40.35            | 49.00          | 8.65          | 68.20          | 19.20       | PK       | Horizontal | PASS    |
| 2              | 10541.27        | 41.11            | 49.50          | 8.39          | 68.20          | 18.70       | PK       | Horizontal | PASS    |
| 3              | 12262.13        | 39.39            | 49.52          | 10.13         | 74.00          | 24.48       | PK       | Horizontal | PASS    |
| 4              | 14983.49        | 37.58            | 49.51          | 11.93         | 68.20          | 18.69       | PK       | Horizontal | PASS    |
| 5              | 15878.94        | 35.76            | 48.47          | 12.71         | 74.00          | 25.53       | PK       | Horizontal | PASS    |
| 6              | 17834.92        | 32.02            | 48.83          | 16.81         | 74.00          | 25.17       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9325.66         | 40.99            | 49.72          | 8.73          | 74.00          | 24.28       | PK       | Vertical | PASS    |
| 2              | 9850.93         | 40.26            | 48.66          | 8.40          | 68.20          | 19.54       | PK       | Vertical | PASS    |
| 3              | 11711.86        | 38.49            | 48.34          | 9.85          | 74.00          | 25.66       | PK       | Vertical | PASS    |
| 4              | 13077.54        | 37.76            | 48.73          | 10.97         | 68.20          | 19.47       | PK       | Vertical | PASS    |
| 5              | 15128.56        | 37.75            | 49.41          | 11.66         | 68.20          | 18.79       | PK       | Vertical | PASS    |
| 6              | 17899.95        | 32.47            | 49.48          | 17.01         | 74.00          | 24.52       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 10046.02        | 41.21            | 49.94          | 8.73          | 68.20          | 18.26       | PK       | Horizontal | PASS    |
| 2              | 11766.88        | 39.58            | 49.37          | 9.79          | 74.00          | 24.63       | PK       | Horizontal | PASS    |
| 3              | 13132.57        | 37.71            | 48.66          | 10.95         | 68.20          | 19.54       | PK       | Horizontal | PASS    |
| 4              | 14923.46        | 36.46            | 48.33          | 11.87         | 68.20          | 19.87       | PK       | Horizontal | PASS    |
| 5              | 17314.66        | 33.23            | 48.39          | 15.16         | 68.20          | 19.81       | PK       | Horizontal | PASS    |
| 6              | 17959.98        | 32.10            | 49.31          | 17.21         | 74.00          | 24.69       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
 (2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9485.74         | 39.48            | 48.58          | 9.10          | 74.00          | 25.42       | PK       | Vertical | PASS    |
| 2              | 10416.21        | 40.78            | 49.23          | 8.45          | 68.20          | 18.97       | PK       | Vertical | PASS    |
| 3              | 12227.11        | 38.65            | 48.74          | 10.09         | 74.00          | 25.26       | PK       | Vertical | PASS    |
| 4              | 14073.04        | 37.68            | 49.21          | 11.53         | 68.20          | 18.99       | PK       | Vertical | PASS    |
| 5              | 15873.94        | 37.16            | 49.86          | 12.70         | 74.00          | 24.14       | PK       | Vertical | PASS    |
| 6              | 17379.69        | 34.13            | 49.45          | 15.32         | 68.20          | 18.75       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9245.62         | 41.01            | 49.39          | 8.38          | 68.20          | 18.81       | PK       | Horizontal | PASS    |
| 2              | 11291.65        | 39.85            | 48.88          | 9.03          | 74.00          | 25.12       | PK       | Horizontal | PASS    |
| 3              | 12807.40        | 38.08            | 49.18          | 11.10         | 68.20          | 19.02       | PK       | Horizontal | PASS    |
| 4              | 15268.63        | 36.11            | 47.91          | 11.80         | 68.20          | 20.29       | PK       | Horizontal | PASS    |
| 5              | 16464.23        | 34.14            | 48.35          | 14.21         | 68.20          | 19.85       | PK       | Horizontal | PASS    |
| 6              | 17899.95        | 32.83            | 49.84          | 17.01         | 74.00          | 24.16       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9500.75         | 39.97            | 49.12          | 9.15          | 68.20          | 19.08       | PK       | Vertical | PASS    |
| 2              | 11211.61        | 39.60            | 48.60          | 9.00          | 74.00          | 25.40       | PK       | Vertical | PASS    |
| 3              | 12802.40        | 37.61            | 48.71          | 11.10         | 68.20          | 19.49       | PK       | Vertical | PASS    |
| 4              | 14513.26        | 36.96            | 49.06          | 12.10         | 68.20          | 19.14       | PK       | Vertical | PASS    |
| 5              | 15828.91        | 35.00            | 47.62          | 12.62         | 74.00          | 26.38       | PK       | Vertical | PASS    |
| 6              | 17384.69        | 33.34            | 48.68          | 15.34         | 68.20          | 19.52       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9675.84         | 41.74            | 50.05          | 8.31          | 68.20          | 18.15       | PK       | Horizontal | PASS    |
| 2              | 11431.72        | 39.51            | 48.74          | 9.23          | 74.00          | 25.26       | PK       | Horizontal | PASS    |
| 3              | 13452.73        | 36.80            | 48.01          | 11.21         | 68.20          | 20.19       | PK       | Horizontal | PASS    |
| 4              | 15088.54        | 36.12            | 47.87          | 11.75         | 68.20          | 20.33       | PK       | Horizontal | PASS    |
| 5              | 17259.63        | 33.03            | 48.07          | 15.04         | 68.20          | 20.13       | PK       | Horizontal | PASS    |
| 6              | 17889.94        | 32.72            | 49.70          | 16.98         | 74.00          | 24.30       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9245.62         | 39.85            | 48.23          | 8.38          | 68.20          | 19.97       | PK       | Vertical | PASS    |
| 2              | 10086.04        | 40.32            | 48.81          | 8.49          | 68.20          | 19.39       | PK       | Vertical | PASS    |
| 3              | 12242.12        | 38.57            | 48.67          | 10.10         | 74.00          | 25.33       | PK       | Vertical | PASS    |
| 4              | 14513.26        | 37.34            | 49.44          | 12.10         | 68.20          | 18.76       | PK       | Vertical | PASS    |
| 5              | 15648.82        | 35.52            | 47.99          | 12.47         | 74.00          | 26.01       | PK       | Vertical | PASS    |
| 6              | 17764.88        | 32.85            | 49.52          | 16.67         | 74.00          | 24.48       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 10056.03        | 41.43            | 50.10          | 8.67          | 68.20          | 18.10       | PK       | Horizontal | PASS    |
| 2              | 11786.89        | 40.30            | 50.07          | 9.77          | 74.00          | 23.93       | PK       | Horizontal | PASS    |
| 3              | 12642.32        | 38.83            | 49.78          | 10.95         | 74.00          | 24.22       | PK       | Horizontal | PASS    |
| 4              | 14473.24        | 36.39            | 48.40          | 12.01         | 74.00          | 25.60       | PK       | Horizontal | PASS    |
| 5              | 15693.85        | 36.12            | 48.62          | 12.50         | 74.00          | 25.38       | PK       | Horizontal | PASS    |
| 6              | 17894.95        | 32.12            | 49.12          | 17.00         | 74.00          | 24.88       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 10536.27        | 40.29            | 48.69          | 8.40          | 68.20          | 19.51       | PK       | Vertical | PASS    |
| 2              | 11876.94        | 38.67            | 48.39          | 9.72          | 74.00          | 25.61       | PK       | Vertical | PASS    |
| 3              | 13307.65        | 37.53            | 48.67          | 11.14         | 74.00          | 25.33       | PK       | Vertical | PASS    |
| 4              | 14398.20        | 37.11            | 48.97          | 11.86         | 68.20          | 19.23       | PK       | Vertical | PASS    |
| 5              | 15838.92        | 35.27            | 47.90          | 12.63         | 74.00          | 26.10       | PK       | Vertical | PASS    |
| 6              | 17674.84        | 33.47            | 49.01          | 15.54         | 68.20          | 19.19       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 8400.20         | 41.00            | 48.75          | 7.75          | 74.00          | 25.25       | PK       | Horizontal | PASS    |
| 2              | 10001.00        | 40.39            | 49.39          | 9.00          | 68.20          | 18.81       | PK       | Horizontal | PASS    |
| 3              | 12147.07        | 38.97            | 48.91          | 9.94          | 74.00          | 25.09       | PK       | Horizontal | PASS    |
| 4              | 14108.05        | 36.12            | 47.72          | 11.60         | 68.20          | 20.48       | PK       | Horizontal | PASS    |
| 5              | 15883.94        | 35.57            | 48.29          | 12.72         | 74.00          | 25.71       | PK       | Horizontal | PASS    |
| 6              | 17839.92        | 31.86            | 48.68          | 16.82         | 74.00          | 25.32       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9775.89         | 41.40            | 49.72          | 8.32          | 68.20          | 18.48       | PK       | Vertical | PASS    |
| 2              | 11976.99        | 38.68            | 48.35          | 9.67          | 74.00          | 25.65       | PK       | Vertical | PASS    |
| 3              | 13247.62        | 37.97            | 49.00          | 11.03         | 68.20          | 19.20       | PK       | Vertical | PASS    |
| 4              | 14948.47        | 36.49            | 48.39          | 11.90         | 68.20          | 19.81       | PK       | Vertical | PASS    |
| 5              | 16774.39        | 34.00            | 48.94          | 14.94         | 68.20          | 19.26       | PK       | Vertical | PASS    |
| 6              | 17884.94        | 32.41            | 49.38          | 16.97         | 74.00          | 24.62       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9250.63         | 40.44            | 48.85          | 8.41          | 68.20          | 19.35       | PK       | Horizontal | PASS    |
| 2              | 11401.70        | 39.87            | 48.97          | 9.10          | 74.00          | 25.03       | PK       | Horizontal | PASS    |
| 3              | 12947.47        | 37.41            | 48.43          | 11.02         | 68.20          | 19.77       | PK       | Horizontal | PASS    |
| 4              | 15418.71        | 35.94            | 48.32          | 12.38         | 74.00          | 25.68       | PK       | Horizontal | PASS    |
| 5              | 17264.63        | 32.76            | 47.80          | 15.04         | 68.20          | 20.40       | PK       | Horizontal | PASS    |
| 6              | 17754.88        | 32.69            | 49.08          | 16.39         | 74.00          | 24.92       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9675.84         | 41.96            | 50.27          | 8.31          | 68.20          | 17.93       | PK       | Vertical | PASS    |
| 2              | 11056.53        | 40.16            | 48.53          | 8.37          | 74.00          | 25.47       | PK       | Vertical | PASS    |
| 3              | 12697.35        | 38.10            | 49.10          | 11.00         | 74.00          | 24.90       | PK       | Vertical | PASS    |
| 4              | 14523.26        | 36.57            | 48.68          | 12.11         | 68.20          | 19.52       | PK       | Vertical | PASS    |
| 5              | 16009.00        | 34.69            | 47.64          | 12.95         | 74.00          | 26.36       | PK       | Vertical | PASS    |
| 6              | 17854.93        | 32.81            | 49.68          | 16.87         | 74.00          | 24.32       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
 (2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9245.62         | 40.42            | 48.80          | 8.38          | 68.20          | 19.40       | PK       | Horizontal | PASS    |
| 2              | 10476.24        | 41.50            | 49.93          | 8.43          | 68.20          | 18.27       | PK       | Horizontal | PASS    |
| 3              | 12817.41        | 37.72            | 48.81          | 11.09         | 68.20          | 19.39       | PK       | Horizontal | PASS    |
| 4              | 13657.83        | 37.84            | 49.00          | 11.16         | 68.20          | 19.20       | PK       | Horizontal | PASS    |
| 5              | 15363.68        | 35.91            | 48.13          | 12.22         | 74.00          | 25.87       | PK       | Horizontal | PASS    |
| 6              | 17899.95        | 32.21            | 49.22          | 17.01         | 74.00          | 24.78       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9740.87         | 40.34            | 48.66          | 8.32          | 68.20          | 19.54       | PK       | Vertical | PASS    |
| 2              | 11666.83        | 38.24            | 48.15          | 9.91          | 74.00          | 25.85       | PK       | Vertical | PASS    |
| 3              | 12697.35        | 38.96            | 49.96          | 11.00         | 74.00          | 24.04       | PK       | Vertical | PASS    |
| 4              | 14218.11        | 37.04            | 48.80          | 11.76         | 68.20          | 19.40       | PK       | Vertical | PASS    |
| 5              | 15413.71        | 35.88            | 48.26          | 12.38         | 74.00          | 25.74       | PK       | Vertical | PASS    |
| 6              | 17859.93        | 32.24            | 49.12          | 16.88         | 74.00          | 24.88       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9480.74         | 40.33            | 49.40          | 9.07          | 74.00          | 24.60       | PK       | Horizontal | PASS    |
| 2              | 11186.59        | 40.74            | 49.67          | 8.93          | 74.00          | 24.33       | PK       | Horizontal | PASS    |
| 3              | 13132.57        | 37.83            | 48.78          | 10.95         | 68.20          | 19.42       | PK       | Horizontal | PASS    |
| 4              | 14978.49        | 36.75            | 48.68          | 11.93         | 68.20          | 19.52       | PK       | Horizontal | PASS    |
| 5              | 15813.91        | 35.20            | 47.79          | 12.59         | 74.00          | 26.21       | PK       | Horizontal | PASS    |
| 6              | 17964.98        | 31.95            | 49.17          | 17.22         | 74.00          | 24.83       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9860.93         | 40.84            | 49.25          | 8.41          | 68.20          | 18.95       | PK       | Vertical | PASS    |
| 2              | 11306.65        | 39.70            | 48.74          | 9.04          | 74.00          | 25.26       | PK       | Vertical | PASS    |
| 3              | 12857.43        | 37.49            | 48.56          | 11.07         | 68.20          | 19.64       | PK       | Vertical | PASS    |
| 4              | 14463.23        | 37.72            | 49.71          | 11.99         | 68.20          | 18.49       | PK       | Vertical | PASS    |
| 5              | 15818.91        | 35.55            | 48.16          | 12.61         | 74.00          | 25.84       | PK       | Vertical | PASS    |
| 6              | 17789.89        | 32.01            | 49.03          | 17.02         | 74.00          | 24.97       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9025.51         | 41.05            | 48.88          | 7.83          | 74.00          | 25.12       | PK       | Horizontal | PASS    |
| 2              | 11606.80        | 39.05            | 49.03          | 9.98          | 74.00          | 24.97       | PK       | Horizontal | PASS    |
| 3              | 12232.12        | 39.55            | 49.64          | 10.09         | 74.00          | 24.36       | PK       | Horizontal | PASS    |
| 4              | 14183.09        | 36.54            | 48.26          | 11.72         | 68.20          | 19.94       | PK       | Horizontal | PASS    |
| 5              | 15748.87        | 35.85            | 48.39          | 12.54         | 74.00          | 25.61       | PK       | Horizontal | PASS    |
| 6              | 17739.87        | 32.94            | 49.05          | 16.11         | 74.00          | 24.95       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9245.62         | 41.04            | 49.42          | 8.38          | 68.20          | 18.78       | PK       | Vertical | PASS    |
| 2              | 11551.78        | 39.45            | 49.20          | 9.75          | 74.00          | 24.80       | PK       | Vertical | PASS    |
| 3              | 12807.40        | 37.73            | 48.83          | 11.10         | 68.20          | 19.37       | PK       | Vertical | PASS    |
| 4              | 14413.21        | 36.82            | 48.71          | 11.89         | 68.20          | 19.49       | PK       | Vertical | PASS    |
| 5              | 15803.90        | 35.29            | 47.87          | 12.58         | 74.00          | 26.13       | PK       | Vertical | PASS    |
| 6              | 17894.95        | 31.79            | 48.79          | 17.00         | 74.00          | 25.21       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9180.59         | 41.20            | 49.26          | 8.06          | 74.00          | 24.74       | PK       | Horizontal | PASS    |
| 2              | 11751.88        | 39.98            | 49.78          | 9.80          | 74.00          | 24.22       | PK       | Horizontal | PASS    |
| 3              | 13382.69        | 37.12            | 48.39          | 11.27         | 74.00          | 25.61       | PK       | Horizontal | PASS    |
| 4              | 15248.62        | 37.13            | 48.84          | 11.71         | 68.20          | 19.36       | PK       | Horizontal | PASS    |
| 5              | 16679.34        | 32.82            | 47.63          | 14.81         | 68.20          | 20.57       | PK       | Horizontal | PASS    |
| 6              | 17734.87        | 32.67            | 48.71          | 16.04         | 74.00          | 25.29       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 10056.03        | 40.52            | 49.19          | 8.67          | 68.20          | 19.01       | PK       | Vertical | PASS    |
| 2              | 11531.77        | 39.21            | 48.87          | 9.66          | 74.00          | 25.13       | PK       | Vertical | PASS    |
| 3              | 12902.45        | 38.07            | 49.11          | 11.04         | 68.20          | 19.09       | PK       | Vertical | PASS    |
| 4              | 14228.11        | 37.78            | 49.55          | 11.77         | 68.20          | 18.65       | PK       | Vertical | PASS    |
| 5              | 15788.89        | 35.26            | 47.82          | 12.56         | 74.00          | 26.18       | PK       | Vertical | PASS    |
| 6              | 17869.93        | 32.88            | 49.79          | 16.91         | 74.00          | 24.21       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
 (2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9335.67         | 40.48            | 49.21          | 8.73          | 74.00          | 24.79       | PK       | Horizontal | PASS    |
| 2              | 10641.32        | 40.52            | 48.84          | 8.32          | 74.00          | 25.16       | PK       | Horizontal | PASS    |
| 3              | 12242.12        | 39.27            | 49.37          | 10.10         | 74.00          | 24.63       | PK       | Horizontal | PASS    |
| 4              | 14183.09        | 36.14            | 47.86          | 11.72         | 68.20          | 20.34       | PK       | Horizontal | PASS    |
| 5              | 15763.88        | 35.40            | 47.95          | 12.55         | 74.00          | 26.05       | PK       | Horizontal | PASS    |
| 6              | 17789.89        | 32.57            | 49.59          | 17.02         | 74.00          | 24.41       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9765.88         | 40.79            | 49.11          | 8.32          | 68.20          | 19.09       | PK       | Vertical | PASS    |
| 2              | 11281.64        | 38.84            | 47.87          | 9.03          | 74.00          | 26.13       | PK       | Vertical | PASS    |
| 3              | 13737.87        | 38.70            | 50.08          | 11.38         | 68.20          | 18.12       | PK       | Vertical | PASS    |
| 4              | 14983.49        | 36.56            | 48.49          | 11.93         | 68.20          | 19.71       | PK       | Vertical | PASS    |
| 5              | 16739.37        | 33.19            | 48.08          | 14.89         | 68.20          | 20.12       | PK       | Vertical | PASS    |
| 6              | 17834.92        | 33.01            | 49.82          | 16.81         | 74.00          | 24.18       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
 (2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9270.64         | 40.12            | 48.66          | 8.54          | 68.20          | 19.54       | PK       | Horizontal | PASS    |
| 2              | 11211.61        | 40.75            | 49.75          | 9.00          | 74.00          | 24.25       | PK       | Horizontal | PASS    |
| 3              | 13252.63        | 37.98            | 49.02          | 11.04         | 74.00          | 24.98       | PK       | Horizontal | PASS    |
| 4              | 14988.49        | 36.21            | 48.14          | 11.93         | 68.20          | 20.06       | PK       | Horizontal | PASS    |
| 5              | 15948.97        | 34.48            | 47.31          | 12.83         | 74.00          | 26.69       | PK       | Horizontal | PASS    |
| 6              | 17249.62        | 32.81            | 47.82          | 15.01         | 68.20          | 20.38       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9665.83         | 39.96            | 48.27          | 8.31          | 68.20          | 19.93       | PK       | Vertical | PASS    |
| 2              | 11511.76        | 39.60            | 49.17          | 9.57          | 74.00          | 24.83       | PK       | Vertical | PASS    |
| 3              | 12912.46        | 37.82            | 48.86          | 11.04         | 68.20          | 19.34       | PK       | Vertical | PASS    |
| 4              | 14848.42        | 37.67            | 49.46          | 11.79         | 68.20          | 18.74       | PK       | Vertical | PASS    |
| 5              | 15858.93        | 35.08            | 47.75          | 12.67         | 74.00          | 26.25       | PK       | Vertical | PASS    |
| 6              | 17289.64        | 33.91            | 49.01          | 15.10         | 68.20          | 19.19       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9300.65         | 40.12            | 48.86          | 8.74          | 74.00          | 25.14       | PK       | Horizontal | PASS    |
| 2              | 11416.71        | 39.98            | 49.14          | 9.16          | 74.00          | 24.86       | PK       | Horizontal | PASS    |
| 3              | 13127.56        | 37.51            | 48.47          | 10.96         | 68.20          | 19.73       | PK       | Horizontal | PASS    |
| 4              | 14908.45        | 36.23            | 48.09          | 11.86         | 68.20          | 20.11       | PK       | Horizontal | PASS    |
| 5              | 15943.97        | 34.12            | 46.94          | 12.82         | 74.00          | 27.06       | PK       | Horizontal | PASS    |
| 6              | 17739.87        | 32.29            | 48.40          | 16.11         | 74.00          | 25.60       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9905.95         | 40.41            | 48.92          | 8.51          | 68.20          | 19.28       | PK       | Vertical | PASS    |
| 2              | 11456.73        | 38.66            | 47.99          | 9.33          | 74.00          | 26.01       | PK       | Vertical | PASS    |
| 3              | 13147.57        | 38.12            | 49.07          | 10.95         | 68.20          | 19.13       | PK       | Vertical | PASS    |
| 4              | 14208.10        | 37.31            | 49.07          | 11.76         | 68.20          | 19.13       | PK       | Vertical | PASS    |
| 5              | 15588.79        | 35.36            | 47.79          | 12.43         | 74.00          | 26.21       | PK       | Vertical | PASS    |
| 6              | 17899.95        | 31.96            | 48.97          | 17.01         | 74.00          | 25.03       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9670.84         | 41.15            | 49.47          | 8.32          | 68.20          | 18.73       | PK       | Horizontal | PASS    |
| 2              | 11521.76        | 39.70            | 49.31          | 9.61          | 74.00          | 24.69       | PK       | Horizontal | PASS    |
| 3              | 13062.53        | 38.01            | 48.98          | 10.97         | 68.20          | 19.22       | PK       | Horizontal | PASS    |
| 4              | 14913.46        | 36.44            | 48.30          | 11.86         | 68.20          | 19.90       | PK       | Horizontal | PASS    |
| 5              | 16329.16        | 33.39            | 47.23          | 13.84         | 68.20          | 20.97       | PK       | Horizontal | PASS    |
| 6              | 17869.93        | 31.70            | 48.61          | 16.91         | 74.00          | 25.39       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 8710.36         | 41.97            | 48.83          | 6.86          | 68.20          | 19.37       | PK       | Vertical | PASS    |
| 2              | 10451.23        | 40.17            | 48.61          | 8.44          | 68.20          | 19.59       | PK       | Vertical | PASS    |
| 3              | 12312.16        | 38.24            | 48.45          | 10.21         | 74.00          | 25.55       | PK       | Vertical | PASS    |
| 4              | 13977.99        | 37.15            | 48.57          | 11.42         | 68.20          | 19.63       | PK       | Vertical | PASS    |
| 5              | 15373.69        | 35.70            | 47.96          | 12.26         | 74.00          | 26.04       | PK       | Vertical | PASS    |
| 6              | 17414.71        | 32.36            | 47.74          | 15.38         | 68.20          | 20.46       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9455.73         | 39.98            | 48.93          | 8.95          | 74.00          | 25.07       | PK       | Horizontal | PASS    |
| 2              | 11186.59        | 39.67            | 48.60          | 8.93          | 74.00          | 25.40       | PK       | Horizontal | PASS    |
| 3              | 12752.38        | 38.09            | 49.14          | 11.05         | 68.20          | 19.06       | PK       | Horizontal | PASS    |
| 4              | 14953.48        | 36.57            | 48.47          | 11.90         | 68.20          | 19.73       | PK       | Horizontal | PASS    |
| 5              | 16769.38        | 32.88            | 47.82          | 14.94         | 68.20          | 20.38       | PK       | Horizontal | PASS    |
| 6              | 17844.92        | 31.77            | 48.61          | 16.84         | 74.00          | 25.39       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9745.87         | 40.97            | 49.29          | 8.32          | 68.20          | 18.91       | PK       | Vertical | PASS    |
| 2              | 10536.27        | 40.27            | 48.67          | 8.40          | 68.20          | 19.53       | PK       | Vertical | PASS    |
| 3              | 12902.45        | 37.99            | 49.03          | 11.04         | 68.20          | 19.17       | PK       | Vertical | PASS    |
| 4              | 14943.47        | 36.71            | 48.60          | 11.89         | 68.20          | 19.60       | PK       | Vertical | PASS    |
| 5              | 16194.10        | 34.27            | 47.83          | 13.56         | 74.00          | 26.17       | PK       | Vertical | PASS    |
| 6              | 17809.90        | 32.20            | 48.92          | 16.72         | 74.00          | 25.08       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9840.92         | 41.55            | 49.94          | 8.39          | 68.20          | 18.26       | PK       | Horizontal | PASS    |
| 2              | 11421.71        | 40.12            | 49.30          | 9.18          | 74.00          | 24.70       | PK       | Horizontal | PASS    |
| 3              | 12692.35        | 38.42            | 49.41          | 10.99         | 74.00          | 24.59       | PK       | Horizontal | PASS    |
| 4              | 14178.09        | 37.32            | 49.03          | 11.71         | 68.20          | 19.17       | PK       | Horizontal | PASS    |
| 5              | 15828.91        | 35.36            | 47.98          | 12.62         | 74.00          | 26.02       | PK       | Horizontal | PASS    |
| 6              | 17749.87        | 32.78            | 49.04          | 16.26         | 74.00          | 24.96       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9970.99         | 40.15            | 49.01          | 8.86          | 68.20          | 19.19       | PK       | Vertical | PASS    |
| 2              | 11691.85        | 38.12            | 47.99          | 9.87          | 74.00          | 26.01       | PK       | Vertical | PASS    |
| 3              | 13182.59        | 37.69            | 48.63          | 10.94         | 68.20          | 19.57       | PK       | Vertical | PASS    |
| 4              | 14478.24        | 37.24            | 49.27          | 12.03         | 74.00          | 24.73       | PK       | Vertical | PASS    |
| 5              | 16764.38        | 34.05            | 48.98          | 14.93         | 68.20          | 19.22       | PK       | Vertical | PASS    |
| 6              | 17969.98        | 31.94            | 49.18          | 17.24         | 74.00          | 24.82       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9500.75         | 40.20            | 49.35          | 9.15          | 68.20          | 18.85       | PK       | Horizontal | PASS    |
| 2              | 11396.70        | 40.17            | 49.26          | 9.09          | 74.00          | 24.74       | PK       | Horizontal | PASS    |
| 3              | 12567.28        | 38.27            | 49.07          | 10.80         | 74.00          | 24.93       | PK       | Horizontal | PASS    |
| 4              | 14473.24        | 36.40            | 48.41          | 12.01         | 74.00          | 25.59       | PK       | Horizontal | PASS    |
| 5              | 15543.77        | 35.75            | 48.15          | 12.40         | 74.00          | 25.85       | PK       | Horizontal | PASS    |
| 6              | 17894.95        | 31.83            | 48.83          | 17.00         | 74.00          | 25.17       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9035.52         | 41.13            | 48.98          | 7.85          | 74.00          | 25.02       | PK       | Vertical | PASS    |
| 2              | 11496.75        | 38.35            | 47.85          | 9.50          | 74.00          | 26.15       | PK       | Vertical | PASS    |
| 3              | 13607.80        | 38.22            | 49.23          | 11.01         | 68.20          | 18.97       | PK       | Vertical | PASS    |
| 4              | 14993.50        | 36.73            | 48.68          | 11.95         | 68.20          | 19.52       | PK       | Vertical | PASS    |
| 5              | 17209.60        | 33.69            | 48.61          | 14.92         | 68.20          | 19.59       | PK       | Vertical | PASS    |
| 6              | 17904.95        | 32.01            | 49.04          | 17.03         | 74.00          | 24.96       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9245.62         | 41.07            | 49.45          | 8.38          | 68.20          | 18.75       | PK       | Horizontal | PASS    |
| 2              | 9985.99         | 39.97            | 48.90          | 8.93          | 68.20          | 19.30       | PK       | Horizontal | PASS    |
| 3              | 12177.09        | 39.01            | 49.01          | 10.00         | 74.00          | 24.99       | PK       | Horizontal | PASS    |
| 4              | 14358.18        | 36.24            | 48.08          | 11.84         | 68.20          | 20.12       | PK       | Horizontal | PASS    |
| 5              | 15798.90        | 35.38            | 47.95          | 12.57         | 74.00          | 26.05       | PK       | Horizontal | PASS    |
| 6              | 17919.96        | 31.50            | 48.58          | 17.08         | 74.00          | 25.42       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level

## TX Radiated Test Result




| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9525.76         | 39.86            | 48.80          | 8.94          | 68.20          | 19.40       | PK       | Vertical | PASS    |
| 2              | 11446.72        | 39.18            | 48.47          | 9.29          | 74.00          | 25.53       | PK       | Vertical | PASS    |
| 3              | 12817.41        | 38.08            | 49.17          | 11.09         | 68.20          | 19.03       | PK       | Vertical | PASS    |
| 4              | 13767.88        | 37.33            | 48.80          | 11.47         | 68.20          | 19.40       | PK       | Vertical | PASS    |
| 5              | 15703.85        | 35.44            | 47.95          | 12.51         | 74.00          | 26.05       | PK       | Vertical | PASS    |
| 6              | 17769.88        | 31.93            | 48.74          | 16.81         | 74.00          | 25.26       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

## 8.6. SPURIOUS EMISSIONS(8 GHZ~18 GHZ) – ANT2


### TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO             | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9985.99         | 40.54            | 49.47          | 8.93          | 68.20          | 18.73       | PK       | Horizontal | PASS    |
| 2              | 11491.75        | 40.20            | 49.68          | 9.48          | 74.00          | 24.32       | PK       | Horizontal | PASS    |
| 3              | 13132.57        | 37.92            | 48.87          | 10.95         | 68.20          | 19.33       | PK       | Horizontal | PASS    |
| 4              | 14633.32        | 36.36            | 48.53          | 12.17         | 68.20          | 19.67       | PK       | Horizontal | PASS    |
| 5              | 16774.39        | 32.11            | 47.05          | 14.94         | 68.20          | 21.15       | PK       | Horizontal | PASS    |
| 6              | 17869.93        | 31.72            | 48.63          | 16.91         | 74.00          | 25.37       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9500.75         | 40.05            | 49.20          | 9.15          | 68.20          | 19.00       | PK       | Vertical | PASS    |
| 2              | 11126.56        | 39.68            | 48.36          | 8.68          | 74.00          | 25.64       | PK       | Vertical | PASS    |
| 3              | 12707.35        | 38.53            | 49.55          | 11.02         | 68.20          | 18.65       | PK       | Vertical | PASS    |
| 4              | 14458.23        | 36.76            | 48.75          | 11.99         | 68.20          | 19.45       | PK       | Vertical | PASS    |
| 5              | 15728.86        | 36.14            | 48.66          | 12.52         | 74.00          | 25.34       | PK       | Vertical | PASS    |
| 6              | 17809.90        | 33.58            | 50.30          | 16.72         | 74.00          | 23.70       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9520.76         | 40.45            | 49.43          | 8.98          | 68.20          | 18.77       | PK       | Horizontal | PASS    |
| 2              | 12242.12        | 39.20            | 49.30          | 10.10         | 74.00          | 24.70       | PK       | Horizontal | PASS    |
| 3              | 13402.70        | 37.45            | 48.76          | 11.31         | 68.20          | 19.44       | PK       | Horizontal | PASS    |
| 4              | 15028.51        | 36.57            | 48.46          | 11.89         | 68.20          | 19.74       | PK       | Horizontal | PASS    |
| 5              | 17464.73        | 32.83            | 48.26          | 15.43         | 68.20          | 19.94       | PK       | Horizontal | PASS    |
| 6              | 17979.99        | 31.77            | 49.05          | 17.28         | 74.00          | 24.95       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9240.62         | 40.67            | 49.01          | 8.34          | 68.20          | 19.19       | PK       | Vertical | PASS    |
| 2              | 10531.27        | 40.89            | 49.30          | 8.41          | 68.20          | 18.90       | PK       | Vertical | PASS    |
| 3              | 13567.78        | 37.96            | 49.00          | 11.04         | 68.20          | 19.20       | PK       | Vertical | PASS    |
| 4              | 14953.48        | 36.88            | 48.78          | 11.90         | 68.20          | 19.42       | PK       | Vertical | PASS    |
| 5              | 16784.39        | 33.38            | 48.34          | 14.96         | 68.20          | 19.86       | PK       | Vertical | PASS    |
| 6              | 17739.87        | 32.95            | 49.06          | 16.11         | 74.00          | 24.94       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9915.96         | 40.61            | 49.17          | 8.56          | 68.20          | 19.03       | PK       | Horizontal | PASS    |
| 2              | 11196.60        | 40.20            | 49.18          | 8.98          | 74.00          | 24.82       | PK       | Horizontal | PASS    |
| 3              | 12702.35        | 38.39            | 49.40          | 11.01         | 68.20          | 18.80       | PK       | Horizontal | PASS    |
| 4              | 14458.23        | 37.17            | 49.16          | 11.99         | 68.20          | 19.04       | PK       | Horizontal | PASS    |
| 5              | 15823.91        | 35.11            | 47.72          | 12.61         | 74.00          | 26.28       | PK       | Horizontal | PASS    |
| 6              | 17864.93        | 31.86            | 48.76          | 16.90         | 74.00          | 25.24       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9330.67         | 40.30            | 49.03          | 8.73          | 74.00          | 24.97       | PK       | Vertical | PASS    |
| 2              | 10676.34        | 39.98            | 48.27          | 8.29          | 74.00          | 25.73       | PK       | Vertical | PASS    |
| 3              | 12177.09        | 39.26            | 49.26          | 10.00         | 74.00          | 24.74       | PK       | Vertical | PASS    |
| 4              | 14548.27        | 37.54            | 49.70          | 12.16         | 68.20          | 18.50       | PK       | Vertical | PASS    |
| 5              | 15738.87        | 35.09            | 47.62          | 12.53         | 74.00          | 26.38       | PK       | Vertical | PASS    |
| 6              | 17894.95        | 32.86            | 49.86          | 17.00         | 74.00          | 24.14       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 8830.42         | 41.51            | 49.08          | 7.57          | 68.20          | 19.12       | PK       | Horizontal | PASS    |
| 2              | 10486.24        | 40.23            | 48.66          | 8.43          | 68.20          | 19.54       | PK       | Horizontal | PASS    |
| 3              | 12237.12        | 38.97            | 49.07          | 10.10         | 74.00          | 24.93       | PK       | Horizontal | PASS    |
| 4              | 13622.81        | 37.69            | 48.75          | 11.06         | 68.20          | 19.45       | PK       | Horizontal | PASS    |
| 5              | 15068.53        | 36.60            | 48.39          | 11.79         | 68.20          | 19.81       | PK       | Horizontal | PASS    |
| 6              | 16784.39        | 32.31            | 47.27          | 14.96         | 68.20          | 20.93       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9500.75         | 39.78            | 48.93          | 9.15          | 68.20          | 19.27       | PK       | Vertical | PASS    |
| 2              | 11196.60        | 39.05            | 48.03          | 8.98          | 74.00          | 25.97       | PK       | Vertical | PASS    |
| 3              | 13317.66        | 37.64            | 48.80          | 11.16         | 74.00          | 25.20       | PK       | Vertical | PASS    |
| 4              | 14468.23        | 37.00            | 49.01          | 12.01         | 68.20          | 19.19       | PK       | Vertical | PASS    |
| 5              | 15878.94        | 35.26            | 47.97          | 12.71         | 74.00          | 26.03       | PK       | Vertical | PASS    |
| 6              | 17894.95        | 32.42            | 49.42          | 17.00         | 74.00          | 24.58       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9505.75         | 39.91            | 49.02          | 9.11          | 68.20          | 19.18       | PK       | Horizontal | PASS    |
| 2              | 11496.75        | 39.86            | 49.36          | 9.50          | 74.00          | 24.64       | PK       | Horizontal | PASS    |
| 3              | 12897.45        | 37.83            | 48.88          | 11.05         | 68.20          | 19.32       | PK       | Horizontal | PASS    |
| 4              | 14103.05        | 37.15            | 48.73          | 11.58         | 68.20          | 19.47       | PK       | Horizontal | PASS    |
| 5              | 15383.69        | 35.75            | 48.06          | 12.31         | 74.00          | 25.94       | PK       | Horizontal | PASS    |
| 6              | 17344.67        | 32.33            | 47.57          | 15.24         | 68.20          | 20.63       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9825.91         | 40.70            | 49.07          | 8.37          | 68.20          | 19.13       | PK       | Vertical | PASS    |
| 2              | 10361.18        | 40.16            | 48.48          | 8.32          | 68.20          | 19.72       | PK       | Vertical | PASS    |
| 3              | 12787.39        | 37.63            | 48.72          | 11.09         | 68.20          | 19.48       | PK       | Vertical | PASS    |
| 4              | 14098.05        | 36.68            | 48.26          | 11.58         | 68.20          | 19.94       | PK       | Vertical | PASS    |
| 5              | 15468.73        | 36.05            | 48.42          | 12.37         | 74.00          | 25.58       | PK       | Vertical | PASS    |
| 6              | 17444.72        | 32.56            | 47.97          | 15.41         | 68.20          | 20.23       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9240.62         | 40.81            | 49.15          | 8.34          | 68.20          | 19.05       | PK       | Horizontal | PASS    |
| 2              | 11876.94        | 39.21            | 48.93          | 9.72          | 74.00          | 25.07       | PK       | Horizontal | PASS    |
| 3              | 13322.66        | 38.34            | 49.51          | 11.17         | 74.00          | 24.49       | PK       | Horizontal | PASS    |
| 4              | 14973.49        | 36.27            | 48.19          | 11.92         | 68.20          | 20.01       | PK       | Horizontal | PASS    |
| 5              | 16769.38        | 32.43            | 47.37          | 14.94         | 68.20          | 20.83       | PK       | Horizontal | PASS    |
| 6              | 17829.91        | 32.43            | 49.22          | 16.79         | 74.00          | 24.78       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9450.73         | 39.67            | 48.60          | 8.93          | 74.00          | 25.40       | PK       | Vertical | PASS    |
| 2              | 10361.18        | 41.02            | 49.34          | 8.32          | 68.20          | 18.86       | PK       | Vertical | PASS    |
| 3              | 12317.16        | 38.31            | 48.52          | 10.21         | 74.00          | 25.48       | PK       | Vertical | PASS    |
| 4              | 13172.59        | 37.91            | 48.85          | 10.94         | 68.20          | 19.35       | PK       | Vertical | PASS    |
| 5              | 14973.49        | 36.91            | 48.83          | 11.92         | 68.20          | 19.37       | PK       | Vertical | PASS    |
| 6              | 16669.33        | 33.31            | 48.11          | 14.80         | 68.20          | 20.09       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9145.57         | 40.94            | 48.97          | 8.03          | 74.00          | 25.03       | PK       | Horizontal | PASS    |
| 2              | 11636.82        | 38.84            | 48.78          | 9.94          | 74.00          | 25.22       | PK       | Horizontal | PASS    |
| 3              | 12827.41        | 37.78            | 48.86          | 11.08         | 68.20          | 19.34       | PK       | Horizontal | PASS    |
| 4              | 14998.50        | 36.28            | 48.23          | 11.95         | 68.20          | 19.97       | PK       | Horizontal | PASS    |
| 5              | 17149.57        | 32.86            | 47.67          | 14.81         | 68.20          | 20.53       | PK       | Horizontal | PASS    |
| 6              | 17839.92        | 31.44            | 48.26          | 16.82         | 74.00          | 25.74       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9030.52         | 40.90            | 48.74          | 7.84          | 74.00          | 25.26       | PK       | Vertical | PASS    |
| 2              | 10546.27        | 40.07            | 48.47          | 8.40          | 68.20          | 19.73       | PK       | Vertical | PASS    |
| 3              | 11276.64        | 39.42            | 48.45          | 9.03          | 74.00          | 25.55       | PK       | Vertical | PASS    |
| 4              | 13677.84        | 37.87            | 49.08          | 11.21         | 68.20          | 19.12       | PK       | Vertical | PASS    |
| 5              | 14983.49        | 36.82            | 48.75          | 11.93         | 68.20          | 19.45       | PK       | Vertical | PASS    |
| 6              | 17894.95        | 31.71            | 48.71          | 17.00         | 74.00          | 25.29       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9180.59         | 41.31            | 49.37          | 8.06          | 74.00          | 24.63       | PK       | Horizontal | PASS    |
| 2              | 10516.26        | 40.26            | 48.67          | 8.41          | 68.20          | 19.53       | PK       | Horizontal | PASS    |
| 3              | 12017.01        | 39.37            | 49.06          | 9.69          | 74.00          | 24.94       | PK       | Horizontal | PASS    |
| 4              | 13142.57        | 38.15            | 49.11          | 10.96         | 68.20          | 19.09       | PK       | Horizontal | PASS    |
| 5              | 15343.67        | 36.03            | 48.17          | 12.14         | 68.20          | 20.03       | PK       | Horizontal | PASS    |
| 6              | 17344.67        | 31.96            | 47.20          | 15.24         | 68.20          | 21.00       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO             | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9235.62         | 40.60            | 48.91          | 8.31          | 68.20          | 19.29       | PK       | Vertical | PASS    |
| 2              | 11276.64        | 40.76            | 49.79          | 9.03          | 74.00          | 24.21       | PK       | Vertical | PASS    |
| 3              | 12877.44        | 37.54            | 48.60          | 11.06         | 68.20          | 19.60       | PK       | Vertical | PASS    |
| 4              | 14168.08        | 37.27            | 48.97          | 11.70         | 68.20          | 19.23       | PK       | Vertical | PASS    |
| 5              | 15663.83        | 35.91            | 48.39          | 12.48         | 74.00          | 25.61       | PK       | Vertical | PASS    |
| 6              | 17859.93        | 32.53            | 49.41          | 16.88         | 74.00          | 24.59       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9405.70         | 41.62            | 50.34          | 8.72          | 74.00          | 23.66       | PK       | Horizontal | PASS    |
| 2              | 10496.25        | 41.08            | 49.51          | 8.43          | 68.20          | 18.69       | PK       | Horizontal | PASS    |
| 3              | 11926.96        | 39.24            | 48.94          | 9.70          | 74.00          | 25.06       | PK       | Horizontal | PASS    |
| 4              | 13147.57        | 38.71            | 49.66          | 10.95         | 68.20          | 18.54       | PK       | Horizontal | PASS    |
| 5              | 15413.71        | 36.07            | 48.45          | 12.38         | 74.00          | 25.55       | PK       | Horizontal | PASS    |
| 6              | 17804.90        | 31.48            | 48.18          | 16.70         | 74.00          | 25.82       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9500.75         | 39.59            | 48.74          | 9.15          | 68.20          | 19.46       | PK       | Vertical | PASS    |
| 2              | 10646.32        | 40.83            | 49.15          | 8.32          | 74.00          | 24.85       | PK       | Vertical | PASS    |
| 3              | 12692.35        | 37.84            | 48.83          | 10.99         | 74.00          | 25.17       | PK       | Vertical | PASS    |
| 4              | 14158.08        | 37.47            | 49.15          | 11.68         | 68.20          | 19.05       | PK       | Vertical | PASS    |
| 5              | 15088.54        | 36.99            | 48.74          | 11.75         | 68.20          | 19.46       | PK       | Vertical | PASS    |
| 6              | 17344.67        | 32.30            | 47.54          | 15.24         | 68.20          | 20.66       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9795.90         | 40.99            | 49.32          | 8.33          | 68.20          | 18.88       | PK       | Horizontal | PASS    |
| 2              | 11191.60        | 40.38            | 49.33          | 8.95          | 74.00          | 24.67       | PK       | Horizontal | PASS    |
| 3              | 12587.29        | 38.07            | 48.94          | 10.87         | 74.00          | 25.06       | PK       | Horizontal | PASS    |
| 4              | 15028.51        | 36.34            | 48.23          | 11.89         | 68.20          | 19.97       | PK       | Horizontal | PASS    |
| 5              | 15633.82        | 35.77            | 48.23          | 12.46         | 74.00          | 25.77       | PK       | Horizontal | PASS    |
| 6              | 17839.92        | 31.24            | 48.06          | 16.82         | 74.00          | 25.94       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9845.92         | 40.18            | 48.58          | 8.40          | 68.20          | 19.62       | PK       | Vertical | PASS    |
| 2              | 11411.71        | 39.31            | 48.45          | 9.14          | 74.00          | 25.55       | PK       | Vertical | PASS    |
| 3              | 13322.66        | 37.87            | 49.04          | 11.17         | 74.00          | 24.96       | PK       | Vertical | PASS    |
| 4              | 14158.08        | 37.39            | 49.07          | 11.68         | 68.20          | 19.13       | PK       | Vertical | PASS    |
| 5              | 15803.90        | 35.66            | 48.24          | 12.58         | 74.00          | 25.76       | PK       | Vertical | PASS    |
| 6              | 17819.91        | 32.57            | 49.32          | 16.75         | 74.00          | 24.68       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9325.66         | 40.35            | 49.08          | 8.73          | 74.00          | 24.92       | PK       | Horizontal | PASS    |
| 2              | 10081.04        | 40.83            | 49.34          | 8.51          | 68.20          | 18.86       | PK       | Horizontal | PASS    |
| 3              | 11881.94        | 39.08            | 48.79          | 9.71          | 74.00          | 25.21       | PK       | Horizontal | PASS    |
| 4              | 13817.91        | 37.51            | 49.06          | 11.55         | 68.20          | 19.14       | PK       | Horizontal | PASS    |
| 5              | 15763.88        | 35.84            | 48.39          | 12.55         | 74.00          | 25.61       | PK       | Horizontal | PASS    |
| 6              | 17869.93        | 32.34            | 49.25          | 16.91         | 74.00          | 24.75       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9660.83         | 40.98            | 49.29          | 8.31          | 68.20          | 18.91       | PK       | Vertical | PASS    |
| 2              | 10481.24        | 40.78            | 49.21          | 8.43          | 68.20          | 18.99       | PK       | Vertical | PASS    |
| 3              | 12847.42        | 37.14            | 48.22          | 11.08         | 68.20          | 19.98       | PK       | Vertical | PASS    |
| 4              | 14368.18        | 36.52            | 48.36          | 11.84         | 68.20          | 19.84       | PK       | Vertical | PASS    |
| 5              | 15693.85        | 36.04            | 48.54          | 12.50         | 74.00          | 25.46       | PK       | Vertical | PASS    |
| 6              | 17804.90        | 32.32            | 49.02          | 16.70         | 74.00          | 24.98       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
 (2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9970.99         | 40.02            | 48.88          | 8.86          | 68.20          | 19.32       | PK       | Horizontal | PASS    |
| 2              | 11206.60        | 40.04            | 49.03          | 8.99          | 74.00          | 24.97       | PK       | Horizontal | PASS    |
| 3              | 13167.58        | 37.58            | 48.53          | 10.95         | 68.20          | 19.67       | PK       | Horizontal | PASS    |
| 4              | 14938.47        | 36.53            | 48.41          | 11.88         | 68.20          | 19.79       | PK       | Horizontal | PASS    |
| 5              | 15628.81        | 35.17            | 47.63          | 12.46         | 74.00          | 26.37       | PK       | Horizontal | PASS    |
| 6              | 16919.46        | 33.12            | 47.87          | 14.75         | 68.20          | 20.33       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9840.92         | 40.39            | 48.78          | 8.39          | 68.20          | 19.42       | PK       | Vertical | PASS    |
| 2              | 11501.75        | 39.47            | 48.99          | 9.52          | 74.00          | 25.01       | PK       | Vertical | PASS    |
| 3              | 12857.43        | 37.81            | 48.88          | 11.07         | 68.20          | 19.32       | PK       | Vertical | PASS    |
| 4              | 15078.54        | 36.72            | 48.50          | 11.78         | 68.20          | 19.70       | PK       | Vertical | PASS    |
| 5              | 16044.02        | 34.21            | 47.27          | 13.06         | 74.00          | 26.73       | PK       | Vertical | PASS    |
| 6              | 17869.93        | 32.51            | 49.42          | 16.91         | 74.00          | 24.58       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9525.76         | 40.50            | 49.44          | 8.94          | 68.20          | 18.76       | PK       | Horizontal | PASS    |
| 2              | 12117.06        | 39.17            | 49.05          | 9.88          | 74.00          | 24.95       | PK       | Horizontal | PASS    |
| 3              | 12887.44        | 37.37            | 48.42          | 11.05         | 68.20          | 19.78       | PK       | Horizontal | PASS    |
| 4              | 14523.26        | 36.22            | 48.33          | 12.11         | 68.20          | 19.87       | PK       | Horizontal | PASS    |
| 5              | 15883.94        | 35.03            | 47.75          | 12.72         | 74.00          | 26.25       | PK       | Horizontal | PASS    |
| 6              | 17759.88        | 32.28            | 48.81          | 16.53         | 74.00          | 25.19       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9980.99         | 39.88            | 48.79          | 8.91          | 68.20          | 19.41       | PK       | Vertical | PASS    |
| 2              | 10356.18        | 40.69            | 49.00          | 8.31          | 68.20          | 19.20       | PK       | Vertical | PASS    |
| 3              | 12857.43        | 38.02            | 49.09          | 11.07         | 68.20          | 19.11       | PK       | Vertical | PASS    |
| 4              | 14458.23        | 37.13            | 49.12          | 11.99         | 68.20          | 19.08       | PK       | Vertical | PASS    |
| 5              | 15888.94        | 35.60            | 48.32          | 12.72         | 74.00          | 25.68       | PK       | Vertical | PASS    |
| 6              | 17824.91        | 31.97            | 48.74          | 16.77         | 74.00          | 25.26       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9675.84         | 41.25            | 49.56          | 8.31          | 68.20          | 18.64       | PK       | Horizontal | PASS    |
| 2              | 11446.72        | 39.78            | 49.07          | 9.29          | 74.00          | 24.93       | PK       | Horizontal | PASS    |
| 3              | 12182.09        | 39.80            | 49.81          | 10.01         | 74.00          | 24.19       | PK       | Horizontal | PASS    |
| 4              | 14183.09        | 36.64            | 48.36          | 11.72         | 68.20          | 19.84       | PK       | Horizontal | PASS    |
| 5              | 16764.38        | 32.64            | 47.57          | 14.93         | 68.20          | 20.63       | PK       | Horizontal | PASS    |
| 6              | 17769.88        | 31.49            | 48.30          | 16.81         | 74.00          | 25.70       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9855.93         | 40.61            | 49.02          | 8.41          | 68.20          | 19.18       | PK       | Vertical | PASS    |
| 2              | 11501.75        | 39.10            | 48.62          | 9.52          | 74.00          | 25.38       | PK       | Vertical | PASS    |
| 3              | 13002.50        | 38.17            | 49.16          | 10.99         | 68.20          | 19.04       | PK       | Vertical | PASS    |
| 4              | 14428.21        | 36.90            | 48.82          | 11.92         | 68.20          | 19.38       | PK       | Vertical | PASS    |
| 5              | 15598.80        | 36.37            | 48.81          | 12.44         | 74.00          | 25.19       | PK       | Vertical | PASS    |
| 6              | 16834.42        | 33.36            | 48.27          | 14.91         | 68.20          | 19.93       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
 (2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9525.76         | 40.41            | 49.35          | 8.94          | 68.20          | 18.85       | PK       | Horizontal | PASS    |
| 2              | 11196.60        | 39.97            | 48.95          | 8.98          | 74.00          | 25.05       | PK       | Horizontal | PASS    |
| 3              | 12307.15        | 38.99            | 49.19          | 10.20         | 74.00          | 24.81       | PK       | Horizontal | PASS    |
| 4              | 14163.08        | 36.98            | 48.66          | 11.68         | 68.20          | 19.54       | PK       | Horizontal | PASS    |
| 5              | 15803.90        | 35.37            | 47.95          | 12.58         | 74.00          | 26.05       | PK       | Horizontal | PASS    |
| 6              | 17814.91        | 31.09            | 47.83          | 16.74         | 74.00          | 26.17       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9245.62         | 40.87            | 49.25          | 8.38          | 68.20          | 18.95       | PK       | Vertical | PASS    |
| 2              | 10361.18        | 40.71            | 49.03          | 8.32          | 68.20          | 19.17       | PK       | Vertical | PASS    |
| 3              | 13257.63        | 37.55            | 48.59          | 11.04         | 74.00          | 25.41       | PK       | Vertical | PASS    |
| 4              | 15408.70        | 36.40            | 48.78          | 12.38         | 74.00          | 25.22       | PK       | Vertical | PASS    |
| 5              | 16664.33        | 32.32            | 47.11          | 14.79         | 68.20          | 21.09       | PK       | Vertical | PASS    |
| 6              | 17959.98        | 31.31            | 48.52          | 17.21         | 74.00          | 25.48       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9760.88         | 40.68            | 49.00          | 8.32          | 68.20          | 19.20       | PK       | Horizontal | PASS    |
| 2              | 11616.81        | 39.67            | 49.63          | 9.96          | 74.00          | 24.37       | PK       | Horizontal | PASS    |
| 3              | 13337.67        | 36.99            | 48.18          | 11.19         | 74.00          | 25.82       | PK       | Horizontal | PASS    |
| 4              | 14903.45        | 36.12            | 47.97          | 11.85         | 68.20          | 20.23       | PK       | Horizontal | PASS    |
| 5              | 16739.37        | 31.92            | 46.81          | 14.89         | 68.20          | 21.39       | PK       | Horizontal | PASS    |
| 6              | 17824.91        | 31.48            | 48.25          | 16.77         | 74.00          | 25.75       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9970.99         | 40.20            | 49.06          | 8.86          | 68.20          | 19.14       | PK       | Vertical | PASS    |
| 2              | 12262.13        | 38.07            | 48.20          | 10.13         | 74.00          | 25.80       | PK       | Vertical | PASS    |
| 3              | 13202.60        | 37.60            | 48.55          | 10.95         | 68.20          | 19.65       | PK       | Vertical | PASS    |
| 4              | 14858.43        | 36.96            | 48.77          | 11.81         | 68.20          | 19.43       | PK       | Vertical | PASS    |
| 5              | 15768.88        | 34.52            | 47.07          | 12.55         | 74.00          | 26.93       | PK       | Vertical | PASS    |
| 6              | 17939.97        | 31.60            | 48.75          | 17.15         | 74.00          | 25.25       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9070.54         | 41.18            | 49.11          | 7.93          | 74.00          | 24.89       | PK       | Horizontal | PASS    |
| 2              | 10531.27        | 40.86            | 49.27          | 8.41          | 68.20          | 18.93       | PK       | Horizontal | PASS    |
| 3              | 12517.26        | 38.58            | 49.23          | 10.65         | 74.00          | 24.77       | PK       | Horizontal | PASS    |
| 4              | 14393.20        | 36.51            | 48.36          | 11.85         | 68.20          | 19.84       | PK       | Horizontal | PASS    |
| 5              | 15383.69        | 35.48            | 47.79          | 12.31         | 74.00          | 26.21       | PK       | Horizontal | PASS    |
| 6              | 17374.69        | 31.79            | 47.10          | 15.31         | 68.20          | 21.10       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9360.68         | 39.47            | 48.18          | 8.71          | 74.00          | 25.82       | PK       | Vertical | PASS    |
| 2              | 9985.99         | 39.73            | 48.66          | 8.93          | 68.20          | 19.54       | PK       | Vertical | PASS    |
| 3              | 11701.85        | 38.83            | 48.69          | 9.86          | 74.00          | 25.31       | PK       | Vertical | PASS    |
| 4              | 13122.56        | 38.40            | 49.36          | 10.96         | 68.20          | 18.84       | PK       | Vertical | PASS    |
| 5              | 15443.72        | 35.81            | 48.19          | 12.38         | 74.00          | 25.81       | PK       | Vertical | PASS    |
| 6              | 17439.72        | 32.55            | 47.96          | 15.41         | 68.20          | 20.24       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9505.75         | 39.95            | 49.06          | 9.11          | 68.20          | 19.14       | PK       | Horizontal | PASS    |
| 2              | 11756.88        | 38.97            | 48.77          | 9.80          | 74.00          | 25.23       | PK       | Horizontal | PASS    |
| 3              | 12927.46        | 38.11            | 49.14          | 11.03         | 68.20          | 19.06       | PK       | Horizontal | PASS    |
| 4              | 14518.26        | 36.74            | 48.85          | 12.11         | 68.20          | 19.35       | PK       | Horizontal | PASS    |
| 5              | 15768.88        | 35.61            | 48.16          | 12.55         | 74.00          | 25.84       | PK       | Horizontal | PASS    |
| 6              | 17869.93        | 31.50            | 48.41          | 16.91         | 74.00          | 25.59       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9985.99         | 39.72            | 48.65          | 8.93          | 68.20          | 19.55       | PK       | Vertical | PASS    |
| 2              | 11211.61        | 40.57            | 49.57          | 9.00          | 74.00          | 24.43       | PK       | Vertical | PASS    |
| 3              | 13622.81        | 37.39            | 48.45          | 11.06         | 68.20          | 19.75       | PK       | Vertical | PASS    |
| 4              | 15573.79        | 35.88            | 48.30          | 12.42         | 74.00          | 25.70       | PK       | Vertical | PASS    |
| 5              | 17199.60        | 33.07            | 47.96          | 14.89         | 68.20          | 20.24       | PK       | Vertical | PASS    |
| 6              | 17889.94        | 33.13            | 50.11          | 16.98         | 74.00          | 23.89       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9500.75         | 39.91            | 49.06          | 9.15          | 68.20          | 19.14       | PK       | Horizontal | PASS    |
| 2              | 11491.75        | 39.63            | 49.11          | 9.48          | 74.00          | 24.89       | PK       | Horizontal | PASS    |
| 3              | 13267.63        | 37.79            | 48.86          | 11.07         | 74.00          | 25.14       | PK       | Horizontal | PASS    |
| 4              | 14498.25        | 37.07            | 49.14          | 12.07         | 74.00          | 24.86       | PK       | Horizontal | PASS    |
| 5              | 15773.89        | 34.84            | 47.39          | 12.55         | 74.00          | 26.61       | PK       | Horizontal | PASS    |
| 6              | 17864.93        | 32.37            | 49.27          | 16.90         | 74.00          | 24.73       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9575.79         | 40.17            | 48.69          | 8.52          | 68.20          | 19.51       | PK       | Vertical | PASS    |
| 2              | 11511.76        | 38.38            | 47.95          | 9.57          | 74.00          | 26.05       | PK       | Vertical | PASS    |
| 3              | 14193.10        | 37.55            | 49.29          | 11.74         | 68.20          | 18.91       | PK       | Vertical | PASS    |
| 4              | 15173.59        | 37.26            | 48.82          | 11.56         | 68.20          | 19.38       | PK       | Vertical | PASS    |
| 5              | 17274.64        | 32.76            | 47.83          | 15.07         | 68.20          | 20.37       | PK       | Vertical | PASS    |
| 6              | 17919.96        | 32.20            | 49.28          | 17.08         | 74.00          | 24.72       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 8820.41         | 40.88            | 48.43          | 7.55          | 68.20          | 19.77       | PK       | Horizontal | PASS    |
| 2              | 9980.99         | 40.70            | 49.61          | 8.91          | 68.20          | 18.59       | PK       | Horizontal | PASS    |
| 3              | 11611.81        | 39.21            | 49.17          | 9.96          | 74.00          | 24.83       | PK       | Horizontal | PASS    |
| 4              | 12807.40        | 38.59            | 49.69          | 11.10         | 68.20          | 18.51       | PK       | Horizontal | PASS    |
| 5              | 14393.20        | 36.12            | 47.97          | 11.85         | 68.20          | 20.23       | PK       | Horizontal | PASS    |
| 6              | 15703.85        | 35.60            | 48.11          | 12.51         | 74.00          | 25.89       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9991.00         | 39.80            | 48.76          | 8.96          | 68.20          | 19.44       | PK       | Vertical | PASS    |
| 2              | 10536.27        | 40.42            | 48.82          | 8.40          | 68.20          | 19.38       | PK       | Vertical | PASS    |
| 3              | 12772.39        | 38.06            | 49.14          | 11.08         | 68.20          | 19.06       | PK       | Vertical | PASS    |
| 4              | 14128.06        | 37.22            | 48.85          | 11.63         | 68.20          | 19.35       | PK       | Vertical | PASS    |
| 5              | 15443.72        | 36.31            | 48.69          | 12.38         | 74.00          | 25.31       | PK       | Vertical | PASS    |
| 6              | 17929.96        | 31.66            | 48.78          | 17.12         | 74.00          | 25.22       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9925.96         | 39.90            | 48.51          | 8.61          | 68.20          | 19.69       | PK       | Horizontal | PASS    |
| 2              | 10416.21        | 40.20            | 48.65          | 8.45          | 68.20          | 19.55       | PK       | Horizontal | PASS    |
| 3              | 12272.14        | 39.28            | 49.42          | 10.14         | 74.00          | 24.58       | PK       | Horizontal | PASS    |
| 4              | 12807.40        | 37.68            | 48.78          | 11.10         | 68.20          | 19.42       | PK       | Horizontal | PASS    |
| 5              | 14968.48        | 36.48            | 48.40          | 11.92         | 68.20          | 19.80       | PK       | Horizontal | PASS    |
| 6              | 16774.39        | 32.19            | 47.13          | 14.94         | 68.20          | 21.07       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9996.00         | 39.59            | 48.58          | 8.99          | 68.20          | 19.62       | PK       | Vertical | PASS    |
| 2              | 11186.59        | 39.34            | 48.27          | 8.93          | 74.00          | 25.73       | PK       | Vertical | PASS    |
| 3              | 12892.45        | 38.06            | 49.11          | 11.05         | 68.20          | 19.09       | PK       | Vertical | PASS    |
| 4              | 14983.49        | 36.78            | 48.71          | 11.93         | 68.20          | 19.49       | PK       | Vertical | PASS    |
| 5              | 15808.90        | 34.66            | 47.24          | 12.58         | 74.00          | 26.76       | PK       | Vertical | PASS    |
| 6              | 17789.89        | 31.16            | 48.18          | 17.02         | 74.00          | 25.82       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9425.71         | 39.91            | 48.73          | 8.82          | 74.00          | 25.27       | PK       | Horizontal | PASS    |
| 2              | 10476.24        | 41.27            | 49.70          | 8.43          | 68.20          | 18.50       | PK       | Horizontal | PASS    |
| 3              | 11696.85        | 39.95            | 49.82          | 9.87          | 74.00          | 24.18       | PK       | Horizontal | PASS    |
| 4              | 14478.24        | 36.63            | 48.66          | 12.03         | 74.00          | 25.34       | PK       | Horizontal | PASS    |
| 5              | 16694.35        | 32.05            | 46.89          | 14.84         | 68.20          | 21.31       | PK       | Horizontal | PASS    |
| 6              | 17834.92        | 32.18            | 48.99          | 16.81         | 74.00          | 25.01       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9510.76         | 40.15            | 49.22          | 9.07          | 68.20          | 18.98       | PK       | Vertical | PASS    |
| 2              | 11216.61        | 40.70            | 49.70          | 9.00          | 74.00          | 24.30       | PK       | Vertical | PASS    |
| 3              | 12482.24        | 38.16            | 48.71          | 10.55         | 74.00          | 25.29       | PK       | Vertical | PASS    |
| 4              | 14608.30        | 36.88            | 49.10          | 12.22         | 68.20          | 19.10       | PK       | Vertical | PASS    |
| 5              | 16704.35        | 32.87            | 47.71          | 14.84         | 68.20          | 20.49       | PK       | Vertical | PASS    |
| 6              | 17379.69        | 32.96            | 48.28          | 15.32         | 68.20          | 19.92       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9720.86         | 40.35            | 48.67          | 8.32          | 68.20          | 19.53       | PK       | Horizontal | PASS    |
| 2              | 10636.32        | 40.39            | 48.71          | 8.32          | 74.00          | 25.29       | PK       | Horizontal | PASS    |
| 3              | 12227.11        | 39.62            | 49.71          | 10.09         | 74.00          | 24.29       | PK       | Horizontal | PASS    |
| 4              | 13397.70        | 37.11            | 48.41          | 11.30         | 74.00          | 25.59       | PK       | Horizontal | PASS    |
| 5              | 14603.30        | 36.04            | 48.28          | 12.24         | 68.20          | 19.92       | PK       | Horizontal | PASS    |
| 6              | 15683.84        | 35.40            | 47.90          | 12.50         | 74.00          | 26.10       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 10081.04        | 40.83            | 49.34          | 8.51          | 68.20          | 18.86       | PK       | Vertical | PASS    |
| 2              | 11526.76        | 38.86            | 48.50          | 9.64          | 74.00          | 25.50       | PK       | Vertical | PASS    |
| 3              | 12492.25        | 38.16            | 48.74          | 10.58         | 74.00          | 25.26       | PK       | Vertical | PASS    |
| 4              | 13412.71        | 37.01            | 48.30          | 11.29         | 68.20          | 19.90       | PK       | Vertical | PASS    |
| 5              | 14418.21        | 37.01            | 48.91          | 11.90         | 68.20          | 19.29       | PK       | Vertical | PASS    |
| 6              | 16409.20        | 32.92            | 46.93          | 14.01         | 68.20          | 21.27       | PK       | Vertical | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9855.93         | 40.42            | 48.83          | 8.41          | 68.20          | 19.37       | PK       | Horizontal | PASS    |
| 2              | 11446.72        | 39.69            | 48.98          | 9.29          | 74.00          | 25.02       | PK       | Horizontal | PASS    |
| 3              | 13727.86        | 37.02            | 48.37          | 11.35         | 68.20          | 19.83       | PK       | Horizontal | PASS    |
| 4              | 15458.73        | 35.23            | 47.61          | 12.38         | 74.00          | 26.39       | PK       | Horizontal | PASS    |
| 5              | 16624.31        | 33.17            | 47.90          | 14.73         | 68.20          | 20.30       | PK       | Horizontal | PASS    |
| 6              | 17879.94        | 31.69            | 48.64          | 16.95         | 74.00          | 25.36       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
 (2)Margin=Limit-Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9285.64         | 40.12            | 48.77          | 8.65          | 68.20          | 19.43       | PK       | Vertical | PASS    |
| 2              | 11131.57        | 40.49            | 49.19          | 8.70          | 74.00          | 24.81       | PK       | Vertical | PASS    |
| 3              | 13397.70        | 37.67            | 48.97          | 11.30         | 74.00          | 25.03       | PK       | Vertical | PASS    |
| 4              | 14388.19        | 36.91            | 48.77          | 11.86         | 68.20          | 19.43       | PK       | Vertical | PASS    |
| 5              | 15683.84        | 35.22            | 47.72          | 12.50         | 74.00          | 26.28       | PK       | Vertical | PASS    |
| 6              | 17839.92        | 31.82            | 48.64          | 16.82         | 74.00          | 25.36       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 9485.74         | 40.06            | 49.16          | 9.10          | 74.00          | 24.84       | PK       | Horizontal | PASS    |
| 2              | 10416.21        | 40.14            | 48.59          | 8.45          | 68.20          | 19.61       | PK       | Horizontal | PASS    |
| 3              | 12262.13        | 39.24            | 49.37          | 10.13         | 74.00          | 24.63       | PK       | Horizontal | PASS    |
| 4              | 13567.78        | 37.58            | 48.62          | 11.04         | 68.20          | 19.58       | PK       | Horizontal | PASS    |
| 5              | 15008.50        | 37.22            | 49.16          | 11.94         | 68.20          | 19.04       | PK       | Horizontal | PASS    |
| 6              | 17224.61        | 31.89            | 46.84          | 14.95         | 68.20          | 21.36       | PK       | Horizontal | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9555.78         | 40.54            | 49.23          | 8.69          | 68.20          | 18.97       | PK       | Vertical | PASS    |
| 2              | 11906.95        | 39.20            | 48.90          | 9.70          | 74.00          | 25.10       | PK       | Vertical | PASS    |
| 3              | 13637.82        | 38.04            | 49.14          | 11.10         | 68.20          | 19.06       | PK       | Vertical | PASS    |
| 4              | 14783.39        | 36.91            | 48.69          | 11.78         | 68.20          | 19.51       | PK       | Vertical | PASS    |
| 5              | 16599.30        | 32.78            | 47.48          | 14.70         | 68.20          | 20.72       | PK       | Vertical | PASS    |
| 6              | 17679.84        | 32.64            | 48.18          | 15.54         | 68.20          | 20.02       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


# TX Radiated Test Result



| PEAK Data List |                 |                  |                |               |                |             |          |            |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|------------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity   | Verdict |
| 1              | 8920.46         | 41.80            | 49.47          | 7.67          | 68.20          | 18.73       | PK       | Horizontal | PASS    |
| 2              | 11526.76        | 39.43            | 49.07          | 9.64          | 74.00          | 24.93       | PK       | Horizontal | PASS    |
| 3              | 13217.61        | 37.52            | 48.50          | 10.98         | 68.20          | 19.70       | PK       | Horizontal | PASS    |
| 4              | 14353.18        | 36.45            | 48.28          | 11.83         | 68.20          | 19.92       | PK       | Horizontal | PASS    |
| 5              | 16564.28        | 32.53            | 47.10          | 14.57         | 68.20          | 21.10       | PK       | Horizontal | PASS    |
| 6              | 17874.94        | 31.05            | 47.98          | 16.93         | 74.00          | 26.02       | PK       | Horizontal | PASS    |

Note:(1)Level=Reading+Factor  
(2)Margin=Limit-Level

# TX Radiated Test Result




| PEAK Data List |                 |                  |                |               |                |             |          |          |         |
|----------------|-----------------|------------------|----------------|---------------|----------------|-------------|----------|----------|---------|
| NO.            | Frequency [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Detector | Polarity | Verdict |
| 1              | 9455.73         | 39.57            | 48.52          | 8.95          | 74.00          | 25.48       | PK       | Vertical | PASS    |
| 2              | 11191.60        | 39.59            | 48.54          | 8.95          | 74.00          | 25.46       | PK       | Vertical | PASS    |
| 3              | 12677.34        | 38.34            | 49.32          | 10.98         | 74.00          | 24.68       | PK       | Vertical | PASS    |
| 4              | 14208.10        | 36.80            | 48.56          | 11.76         | 68.20          | 19.64       | PK       | Vertical | PASS    |
| 5              | 15813.91        | 35.15            | 47.74          | 12.59         | 74.00          | 26.26       | PK       | Vertical | PASS    |
| 6              | 17304.65        | 33.21            | 48.35          | 15.14         | 68.20          | 19.85       | PK       | Vertical | PASS    |

Note: (1) Level = Reading + Factor  
(2) Margin = Limit - Level


## 8.7. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.87V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|---------------------|--------------------|-------------|--------|
| 1   | 0.0105          | 74.60          | -101.40        | -26.80              | 47.18              | -73.98      | peak   |
| 2   | 0.0151          | 70.21          | -101.37        | -31.16              | 44.02              | -75.18      | peak   |
| 3   | 0.0245          | 66.19          | -101.36        | -35.17              | 39.82              | -74.99      | peak   |
| 4   | 0.0422          | 65.26          | -101.44        | -36.18              | 35.09              | -71.27      | peak   |
| 5   | 0.0704          | 61.92          | -101.57        | -39.65              | 30.65              | -70.30      | peak   |
| 6   | 0.1222          | 57.68          | -101.72        | -44.04              | 25.86              | -69.90      | peak   |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.87V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|---------------------|--------------------|-------------|--------|
| 1   | 0.1565          | 80.03          | -101.65        | -21.62              | 23.71              | -45.33      | peak   |
| 2   | 0.1800          | 76.15          | -101.68        | -25.53              | 22.50              | -48.03      | peak   |
| 3   | 0.2053          | 72.30          | -101.73        | -29.43              | 21.35              | -50.78      | peak   |
| 4   | 0.2558          | 68.70          | -101.80        | -33.10              | 19.44              | -52.54      | peak   |
| 5   | 0.3350          | 66.33          | -101.89        | -35.56              | 17.10              | -52.66      | peak   |
| 6   | 0.4022          | 61.13          | -101.96        | -40.83              | 15.51              | -56.34      | peak   |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.87V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|---------------------|--------------------|-------------|--------|
| 1   | 0.5409          | 62.41          | -62.07         | 0.34                | 32.94              | -32.60      | peak   |
| 2   | 0.9543          | 60.54          | -62.24         | -1.70               | 28.01              | -29.71      | peak   |
| 3   | 1.6290          | 58.64          | -61.98         | -3.34               | 23.36              | -26.70      | peak   |
| 4   | 4.1801          | 56.32          | -61.35         | -5.03               | 29.54              | -34.57      | peak   |
| 5   | 10.1102         | 56.53          | -60.80         | -4.27               | 29.54              | -33.81      | peak   |
| 6   | 23.2713         | 54.94          | -60.58         | -5.64               | 29.54              | -35.18      | peak   |

Note: All modes and antennas have been tested, only the worst data recorded in the report.


## 8.8. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.87V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 18272.000       | 49.91          | -5.53          | 44.38           | 74.00          | -29.62      | peak   |
| 2   | 19648.000       | 48.40          | -5.37          | 43.03           | 74.00          | -30.97      | peak   |
| 3   | 21128.000       | 48.40          | -4.82          | 43.58           | 74.00          | -30.42      | peak   |
| 4   | 23192.000       | 45.88          | -3.38          | 42.50           | 74.00          | -31.50      | peak   |
| 5   | 24248.000       | 45.32          | -2.83          | 42.49           | 74.00          | -31.51      | peak   |
| 6   | 25280.000       | 44.35          | -1.68          | 42.67           | 74.00          | -31.33      | peak   |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Vertical   | Test Voltage:   | DC 3.87V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 18544.000       | 48.70          | -5.28          | 43.42           | 74.00          | -30.58      | peak   |
| 2   | 20056.000       | 48.47          | -5.48          | 42.99           | 74.00          | -31.01      | peak   |
| 3   | 21688.000       | 47.72          | -4.41          | 43.31           | 74.00          | -30.69      | peak   |
| 4   | 23584.000       | 45.66          | -3.15          | 42.51           | 74.00          | -31.49      | peak   |
| 5   | 24408.000       | 45.39          | -2.51          | 42.88           | 74.00          | -31.12      | peak   |
| 6   | 25704.000       | 43.54          | -0.83          | 42.71           | 74.00          | -31.29      | peak   |

Note: All modes and antennas have been tested, only the worst data recorded in the report.


## 8.9. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.87V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 26490.000       | 52.29          | -4.74          | 47.55           | 74.00          | -26.45      | peak   |
| 2   | 29304.000       | 48.12          | -0.97          | 47.15           | 74.00          | -26.85      | peak   |
| 3   | 30592.000       | 47.27          | -0.99          | 46.28           | 74.00          | -27.72      | peak   |
| 4   | 33910.000       | 46.20          | 0.82           | 47.02           | 74.00          | -26.98      | peak   |
| 5   | 35870.000       | 44.83          | 3.75           | 48.58           | 74.00          | -25.42      | peak   |
| 6   | 37158.000       | 45.12          | 3.17           | 48.29           | 74.00          | -25.71      | peak   |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Vertical   | Test Voltage:   | DC 3.87V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 26490.000       | 52.55          | -4.74          | 47.81           | 74.00          | -26.19      | peak   |
| 2   | 29878.000       | 48.09          | -1.50          | 46.59           | 74.00          | -27.41      | peak   |
| 3   | 32986.000       | 48.72          | -0.69          | 48.03           | 74.00          | -25.97      | peak   |
| 4   | 34722.000       | 46.44          | 1.48           | 47.92           | 74.00          | -26.08      | peak   |
| 5   | 37438.000       | 44.26          | 3.18           | 47.44           | 74.00          | -26.56      | peak   |
| 6   | 39468.000       | 42.89          | 4.92           | 47.81           | 74.00          | -26.19      | peak   |

Note: All modes and antennas have been tested, only the worst data recorded in the report.


## 8.10. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.87V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 83.3500         | 41.15          | -16.22         | 24.93           | 40.00          | -15.07      | QP     |
| 2   | 195.8700        | 41.45          | -12.15         | 29.30           | 43.50          | -14.20      | QP     |
| 3   | 396.6600        | 49.49          | -9.60          | 39.89           | 46.00          | -6.11       | QP     |
| 4   | 800.1800        | 36.82          | -2.62          | 34.20           | 46.00          | -11.80      | QP     |
| 5   | 883.6000        | 35.17          | -0.72          | 34.45           | 46.00          | -11.55      | QP     |
| 6   | 953.4400        | 34.49          | -0.78          | 33.71           | 46.00          | -12.29      | QP     |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Vertical   | Test Voltage:   | DC 3.87V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 30.0000         | 49.27          | -14.24         | 35.03           | 40.00          | -4.97       | QP     |
| 2   | 82.3800         | 51.98          | -16.16         | 35.82           | 40.00          | -4.18       | QP     |
| 3   | 142.5200        | 50.93          | -13.85         | 37.08           | 43.50          | -6.42       | QP     |
| 4   | 399.5700        | 50.04          | -9.61          | 40.43           | 46.00          | -5.57       | QP     |
| 5   | 795.3300        | 32.28          | -2.71          | 29.57           | 46.00          | -16.43      | QP     |
| 6   | 961.2000        | 28.58          | -0.67          | 27.91           | 54.00          | -26.09      | QP     |

Note: All modes and antennas have been tested, only the worst data recorded in the report.

## 9. AC POWER LINE CONDUCTED EMISSION

### LIMITS

Please refer to CFR 47 FCC §15.207 (a).

| FREQUENCY (MHz) | Quasi-peak | Average   |
|-----------------|------------|-----------|
| 0.15 -0.5       | 66 - 56 *  | 56 - 46 * |
| 0.50 -5.0       | 56.00      | 46.00     |
| 5.0 -30.0       | 60.00      | 50.00     |

\*Decreases with the logarithm of the frequency.


### TEST PROCEDURE

Refer to ANSI C63.10-2020 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2020. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

### TEST SETUP



**TEST ENVIRONMENT**


|                     |        |                   |              |
|---------------------|--------|-------------------|--------------|
| Temperature         | 23.7°C | Relative Humidity | 59%          |
| Atmosphere Pressure | 101kPa | Test Voltage      | AC 120V_60Hz |

**TEST DATE / ENGINEER**

|           |                   |         |            |
|-----------|-------------------|---------|------------|
| Test Date | September 9, 2025 | Test By | Deacon Tan |
|-----------|-------------------|---------|------------|

## TEST RESULTS

|            |           |                 |      |
|------------|-----------|-----------------|------|
| Test Mode: | 802.11a20 | Frequency(MHz): | 5180 |
| Line:      | Line      |                 |      |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1   | 0.1549          | 32.77          | 9.73         | 42.50         | 65.73        | -23.23      | QP     |
| 2   | 0.1549          | 21.03          | 9.73         | 30.76         | 55.73        | -24.97      | AVG    |
| 3   | 0.7199          | 26.74          | 9.63         | 36.37         | 56.00        | -19.63      | QP     |
| 4   | 0.7199          | 16.42          | 9.63         | 26.05         | 46.00        | -19.95      | AVG    |
| 5   | 1.5258          | 18.83          | 9.69         | 28.52         | 56.00        | -27.48      | QP     |
| 6   | 1.5258          | 11.62          | 9.69         | 21.31         | 46.00        | -24.69      | AVG    |
| 7   | 6.9953          | 20.79          | 9.73         | 30.52         | 60.00        | -29.48      | QP     |
| 8   | 6.9953          | 14.67          | 9.73         | 24.40         | 50.00        | -25.60      | AVG    |
| 9   | 9.7049          | 25.17          | 9.73         | 34.90         | 60.00        | -25.10      | QP     |
| 10  | 9.7049          | 17.58          | 9.73         | 27.31         | 50.00        | -22.69      | AVG    |
| 11  | 19.4130         | 17.71          | 9.74         | 27.45         | 60.00        | -32.55      | QP     |
| 12  | 19.4130         | 10.62          | 9.74         | 20.36         | 50.00        | -29.64      | AVG    |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

|            |           |                 |      |
|------------|-----------|-----------------|------|
| Test Mode: | 802.11a20 | Frequency(MHz): | 5180 |
| Line:      | Neutral   |                 |      |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB) | Result<br>(dBuV) | Limit<br>(dBuV) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-----------------|------------------|-----------------|----------------|--------|
| 1   | 0.1730             | 34.12             | 9.64            | 43.76            | 64.82           | -21.06         | QP     |
| 2   | 0.1730             | 19.50             | 9.64            | 29.14            | 54.82           | -25.68         | AVG    |
| 3   | 0.7712             | 27.25             | 9.63            | 36.88            | 56.00           | -19.12         | QP     |
| 4   | 0.7712             | 16.08             | 9.63            | 25.71            | 46.00           | -20.29         | AVG    |
| 5   | 1.9359             | 18.86             | 9.64            | 28.50            | 56.00           | -27.50         | QP     |
| 6   | 1.9359             | 8.29              | 9.64            | 17.93            | 46.00           | -28.07         | AVG    |
| 7   | 7.6417             | 17.71             | 9.73            | 27.44            | 60.00           | -32.56         | QP     |
| 8   | 7.6417             | 12.91             | 9.73            | 22.64            | 50.00           | -27.36         | AVG    |
| 9   | 13.5600            | 12.06             | 9.74            | 21.80            | 60.00           | -38.20         | QP     |
| 10  | 13.5600            | 6.71              | 9.74            | 16.45            | 50.00           | -33.55         | AVG    |
| 11  | 21.8455            | 18.30             | 9.72            | 28.02            | 60.00           | -31.98         | QP     |
| 12  | 21.8455            | 12.86             | 9.72            | 22.58            | 50.00           | -27.42         | AVG    |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

## 10. ANTENNA REQUIREMENT

### REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### DESCRIPTION

Pass

## 11. TEST DATA – ANT1

### Appendix A1: Duty Cycle

| Test Mode | On Time<br>(msec) | Period<br>(msec) | Duty<br>Cycle<br>x<br>(Linear) | Duty<br>Cycle<br>(%) | Duty Cycle<br>Correction<br>Factor<br>(dB) | 1/T<br>Minimum<br>VBW<br>(kHz) | Final<br>setting<br>For VBW<br>(kHz) |
|-----------|-------------------|------------------|--------------------------------|----------------------|--------------------------------------------|--------------------------------|--------------------------------------|
| a         | 1.43              | 1.535            | 0.9316                         | 93.16                | 0.31                                       | 0.70                           | 1                                    |
| n20       | 1.342             | 1.448            | 0.9268                         | 92.68                | 0.33                                       | 0.75                           | 1                                    |

Note:

Duty Cycle Correction Factor= $10\log(1/x)$ .

Where: x is Duty Cycle (Linear)

Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.





## Appendix B1: Maximum Conducted Output Power

| Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | FCC Limit (dBm) | Verdict |
|------|-----------------|---------|-----------------------|-----------------|---------|
| a    | 5180            | Ant1    | 13.06                 | ≤23.98          | Pass    |
| a    | 5200            | Ant1    | 13.11                 | ≤23.98          | Pass    |
| a    | 5240            | Ant1    | 13.99                 | ≤23.98          | Pass    |
| a    | 5260            | Ant1    | 15.85                 | ≤23.98          | Pass    |
| a    | 5280            | Ant1    | 16.13                 | ≤23.98          | Pass    |
| a    | 5320            | Ant1    | 15.96                 | ≤23.98          | Pass    |
| a    | 5500            | Ant1    | 14.02                 | ≤23.98          | Pass    |
| a    | 5580            | Ant1    | 12.95                 | ≤23.98          | Pass    |
| a    | 5700            | Ant1    | 11.31                 | ≤23.98          | Pass    |
| a    | 5720 Low        | Ant1    | 11.39                 | ≤22.93          | Pass    |
| a    | 5720 High       | Ant1    | 5.04                  | ≤30.00          | Pass    |
| a    | 5745            | Ant1    | 14.54                 | ≤30.00          | Pass    |
| a    | 5785            | Ant1    | 13.25                 | ≤30.00          | Pass    |
| a    | 5825            | Ant1    | 13.45                 | ≤30.00          | Pass    |
| n20  | 5180            | Ant1    | 12.87                 | ≤23.98          | Pass    |
| n20  | 5200            | Ant1    | 13.07                 | ≤23.98          | Pass    |
| n20  | 5240            | Ant1    | 13.92                 | ≤23.98          | Pass    |
| n20  | 5260            | Ant1    | 15.72                 | ≤23.98          | Pass    |
| n20  | 5280            | Ant1    | 15.86                 | ≤23.98          | Pass    |
| n20  | 5320            | Ant1    | 15.94                 | ≤23.98          | Pass    |
| n20  | 5500            | Ant1    | 12.49                 | ≤23.98          | Pass    |
| n20  | 5580            | Ant1    | 12.61                 | ≤23.98          | Pass    |
| n20  | 5700            | Ant1    | 11.29                 | ≤23.98          | Pass    |
| n20  | 5720 Low        | Ant1    | 11.4                  | ≤22.95          | Pass    |
| n20  | 5720 High       | Ant1    | 5.65                  | ≤30.00          | Pass    |
| n20  | 5745            | Ant1    | 14.23                 | ≤30.00          | Pass    |
| n20  | 5785            | Ant1    | 12.97                 | ≤30.00          | Pass    |
| n20  | 5825            | Ant1    | 13.32                 | ≤30.00          | Pass    |

Note: 1. Conducted Power=Meas. Level+ Correction Factor

2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.





## Appendix C1: 26dB Bandwidth

| Mode | Frequency (MHz) | Antenna | 26dB Bandwidth (MHz) | Verdict |
|------|-----------------|---------|----------------------|---------|
| a    | 5180            | Ant1    | 21.387               | Pass    |
| a    | 5200            | Ant1    | 21.343               | Pass    |
| a    | 5240            | Ant1    | 21.334               | Pass    |
| a    | 5260            | Ant1    | 21.476               | Pass    |
| a    | 5280            | Ant1    | 21.513               | Pass    |
| a    | 5320            | Ant1    | 21.404               | Pass    |
| a    | 5500            | Ant1    | 21.383               | Pass    |
| a    | 5580            | Ant1    | 21.541               | Pass    |
| a    | 5700            | Ant1    | 21.422               | Pass    |
| a    | 5720 Low        | Ant1    | 15.6                 | Pass    |
| a    | 5720 High       | Ant1    | 5.52                 | Pass    |
| a    | 5745            | Ant1    | 21.335               | Pass    |
| a    | 5785            | Ant1    | 21.318               | Pass    |
| a    | 5825            | Ant1    | 21.464               | Pass    |
| n20  | 5180            | Ant1    | 21.492               | Pass    |
| n20  | 5200            | Ant1    | 21.731               | Pass    |
| n20  | 5240            | Ant1    | 21.679               | Pass    |
| n20  | 5260            | Ant1    | 21.442               | Pass    |
| n20  | 5280            | Ant1    | 21.692               | Pass    |
| n20  | 5320            | Ant1    | 21.893               | Pass    |
| n20  | 5500            | Ant1    | 21.604               | Pass    |
| n20  | 5580            | Ant1    | 21.903               | Pass    |
| n20  | 5700            | Ant1    | 21.881               | Pass    |
| n20  | 5720 Low        | Ant1    | 15.68                | Pass    |
| n20  | 5720 High       | Ant1    | 5.44                 | Pass    |
| n20  | 5745            | Ant1    | 21.588               | Pass    |
| n20  | 5785            | Ant1    | 21.628               | Pass    |
| n20  | 5825            | Ant1    | 21.768               | Pass    |