

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 1 of 119

TEST REPORT

Application No.: FYCR2608000491AT
Applicant: Aura Home, Inc.
Address of Applicant: 148 Lafayette Street Floor 5, New York, 10013 United States
Manufacturer: Aura Home, Inc.
Address of Manufacturer: 148 Lafayette Street, Floor 5, New York, NY 10013, USA
Equipment Under Test (EUT):
EUT Name: Digital Photo Frame
Model No.: AF330, AF33X-YYYY (X is an Arabic numeral, representing different sales channels and regions, YYYY are Latin alphabets, representing different colors of product housing enclosure) ♣
♣ Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.
Trade Mark: AURA
FCC ID: 2AZGI-AF330
Standard(s) : 47 CFR Part 15, Subpart C 15.247
Date of Receipt: 2026-08-28
Date of Test: 2026-09-09 to 2026-09-16
Date of Issue: 2026-09-20

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 2 of 119

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2026-09-20		Original

Authorized for issue by:				
		Byron Liang		
		Byron Liang/Project Engineer		
		Tree Zhan		
		Tree Zhan/Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 3 of 119

2 Test Summary

Radio Spectrum Technical Requirement				
Item	Standard	Method	Requirement	Result
Antenna Requirement	47 CFR Part 15, Subpart C 15.247	N/A	47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)	Pass

Radio Spectrum Matter Part				
Item	Standard	Method	Requirement	Result
Conducted Emissions at AC Power Line (150kHz-30MHz)	47 CFR Part 15, Subpart C 15.247	ANSI C63.10-2020+Cor.1-2023 Section 6.2	47 CFR Part 15, Subpart C 15.207	Pass
Radiated Emissions which fall in the restricted bands		ANSI C63.10-2020+Cor.1-2023 Section 6.10.5 & 11.12	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass
Radiated Spurious Emissions Below 1GHz		ANSI C63.10-2020+Cor.1-2023 Section 6.4,6.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass
Radiated Spurious Emissions Above 1GHz		ANSI C63.10-2020+Cor.1-2023 Section 6.6 & 11.12	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass
Maximum Conducted Output Power		ANSI C63.10-2020+Cor.1-2023 Section 11.9.2	47 CFR Part 15, Subpart C 15.247(b)(3)	Pass
Minimum 6dB Bandwidth		ANSI C63.10-2020+Cor.1-2023 Section 11.8.1	47 CFR Part 15, Subpart C 15.247a(2)	Pass
Power Spectral Density		ANSI C63.10-2020+Cor.1-2023 Section 11.10.3	47 CFR Part 15, Subpart C 15.247(e)	Pass
Conducted Band Edges Measurement		ANSI C63.10-2020+Cor.1-2023 Section 6.10.4	47 CFR Part 15, Subpart C 15.247(d)	Pass
Conducted Spurious Emissions		ANSI C63.10-2020+Cor.1-2023 Section 11.11	47 CFR Part 15, Subpart C 15.247(d)	Pass

Declaration of EUT Family Grouping:

Model No.: AF330, AF33X-YYYY (X is an Arabic numeral, representing different sales channels and regions, YYYY are Latin alphabets, representing different colors of product housing enclosure)

Only the model AF330 was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used, internal wiring and functions were identical for all the above models, with the difference on the model no., SKU naming and colors of enclosure for marketing purpose.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 4 of 119

3 Contents

	Page
1 Cover Page	1
2 Test Summary	3
3 Contents	4
4 General Information	6
4.1 Details of E.U.T.	6
4.2 Description of Support Units	6
4.3 Measurement Uncertainty	7
4.4 Test Location	8
4.5 Test Facility	8
4.6 Deviation from Standards	8
4.7 Abnormalities from Standard Conditions	8
5 Equipment List	9
6 Radio Spectrum Technical Requirement	11
6.1 Antenna Requirement	11
6.1.1 Test Requirement:	11
6.1.2 Conclusion	11
7 Radio Spectrum Matter Test Results	12
7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)	12
7.1.1 E.U.T. Operation	12
7.1.2 Test Mode Description	12
7.1.3 Test Setup Diagram	13
7.1.4 Measurement Procedure and Data	13
7.2 Radiated Emissions which fall in the restricted bands	16
7.2.1 E.U.T. Operation	16
7.2.2 Test Mode Description	16
7.2.3 Test Setup Diagram	17
7.2.4 Measurement Procedure and Data	18
7.3 Radiated Spurious Emissions Below 1GHz	31
7.3.1 E.U.T. Operation	31
7.3.2 Test Mode Description	32
7.3.3 Test Setup Diagram	32
7.3.4 Measurement Procedure and Data	33
7.4 Radiated Spurious Emissions Above 1GHz	40
7.4.1 E.U.T. Operation	40
7.4.2 Test Mode Description	40
7.4.3 Test Setup Diagram	41
7.4.4 Measurement Procedure and Data	42
7.5 Maximum Conducted Output Power	56
7.5.1 E.U.T. Operation	56



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 5 of 119

7.5.2	Test Mode Description	56
7.5.3	Test Setup Diagram	57
7.5.4	Measurement Procedure and Data.....	57
7.6	Minimum 6dB Bandwidth	58
7.6.1	E.U.T. Operation	58
7.6.2	Test Mode Description	58
7.6.3	Test Setup Diagram	58
7.6.4	Measurement Procedure and Data.....	59
7.7	Power Spectral Density	60
7.7.1	E.U.T. Operation	60
7.7.2	Test Mode Description	60
7.7.3	Test Setup Diagram	60
7.7.4	Measurement Procedure and Data.....	61
7.8	Conducted Band Edges Measurement	62
7.8.1	E.U.T. Operation	62
7.8.2	Test Mode Description	62
7.8.3	Test Setup Diagram	63
7.8.4	Measurement Procedure and Data.....	63
7.9	Conducted Spurious Emissions	64
7.9.1	E.U.T. Operation	64
7.9.2	Test Mode Description	64
7.9.3	Test Setup Diagram	65
7.9.4	Measurement Procedure and Data.....	65
8	Test Setup Photo	66
9	EUT Constructional Details (EUT Photos)	66
10	Appendix.....	67



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 6 of 119

4 General Information

4.1 Details of E.U.T.

Power Supply:	DC 3.87V, 12600mAh rechargeable battery which charged by USB Type-C adapter AURA 20W GaN Charger Model No.:AURA20-001 Input: AC 100-240V, 50/60Hz, 0.5A Output: DC 5.0V, 3.0A or DC 9.0V, 2.22A or DC 12.0V, 1.67A
Cable(s):	USB Type-C cable:120cm unshielded
Operation Frequency:	802.11b/g/n(HT20): 2412MHz to 2462MHz
Modulation Type:	802.11b: DSSS (DBPSK, DQPSK, CCK); 802.11g/n: OFDM (BPSK, QPSK, 16-QAM, 64-QAM)
Number of Channels:	802.11b/g/n(HT20):11
Channel Spacing:	5MHz
Antenna Type:	FPC Antenna
Antenna Gain:	Antenna1: 7dBi, Antenna2: 7dBi Note: the two antennas cannot transmit simultaneously.

Remark:The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
RF Cable	SGS	N/A(cable loss:0.8dB)	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 7 of 119

4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Emissions at AC Power Line (150kHz-30MHz)	$\pm 3.2\text{dB}$
Radiated Emissions which fall in the restricted bands	$\pm 4.7\text{dB}$
Radiated Spurious Emissions Below 1GHz	$\pm 5.7\text{dB}$
Radiated Spurious Emissions Above 1GHz	$\pm 4.7\text{dB}$ (1-18GHz); $\pm 4.7\text{dB}$ (18-40GHz)
Maximum Conducted Output Power	2.4G: $\pm 0.80\text{dB}$; 5G: $\pm 0.43\text{dB}$
Minimum 6dB Bandwidth	2.4G: $\pm 0.34\%$; 5G: $\pm 0.27\%$
Power Spectral Density	2.4G: $\pm 0.35\text{dB}$; 5G: $\pm 0.38\text{dB}$
Conducted Band Edges Measurement	$\pm 2.7\text{dB}$
Conducted Spurious Emissions	$\pm 2.7\text{dB}$

Remark:

The U_{lab} (lab Uncertainty) is less than $U_{\text{CISPR/ETSI}}$ (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.
- the measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 8 of 119

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC –Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 9 of 119

5 Equipment List

Conducted Emissions at AC Power Line (150kHz-30MHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Shielding Room	CRT	N/A	SEM001-14	2025/10/13	2028/10/12
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-01	2026/2/5	2027/2/4
Two-Line V-Network	Rohde & Schwarz	ENV216	SEM007-24	2026/2/5	2027/2/4
Two-Line V-Network	Rohde & Schwarz	ESH3-Z5	SEM007-22	2026/2/5	2027/2/4
Coaxial Cable	CCS	N/A	SEM033-02	2026/5/12	2027/5/11
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A

Radiated Emissions which fall in the restricted bands					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Anechoic Chamber	CRT	N/A	SEM001-13	2025/10/13	2028/10/12
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-54	2025/5/24	2027/5/23
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-23	2026/2/5	2027/2/4
Coaxial Cable	CCS	N/A	SEM035-02	2026/5/12	2027/5/11
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2026/2/5	2027/2/4
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2026/2/5	2027/2/4
Signal Analyzer	Rohde & Schwarz	FSU43	SEM004-08	2026/3/4	2027/3/3
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A

Radiated Spurious Emissions Below 1GHz					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Anechoic Chamber	CRT	N/A	SEM001-13	2025/10/13	2028/10/12
Trilog-Broadband Antenna	Schwarzbeck	VULB9168	SEM003-26	2025/8/29	2027/8/28
Loop Antenna	ETS-LINDGREN	6502	SEM003-43	2025/6/16	2027/6/15
MXE EMI receiver	Agilent	N9038A	SEM004-05	2026/7/03	2027/7/02
Pre-amplifier	HP	8447D	SEM005-02	2026/7/07	2027/7/06
Coaxial Cable	CCS	N/A	SEM035-01	2026/5/12	2027/5/11
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 10 of 119

Radiated Spurious Emissions Above 1GHz					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Anechoic Chamber	CRT	N/A	SEM001-13	2025/10/13	2028/10/12
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2025/7/29	2027/7/28
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-54	2025/5/24	2027/5/23
Pre-amplifier	TST PASS	LNA180400G40	SEM005-39	2026/4/29	2027/4/28
Pre-amplifier	TST PASS	LNA10180G60	SEM005-32	2026/4/4	2027/4/3
Coaxial Cable	CCS	N/A	SEM035-02	2026/5/12	2027/5/11
Coaxial Cable	CCS	N/A	SEM035-03	2026/5/12	2027/5/11
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2026/2/5	2027/2/4
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2026/2/5	2027/2/4
Signal Analyzer	Rohde & Schwarz	FSU43	SEM004-08	2026/3/4	2027/3/3
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A

RF Conducted Test					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2026/2/3	2027/2/2
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2026/2/3	2027/2/2
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2026/2/4	2027/2/3
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2026/2/5	2027/2/4
Attenuator	Huber+Suhner	6620_SMA-50-1	SEM021-09	2026/2/2	2027/2/1
Coaxial Cable	CCS	N/A	SEM037-01	2026/5/12	2027/5/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A
MXA Signal Analyzer	KEYSIGHT	N9020B	SEM004-24	2026/2/3	2027/2/2

General used equipment					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Humidity/ Temperature Indicator	deli	8838	SEM002-52	2026/7/8	2027/7/7
Humidity/ Temperature Indicator	deli	8838	SEM002-53	2026/7/8	2027/7/7
Barometer	Xiangruide	DYM3	SEM002-24	2026/7/10	2027/7/9



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna1 is 7 dBi, antenna2 is 7 dBi.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207
 Test Method: ANSI C63.10-2020+Cor.1-2023 Section 6.2
 Test Engineer: Fly Yan
 Limit:

Frequency of emission(MHz)	Conducted limit(dBμV)	
	Quasi-peak	Average
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50

*Decreases with the logarithm of the frequency.
 Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

7.1.1 E.U.T. Operation

Operating Environment:
 Temperature: 22.3 °C Humidity: 48.6 % RH Atmospheric Pressure: 1000 mbar

7.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	07	Charge + TX mode_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
 Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 13 of 119

7.1.3 Test Setup Diagram



7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50ohm/50μH + 5ohm linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 14 of 119

Test Mode: 07; Line: Live line



Site : Shielding Room
Condition: Line
Job No. : 00491AT/00492AT
Test mode: 07

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1573	0.02	9.81	20.85	30.68	55.60	-24.92	Average
2	0.1573	0.02	9.81	37.90	47.73	65.60	-17.87	QP
3	0.2548	0.03	9.76	10.25	20.04	51.60	-31.56	Average
4	0.2548	0.03	9.76	28.01	37.80	61.60	-23.80	QP
5	0.8045	0.07	9.82	26.05	35.94	46.00	-10.06	Average
6	0.8045	0.07	9.82	36.04	45.93	56.00	-10.07	QP
7	1.5518	0.04	9.59	10.83	20.46	46.00	-25.54	Average
8	1.5518	0.04	9.59	19.91	29.54	56.00	-26.46	QP
9	3.7001	0.05	9.74	10.17	19.96	46.00	-26.04	Average
10	3.7001	0.05	9.74	20.18	29.97	56.00	-26.03	QP
11	10.9629	0.05	9.79	14.30	24.14	50.00	-25.86	Average
12	10.9629	0.05	9.79	26.87	36.71	60.00	-23.29	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 15 of 119

Test Mode: 07; Line: Neutral Line



Site : Shielding Room
Condition: Neutral
Job No. : 00491AT/00492AT
Test mode: 07

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1573	0.02	9.71	18.93	28.66	55.60	-26.94	Average
2	0.1573	0.02	9.71	37.91	47.64	65.60	-17.96	QP
3	0.2687	0.03	9.58	12.45	22.06	51.16	-29.10	Average
4	0.2687	0.03	9.58	30.07	39.68	61.16	-21.48	QP
5	0.8349	0.07	9.69	11.58	21.34	46.00	-24.66	Average
6	0.8349	0.07	9.69	30.96	40.72	56.00	-15.28	QP
7	1.6105	0.04	9.79	8.26	18.09	46.00	-27.91	Average
8	1.6105	0.04	9.79	22.20	32.03	56.00	-23.97	QP
9	2.2726	0.04	9.77	3.46	13.27	46.00	-32.73	Average
10	2.2726	0.04	9.77	21.57	31.38	56.00	-24.62	QP
11	11.0797	0.05	9.94	14.24	24.23	50.00	-25.77	Average
12	11.0797	0.05	9.94	30.76	40.75	60.00	-19.25	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 16 of 119

7.2 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209
 Test Method: ANSI C63.10-2020+Cor.1-2023 Section 6.10.5 & 11.12
 Measurement Distance: 3m
 Test Engineer: Rex Liu
 Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C Humidity: 51.6 % RH Atmospheric Pressure: 1000 mbar

7.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	06	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	07	Charge + TX mode_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
 Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

7.2.3 Test Setup Diagram



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 18 of 119

7.2.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.

Remark 3: The resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is 3MHz for Peak detection (PK) and Average detection (AV) at frequency above 1GHz.

Remark 4:For fundamental and harmonic signal measurement, the resolution bandwidth of test receiver/spectrum analyzer is 1MHz and the video bandwidth is $\geq 1/T$ (Duty cycle<98%) or 10Hz (Duty cycle $\geq 98\%$) for Average detection (AV) at frequency above 1GHz.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2


Report No.:FYCR260800049103

Page: 19 of 119


Antenna 1 11b_TX_CH_01_Horizontal-Peak




Antenna 1 11b_TX_CH_01_Horizontal-Avg



Antenna 1 11b_TX_CH_01_Vertical-Peak



Antenna 1 11b_TX_CH_01_Vertical-Avg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 20 of 119


Antenna 1 11b_TX_CH_11_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11b

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92		95.63	97.35	74.00	23.35	Peak	0.00
2	2483.500	7.07	27.70	32.91		54.47	56.33	74.00	-17.67	Peak	0.00
3	2483.648	7.07	27.70	32.91		61.48	63.34	74.00	-10.66	Peak	0.00


Antenna 1 11b_TX_CH_11_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11b

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92		92.24	93.96	54.00	39.96	Average	0.00
2	2483.500	7.07	27.70	32.91		43.36	45.22	54.00	-8.78	Average	0.00
3	2497.627	7.08	27.79	32.90		43.48	45.45	54.00	-8.55	Average	0.00


Antenna 1 11b_TX_CH_11_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11b

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92		101.30	103.02	74.00	29.02	Peak	0.00
2	2483.500	7.07	27.70	32.91		66.07	67.93	74.00	-6.07	Peak	0.00
3	2483.798	7.07	27.70	32.91		66.96	68.82	74.00	-5.18	Peak	0.00

Antenna 1 11b_TX_CH_11_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11b


	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92		97.92	99.64	54.00	45.64	Average	0.00
2	2483.500	7.07	27.70	32.91		43.89	45.75	54.00	-8.25	Average	0.00
3	2483.990	7.07	27.70	32.91		44.36	46.22	54.00	-7.78	Average	0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Antenna 1 11g_TX_CH_01_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	2379.341	7.04	27.14	32.97	60.86	62.07	74.00	-11.93	Peak		0.00
2	2390.000	7.04	27.12	32.96	60.84	62.04	74.00	-11.96	Peak		0.00
3 pp	2412.000	7.05	27.20	32.95	102.04	103.34	74.00	29.34	Peak		0.00


Antenna 1 11g_TX_CH_01_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	2389.242	7.04	27.12	32.96	46.68	47.88	54.00	-6.12	Average		0.00
2	2390.000	7.04	27.12	32.96	46.96	48.16	54.00	-5.84	Average		0.00
3 pp	2412.000	7.05	27.20	32.95	92.95	94.25	54.00	40.25	Average		0.00


Antenna 1 11g_TX_CH_01_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	2380.908	7.04	27.14	32.97	64.79	66.00	74.00	-8.00	Peak		0.00
2	2390.000	7.04	27.12	32.96	63.41	64.61	74.00	-9.39	Peak		0.00
3 pp	2412.000	7.05	27.20	32.95	106.65	107.95	74.00	33.95	Peak		0.00

Antenna 1 11g_TX_CH_01_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	2389.726	7.04	27.12	32.96	49.77	50.97	54.00	-3.03	Average		0.00
2	2390.000	7.04	27.12	32.96	49.64	50.84	54.00	-3.16	Average		0.00
3 pp	2412.000	7.05	27.20	32.95	97.72	99.02	54.00	45.02	Average		0.00


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 22 of 119


Antenna 1 11g_TX_CH_11_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB		dB
1	pp 2462.000	7.07	27.57	32.92	98.05	99.77	74.00	25.77	Peak	0.00	
2	2483.500	7.07	27.70	32.91	60.07	61.93	74.00	-12.07	Peak	0.00	
3	2483.648	7.07	27.70	32.91	62.18	64.04	74.00	-9.96	Peak	0.00	


Antenna 1 11g_TX_CH_11_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB		dB
1	pp 2462.000	7.07	27.57	32.92	98.05	99.77	74.00	25.77	Average	0.00	
2	2483.500	7.07	27.70	32.91	60.07	61.93	74.00	-12.07	Average	0.00	
3	2483.698	7.07	27.70	32.91	62.18	64.04	74.00	-9.96	Average	0.00	


Antenna 1 11g_TX_CH_11_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB		dB
1	pp 2462.000	7.07	27.57	32.92	104.96	106.68	74.00	32.68	Peak	0.00	
2	2483.500	7.07	27.70	32.91	65.25	67.11	74.00	-6.89	Peak	0.00	
3	2483.698	7.07	27.70	32.91	65.99	67.85	74.00	-6.15	Peak	0.00	

Antenna 1 11g_TX_CH_11_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB		dB
1	pp 2462.000	7.07	27.57	32.92	95.86	97.58	54.00	43.58	Average	0.00	
2	2483.500	7.07	27.70	32.91	50.00	51.86	54.00	-2.14	Average	0.00	
3	2483.790	7.07	27.70	32.91	50.30	52.16	54.00	-1.84	Average	0.00	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 23 of 119


Antenna 1 11n_HT(20M)_TX_CH_01_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1	2389.242	7.04	27.12	32.96	60.80	62.00	74.00	-12.00 Peak	0.00
2	2390.000	7.04	27.12	32.96	59.18	60.38	74.00	-13.62 Peak	0.00
3 pp	2412.000	7.05	27.20	32.95	100.35	101.65	74.00	27.65 Peak	0.00


Antenna 1 11n_HT(20M)_TX_CH_01_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1	2389.363	7.04	27.12	32.96	46.36	47.56	54.00	-6.44 Average	0.00
2	2390.000	7.04	27.12	32.96	46.99	48.19	54.00	-5.81 Average	0.00
3 pp	2412.000	7.05	27.20	32.95	90.83	92.13	54.00	38.13 Average	0.00


Antenna 1 11n_HT(20M)_TX_CH_01_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1	2387.678	7.04	27.12	32.96	63.30	64.50	74.00	-9.50 Peak	0.00
2	2390.000	7.04	27.12	32.96	64.07	65.27	74.00	-8.73 Peak	0.00
3 pp	2412.000	7.05	27.20	32.95	105.78	107.08	74.00	33.08 Peak	0.00

Antenna 1 11n_HT(20M)_TX_CH_01_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1	2389.242	7.04	27.12	32.96	49.92	51.12	54.00	-2.88 Average	0.00
2	2390.000	7.04	27.12	32.96	50.29	51.49	54.00	-2.51 Average	0.00
3 pp	2412.000	7.05	27.20	32.95	96.72	98.02	54.00	44.02 Average	0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 24 of 119


Antenna 1 11n_HT(20M)_TX_CH_11_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Factor
1	pp 2462.000	7.07	27.57	32.92	97.73	99.45	74.00	25.45	0.00
2	2483.500	7.07	27.70	32.91	61.00	62.86	74.00	-11.14	0.00
3	2483.648	7.07	27.70	32.91	63.69	65.55	74.00	-8.45	0.00


Antenna 1 11n_HT(20M)_TX_CH_11_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Factor
1	pp 2462.000	7.07	27.57	32.92	88.20	89.92	54.00	35.92	0.00
2	2483.500	7.07	27.70	32.91	46.31	48.17	54.00	-5.83	0.00
3	2484.141	7.07	27.71	32.91	46.16	48.03	54.00	-5.97	0.00


Antenna 1 11n_HT(20M)_TX_CH_11_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Factor
1	pp 2462.000	7.07	27.57	32.92	103.66	105.38	74.00	31.38	0.00
2	2483.500	7.07	27.70	32.91	66.48	68.34	74.00	-5.66	0.00
3	2484.693	7.07	27.71	32.91	66.95	68.82	74.00	-5.18	0.00

Antenna 1 11n_HT(20M)_TX_CH_11_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Factor
1	pp 2462.000	7.07	27.57	32.92	94.02	95.74	54.00	41.74	0.00
2	2483.500	7.07	27.70	32.91	49.41	51.27	54.00	-2.73	0.00
3	2483.790	7.07	27.70	32.91	49.47	51.33	54.00	-2.67	0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 25 of 119


Antenna 2 11b_TX_CH_01_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11B

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Limit Remark	Factor
1	2389.121	7.04	27.12	32.96	58.17	59.37	74.00	-14.63	Peak	0.00
2	2390.000	7.04	27.12	32.96	55.49	56.69	74.00	-17.31	Peak	0.00
3 pp	2412.000	7.05	27.20	32.95	95.58	96.88	74.00	22.88	Peak	0.00


Antenna 2 11b_TX_CH_01_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11B

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Limit Remark	Factor
1	2389.484	7.04	27.12	32.96	43.40	44.60	54.00	-9.40	Average	0.00
2	2390.000	7.04	27.12	32.96	43.40	44.60	54.00	-9.40	Average	0.00
3 pp	2412.000	7.05	27.20	32.95	92.14	93.44	54.00	39.44	Average	0.00


Antenna 2 11b_TX_CH_01_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11B

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Limit Remark	Factor
1	2389.484	7.04	27.12	32.96	67.04	68.24	74.00	-5.76	Peak	0.00
2	2390.000	7.04	27.12	32.96	67.31	68.51	74.00	-5.49	Peak	0.00
3 pp	2412.000	7.05	27.20	32.95	103.52	104.82	74.00	30.82	Peak	0.00

Antenna 2 11b_TX_CH_01_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11B

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Limit Remark	Factor
1	2387.065	7.04	27.13	32.96	44.74	45.95	54.00	-8.05	Average	0.00
2	2390.000	7.04	27.12	32.96	44.93	46.13	54.00	-7.87	Average	0.00
3 pp	2412.000	7.05	27.20	32.95	100.22	101.52	54.00	47.52	Average	0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 26 of 119


Antenna 2 11b_TX_CH_11_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11b

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	95.82	97.54	74.00	23.54	Peak	0.00	
2	2483.500	7.07	27.70	32.91	55.47	57.33	74.00	-16.67	Peak	0.00	
3	2483.948	7.07	27.70	32.91	60.61	62.47	74.00	-11.53	Peak	0.00	


Antenna 2 11b_TX_CH_11_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11b

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	92.12	93.84	54.00	39.84	Average	0.00	
2	2483.500	7.07	27.70	32.91	43.59	45.45	54.00	-8.55	Average	0.00	
3	2497.779	7.08	27.79	32.90	43.54	45.51	54.00	-8.49	Average	0.00	


Antenna 2 11b_TX_CH_11_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11b

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	104.51	106.23	74.00	32.23	Peak	0.00	
2	2483.500	7.07	27.70	32.91	68.20	70.06	74.00	-3.94	Peak	0.00	
3	2484.041	7.07	27.70	32.91	68.77	70.63	74.00	-3.37	Peak	0.00	

Antenna 2 11b_TX_CH_11_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11b

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	100.65	102.37	54.00	48.37	Average	0.00	
2	2483.500	7.07	27.70	32.91	45.26	47.12	54.00	-6.88	Average	0.00	
3	2483.790	7.07	27.70	32.91	44.77	46.63	54.00	-7.37	Average	0.00	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 27 of 119


Antenna 2 11g_TX_CH_01_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB		dB
1	2378.377	7.04	27.14	32.97	57.86	59.07	74.00	-14.93	Peak		0.00
2	2390.000	7.04	27.12	32.96	55.99	57.19	74.00	-16.81	Peak		0.00
3 pp	2412.000	7.05	27.20	32.95	98.47	99.77	74.00	25.77	Peak		0.00


Antenna 2 11g_TX_CH_01_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB		dB
1	2389.242	7.04	27.12	32.96	44.96	46.16	54.00	-7.84	Average		0.00
2	2390.000	7.04	27.12	32.96	44.25	45.45	54.00	-8.55	Average		0.00
3 pp	2412.000	7.05	27.20	32.95	89.48	90.78	54.00	36.78	Average		0.00


Antenna 2 11g_TX_CH_01_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB		dB
1	2389.363	7.04	27.12	32.96	62.70	63.90	74.00	-10.10	Peak		0.00
2	2390.000	7.04	27.12	32.96	62.72	63.92	74.00	-10.08	Peak		0.00
3 pp	2412.000	7.05	27.20	32.95	106.14	107.44	74.00	33.44	Peak		0.00

Antenna 2 11g_TX_CH_01_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB		dB
1	2389.726	7.04	27.12	32.96	48.29	49.49	54.00	-4.51	Average		0.00
2	2390.000	7.04	27.12	32.96	48.27	49.47	54.00	-4.53	Average		0.00
3 pp	2412.000	7.05	27.20	32.95	97.18	98.48	54.00	44.48	Average		0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 28 of 119


Antenna 2 11g_TX_CH_11_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	96.14	97.86	74.00	23.86	Peak	0.00	
2	2483.500	7.07	27.70	32.91	58.54	60.40	74.00	-13.60	Peak	0.00	
3	2483.840	7.07	27.70	32.91	59.06	60.92	74.00	-13.08	Peak	0.00	


Antenna 2 11g_TX_CH_11_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	87.15	88.87	54.00	34.87	Average	0.00	
2	2483.500	7.07	27.70	32.91	45.40	47.26	54.00	-6.74	Average	0.00	
3	2483.840	7.07	27.70	32.91	45.21	47.07	54.00	-6.93	Average	0.00	


Antenna 2 11g_TX_CH_11_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	105.39	107.11	74.00	33.11	Peak	0.00	
2	2483.500	7.07	27.70	32.91	66.60	68.46	74.00	-5.54	Peak	0.00	
3	2483.840	7.07	27.70	32.91	67.29	69.15	74.00	-4.85	Peak	0.00	

Antenna 2 11g_TX_CH_11_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11G

	Freq	Cable Loss	Factor	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Remark	Aux Factor
	MHz	dB	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	96.35	98.07	54.00	44.07	Average	0.00	
2	2483.500	7.07	27.70	32.91	50.89	52.75	54.00	-1.25	Average	0.00	
3	2483.790	7.07	27.70	32.91	50.55	52.41	54.00	-1.59	Average	0.00	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 29 of 119


Antenna 2 11n_HT(20M)_TX_CH_01_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1	2389.484	7.04	27.12	32.96	60.80	62.00	74.00	-12.00 Peak	0.00
2	2390.000	7.04	27.12	32.96	56.25	57.45	74.00	-16.55 Peak	0.00
3 pp	2412.000	7.05	27.20	32.95	98.04	99.34	74.00	25.34 Peak	0.00


Antenna 2 11n_HT(20M)_TX_CH_01_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1	2389.363	7.04	27.12	32.96	44.73	45.93	54.00	-8.07 Average	0.00
2	2390.000	7.04	27.12	32.96	44.52	45.72	54.00	-8.28 Average	0.00
3 pp	2412.000	7.05	27.20	32.95	87.86	89.16	54.00	35.16 Average	0.00


Antenna 2 11n_HT(20M)_TX_CH_01_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1	2387.912	7.04	27.12	32.96	69.25	70.45	74.00	-3.55 Peak	0.00
2	2390.000	7.04	27.12	32.96	66.15	67.35	74.00	-6.65 Peak	0.00
3 pp	2412.000	7.05	27.20	32.95	104.65	105.95	74.00	31.95 Peak	0.00

Antenna 2 11n_HT(20M)_TX_CH_01_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 Band edge
: 2.4G WIFI 11N20


	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1	2389.484	7.04	27.12	32.96	48.30	49.50	54.00	-4.50 Average	0.00
2	2390.000	7.04	27.12	32.96	48.54	49.74	54.00	-4.26 Average	0.00
3 pp	2412.000	7.05	27.20	32.95	95.70	97.00	54.00	43.00 Average	0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Antenna 2 11n_HT(20M)_TX_CH_11_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over Limit	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	95.12	96.84	74.00	22.84	Peak	0.00
2	2483.500	7.07	27.70	32.91	56.28	58.14	74.00	-15.86	Peak	0.00
3	2484.141	7.07	27.71	32.91	59.09	60.96	74.00	-13.04	Peak	0.00


Antenna 2 11n_HT(20M)_TX_CH_11_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over Limit	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	85.26	86.98	54.00	32.98	Average	0.00
2	2483.500	7.07	27.70	32.91	45.12	46.98	54.00	-7.02	Average	0.00
3	2483.940	7.07	27.70	32.91	44.96	46.82	54.00	-7.18	Average	0.00


Antenna 2 11n_HT(20M)_TX_CH_11_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over Limit	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	104.70	106.42	74.00	32.42	Peak	0.00
2	2483.500	7.07	27.70	32.91	64.82	66.68	74.00	-7.32	Peak	0.00
3	2484.141	7.07	27.71	32.91	67.62	69.49	74.00	-4.51	Peak	0.00

Antenna 2 11n_HT(20M)_TX_CH_11_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 Band edge
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over Limit	Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	pp 2462.000	7.07	27.57	32.92	94.59	96.31	54.00	42.31	Average	0.00
2	2483.500	7.07	27.70	32.91	51.13	52.99	54.00	-1.01	Average	0.00
3	2483.790	7.07	27.70	32.91	50.29	52.15	54.00	-1.85	Average	0.00

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 31 of 119

7.3 Radiated Spurious Emissions Below 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209
 Test Method: ANSI C63.10-2020+Cor.1-2023 Section 6.4,6.5
 Measurement Distance: 3m
 Test Engineer: Rex Liu
 Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
960-1000	500	3

Note

1: The emission limits for the ranges 9-90 kHz and 110-490 kHz are based on measurements employing a linear average detector.

2. At frequencies below 1GHz, measurements may be performed at a distance different to specified in the regulations.

Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor+ Aux Factor (if applicable)

The aux factor needs to be added when measurements are performed at a distance other than the limit distance provided.

EX. Below 30MHz, Aux Factor = 40 dB/decade of distance, the aux factor is $40\log(3/300) = -80\text{dB}$ (for 3m test distance).

EX. Above 30MHz, Aux Factor = 20 dB/decade of distance, the aux factor is $20\log(10/3) = 10.46\text{dB}$ (for 10m test distance).

7.3.1 E.U.T. Operation

Operating Environment:

Temperature: 20.5 °C Humidity: 51.4 % RH Atmospheric Pressure: 1000 mbar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2


Report No.:FYCR260800049103

Page: 32 of 119

7.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	06	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	07	Charge + TX mode_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

7.3.3 Test Setup Diagram



Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 33 of 119

7.3.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8m above the ground at a semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3m or 10m away from the interference-receiving antenna, which was mounted on the variable-height antenna tower.
- c. The antenna height is varied from 1m to 4m above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1m to 4m (for the test frequency of below 30MHz, the antenna was tuned to heights 1m) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

Remark:

- 1 Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
2. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the worst-case test curve is displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 34 of 119



Site : chamber
Condition: 3m
Job No. : 00491AT
Test Mode: 07
: coaxial



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch


Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 35 of 119



Site : chamber
Condition: 3m
Job No. : 00491AT
Test Mode: 07
: coaxial



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch


Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 36 of 119



Site : chamber
Condition: 3m
Job No. : 00491AT
Test Mode: 07
: coplanar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch


Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 37 of 119



Site : chamber
Condition: 3m
Job No. : 00491AT
Test Mode: 07
: coplanar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 38 of 119

Test Mode: 07; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00491AT/00492AT

Mode : 07

		Ant	Cable	Preamp	Read	Limit	Over	
	Freq	Factor	Loss	Factor	Level	Level	Line	Limit Remark
	MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1	44.743	17.62	0.56	26.11	23.27	15.34	40.00	-24.66 QP
2	51.301	17.78	0.68	26.10	23.03	15.39	40.00	-24.61 QP
3	81.497	12.81	0.69	26.08	29.23	16.65	40.00	-23.35 QP
4	175.037	16.33	0.75	25.54	26.58	18.12	43.50	-25.38 QP
5	607.787	24.21	3.40	26.56	26.09	27.14	46.00	-18.86 QP
6	827.493	26.68	3.20	26.47	25.83	29.24	46.00	-16.76 QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 39 of 119

Test Mode: 07; Polarity: Vertical



Site : chamber

Condition: 3m VERTICAL

Job No : 00491AT/00492AT

Mode : 07

		Ant	Cable	Preamp	Read	Limit	Over	
	Freq	Factor	Loss	Factor	Level	Level	Line	Limit Remark
	MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB
1	38.616	17.13	0.32	26.12	29.09	20.42	40.00	-19.58 QP
2	70.832	15.52	0.53	26.10	35.03	24.98	40.00	-15.02 QP
3	79.521	13.27	0.69	26.10	38.12	25.98	40.00	-14.02 QP
4	219.845	13.92	0.87	25.40	30.49	19.88	46.00	-26.12 QP
5	607.787	24.21	3.40	26.56	26.05	27.10	46.00	-18.90 QP
6	815.968	26.71	3.31	26.48	23.78	27.32	46.00	-18.68 QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 40 of 119

7.4 Radiated Spurious Emissions Above 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209
 Test Method: ANSI C63.10-2020+Cor.1-2023 Section 6.6 & 11.12
 Measurement Distance: 3m
 Test Engineer: Rex Liu
 Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
Above 1000	500	3

Note:

At Above 18GHz, measurements may be performed at a distance shorter than that specified in the regulations

Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor+ Aux Factor (if applicable)

The aux factor needs to be added when measurements are performed at a distance other than the limit distance provided.

EX. Above 18GHz, Aux Factor = 20 dB/decade of distance, the aux factor is $20\log(1/3) = -9.54\text{dB}$ (for 1m test distance).

7.4.1 E.U.T. Operation

Operating Environment:

Temperature: 20.5 °C Humidity: 52.6 % RH Atmospheric Pressure: 1000 mbar

7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	06	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	07	Charge + TX mode_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
 Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 41 of 119

7.4.3 Test Setup Diagram



Above 1GHz

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 42 of 119

7.4.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5m above the ground at a 3m fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. The EUT was set 3m away from the interference-receiving antenna from 1GHz to 18GHz, and 1m away from the interference-receiving antenna above 18GHz.
- b. The interference-receiving antenna was mounted on the variable-height antenna tower, with its boresight facing the EUT throughout the test.
- c. The antenna height is varied from 1m to 4m above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1m to 4m and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- g. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- h. Repeat above procedures until all frequencies measured was complete.

Remark:


1. Scan from 1GHz to 10th harmonic of the highest frequency or 40 GHz, whichever is lower.
2. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.
3. For the frequency above 18GHz, testing had been executed under all test modes, only the worst-case test curve is displayed in the report.
4. For devices with multiple operating modes, measurements on the middle channel is used to determine the worst-case mode(s).




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Antenna 1 11b_TX_CH_01_Horizontal-Peak




Antenna 1 11b_TX_CH_01_Horizontal-Avg




Antenna 1 11b_TX_CH_01_Vertical-Peak



Antenna 1 11b_TX_CH_01_Vertical-Avg



Antenna 1 11b_TX_CH_06_Horizontal-Peak




Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE

: 2.4G WIFI 11B

	Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	dB	dB	dB
1	4874.000	8.29	31.99	53.17	61.58	48.69	74.00	-25.31	Peak	0.00		
2	6213.441	8.45	34.41	53.28	56.28	45.86	74.00	-28.14	Peak	0.00		
3	7311.000	8.97	36.12	53.53	53.67	45.23	74.00	-28.77	Peak	0.00		
4	9748.000	11.90	38.29	54.05	52.21	48.35	74.00	-25.65	Peak	0.00		
5	13957.530	10.71	40.66	53.91	51.53	48.99	74.00	-25.01	Peak	0.00		
6	17741.740	14.46	48.14	51.55	49.97	53.02	74.00	-28.98	Peak	0.00		

Antenna 1 11b_TX_CH_06_Horizontal-Avg




Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE

: 2.4G WIFI 11B

	Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	dB	dB	dB
1	pp 4874.000	8.29	31.99	53.17	59.53	46.64	54.00	-7.36	Average	0.00		
2	6213.441	8.45	34.41	53.28	48.01	37.59	54.00	-16.41	Average	0.00		
3	7311.000	8.97	36.12	53.53	46.68	38.24	54.00	-15.76	Average	0.00		
4	9748.000	11.90	38.29	54.05	44.63	40.77	54.00	-13.23	Average	0.00		
5	13957.530	10.71	40.66	53.91	44.42	41.88	54.00	-12.12	Average	0.00		
6	17741.740	14.46	48.14	51.55	42.42	45.47	54.00	-8.53	Average	0.00		

Antenna 1 11b_TX_CH_06_Vertical-Peak




Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE

: 2.4G WIFI 11B

	Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	dB	dB	dB
1	pp 4874.000	8.29	31.99	53.17	67.18	54.29	74.00	-19.71	Peak	0.00		
2	5797.032	8.37	32.93	53.28	56.98	45.00	74.00	-29.00	Peak	0.00		
3	7311.000	8.97	36.12	53.53	55.34	46.90	74.00	-27.10	Peak	0.00		
4	9748.000	11.90	38.29	54.05	52.47	48.61	74.00	-25.39	Peak	0.00		
5	13957.530	10.71	40.66	53.91	52.15	49.61	74.00	-24.39	Peak	0.00		
6	17741.740	14.46	48.14	51.55	49.53	52.58	74.00	-21.42	Peak	0.00		

Antenna 1 11b_TX_CH_06_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE

: 2.4G WIFI 11B

	Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Level	Limit	Over	Aux
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	dB	dB	dB
1	pp 4874.000	8.29	31.99	53.17	64.80	51.91	54.00	-2.09	Average	0.00		
2	6071.417	8.30	33.71	53.29	49.06	37.78	54.00	-16.22	Average	0.00		
3	7311.000	8.97	36.12	53.53	49.06	40.62	54.00	-13.38	Average	0.00		
4	9748.000	11.90	38.29	54.05	44.47	40.61	54.00	-13.39	Average	0.00		
5	13957.530	10.71	40.66	53.91	43.72	41.18	54.00	-12.82	Average	0.00		
6	17741.740	14.46	48.14	51.55	42.78	45.83	54.00	-8.17	Average	0.00		


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 45 of 119


Antenna 1 11b_TX_CH_11_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Remark	Factor
1	4924.000	8.31	32.20	53.18	63.02	50.35	74.00	-23.65	Peak	0.00
2	6195.508	8.43	34.27	53.28	55.83	45.25	74.00	-28.75	Peak	0.00
3	7386.000	9.07	36.70	53.60	53.52	45.69	74.00	-28.31	Peak	0.00
4	9848.000	11.88	38.59	54.07	53.19	49.59	74.00	-24.41	Peak	0.00
5	13957.530	10.71	40.66	53.91	52.35	49.81	74.00	-24.19	Peak	0.00
6	pp17690.530	14.45	40.06	51.56	50.41	53.36	74.00	-20.64	Peak	0.00


Antenna 1 11b_TX_CH_11_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Remark	Factor
1	pp 4924.000	8.31	32.20	53.18	59.35	46.68	54.00	-7.32	Average	0.00
2	6071.417	8.30	33.71	53.29	48.93	37.65	54.00	-16.35	Average	0.00
3	7386.000	9.07	36.70	53.60	45.94	38.11	54.00	-15.89	Average	0.00
4	9848.000	11.88	38.59	54.07	44.93	41.33	54.00	-12.67	Average	0.00
5	13957.530	10.71	40.66	53.91	44.35	41.81	54.00	-12.19	Average	0.00
6	17741.740	14.46	40.14	51.55	42.29	45.34	54.00	-8.66	Average	0.00


Antenna 1 11b_TX_CH_11_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Remark	Factor
1	pp 4924.000	8.31	32.20	53.18	67.83	55.16	74.00	-18.84	Peak	0.00
2	6071.417	8.30	33.71	53.29	56.55	45.27	74.00	-28.73	Peak	0.00
3	7386.000	9.07	36.70	53.60	54.90	47.07	74.00	-26.93	Peak	0.00
4	9848.000	11.88	38.59	54.07	52.54	48.94	74.00	-25.06	Peak	0.00
5	13957.530	10.71	40.66	53.91	51.65	49.11	74.00	-24.89	Peak	0.00
6	17844.590	14.47	40.83	51.53	50.10	53.87	74.00	-20.13	Peak	0.00

Antenna 1 11b_TX_CH_11_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Remark	Factor
1	pp 4924.000	8.31	32.20	53.18	65.48	52.81	54.00	-1.19	Average	0.00
2	6995.172	8.55	36.01	53.20	47.02	38.38	54.00	-15.62	Average	0.00
3	7386.000	9.07	36.70	53.60	48.17	40.34	54.00	-13.66	Average	0.00
4	9848.000	11.88	38.59	54.07	44.48	40.88	54.00	-13.12	Average	0.00
5	13957.530	10.71	40.66	53.91	44.58	42.04	54.00	-11.96	Average	0.00
6	17741.740	14.46	40.14	51.55	42.50	45.55	54.00	-8.45	Average	0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 46 of 119


Antenna 1 11n_HT(20M)_TX_CH_01_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11N20

	Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Line	Over Limit	Aux Remark	Aux Factor
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dB		dB
1	4824.000	8.27	31.86	53.15	62.74	49.72	74.00	-24.28 Peak	0.00
2	6088.991	8.32	33.81	53.29	56.86	45.78	74.00	-28.22 Peak	0.00
3	7236.000	8.87	36.36	53.45	55.39	47.17	74.00	-26.83 Peak	0.00
4	9648.000	11.92	38.60	54.03	52.24	48.73	74.00	-25.27 Peak	0.00
5	13957.530	10.71	40.66	53.91	51.31	48.77	74.00	-25.23 Peak	0.00
6	17639.470	14.45	39.86	51.57	49.81	52.55	74.00	-21.45 Peak	0.00


Antenna 1 11n_HT(20M)_TX_CH_01_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux	
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor	
	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	pp 4824.000	8.27	31.86	53.15	60.76	47.74	54.00 -6.26 Average	0.00
2	6213.441	8.45	34.41	53.28	48.21	37.79	54.00 -16.21 Average	0.00
3	7236.000	8.87	36.36	53.45	48.05	40.43	54.00 -13.57 Average	0.00
4	9648.000	11.92	38.60	54.03	44.67	41.16	54.00 -12.84 Average	0.00
5	13957.530	10.71	40.66	53.91	44.69	42.15	54.00 -11.85 Average	0.00
6	17639.470	14.45	39.86	51.57	42.34	45.08	54.00 -8.92 Average	0.00


Antenna 1 11n_HT(20M)_TX_CH_01_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor
	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp 4824.000	8.27	31.86	53.15	65.87	52.85	74.00	-21.15 Peak 0.00
2 5984.305	8.24	33.49	53.30	57.32	45.75	74.00	-28.25 Peak 0.00
3 7236.000	8.87	36.36	53.45	58.15	49.93	74.00	-24.07 Peak 0.00
4 9648.000	11.92	38.60	54.03	52.10	48.59	74.00	-25.41 Peak 0.00
5 13957.530	10.71	40.66	53.91	51.76	49.22	74.00	-24.78 Peak 0.00
6 17639.530	14.45	40.06	51.56	49.87	52.82	74.00	-21.18 Peak 0.00

Antenna 1 11n_HT(20M)_TX_CH_01_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
	Loss	Factor	Factor	Level	Line	Limit	Factor
MHz	dB	dB/m	dB	dBuV	dBuV/m	dB	dB
1 pp 4824.000	8.27	31.86	53.15	63.64	50.62	54.00 -3.38 Average	0.00
2 6088.991	8.32	33.89	53.29	48.96	37.88	54.00 -16.12 Average	0.00
3 7236.000	8.87	36.36	53.45	52.70	44.48	54.00 -9.52 Average	0.00
4 9648.000	11.92	38.60	54.03	44.44	40.93	54.00 -13.07 Average	0.00
5 13957.530	10.71	40.66	53.91	44.04	41.50	54.00 -12.50 Average	0.00
6 17639.470	14.45	39.86	51.57	42.41	45.15	54.00 -8.85 Average	0.00


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 47 of 119


Antenna 1 11n_HT(20M)_TX_CH_06_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	dBuV/m	dBuV/m	Limit	Factor
dB	dB/m	dB	dB	dB	dB	dB	dB	dB
1	4874.000	8.29	31.99	53.17	65.42	52.53	74.00	-21.47 Peak
2	6071.417	8.30	33.71	53.29	57.13	45.85	74.00	-28.15 Peak
3	7311.000	8.97	36.12	53.53	54.48	46.04	74.00	-27.96 Peak
4	9748.000	11.90	38.29	54.05	51.99	48.13	74.00	-25.87 Peak
5	13957.530	10.71	40.66	53.91	51.87	49.33	74.00	-24.67 Peak
6	17639.470	14.45	39.86	51.57	50.44	53.18	74.00	-28.82 Peak


Antenna 1 11n_HT(20M)_TX_CH_06_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	dBuV	dBuV/m	dBuV/m	Factor
dB	dB/m	dB	dB	dB	dB	dB	dB	dB
1	pp 4874.000	8.29	31.99	53.17	64.52	51.63	54.00	-2.37 Average
2	6249.464	8.48	34.70	53.27	47.59	37.50	54.00	-16.50 Average
3	7311.000	8.97	36.12	53.53	47.34	38.90	54.00	-15.10 Average
4	9748.000	11.90	38.29	54.05	44.55	48.69	54.00	-13.31 Average
5	13957.530	10.71	40.66	53.91	44.50	41.96	54.00	-12.04 Average
6	17639.470	14.45	39.86	51.57	42.66	45.40	54.00	-8.60 Average


Antenna 1 11n_HT(20M)_TX_CH_06_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	dBuV	dBuV/m	dBuV/m	Factor
dB	dB/m	dB	dB	dB	dB	dB	dB	dB
1	4874.000	8.29	31.99	53.17	66.14	53.25	74.00	-20.75 Peak
2	5713.856	8.43	33.18	53.27	57.72	46.06	74.00	-27.94 Peak
3	7311.000	8.97	36.12	53.53	56.81	48.37	74.00	-25.63 Peak
4	9748.000	11.90	38.29	54.05	52.73	48.87	74.00	-25.13 Peak
5	13957.530	10.71	40.66	53.91	52.07	49.53	74.00	-24.47 Peak
6	17639.470	14.45	39.86	51.57	51.13	53.42	74.00	-28.58 Peak

Antenna 1 11n_HT(20M)_TX_CH_06_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	dBuV	dBuV/m	dBuV/m	Factor
dB	dB/m	dB	dB	dB	dB	dB	dB	dB
1	pp 4874.000	8.29	31.99	53.17	64.60	51.71	54.00	-2.29 Average
2	5949.811	8.26	33.90	53.30	49.03	37.89	54.00	-16.11 Average
3	7311.000	8.97	36.12	53.53	51.29	42.85	54.00	-11.15 Average
4	9748.000	11.90	38.29	54.05	45.43	41.57	54.00	-12.43 Average
5	13957.530	10.71	40.66	53.91	44.65	42.11	54.00	-11.89 Average
6	17844.590	14.47	40.83	51.53	41.91	45.68	54.00	-8.32 Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 48 of 119


Antenna 1 11n_HT(20M)_TX_CH_11_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11N20

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Over Line	Remark	Aux Factor
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1 4924.000	8.31	32.20	53.18	64.95	52.28	74.00	-21.72 Peak	0.00
2 6071.417	8.30	33.71	53.29	57.25	45.97	74.00	-28.03 Peak	0.00
3 7306.000	9.07	36.70	53.60	54.84	47.01	74.00	-26.99 Peak	0.00
4 9848.000	11.88	38.59	54.07	52.22	48.62	74.00	-25.38 Peak	0.00
5 13957.530	10.71	40.66	53.91	51.52	48.98	74.00	-25.02 Peak	0.00
6 pp17844.590	14.47	40.83	51.53	49.73	53.50	74.00	-28.50 Peak	0.00


Antenna 1 11n_HT(20M)_TX_CH_11_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Level	Limit	Over	Aux
	Loss	Factor	Factor	Level	Level	Limit	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Factor
1 pp 4924.000	8.31	32.20	53.18	64.32	51.65	54.00	-2.35	Average 0.00
2 6088.991	8.32	33.89	53.29	48.88	37.80	54.00	-16.20	Average 0.00
3 7386.000	9.07	36.70	53.60	46.39	38.56	54.00	-15.44	Average 0.00
4 9848.000	11.88	38.59	54.07	44.48	40.88	54.00	-13.12	Average 0.00
5 13957.530	10.71	40.66	53.91	44.14	41.60	54.00	-12.40	Average 0.00
6 17741.740	14.46	40.14	51.55	42.43	45.48	54.00	-8.52	Average 0.00


Antenna 1 11n_HT(20M)_TX_CH_11_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux	
	Loss	Factor	Factor	Level	Line	Limit	Factor	
	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	MHz						dB	
1	pp 4924.000	8.31	32.20	53.18	69.54	56.87	74.00 -17.13 Peak	0.00
2	6071.417	8.30	33.71	53.29	56.81	45.53	74.00 -28.47 Peak	0.00
3	7306.000	9.07	36.70	53.60	56.44	48.61	74.00 -25.39 Peak	0.00
4	9848.000	11.88	38.59	54.07	52.59	48.99	74.00 -25.01 Peak	0.00
5	13957.530	10.71	40.66	53.91	51.98	49.44	74.00 -24.56 Peak	0.00
6	17639.470	14.45	39.86	51.57	49.98	52.72	74.00 -21.28 Peak	0.00

Antenna 1 11n_HT(20M)_TX_CH_11_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Level	Limit	Over	Aux
	Loss	Factor	Factor	Level	Line	Limit	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	Factor
1 pp 4924.000	8.31	32.20	53.18	65.27	52.60	54.00	-1.40	Average 0.00
2 6071.417	8.30	33.71	53.29	49.37	38.09	54.00	-15.91	Average 0.00
3 7386.000	9.07	36.70	53.60	50.44	42.61	54.00	-11.39	Average 0.00
4 9848.000	11.88	38.59	54.07	44.63	41.03	54.00	-12.97	Average 0.00
5 13957.530	10.71	40.66	53.91	44.10	41.56	54.00	-12.44	Average 0.00
6 17639.470	14.45	39.86	51.57	42.43	45.17	54.00	-8.83	Average 0.00


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 49 of 119


Antenna 2 11b_TX_CH_01_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Limit	Factor
1	4824.000	8.27	31.86	53.15	60.35	47.33	74.00	-26.67	Peak	0.00
2	6071.417	8.30	33.71	53.29	57.10	45.82	74.00	-28.18	Peak	0.00
3	7236.000	8.87	36.36	53.45	53.73	45.51	74.00	-28.49	Peak	0.00
4	9648.000	11.92	38.60	54.03	52.66	49.15	74.00	-24.85	Peak	0.00
5	13957.530	10.71	40.66	53.91	51.77	49.23	74.00	-24.77	Peak	0.00
6	pp17741.748	14.46	48.14	51.55	49.69	52.74	74.00	-21.26	Peak	0.00


Antenna 2 11b_TX_CH_01_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Limit	Factor
1	4824.000	8.27	31.86	53.15	54.33	41.31	54.00	-12.69	Average	0.00
2	6071.417	8.30	33.71	53.29	48.70	37.42	54.00	-16.58	Average	0.00
3	7236.000	8.87	36.36	53.45	46.08	38.58	54.00	-15.42	Average	0.00
4	9648.000	11.92	38.60	54.03	44.65	41.14	54.00	-12.86	Average	0.00
5	13957.530	10.71	40.66	53.91	44.04	41.50	54.00	-12.50	Average	0.00
6	pp17639.470	14.45	39.86	51.57	42.51	45.25	54.00	-8.75	Average	0.00


Antenna 2 11b_TX_CH_01_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Limit	Factor
1	4824.000	8.27	31.86	53.15	64.19	51.17	74.00	-22.83	Peak	0.00
2	5984.305	8.24	33.49	53.30	57.09	45.52	74.00	-28.48	Peak	0.00
3	pp 7236.000	8.87	36.36	53.45	62.17	53.95	74.00	-20.05	Peak	0.00
4	9648.000	11.92	38.60	54.03	53.23	49.72	74.00	-24.28	Peak	0.00
5	13957.530	10.71	40.66	53.91	51.38	48.84	74.00	-25.16	Peak	0.00
6	17639.470	14.45	39.86	51.57	50.85	53.59	74.00	-20.41	Peak	0.00

Antenna 2 11b_TX_CH_01_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Limit	Factor
1	pp 4824.000	8.27	31.86	53.15	58.60	45.58	54.00	-8.42	Average	0.00
2	5224.153	8.46	33.06	53.22	51.42	39.72	54.00	-14.28	Average	0.00
3	7236.000	8.87	36.36	53.45	50.83	42.61	54.00	-11.39	Average	0.00
4	9648.000	11.92	38.60	54.03	44.89	41.38	54.00	-12.62	Average	0.00
5	13957.530	10.71	40.66	53.91	43.96	41.42	54.00	-12.58	Average	0.00
6	17639.470	14.45	39.86	51.57	42.08	44.82	54.00	-9.18	Average	0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 50 of 119


Antenna 2 11b_TX_CH_06_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor
	dB	dB/m	dB	dBuV	dBuV/m	dB	dB
1 4874.000	8.29	31.99	53.17	59.92	47.03	74.00	-26.97 Peak 0.00
2 5830.640	8.35	33.02	53.28	58.05	46.14	74.00	-27.86 Peak 0.00
3 7311.000	8.97	36.12	53.53	54.55	46.11	74.00	-27.89 Peak 0.00
4 9748.000	11.90	38.29	54.05	52.41	48.55	74.00	-25.45 Peak 0.00
5 13957.530	10.71	40.66	53.91	51.90	49.36	74.00	-24.64 Peak 0.00
6 pp17844.590	14.47	40.83	51.53	49.78	53.55	74.00	-28.45 Peak 0.00


Antenna 2 11b_TX_CH_06_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11B

: 2.4G MFI 118									
Freq	Cable	Ant	Preamp	Read	Level	Limit	Over	Limit	Aux
	Loss	Factor	Factor	Level	Line	Limit	Remark		Factor
	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1	4874.000	8.29	31.99	53.17	52.72	39.83	54.00	-14.17 Average	0.00
2	6213.441	8.45	34.41	53.28	48.72	38.30	54.00	-15.70 Average	0.00
3	7311.000	8.97	36.12	53.53	46.34	37.90	54.00	-16.10 Average	0.00
4	9748.000	11.90	38.29	54.05	44.64	40.78	54.00	-13.22 Average	0.00
5	13957.530	10.71	40.66	53.91	44.36	41.82	54.00	-12.18 Average	0.00
6	pp17698.530	14.45	40.06	51.56	42.18	45.13	54.00	-8.87 Average	0.00


Antenna 2 11b_TX_CH_06_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor
	dB	dB/m	dB	dBuV	dBuV/m	dB	dB
1 4874.000	8.29	31.99	53.17	65.34	52.45	74.00	-21.55 Peak 0.00
2 5593.251	8.53	33.33	53.26	57.67	46.27	74.00	-27.73 Peak 0.00
3 7311.000	8.97	36.12	53.53	58.23	49.79	74.00	-24.21 Peak 0.00
4 9748.000	11.90	38.29	54.05	51.74	47.88	74.00	-26.12 Peak 0.00
5 13957.530	10.71	40.66	53.91	51.98	49.44	74.00	-24.56 Peak 0.00
6 pp17698.530	14.45	40.06	51.56	50.57	53.52	74.00	-28.48 Peak 0.00

Antenna 2 11b_TX_CH_06_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11B

1.440 MHz									Aux
Freq	Cable	Ant	Preamp	Read	Level	Limit	Over	Aux	
MHz	Loss	Factor	Factor	Level	Line	Limit	Remark	Factor	
	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	
1 4874.000	8.29	31.99	53.17	58.42	45.53	54.00	-8.47 Average	0.00	
2 5599.412	8.52	33.40	53.26	48.95	37.61	54.00	-16.39 Average	0.00	
3 7311.000	8.97	36.12	53.53	49.65	41.21	54.00	-12.79 Average	0.00	
4 9748.000	11.90	38.29	54.05	44.57	40.71	54.00	-13.29 Average	0.00	
5 13957.530	10.71	40.66	53.91	43.89	41.35	54.00	-12.65 Average	0.00	
6 pp17844.590	14.47	40.83	51.53	41.93	45.70	54.00	-8.30 Average	0.00	


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 51 of 119


Antenna 2 11b_TX_CH_11_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Remark	Factor
1	4924.000	8.31	32.20	53.18	63.24	50.57	74.00	-23.43	Peak	0.00
2	6177.627	8.41	34.17	53.28	56.67	45.97	74.00	-28.03	Peak	0.00
3	7386.000	9.07	36.70	53.60	53.87	46.04	74.00	-27.96	Peak	0.00
4	9848.000	11.88	38.59	54.07	52.40	46.00	74.00	-25.20	Peak	0.00
5	13957.530	10.71	40.66	53.91	51.70	49.16	74.00	-24.84	Peak	0.00
6	pp17690.530	14.45	40.06	51.56	50.01	52.96	74.00	-21.04	Peak	0.00


Antenna 2 11b_TX_CH_11_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Remark	Factor
1	4924.000	8.31	32.20	53.18	56.12	43.45	54.00	-10.55	Average	0.00
2	5949.811	8.26	33.90	53.30	48.88	37.74	54.00	-16.26	Average	0.00
3	7386.000	9.07	36.70	53.60	46.38	38.55	54.00	-15.45	Average	0.00
4	9848.000	11.88	38.59	54.07	45.03	41.43	54.00	-12.57	Average	0.00
5	13957.530	10.71	40.66	53.91	43.70	41.16	54.00	-12.84	Average	0.00
6	pp17690.530	14.45	40.06	51.56	42.65	45.60	54.00	-8.40	Average	0.00


Antenna 2 11b_TX_CH_11_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Remark	Factor
1	pp 4924.000	8.31	32.20	53.18	68.27	55.60	74.00	-18.40	Peak	0.00
2	5583.251	8.53	33.33	53.26	57.94	46.54	74.00	-27.46	Peak	0.00
3	7386.000	9.07	36.70	53.60	57.03	49.20	74.00	-24.80	Peak	0.00
4	9848.000	11.88	38.59	54.07	52.59	48.99	74.00	-25.01	Peak	0.00
5	13957.530	10.71	40.66	53.91	51.20	48.66	74.00	-25.34	Peak	0.00
6	17741.740	14.46	40.14	51.55	49.95	53.00	74.00	-21.00	Peak	0.00

Antenna 2 11b_TX_CH_11_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11B

Freq	Cable	Loss	Factor	Ant	Preamp	Read	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB	Remark	Factor
1	pp 4924.000	8.31	32.20	53.18	60.31	47.64	54.00	-6.36	Average	0.00
2	6088.991	8.32	33.09	53.29	49.01	37.93	54.00	-16.07	Average	0.00
3	7386.000	9.07	36.70	53.60	48.78	40.95	54.00	-13.05	Average	0.00
4	9848.000	11.88	38.59	54.07	45.09	41.49	54.00	-12.51	Average	0.00
5	13957.530	10.71	40.66	53.91	43.76	41.22	54.00	-12.78	Average	0.00
6	17741.740	14.46	40.14	51.55	42.15	45.20	54.00	-8.80	Average	0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 52 of 119


Antenna 2 11n_HT(20M)_TX_CH_01_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11N20

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1 4824.000	8.27	31.86	53.15	59.56	46.54	74.00	-27.46	Peak 0.00
2 6195.508	8.43	34.27	53.28	55.97	45.39	74.00	-28.61	Peak 0.00
3 7236.000	8.87	36.36	53.45	53.51	45.29	74.00	-28.71	Peak 0.00
4 9648.000	11.92	38.60	54.03	52.29	48.78	74.00	-25.22	Peak 0.00
5 13957.530	10.71	40.66	53.91	51.91	49.37	74.00	-24.63	Peak 0.00
6 pp17741.748	14.46	48.14	51.55	50.28	53.33	74.00	-20.67	Peak 0.00


Antenna 2 11n_HT(20M)_TX_CH_01_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11N20

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1 4824.000	8.27	31.86	53.15	52.14	39.12	54.00	-14.88	Average 0.00
2 6348.436	8.57	33.97	53.26	48.90	38.18	54.00	-15.82	Average 0.00
3 7236.000	8.87	36.36	53.45	46.68	38.46	54.00	-15.54	Average 0.00
4 9648.000	11.92	38.60	54.03	44.89	41.38	54.00	-12.62	Average 0.00
5 13957.530	10.71	40.66	53.91	44.75	42.21	54.00	-11.79	Average 0.00
6 pp17639.470	14.45	39.86	51.57	42.64	45.38	54.00	-8.62	Average 0.00


Antenna 2 11n_HT(20M)_TX_CH_01_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11N20

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1 4824.000	8.27	31.86	53.15	61.13	48.11	74.00	-25.89	Peak 0.00
2 5567.137	8.54	33.27	53.26	57.00	46.35	74.00	-27.65	Peak 0.00
3 7236.000	8.87	36.36	53.45	57.34	49.12	74.00	-24.88	Peak 0.00
4 9648.000	11.92	38.60	54.03	53.13	49.62	74.00	-24.38	Peak 0.00
5 13957.530	10.71	40.66	53.91	52.30	49.76	74.00	-24.24	Peak 0.00
6 pp17639.470	14.45	39.86	51.57	50.04	52.78	74.00	-21.22	Peak 0.00

Antenna 2 11n_HT(20M)_TX_CH_01_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2412 TX RSE
: 2.4G WIFI 11N20

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit	Over	Aux
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	dB
1 4824.000	8.27	31.86	53.15	54.10	41.08	54.00	-12.92	Average 0.00
2 5599.412	8.52	33.40	53.26	49.38	38.04	54.00	-15.96	Average 0.00
3 7236.000	8.87	36.36	53.45	50.63	42.41	54.00	-11.59	Average 0.00
4 9648.000	11.92	38.60	54.03	44.40	40.89	54.00	-13.11	Average 0.00
5 13957.530	10.71	40.66	53.91	44.39	41.85	54.00	-12.15	Average 0.00
6 pp17639.470	14.45	39.86	51.57	42.22	44.96	54.00	-9.04	Average 0.00


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 53 of 119


Antenna 2 11n_HT(20M)_TX_CH_06_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor
	dB	dB/m	dB	dBuV	dBuV/m	dB	dB
1 4874.000	8.29	31.99	53.17	60.64	47.75	74.00	-26.25 Peak 0.00
2 6231.427	8.47	34.55	53.28	55.91	45.65	74.00	-28.35 Peak 0.00
3 7311.000	8.97	36.12	53.53	54.38	45.94	74.00	-28.00 Peak 0.00
4 9748.000	11.90	38.29	54.05	52.39	48.44	74.00	-25.56 Peak 0.00
5 13957.530	10.71	40.66	53.91	51.39	48.85	74.00	-25.15 Peak 0.00
6 pp17690.538	14.45	40.06	51.56	49.63	52.58	74.00	-21.42 Peak 0.00


Antenna 2 11n_HT(20M)_TX_CH_06_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor
	dB	dB/m	dB	dBuV	dBuV/m	dB	dB
1 4874.000	8.29	31.99	53.17	52.62	39.73	54.00	-14.27 Average 0.00
2 6088.991	8.32	33.89	53.29	48.98	37.90	54.00	-16.10 Average 0.00
3 7311.000	8.97	36.12	53.53	46.75	38.31	54.00	-15.69 Average 0.00
4 9748.000	11.90	38.29	54.05	44.68	40.82	54.00	-13.18 Average 0.00
5 13957.530	10.71	40.66	53.91	44.48	41.94	54.00	-12.06 Average 0.00
6 pp17741.740	14.46	40.14	51.55	42.83	45.88	54.00	-8.12 Average 0.00


Antenna 2 11n_HT(20M)_TX_CH_06_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor
	dB	dB/m	dB	dBuV	dBuV/m	dB	dB
1 4874.000	8.29	31.99	53.17	63.13	50.24	74.00	-23.76 Peak 0.00
2 5583.251	8.53	33.33	53.26	58.17	46.77	74.00	-27.23 Peak 0.00
3 7311.000	8.97	36.12	53.53	56.09	47.65	74.00	-26.35 Peak 0.00
4 9748.000	11.90	38.29	54.05	52.52	48.66	74.00	-25.34 Peak 0.00
5 13957.530	10.71	40.66	53.91	51.21	48.67	74.00	-25.33 Peak 0.00
6 pp17639.478	14.45	39.86	51.57	49.72	52.46	74.00	-21.54 Peak 0.00

Antenna 2 11n_HT(20M)_TX_CH_06_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor
	dB	dB/m	dB	dBuV	dBuV/m	dB	dB
1 4874.000	8.29	31.99	53.17	55.66	42.77	54.00	-11.23 Average 0.00
2 6213.441	8.45	34.41	53.28	48.13	37.71	54.00	-16.29 Average 0.00
3 7311.000	8.97	36.12	53.53	48.22	39.78	54.00	-14.22 Average 0.00
4 9748.000	11.90	38.29	54.05	44.52	40.66	54.00	-13.34 Average 0.00
5 13957.530	10.71	40.66	53.91	44.13	41.59	54.00	-12.41 Average 0.00
6 pp17487.180	14.43	39.29	51.60	42.93	45.05	54.00	-8.95 Average 0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 54 of 119


Antenna 2 11n_HT(20M)_TX_CH_11_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor
	dB	dB/m	dB	dBuV	dBuV/m	dB	dB
1 4924.000	8.31	32.20	53.18	63.12	50.45	74.00	-23.55 Peak 0.00
2 6195.508	8.43	34.27	53.28	56.31	45.73	74.00	-28.27 Peak 0.00
3 7306.000	9.07	36.70	53.60	54.25	46.42	74.00	-27.58 Peak 0.00
4 9848.000	11.88	38.59	54.07	51.72	40.12	74.00	-25.88 Peak 0.00
5 13957.530	10.71	40.66	53.91	52.40	49.86	74.00	-24.14 Peak 0.00
6 pp17741.740	14.46	48.14	51.55	50.68	53.73	74.00	-20.27 Peak 0.00


Antenna 2 11n_HT(20M)_TX_CH_11_Horizontal-Avg



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor
	dB	dB/m	dB	dBuV	dBuV/m	dB	dB
1 4924.000	8.31	32.20	53.18	55.57	42.90	54.00	-11.10 Average 0.00
2 6071.417	8.30	33.71	53.29	48.96	37.68	54.00	-16.32 Average 0.00
3 7306.000	9.07	36.70	53.60	45.99	38.16	54.00	-15.84 Average 0.00
4 9848.000	11.88	38.59	54.07	44.42	40.82	54.00	-13.18 Average 0.00
5 13957.530	10.71	40.66	53.91	44.91	42.37	54.00	-11.63 Average 0.00
6 pp17793.090	14.47	40.19	51.54	42.34	45.46	54.00	-8.54 Average 0.00


Antenna 2 11n_HT(20M)_TX_CH_11_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor
	dB	dB/m	dB	dBuV	dBuV/m	dB	dB
1 4924.000	8.31	32.20	53.18	65.11	52.44	74.00	-21.56 Peak 0.00
2 5599.412	8.52	33.40	53.26	60.13	48.79	74.00	-25.21 Peak 0.00
3 7306.000	9.07	36.70	53.60	56.42	48.59	74.00	-25.41 Peak 0.00
4 9848.000	11.88	38.59	54.07	51.60	48.00	74.00	-26.00 Peak 0.00
5 13957.530	10.71	40.66	53.91	51.57	49.03	74.00	-24.97 Peak 0.00
6 pp17741.740	14.46	48.14	51.55	50.16	53.21	74.00	-20.79 Peak 0.00

Antenna 2 11n_HT(20M)_TX_CH_11_Vertical-Avg



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2462 TX RSE
: 2.4G WIFI 11N20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Aux
MHz	Loss	Factor	Factor	Level	Line	Limit	Factor
	dB	dB/m	dB	dBuV	dBuV/m	dB	dB
1 4924.000	8.31	32.20	53.18	57.14	44.47	54.00	-9.53 Average 0.00
2 6106.616	8.34	34.00	53.29	48.78	37.83	54.00	-16.17 Average 0.00
3 7306.000	9.07	36.70	53.60	48.15	40.32	54.00	-13.68 Average 0.00
4 9848.000	11.88	38.59	54.07	43.84	40.24	54.00	-13.76 Average 0.00
5 13957.530	10.71	40.66	53.91	43.77	41.23	54.00	-12.77 Average 0.00
6 pp17639.470	14.45	39.86	51.57	42.49	45.23	54.00	-8.77 Average 0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 55 of 119


Antenna 1 11b_TX_CH_06_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11B

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark	Aux Factor
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1 pp24215.940	9.59	39.30	44.99	43.55	37.91	74.00	-36.09	Peak	-9.54


Antenna 1 11b_TX_CH_06_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11B

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark	Aux Factor
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1 pp23580.000	9.19	38.94	45.22	44.34	37.71	74.00	-36.29	Peak	-9.54


Antenna 2 11b_TX_CH_06_Horizontal-Peak



Condition: 3m HORIZONTAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11B

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark	Aux Factor
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1 pp24184.140	9.54	39.30	45.01	44.19	38.48	74.00	-35.52	Peak	-9.54

Antenna 2 11b_TX_CH_06_Vertical-Peak



Condition: 3m VERTICAL
Job No : 00491AT\00492AT
Mode : 2437 TX RSE
: 2.4G WIFI 11B

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark	Aux Factor
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		dB
1 pp23665.440	9.20	38.87	45.20	44.46	37.79	74.00	-36.21	Peak	-9.54



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 56 of 119

7.5 Maximum Conducted Output Power

Test Requirement 47 CFR Part 15, Subpart C 15.247(b)(3)
 Test Method: ANSI C63.10-2020+Cor.1-2023 Section 11.9.2
 Test Engineer: Ian Li
 Limit:

Frequency range(MHz)	Output power of the intentional radiator(watt)
902-928	1 for ≥50 hopping channels
	0.25 for 25≤ hopping channels <50
	1 for digital modulation
2400-2483.5	1 for ≥75 non-overlapping hopping channels
	0.125 for all other frequency hopping systems
	1 for digital modulation
5725-5850	1 for frequency hopping systems and digital modulation

7.5.1 E.U.T. Operation

Operating Environment:

Temperature: 24.7 °C Humidity: 45.0 % RH Atmospheric Pressure: 1000 mbar

7.5.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	06	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	07	Charge + TX mode_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
 Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 57 of 119

7.5.3 Test Setup Diagram



7.5.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 58 of 119

7.6 Minimum 6dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.247a(2)
 Test Method: ANSI C63.10-2020+Cor.1-2023 Section 11.8.1
 Test Engineer: Ian Li
 Limit: ≥500 kHz


7.6.1 E.U.T. Operation

Operating Environment:
 Temperature: 24.7 °C Humidity: 45.0 % RH Atmospheric Pressure: 1000 mbar

7.6.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	06	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	07	Charge + TX mode_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

7.6.3 Test Setup Diagram



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 59 of 119

7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 60 of 119

7.7 Power Spectral Density

Test Requirement 47 CFR Part 15, Subpart C 15.247(e)
 Test Method: ANSI C63.10-2020+Cor.1-2023 Section 11.10.3
 Test Engineer: Ian Li
 Limit: $\leq 8\text{dBm}$ in any 3 kHz band during any time interval of continuous transmission

7.7.1 E.U.T. Operation


Operating Environment:

Temperature: 24.7 °C Humidity: 45.0 % RH Atmospheric Pressure: 1000 mbar

7.7.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	06	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	07	Charge + TX mode_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

7.7.3 Test Setup Diagram



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 61 of 119

7.7.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 62 of 119

7.8 Conducted Band Edges Measurement

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
 Test Method: ANSI C63.10-2020+Cor.1-2023 Section 6.10.4
 Test Engineer: Ian Li
 Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)).

7.8.1 E.U.T. Operation

Operating Environment:
 Temperature: 24.7 °C Humidity: 45.0 % RH Atmospheric Pressure: 1000 mbar

7.8.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	06	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	07	Charge + TX mode_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
 Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 63 of 119

7.8.3 Test Setup Diagram



7.8.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 64 of 119

7.9 Conducted Spurious Emissions

Test Requirement: 47 CFR Part 15, Subpart C 15.247(d)
 Test Method: ANSI C63.10-2020+Cor.1-2023 Section 11.11
 Test Engineer: Ian Li
 Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.9.1 E.U.T. Operation

Operating Environment:

Temperature: 24.7 °C Humidity: 45.0 % RH Atmospheric Pressure: 1000 mbar

7.9.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	06	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.
Final test	07	Charge + TX mode_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
 Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


Compliance Certification Services (Kunshan) Inc. Shenzhen Branch

SZCCS-TRF-01 Rev. A/2

Report No.:FYCR260800049103

Page: 65 of 119

7.9.3 Test Setup Diagram



7.9.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2608000491AT

9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for FYCR2608000491AT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Compliance Certification Services (Kunshan) Inc.
Shenzhen Branch

Fuyong lab, Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com