



5150-5250MHz

802.11a_5180MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:12:07

802.11a_5200MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:13:50

802.11a_5240MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:16:14

802.11ac20_5180MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:19:19

802.11ac20_5200MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:21:20

802.11ac20_5240MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:23:38

802.11ac40_5190MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:44:41


802.11ac40_5230MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:46:33


5250-5350MHz

802.11ac80_5210MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:59:11

802.11a_5260MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:19:31

802.11a_5280MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:22:02

802.11a_5320MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:25:57

802.11ac20_5260MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:26:23

802.11ac20_5280MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:27:51

802.11ac20_5320MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:29:42

802.11ac40_5270MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:48:13

802.11ac40_5310MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:49:18


802.11ac80_5290MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 06:01:22


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:30:36

802.11a_5600MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:32:11

802.11a_5700MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:35:10

802.11a_5720MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:36:35

802.11ac20_5500MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:32:37

802.11ac20_5600MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:34:05

802.11ac20_5700MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:35:40

802.11ac20_5720MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:37:07

802.11ac40_5510MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:50:21

802.11ac40_5590MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:51:20

802.11ac40_5670MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:53:04

802.11ac40_5710MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:53:54

802.11ac80_5530MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 06:02:28


802.11ac80_5610MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 06:03:32


5725-5850MHz

802.11ac80_5690MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 06:04:36

802.11a_5745MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:43:36

802.11a_5785MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:40:40

802.11a_5825MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:41:55

802.11ac20_5745MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:38:57

802.11ac20_5785MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:40:58

802.11ac20_5825MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:42:01

802.11ac40_5755MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:54:57

802.11ac40_5795MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:55:59

802.11ac80_5775MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 06:06:45

5.6 Maximum Conducted Output Power

Test Information:

Serial No.:	3IK4-2	Test Date:	2026/04/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Colin Yang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23	Relative Humidity: (%)	55	ATM Pressure: (kPa)	100.2
----------------------	----	------------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2025/06/11	2026/06/10
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Conducted Output Power (dBm)	FCC Limit (dBm)	RSS 247 EIRP Output Power (dBm)	RSS 247 EIRP Limit (dBm)	Verdict
802.11a	5180	10.93	23.98	14.22	22.30	Pass
	5200	11.77	23.98	15.06	22.29	Pass
	5240	11.45	23.98	14.74	22.27	Pass
802.11ac20	5180	12.52	23.98	15.81	22.50	Pass
	5200	12.36	23.98	15.65	22.50	Pass
	5240	11.87	23.98	15.16	22.49	Pass
802.11ac40	5190	12.28	23.98	15.57	23.01	Pass
	5230	12.03	23.98	15.32	23.01	Pass
802.11ac80	5210	11.89	23.98	15.18	23.01	Pass

Note: The device is a Client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Average Conducted Output Power (dBm)	FCC Limit (dBm)	RSS 247 Limit (dBm)	RSS 247 EIRP Output Power (dBm)	RSS 247 EIRP Limit (dBm)	Verdict
802.11a	5260	15.12	23.98	23.53	17.5	29.53	Pass
	5280	15.18	23.98	23.49	17.56	29.49	Pass
	5320	15.27	23.98	23.47	17.65	29.47	Pass
802.11ac20	5260	13.60	23.98	23.52	15.98	29.52	Pass
	5280	13.28	23.98	23.52	15.66	29.52	Pass
	5320	13.30	23.98	23.50	15.68	29.5	Pass
802.11ac40	5270	11.55	23.98	23.98	13.93	30	Pass
	5310	11.28	23.98	23.98	13.66	30	Pass
802.11ac80	5290	12.14	23.98	23.98	14.52	30	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Conducted Output Power (dBm)	FCC Limit (dBm)	RSS 247 Limit (dBm)	RSS 247 EIRP Output Power (dBm)	RSS 247 EIRP Limit (dBm)	Verdict
802.11a	5500	12.25	23.98	23.25	13.53	29.25	Pass
	5600	12.25	23.98	23.28	13.53	29.28	Pass
	5700	11.08	23.98	23.23	12.36	29.23	Pass
	5720	10.16	23.98	23.21	11.44	29.21	Pass
802.11ac20	5500	10.68	23.98	23.48	11.96	29.48	Pass
	5600	10.51	23.98	23.49	11.79	29.49	Pass
	5700	9.40	23.98	23.48	10.68	29.48	Pass
	5720	8.48	23.98	23.49	9.76	29.49	Pass
802.11ac40	5510	9.91	23.98	23.98	11.19	30	Pass
	5590	9.89	23.98	23.98	11.17	30	Pass
	5670	8.95	23.98	23.98	10.23	30	Pass
	5710	8.44	23.98	23.98	9.72	30	Pass
802.11ac80	5530	9.89	23.98	23.98	11.17	30	Pass
	5610	9.55	23.98	23.98	10.83	30	Pass
	5690	8.52	23.98	23.98	9.80	30	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	FCC&RSS 247 Limit (dBm)	Verdict
802.11a	5745	13.82	30	Pass
	5785	13.24	30	Pass
	5825	13.08	30	Pass
802.11ac20	5745	13.62	30	Pass
	5785	13.20	30	Pass
	5825	13.00	30	Pass
802.11ac40	5755	11.98	30	Pass
	5795	11.77	30	Pass
802.11ac80	5775	13.31	30	Pass

5.7 Maximum power spectral density

Test Information:

Serial No.:	3IK4-2	Test Date:	2026/04/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Colin Yang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23	Relative Humidity: (%)	55	ATM Pressure: (kPa)	100.2
----------------------	----	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101589	2025/07/28	2026/07/27
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	EIRP PSD (dBm/MHz)	RSS 247 Limit (dBm/MHz)	Verdict
802.11a	5180	1.29	0.31	1.60	11	4.89	10	Pass
	5200	1.96	0.31	2.27	11	5.56	10	Pass
	5240	1.89	0.31	2.20	11	5.49	10	Pass
802.11ac20	5180	3.06	0.09	3.15	11	6.44	10	Pass
	5200	3.03	0.09	3.12	11	6.41	10	Pass
	5240	2.36	0.09	2.45	11	5.74	10	Pass
802.11ac40	5190	-0.35	0.10	-0.25	11	3.04	10	Pass
	5230	-0.32	0.10	-0.22	11	3.07	10	Pass
802.11ac80	5210	-3.49	0.16	-3.33	11	-0.04	10	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	FCC&RSS 247 Limit (dBm/MHz)	Verdict
802.11a	5260	5.77	0.31	6.08	11	Pass
	5280	5.82	0.31	6.13	11	Pass
	5320	5.70	0.31	6.01	11	Pass
802.11ac20	5260	4.16	0.09	4.25	11	Pass
	5280	3.64	0.09	3.73	11	Pass
	5320	3.65	0.09	3.74	11	Pass
802.11ac40	5270	-0.83	0.10	-0.73	11	Pass
	5310	-1.07	0.10	-0.97	11	Pass
802.11ac80	5290	-3.05	0.16	-2.89	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	FCC&RSS 247 Limit (dBm/MHz)	Verdict
802.11a	5500	2.49	0.31	2.80	11	Pass
	5600	2.75	0.31	3.06	11	Pass
	5700	1.84	0.31	2.15	11	Pass
	5720	1.22	0.31	1.53	11	Pass
802.11ac20	5500	1.11	0.09	1.20	11	Pass
	5600	0.95	0.09	1.04	11	Pass
	5700	-0.04	0.09	0.05	11	Pass
	5720	-0.58	0.09	-0.49	11	Pass
802.11ac40	5510	-2.45	0.10	-2.35	11	Pass
	5590	-2.53	0.10	-2.43	11	Pass
	5670	-3.47	0.10	-3.37	11	Pass
	5710	-3.61	0.10	-3.51	11	Pass
802.11ac80	5530	-5.55	0.16	-5.39	11	Pass
	5610	-6.02	0.16	-5.86	11	Pass
	5690	-6.87	0.16	-6.71	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	FCC&RSS 247 Limit (dBm/500kHz)	Verdict
802.11a	5745	1.97	0.31	2.28	30	Pass
	5785	1.07	0.31	1.38	30	Pass
	5825	0.71	0.31	1.02	30	Pass
802.11ac20	5745	1.35	0.09	1.44	30	Pass
	5785	0.93	0.09	1.02	30	Pass
	5825	0.94	0.09	1.03	30	Pass
802.11ac40	5755	-3.25	0.10	-3.15	30	Pass
	5795	-3.69	0.10	-3.59	30	Pass
802.11ac80	5775	-4.92	0.16	-4.76	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:10:54

802.11a_5200MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:14:11

802.11a_5240MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:16:35

802.11ac20_5180MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:19:41

802.11ac20_5200MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:21:41

802.11ac20_5240MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:23:57

802.11ac40_5190MHz




802.11ac40_5230MHz




5250-5350MHz


802.11ac80_5210MHz




802.11a_5260MHz




802.11a_5280MHz



802.11a_5320MHz




802.11ac20_5260MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:26:43

802.11ac20_5280MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:28:11

802.11ac20_5320MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:30:03

802.11ac40_5270MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:48:34

802.11ac40_5310MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:49:40


802.11ac80_5290MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 06:01:45


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:30:57

802.11a_5600MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:32:33

802.11a_5700MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:35:31

802.11a_5720MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:37:12

802.11ac20_5500MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:32:59

802.11ac20_5600MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:34:26

802.11ac20_5700MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:36:01

802.11ac20_5720MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:37:42

802.11ac40_5510MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:50:42

802.11ac40_5590MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:51:38

802.11ac40_5670MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:53:24

802.11ac40_5710MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:54:27

802.11ac80_5530MHz




802.11ac80_5610MHz




5725-5850MHz


802.11ac80_5690MHz




802.11a_5745MHz




802.11a_5785MHz



802.11a_5825MHz




802.11ac20_5745MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:39:16

802.11ac20_5785MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:41:17

802.11ac20_5825MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:42:20

802.11ac40_5755MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:55:19

802.11ac40_5795MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:56:21

802.11ac80_5775MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 06:07:04

5.8 Duty Cycle

Test Information:

Serial No.:	3IK4-2	Test Date:	2026/04/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Colin Yang	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	23	Relative Humidity: (%)	55	ATM Pressure: (kPa)	100.2
----------------------	----	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101589	2025/07/28	2026/07/27
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).


Test Data:

5150-5250MHz

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	1.395	1.498	93.12	0.31	717	1
802.11ac20	5200	1.931	1.972	97.92	0.09	518	1
802.11ac40	5190	0.951	0.974	97.64	0.10	1052	2
802.11ac80	5210	0.599	0.621	96.46	0.16	1669	2


Duty Cycle = Ton/(Ton+Toff)*100%

802.11a_5200MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 04:03:55

802.11ac20_5200MHz




ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:17:23

802.11ac40_5190MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:43:59

802.11ac80_5210MHz



ProjectNo.:2602R03904E-RF Tester:Colin Yang
Date: 23.APR.2026 05:58:01

EXHIBIT A - EUT PHOTOGRAPHS

Please refer to the attachment 2602R03904E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2602R03904E-RF-INP EUT INTERNAL PHOTOGRAPHS.

EXHIBIT B - TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2602R03904E-RF-00D-TSP TEST SETUP PHOTOGRAPHS.

******* END OF REPORT *******