

The position of the nameplate is marked in the red box





INJET



DC Fast Charging Station

CAN ICES-3 (A) / NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-120AUX	
AC Input	480V/3P+PE	Rated 150A@60Hz
DC Output A#	150-1000Vdc	Max. 400A (@50°C)
DC Output B#	150-1000Vdc	Max. 400A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET

DC Fast Charging Station



CAN ICES-3 (A) /NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-120AUD	
AC Input	480V/3P+PE	Rated 150A @60Hz
DC Output A#	150-1000Vdc	Max. 400A (@50°C)
DC Output B#	150-1000Vdc	Max. 400A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET



DC Fast Charging Station

CAN ICES-3 (A) /NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-160AUX	
AC Input	480V/3P+PE	Rated 200A @60Hz
DC Output A#	150-1000Vdc	Max. 400A (@50°C)
DC Output B#	150-1000Vdc	Max. 400A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET



DC Fast Charging Station

CAN ICES-3 (A) / NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-160AUD	
AC Input	480V/3P+PE	Rated 200A @60Hz
DC Output A#	150-1000Vdc	Max. 400A (@50°C)
DC Output B#	150-1000Vdc	Max. 400A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET



DC Fast Charging Station

CAN ICES-3 (A) /NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-240AUX	
AC Input	480V/3P+PE	Rated 300A @60Hz
DC Output A#	150-1000Vdc	Max. 400A (@50°C)
DC Output B#	150-1000Vdc	Max. 400A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET



DC Fast Charging Station

CAN ICES-3 (A) / NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-240AUD	
AC Input	480V/3P+PE	Rated 300A @60Hz
DC Output A#	150-1000Vdc	Max. 400A (@50°C)
DC Output B#	150-1000Vdc	Max. 400A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET



DC Fast Charging Station

CAN ICES-3 (A) / NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-320AUX	
AC Input	480V/3P+PE	Rated 400A @60Hz
DC Output A#	150-1000Vdc	Max. 400A (@50°C)
DC Output B#	150-1000Vdc	Max. 400A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET

DC Fast Charging Station



CAN ICES-3 (A) / NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-320AUD	
AC Input	480V/3P+PE	Rated 400A @60Hz
DC Output A#	150-1000Vdc	Max. 400A (@50°C)
DC Output B#	150-1000Vdc	Max. 400A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~40°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET



DC Fast Charging Station

CAN ICES-3 (A) / NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-320LUX	
AC Input	480V/3P+PE	Rated 400A @60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET



DC Fast Charging Station

CAN ICES-3 (A) / NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-320LUD	
AC Input	480V/3P+PE	Rated 400A @60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET



DC Fast Charging Station

CAN ICES-3(A)/NMB-3(A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-400LUX	
AC Input	480V/3P+PE	Rated 500A@60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET



DC Fast Charging Station

CAN ICES-3 (A) /NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-400LUD	
AC Input	480V/3P+PE	Rated 500A @60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET



DC Fast Charging Station

CAN ICES-3 (A) /NMB-3 (A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-480LUX	
AC Input	480V/3P+PE	Rated 600A @60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.





INJET



DC Fast Charging Station

CAN ICES-3(A)/NMB-3(A)
IC: 31210-AMPAX2601
FCC ID: 2AZGWAMPAX-2601
4G Router:
Contains FCC ID: 2AANY-IR315
Contains IC: 11594A-IR315

-FOR USE WITH ELECTRIC VEHICLES

-POUR UTILISATION AVEC DES VÉHICULES ÉLECTRIQUES

Model No.	iHAP-480LUD	
AC Input	480V/3P+PE	Rated 600A @60Hz
DC Output A#	150-1000Vdc	Max. 600A (@50°C)
DC Output B#	150-1000Vdc	Max. 600A (@50°C)
Electrical Enclosure	Type 3R	
Temperature Rating	-30~50°C	
Minimum Measured Quantity	1.0kWh	
S/N	2305WYKF22-00010004	
Manufactured	XX/XX/XXXX	



Sichuan INJET New Energy Co., Ltd.

