




Tx. Spurious NVNT ac20 5260MHz Ant1 Emission




Tx. Spurious NVNT ac20 5280MHz Ant1 Emission




Tx. Spurious NVNT ac20 5320MHz Ant1 Emission




Tx. Spurious NVNT ac20 5260MHz Ant2 Emission




Tx. Spurious NVNT ac20 5280MHz Ant2 Emission




Tx. Spurious NVNT ac20 5320MHz Ant2 Emission




Tx. Spurious NVNT ac40 5270MHz Ant1 Emission




Tx. Spurious NVNT ac40 5310MHz Ant1 Emission




Tx. Spurious NVNT ac40 5270MHz Ant2 Emission




Tx. Spurious NVNT ac40 5310MHz Ant2 Emission



Tx. Spurious NVNT ac80 5290MHz Ant1 Emission



Tx. Spurious NVNT ac80 5290MHz Ant2 Emission



5.3G WIFI MIMO

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5260	Ant1	9.54	--	Pass
NVNT	ac20	5260	Ant2	10.36	--	Pass
NVNT	ac20	5260	Sum	12.98	23.92	Pass
NVNT	ac20	5280	Ant1	9.81	--	Pass
NVNT	ac20	5280	Ant2	10.48	--	Pass
NVNT	ac20	5280	Sum	13.17	23.99	Pass
NVNT	ac20	5320	Ant1	10.11	--	Pass
NVNT	ac20	5320	Ant2	10.57	--	Pass
NVNT	ac20	5320	Sum	13.36	23.98	Pass
NVNT	ac40	5270	Ant1	9.48	--	Pass
NVNT	ac40	5270	Ant2	10.38	--	Pass
NVNT	ac40	5270	Sum	12.96	24	Pass
NVNT	ac40	5310	Ant1	9.8	--	Pass
NVNT	ac40	5310	Ant2	10.56	--	Pass
NVNT	ac40	5310	Sum	13.21	24	Pass
NVNT	ac80	5290	Ant1	9.54	--	Pass
NVNT	ac80	5290	Ant2	10.32	--	Pass
NVNT	ac80	5290	Sum	12.96	24	Pass
NVNT	n20	5260	Ant1	9.69	--	Pass
NVNT	n20	5260	Ant2	10.42	--	Pass
NVNT	n20	5260	Sum	13.08	23.94	Pass
NVNT	n20	5280	Ant1	9.78	--	Pass
NVNT	n20	5280	Ant2	10.44	--	Pass
NVNT	n20	5280	Sum	13.13	24	Pass
NVNT	n20	5320	Ant1	10.11	--	Pass
NVNT	n20	5320	Ant2	10.56	--	Pass
NVNT	n20	5320	Sum	13.35	24	Pass
NVNT	n40	5270	Ant1	9.4	--	Pass
NVNT	n40	5270	Ant2	10.32	--	Pass
NVNT	n40	5270	Sum	12.89	24	Pass
NVNT	n40	5310	Ant1	10.05	--	Pass
NVNT	n40	5310	Ant2	10.38	--	Pass
NVNT	n40	5310	Sum	13.23	24	Pass

Note: The average power value already includes the duty cycle factor

Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5260	Ant1	-12.96	0.78	-12.18	--	Pass
NVNT	ac20	5260	Ant2	-12.35	0.78	-11.57	--	Pass
NVNT	ac20	5260	Sum	-9.63	0.78	-8.85	11	Pass
NVNT	ac20	5280	Ant1	-11.03	0.78	-10.25	--	Pass
NVNT	ac20	5280	Ant2	-12.26	0.78	-11.48	--	Pass
NVNT	ac20	5280	Sum	-8.59	0.78	-7.81	11	Pass
NVNT	ac20	5320	Ant1	-11.26	0.78	-10.48	--	Pass
NVNT	ac20	5320	Ant2	-11.28	0.78	-10.5	--	Pass
NVNT	ac20	5320	Sum	-8.26	0.78	-7.48	11	Pass
NVNT	ac40	5270	Ant1	-17.57	1.14	-16.43	--	Pass
NVNT	ac40	5270	Ant2	-18.37	1.14	-17.23	--	Pass
NVNT	ac40	5270	Sum	-14.94	1.14	-13.8	11	Pass
NVNT	ac40	5310	Ant1	-16.74	1.13	-15.61	--	Pass
NVNT	ac40	5310	Ant2	-13.88	1.13	-12.75	--	Pass
NVNT	ac40	5310	Sum	-12.07	1.13	-10.94	11	Pass
NVNT	ac80	5290	Ant1	-21.69	1.49	-20.2	--	Pass
NVNT	ac80	5290	Ant2	-20.47	1.49	-18.98	--	Pass
NVNT	ac80	5290	Sum	-18.03	1.49	-16.54	11	Pass
NVNT	n20	5260	Ant1	-11.33	0.8	-10.53	--	Pass
NVNT	n20	5260	Ant2	-12.79	0.8	-11.99	--	Pass
NVNT	n20	5260	Sum	-8.99	0.8	-8.19	11	Pass
NVNT	n20	5280	Ant1	-10.75	0.79	-9.96	--	Pass
NVNT	n20	5280	Ant2	-9.66	0.79	-8.87	--	Pass
NVNT	n20	5280	Sum	-7.16	0.79	-6.37	11	Pass
NVNT	n20	5320	Ant1	-12.69	0.79	-11.9	--	Pass
NVNT	n20	5320	Ant2	-12.24	0.79	-11.45	--	Pass
NVNT	n20	5320	Sum	-9.45	0.79	-8.66	11	Pass
NVNT	n40	5270	Ant1	-18.32	1.17	-17.15	--	Pass
NVNT	n40	5270	Ant2	-18.21	1.17	-17.04	--	Pass
NVNT	n40	5270	Sum	-15.25	1.17	-14.08	11	Pass
NVNT	n40	5310	Ant1	-16.03	1.17	-14.86	--	Pass
NVNT	n40	5310	Ant2	-16.38	1.17	-15.21	--	Pass
NVNT	n40	5310	Sum	-13.19	1.17	-12.02	11	Pass


Test Graphs

PSD NVNT ac20 5260MHz Ant1



PSD NVNT ac20 5260MHz Ant2







PSD NVNT ac20 5320MHz Ant1




PSD NVNT ac20 5320MHz Ant2






PSD NVNT ac40 5270MHz Ant1





PSD NVNT ac40 5270MHz Ant2





















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5260	Ant1	-38.18	-27	Pass
NVNT	ac20	5260	Ant2	-40.1	-27	Pass
NVNT	ac20	5320	Ant1	-38.5	-27	Pass
NVNT	ac20	5320	Ant2	-39.77	-27	Pass
NVNT	ac40	5270	Ant1	-40.49	-27	Pass
NVNT	ac40	5270	Ant2	-41.13	-27	Pass
NVNT	ac40	5310	Ant1	-32.24	-27	Pass
NVNT	ac40	5310	Ant2	-39.5	-27	Pass
NVNT	ac80	5290	Ant1	-39.53	-27	Pass
NVNT	ac80	5290	Ant2	-38.67	-27	Pass
NVNT	ac80	5290	Ant1	-40.38	-27	Pass
NVNT	ac80	5290	Ant2	-41.46	-27	Pass
NVNT	n20	5260	Ant1	-39.97	-27	Pass
NVNT	n20	5260	Ant2	-41.02	-27	Pass
NVNT	n20	5320	Ant1	-38.29	-27	Pass
NVNT	n20	5320	Ant2	-39.98	-27	Pass
NVNT	n40	5270	Ant1	-40.21	-27	Pass
NVNT	n40	5270	Ant2	-41.12	-27	Pass
NVNT	n40	5310	Ant1	-30.56	-27	Pass
NVNT	n40	5310	Ant2	-40.68	-27	Pass


Note: The emissions of Ant 1& Ant 2 both have 3dB margin for the limits, so the MIMO test data is below the limits, this conclusion is based on validation results.

Test Graphs


Band Edge NVNT ac20 5260MHz Low Ant1




Band Edge NVNT ac20 5260MHz Low Ant2




Band Edge NVNT ac20 5320MHz High Ant1




Band Edge NVNT ac20 5320MHz High Ant2




Band Edge NVNT ac40 5270MHz Low Ant1




Band Edge NVNT ac40 5270MHz Low Ant2




Band Edge NVNT ac40 5310MHz High Ant1




Band Edge NVNT ac40 5310MHz High Ant2




Band Edge NVNT ac80 5290MHz High Ant1




Band Edge NVNT ac80 5290MHz High Ant2




Band Edge NVNT ac80 5290MHz Low Ant1



Band Edge NVNT ac80 5290MHz Low Ant2




Band Edge NVNT n20 5260MHz Low Ant1




Band Edge NVNT n20 5260MHz Low Ant2




Band Edge NVNT n20 5320MHz High Ant1




Band Edge NVNT n20 5320MHz High Ant2




Band Edge NVNT n40 5270MHz Low Ant1




Band Edge NVNT n40 5270MHz Low Ant2



Band Edge NVNT n40 5310MHz High Ant1



Band Edge NVNT n40 5310MHz High Ant2




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5260	Ant1	-31.37	-27	Pass
NVNT	ac20	5260	Ant2	-32.11	-27	Pass
NVNT	ac20	5280	Ant1	-31.96	-27	Pass
NVNT	ac20	5280	Ant2	-32.16	-27	Pass
NVNT	ac20	5320	Ant1	-31.74	-27	Pass
NVNT	ac20	5320	Ant2	-32.43	-27	Pass
NVNT	ac40	5270	Ant1	-31.52	-27	Pass
NVNT	ac40	5270	Ant2	-32.93	-27	Pass
NVNT	ac40	5310	Ant1	-31.72	-27	Pass
NVNT	ac40	5310	Ant2	-31.95	-27	Pass
NVNT	ac80	5290	Ant1	-41.53	-27	Pass
NVNT	ac80	5290	Ant2	-41.74	-27	Pass
NVNT	n20	5260	Ant1	-40.98	-27	Pass
NVNT	n20	5260	Ant2	-41.33	-27	Pass
NVNT	n20	5280	Ant1	-31.41	-27	Pass
NVNT	n20	5280	Ant2	-32.21	-27	Pass
NVNT	n20	5320	Ant1	-31.36	-27	Pass
NVNT	n20	5320	Ant2	-32.35	-27	Pass
NVNT	n40	5270	Ant1	-32.33	-27	Pass
NVNT	n40	5270	Ant2	-32.25	-27	Pass
NVNT	n40	5310	Ant1	-32.36	-27	Pass
NVNT	n40	5310	Ant2	-30.7	-27	Pass


Note: The emissions of Ant 1& Ant 2 both have 3dB margin for the limits, so the MIMO test data is below the limits, this conclusion is based on validation results.

Test Graphs


Tx. Spurious NVNT ac20 5260MHz Ant1 Emission




Tx. Spurious NVNT ac20 5260MHz Ant2 Emission




Tx. Spurious NVNT ac20 5280MHz Ant1 Emission




Tx. Spurious NVNT ac20 5280MHz Ant2 Emission




Tx. Spurious NVNT ac20 5320MHz Ant1 Emission




Tx. Spurious NVNT ac20 5320MHz Ant2 Emission




Tx. Spurious NVNT ac40 5270MHz Ant1 Emission




Tx. Spurious NVNT ac40 5270MHz Ant2 Emission




Tx. Spurious NVNT ac40 5310MHz Ant1 Emission




Tx. Spurious NVNT ac40 5310MHz Ant2 Emission




Tx. Spurious NVNT ac80 5290MHz Ant1 Emission




Tx. Spurious NVNT ac80 5290MHz Ant2 Emission




Tx. Spurious NVNT n20 5260MHz Ant1 Emission




Tx. Spurious NVNT n20 5260MHz Ant2 Emission




Tx. Spurious NVNT n20 5280MHz Ant1 Emission




Tx. Spurious NVNT n20 5280MHz Ant2 Emission




Tx. Spurious NVNT n20 5320MHz Ant1 Emission




Tx. Spurious NVNT n20 5320MHz Ant2 Emission




Tx. Spurious NVNT n40 5270MHz Ant1 Emission




Tx. Spurious NVNT n40 5270MHz Ant2 Emission



Tx. Spurious NVNT n40 5310MHz Ant1 Emission



Tx. Spurious NVNT n40 5310MHz Ant2 Emission




5.6G WIFI SISO

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	84.18	0.75	5.56
NVNT	a	5600	Ant1	84.19	0.75	5.88
NVNT	a	5700	Ant1	84.19	0.75	5.88
NVNT	a	5500	Ant2	84.27	0.74	5.56
NVNT	a	5600	Ant2	84.28	0.74	5.56
NVNT	a	5700	Ant2	84.21	0.75	5.88
NVNT	n20	5500	Ant1	83.27	0.8	6.25
NVNT	n20	5600	Ant1	83.29	0.79	6.25
NVNT	n20	5700	Ant1	83.29	0.79	6.25
NVNT	n20	5500	Ant2	83.35	0.79	5.88
NVNT	n20	5600	Ant2	83.35	0.79	6.25
NVNT	n20	5700	Ant2	83.36	0.79	5.88
NVNT	n40	5510	Ant1	76.37	1.17	10
NVNT	n40	5590	Ant1	76.4	1.17	10
NVNT	n40	5670	Ant1	76.37	1.17	10
NVNT	n40	5510	Ant2	76.37	1.17	10
NVNT	n40	5590	Ant2	76.58	1.16	10
NVNT	n40	5670	Ant2	76.37	1.17	10
NVNT	ac20	5500	Ant1	83.6	0.78	5.88
NVNT	ac20	5600	Ant1	83.62	0.78	5.88
NVNT	ac20	5700	Ant1	83.59	0.78	5.88
NVNT	ac20	5500	Ant2	83.65	0.78	5.88
NVNT	ac20	5600	Ant2	83.69	0.77	5.88
NVNT	ac20	5700	Ant2	83.69	0.77	5.88
NVNT	ac40	5510	Ant1	77.02	1.13	10
NVNT	ac40	5590	Ant1	76.95	1.14	9.09
NVNT	ac40	5670	Ant1	76.87	1.14	10
NVNT	ac40	5510	Ant2	77.02	1.13	10
NVNT	ac40	5590	Ant2	77.2	1.12	10
NVNT	ac40	5670	Ant2	77.01	1.13	10
NVNT	ac80	5530	Ant1	70.9	1.49	12.5
NVNT	ac80	5610	Ant1	70.91	1.49	14.29
NVNT	ac80	5530	Ant2	71.05	1.48	12.5
NVNT	ac80	5610	Ant2	71.07	1.48	14.29


Test Graphs

Duty Cycle NVNT a 5500MHz Ant1




Duty Cycle NVNT a 5600MHz Ant1







Duty Cycle NVNT a 5600MHz Ant2




Duty Cycle NVNT a 5700MHz Ant2





Duty Cycle NVNT n20 5500MHz Ant1




Duty Cycle NVNT n20 5600MHz Ant1












Duty Cycle NVNT n40 5670MHz Ant1




Duty Cycle NVNT n40 5510MHz Ant2







Duty Cycle NVNT ac20 5500MHz Ant1




Duty Cycle NVNT ac20 5600MHz Ant1








Duty Cycle NVNT ac20 5600MHz Ant2





Duty Cycle NVNT ac20 5700MHz Ant2














Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	12.21	23.85	Pass
NVNT	a	5600	Ant1	11.34	23.95	Pass
NVNT	a	5700	Ant1	11.56	24.00	Pass
NVNT	a	5500	Ant2	12.88	23.78	Pass
NVNT	a	5600	Ant2	12.2	23.91	Pass
NVNT	a	5700	Ant2	11.78	23.90	Pass
NVNT	n20	5500	Ant1	11.15	23.95	Pass
NVNT	n20	5600	Ant1	10.5	23.92	Pass
NVNT	n20	5700	Ant1	10.61	24	Pass
NVNT	n20	5500	Ant2	11.74	23.98	Pass
NVNT	n20	5600	Ant2	11.19	23.98	Pass
NVNT	n20	5700	Ant2	10.83	24	Pass
NVNT	n40	5510	Ant1	11.15	24	Pass
NVNT	n40	5590	Ant1	10.51	24	Pass
NVNT	n40	5670	Ant1	10.5	24	Pass
NVNT	n40	5510	Ant2	11.71	24	Pass
NVNT	n40	5590	Ant2	11.14	24	Pass
NVNT	n40	5670	Ant2	10.91	24	Pass
NVNT	ac20	5500	Ant1	11.16	24	Pass
NVNT	ac20	5600	Ant1	10.56	23.96	Pass
NVNT	ac20	5700	Ant1	10.53	23.95	Pass
NVNT	ac20	5500	Ant2	11.77	23.99	Pass
NVNT	ac20	5600	Ant2	11.21	23.98	Pass
NVNT	ac20	5700	Ant2	10.89	23.94	Pass
NVNT	ac40	5510	Ant1	10.99	24	Pass
NVNT	ac40	5590	Ant1	10.39	24	Pass
NVNT	ac40	5670	Ant1	10.46	24	Pass
NVNT	ac40	5510	Ant2	11.72	24	Pass
NVNT	ac40	5590	Ant2	11.17	24	Pass
NVNT	ac40	5670	Ant2	10.92	24	Pass
NVNT	ac80	5530	Ant1	11.04	24	Pass
NVNT	ac80	5610	Ant1	10.2	24	Pass
NVNT	ac80	5530	Ant2	11.54	24	Pass
NVNT	ac80	5610	Ant2	11.11	24	Pass


Note: The average power value already includes the duty cycle factor

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	19.26	Pass
NVNT	a	5600	Ant1	19.707	Pass
NVNT	a	5700	Ant1	19.965	Pass
NVNT	a	5500	Ant2	18.975	Pass
NVNT	a	5600	Ant2	19.521	Pass
NVNT	a	5700	Ant2	19.503	Pass
NVNT	n20	5500	Ant1	19.716	Pass
NVNT	n20	5600	Ant1	19.608	Pass
NVNT	n20	5700	Ant1	20.049	Pass
NVNT	n20	5500	Ant2	19.881	Pass
NVNT	n20	5600	Ant2	19.872	Pass
NVNT	n20	5700	Ant2	19.935	Pass
NVNT	n40	5510	Ant1	40.296	Pass
NVNT	n40	5590	Ant1	40.206	Pass
NVNT	n40	5670	Ant1	40.338	Pass
NVNT	n40	5510	Ant2	40.35	Pass
NVNT	n40	5590	Ant2	40.566	Pass
NVNT	n40	5670	Ant2	40.26	Pass
NVNT	ac20	5500	Ant1	19.959	Pass
NVNT	ac20	5600	Ant1	19.761	Pass
NVNT	ac20	5700	Ant1	19.725	Pass
NVNT	ac20	5500	Ant2	19.902	Pass
NVNT	ac20	5600	Ant2	19.863	Pass
NVNT	ac20	5700	Ant2	19.659	Pass
NVNT	ac40	5510	Ant1	39.96	Pass
NVNT	ac40	5590	Ant1	40.074	Pass
NVNT	ac40	5670	Ant1	40.134	Pass
NVNT	ac40	5510	Ant2	40.008	Pass
NVNT	ac40	5590	Ant2	40.23	Pass
NVNT	ac40	5670	Ant2	39.912	Pass
NVNT	ac80	5530	Ant1	80.796	Pass
NVNT	ac80	5610	Ant1	81.36	Pass
NVNT	ac80	5530	Ant2	80.544	Pass
NVNT	ac80	5610	Ant2	80.304	Pass

Test Graphs


-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5600MHz Ant1




-26dB Bandwidth NVNT a 5700MHz Ant1




-26dB Bandwidth NVNT a 5500MHz Ant2




-26dB Bandwidth NVNT a 5600MHz Ant2




-26dB Bandwidth NVNT a 5700MHz Ant2




-26dB Bandwidth NVNT n20 5500MHz Ant1




-26dB Bandwidth NVNT n20 5600MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1



-26dB Bandwidth NVNT n20 5500MHz Ant2



-26dB Bandwidth NVNT n20 5600MHz Ant2



-26dB Bandwidth NVNT n20 5700MHz Ant2

