

Appendix A: DTS Bandwidth-Left

Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.688	2401.656	2402.344	0.5	PASS
BLE_1M	Ant1	2440	0.672	2439.664	2440.336	0.5	PASS
BLE_1M	Ant1	2480	0.672	2479.664	2480.336	0.5	PASS

Test Graphs



Appendix B: Occupied Channel Bandwidth-Left

Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0528	2401.4769	2402.5297	---	---
BLE_1M	Ant1	2440	1.0543	2439.4765	2440.5308	---	---
BLE_1M	Ant1	2480	1.0308	2479.4906	2480.5214	---	---

Test Graphs




Appendix C: Maximum conducted output power

Test Result Peak-Left

TestMode	Antenna	Frequency [MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant1	2402	1.20	≤30	PASS
BLE_1M	Ant1	2440	0.60	≤30	PASS
BLE_1M	Ant1	2480	2.92	≤30	PASS


Test Graphs Peak



Test Result Peak-Right

TestMode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant1	2402	-0.89	≤30	PASS
BLE_1M	Ant1	2440	0.56	≤30	PASS
BLE_1M	Ant1	2480	0.67	≤30	PASS

Test Graphs Peak




Appendix D: Maximum power spectral density-Left

Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-14.84	≤8.00	PASS
BLE_1M	Ant1	2440	-15.26	≤8.00	PASS
BLE_1M	Ant1	2480	-12.68	≤8.00	PASS

Test Graphs



Appendix E: Band edge measurements-Left

Test Result

TestMode	Antenna	ChName	Frequency [MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	0.61	-46.85	≤-19.39	PASS
BLE_1M	Ant1	High	2480	2.20	-47.17	≤-17.8	PASS

Test Graphs



Appendix F: Conducted Spurious Emission-Left

Test Result


TestMode	Antenna	Frequency [MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	0~Reference	0.62	0.62	---	PASS
BLE_1M	Ant1	2402	30~1000	0.62	-57.57	≤-19.38	PASS
BLE_1M	Ant1	2402	1000~26500	0.62	-49.85	≤-19.38	PASS
BLE_1M	Ant1	2440	0~Reference	-0.03	-0.03	---	PASS
BLE_1M	Ant1	2440	30~1000	-0.03	-58.25	≤-20.03	PASS
BLE_1M	Ant1	2440	1000~26500	-0.03	-50.55	≤-20.03	PASS
BLE_1M	Ant1	2480	0~Reference	2.26	2.26	---	PASS
BLE_1M	Ant1	2480	30~1000	2.26	-58.58	≤-17.74	PASS
BLE_1M	Ant1	2480	1000~26500	2.26	-49.88	≤-17.74	PASS

Test Graphs






BLE_1M-Ant1-2440-0~Reference-PASS




BLE_1M-Ant1-2440-30~1000-PASS



BLE_1M-Ant1-2440-1000~26500-PASS



BLE_1M-Ant1-2480-0~Reference-PASS



BLE_1M-Ant1-2480-30~1000-PASS



BLE_1M-Ant1-2480-1000~26500-PASS

Appendix G: Duty Cycle-Left

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]
BLE_1M	Ant1	2402	2.14	2.50	85.60
BLE_1M	Ant1	2440	2.14	2.50	85.60
BLE_1M	Ant1	2480	2.13	2.50	85.20


Test Graphs



Appendix H: Emissions in Restricted Bands-Left


Test Result

Mode:	BLE 1M-2402
-------	-------------



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	37.6	42.27	74.00	31.73	35.92	40.59	54.00	13.41	150	120	Horizontal	PASS
2	2327.2700	4.87	39.06	43.93	74.00	30.07	35.98	40.85	54.00	13.15	150	10	Horizontal	PASS
3	2341.0200	4.87	38.38	43.25	74.00	30.75	36.15	41.02	54.00	12.98	150	350	Horizontal	PASS
4	2356.6400	4.95	39.05	44.00	74.00	30.00	36.03	40.98	54.00	13.02	150	220	Horizontal	PASS
5	2381.2800	5.03	39.84	44.87	74.00	29.13	36.10	41.13	54.00	12.87	150	360	Horizontal	PASS
6	2390.0000	4.95	37.38	42.33	74.00	31.67	35.98	40.93	54.00	13.07	150	220	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	37.23	41.90	74.00	32.10	35.58	40.25	54.00	13.75	150	60	Vertical	PASS
2	2321.7700	4.89	39.26	44.15	74.00	29.85	35.90	40.79	54.00	13.21	150	350	Vertical	PASS
3	2340.8000	4.86	40.24	45.10	74.00	28.90	35.72	40.58	54.00	13.42	150	300	Vertical	PASS
4	2356.9700	4.96	39.21	44.17	74.00	29.83	35.88	40.84	54.00	13.16	150	330	Vertical	PASS
5	2367.4200	4.99	39.2	44.19	74.00	29.81	36.77	41.76	54.00	12.24	150	340	Vertical	PASS
6	2390.0000	4.95	37.87	42.82	74.00	31.18	34.53	39.48	54.00	14.52	150	340	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Mode:

BLE 1M-2480



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	41.91	47.37	74.00	26.63	41.83	47.29	54.00	6.71	150	66	Horizontal	PASS
2	2487.4740	5.50	40	45.50	74.00	28.50	39.84	45.34	54.00	8.66	150	301	Horizontal	PASS
3	2490.1679	5.57	39.39	44.96	74.00	29.04	39.31	44.88	54.00	9.12	150	246	Horizontal	PASS
4	2492.9576	5.57	39.57	45.14	74.00	28.86	39.46	45.03	54.00	8.97	150	337	Horizontal	PASS
5	2496.3469	5.57	39.86	45.43	74.00	28.57	39.81	45.38	54.00	8.62	150	181	Horizontal	PASS
6	2500.0000	5.50	39.02	44.52	74.00	29.48	38.79	44.29	54.00	9.71	150	62	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	40.36	45.82	74.00	28.18	40.30	45.76	54.00	8.24	150	109	Vertical	PASS
2	2486.0192	5.47	40.22	45.69	74.00	28.31	40.14	45.61	54.00	8.39	150	168	Vertical	PASS
3	2490.7754	5.55	40.43	45.98	74.00	28.02	40.35	45.90	54.00	8.10	150	157	Vertical	PASS
4	2495.0280	5.56	39.32	44.88	74.00	29.12	39.23	44.79	54.00	9.21	150	125	Vertical	PASS
5	2496.6187	5.58	39.03	44.61	74.00	29.39	38.90	44.48	54.00	9.52	150	193	Vertical	PASS
6	2500.0000	5.50	36.93	42.43	74.00	31.57	36.65	42.15	54.00	11.85	150	312	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Appendix I: Spurious emissions


Test Result

Note:


The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (BLE 1M 2480MHz) condition was recorded in this report.

Left Ear:




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	36.7900	-16.09	18.36	40.00	21.64	100	16	Vertical	PASS
2	48.4300	-16.09	19.51	40.00	20.49	100	132	Vertical	PASS
3	56.6750	-16.60	22.06	40.00	17.94	100	227	Vertical	PASS
4	69.0425	-18.13	19.41	40.00	20.59	100	74	Vertical	PASS
5	149.6738	-15.92	14.85	43.50	28.65	200	69	Vertical	PASS
6	591.2662	-8.77	25.70	46.00	20.30	100	2	Vertical	PASS




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	36.0625	-16.09	17.62	40.00	22.38	100	350	Horizontal	PASS
2	47.0962	-16.03	17.21	40.00	22.79	200	197	Horizontal	PASS
3	56.6750	-16.60	21.51	40.00	18.49	100	310	Horizontal	PASS
4	143.3688	-16.34	14.69	43.50	28.81	100	145	Horizontal	PASS
5	325.4862	-15.00	15.73	46.00	30.27	200	320	Horizontal	PASS
6	588.4775	-8.81	25.05	46.00	20.95	100	200	Horizontal	PASS

Right Ear:




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	35.4562	-16.15	18.78	40.00	21.22	100	74	Vertical	PASS
2	47.0962	-16.03	18.07	40.00	21.93	100	82	Vertical	PASS
3	56.7962	-16.60	24.27	40.00	15.73	100	16	Vertical	PASS
4	70.1338	-18.44	20.21	40.00	19.79	100	64	Vertical	PASS
5	166.8913	-16.15	15.82	43.50	27.68	200	237	Vertical	PASS
6	593.6912	-8.87	26.43	46.00	19.57	200	240	Vertical	PASS



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	36.5475	-16.09	19.18	40.00	20.82	100	193	Horizontal	PASS
2	46.6112	-15.98	17.46	40.00	22.54	200	277	Horizontal	PASS
3	56.6750	-16.60	21.60	40.00	18.40	100	325	Horizontal	PASS
4	157.5550	-15.81	15.71	43.50	27.79	200	232	Horizontal	PASS
5	336.5200	-15.12	16.39	46.00	29.61	200	9	Horizontal	PASS
6	591.7512	-8.79	24.64	46.00	21.36	100	269	Horizontal	PASS


Left Ear:

Mode:	BLE 1M-2402
-------	-------------




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Readin g [dBμV/ m]	PK Value [dBμV/ m]	PK Limit [dBμV/ m]	PK Margin [dB]	AV Readin g [dBμV/ m]	AV Value [dBμV/ m]	AV Limit [dBμV/ m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3531.5000	-19.98	58.23	38.25	74.00	35.75	54.77	34.79	54.00	19.21	150	302	Horizontal	PASS
2	4285.0000	-16.18	55.18	39.00	74.00	35.00	52.80	36.62	54.00	17.38	150	341	Horizontal	PASS
3	5652.0000	-12.50	54	41.50	74.00	32.50	51.92	39.42	54.00	14.58	150	75	Horizontal	PASS
4	7208.5000	-9.18	56.74	47.56	74.00	26.44	54.64	45.46	54.00	8.54	150	67	Horizontal	PASS
5	9914.0000	-4.34	51.34	47.00	74.00	27.00	49.73	45.39	54.00	8.61	150	317	Horizontal	PASS
6	13344.000	0.30	48.47	48.77	74.00	25.23	45.86	46.16	54.00	7.84	150	60	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4121.0000	-17.49	55.66	38.17	74.00	35.83	54.15	36.66	54.00	17.34	150	6	Vertical	PASS
2	5053.0000	-12.86	53.48	40.62	74.00	33.38	51.86	39.00	54.00	15.00	150	280	Vertical	PASS
3	7209.0000	-9.14	59.67	50.53	74.00	23.47	56.81	47.67	54.00	6.33	150	82	Vertical	PASS
4	9245.5000	-4.82	51.51	46.69	74.00	27.31	49.86	45.04	54.00	8.96	150	22	Vertical	PASS
5	10589.000	-3.71	51.05	47.34	74.00	26.66	48.75	45.04	54.00	8.96	150	211	Vertical	PASS
6	13795.500	1.13	48.51	49.64	74.00	24.36	46.20	47.33	54.00	6.67	150	6	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18401.470	-4.87	50.65	45.78	74.00	28.22	48.88	44.01	54.00	9.99	100	239	Horizontal	PASS
2	19389.219	-3.97	49.64	45.67	74.00	28.33	48.38	44.41	54.00	9.59	100	137	Horizontal	PASS
3	20139.657	-2.91	48.74	45.83	74.00	28.17	47.24	44.33	54.00	9.67	100	72	Horizontal	PASS
4	21516.975	-1.68	47.61	45.93	74.00	28.07	46.23	44.55	54.00	9.45	100	360	Horizontal	PASS
5	22743.787	0.13	47.1	47.23	74.00	26.77	45.57	45.70	54.00	8.30	100	299	Horizontal	PASS
6	23956.597	3.04	46.78	49.82	74.00	24.18	45.12	48.16	54.00	5.84	100	62	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18138.606	-5.03	50.59	45.56	74.00	28.44	49.07	44.04	54.00	9.96	100	216	Vertical	PASS
2	19126.356	-4.34	49.42	45.08	74.00	28.92	46.34	42.00	54.00	12.00	100	21	Vertical	PASS
3	20038.501	-3.06	48.86	45.80	74.00	28.20	46.26	43.20	54.00	10.80	100	252	Vertical	PASS
4	21445.922	-1.67	47.84	46.17	74.00	27.83	46.59	44.92	54.00	9.08	100	341	Vertical	PASS
5	22651.032	-0.10	47	46.90	74.00	27.10	45.39	45.29	54.00	8.71	100	81	Vertical	PASS
6	24044.102	3.12	46.68	49.80	74.00	24.20	45.31	48.43	54.00	5.57	100	287	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


Mode:

BLE 1M-2440



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3893.5000	-18.34	56.13	37.79	74.00	36.21	52.64	34.30	54.00	19.70	150	349	Horizontal	PASS
2	4972.5000	-13.48	54.93	41.45	74.00	32.55	51.99	38.51	54.00	15.49	150	139	Horizontal	PASS
3	7325.5000	-9.19	57.62	48.43	74.00	25.57	56.05	46.86	54.00	7.14	150	101	Horizontal	PASS
4	9924.5000	-4.29	51.63	47.34	74.00	26.66	49.58	45.29	54.00	8.71	150	162	Horizontal	PASS
5	12475.500	-1.25	49.54	48.29	74.00	25.71	47.61	46.36	54.00	7.64	150	169	Horizontal	PASS
6	15312.500	2.62	48.79	51.41	74.00	22.59	46.04	48.66	54.00	5.34	150	327	Horizontal	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4255.0000	-17.00	56.94	39.94	74.00	34.06	52.63	35.63	54.00	18.37	150	132	Vertical	PASS
2	4879.5000	-14.09	55.23	41.14	74.00	32.86	50.21	36.12	54.00	17.88	150	72	Vertical	PASS
3	7326.0000	-9.20	62.38	53.18	74.00	20.82	59.84	50.64	54.00	3.36	150	80	Vertical	PASS
4	9659.5000	-4.73	52.06	47.33	74.00	26.67	49.92	45.19	54.00	8.81	150	332	Vertical	PASS
5	13709.500	0.73	49.86	50.59	74.00	23.41	46.24	46.97	54.00	7.03	150	132	Vertical	PASS
6	17015.000	3.78	48.85	52.63	74.00	21.37	46.15	49.93	54.00	4.07	150	26	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18157.857	-5.02	50.02	45.00	74.00	29.00	48.83	43.81	54.00	10.19	100	330	Horizontal	PASS
2	19366.468	-4.00	49.38	45.38	74.00	28.62	47.64	43.64	54.00	10.36	100	205	Horizontal	PASS
3	19827.791	-3.36	50.73	47.37	74.00	26.63	50.00	46.64	54.00	7.36	100	178	Horizontal	PASS
4	21115.855	-1.63	47.84	46.21	74.00	27.79	46.18	44.55	54.00	9.45	100	205	Horizontal	PASS
5	22596.429	-0.23	47.66	47.43	74.00	26.57	45.05	44.82	54.00	9.18	100	283	Horizontal	PASS
6	23990.899	3.12	46.84	49.96	74.00	24.04	46.23	49.35	54.00	4.65	100	194	Horizontal	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18388.869	-4.88	50.74	45.86	74.00	28.14	49.00	44.12	54.00	9.88	100	154	Vertical	PASS
2	19172.908	-4.27	50.09	45.82	74.00	28.18	48.85	44.58	54.00	9.42	100	299	Vertical	PASS
3	19827.791	-3.36	50.28	46.92	74.00	27.08	49.63	46.27	54.00	7.73	100	44	Vertical	PASS
4	20771.088	-1.96	48.43	46.47	74.00	27.53	46.64	44.68	54.00	9.32	100	165	Vertical	PASS
5	22578.228	-0.28	46.41	46.13	74.00	27.87	45.43	45.15	54.00	8.85	100	128	Vertical	PASS
6	24075.953	3.10	47.07	50.17	74.00	23.83	45.46	48.56	54.00	5.44	100	15	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:	BLE 1M-2480
-------	-------------



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Readin g [dBμV/ m]	PK Value [dBμV/ m]	PK Limit [dBμV/ m]	PK Margin [dB]	AV Readin g [dBμV/ m]	AV Value [dBμV/ m]	AV Limit [dBμV/ m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3834.5000	-17.70	54.99	37.29	74.00	36.71	52.77	35.07	54.00	18.93	150	27	Horizontal	PASS
2	5248.0000	-13.57	54.88	41.31	74.00	32.69	52.62	39.05	54.00	14.95	150	280	Horizontal	PASS
3	7440.0000	-8.89	57.44	48.55	74.00	25.45	55.15	46.26	54.00	7.74	150	110	Horizontal	PASS
4	9759.5000	-4.59	50.86	46.27	74.00	27.73	48.52	43.93	54.00	10.07	150	215	Horizontal	PASS
5	12845.000	-0.62	48.76	48.14	74.00	25.86	46.38	45.76	54.00	8.24	150	192	Horizontal	PASS
6	14357.500	1.59	48.15	49.74	74.00	24.26	46.04	47.63	54.00	6.37	150	110	Horizontal	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3948.0000	-17.38	55.52	38.14	74.00	35.86	52.67	35.29	54.00	18.71	150	255	Vertical	PASS
2	4908.0000	-13.19	53.99	40.80	74.00	33.20	50.08	36.89	54.00	17.11	150	86	Vertical	PASS
3	7440.0000	-8.89	61.6	52.71	74.00	21.29	58.92	50.03	54.00	3.97	150	92	Vertical	PASS
4	9271.0000	-5.13	51.24	46.11	74.00	27.89	49.58	44.45	54.00	9.55	150	40	Vertical	PASS
5	11937.500	-1.64	49.44	47.80	74.00	26.20	47.50	45.86	54.00	8.14	150	255	Vertical	PASS
6	15335.000	2.67	48.32	50.99	74.00	23.01	44.65	47.32	54.00	6.68	150	356	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18343.367	-4.90	50.17	45.27	74.00	28.73	48.38	43.48	54.00	10.52	100	153	Horizontal	PASS
2	19185.859	-4.25	50.15	45.90	74.00	28.10	48.47	44.22	54.00	9.78	100	276	Horizontal	PASS
3	19827.791	-3.36	50.74	47.38	74.00	26.62	49.53	46.17	54.00	7.83	100	354	Horizontal	PASS
4	20744.487	-1.99	48.43	46.44	74.00	27.56	47.40	45.41	54.00	8.59	100	94	Horizontal	PASS
5	22411.620	-0.70	46.68	45.98	74.00	28.02	45.62	44.92	54.00	9.08	100	312	Horizontal	PASS
6	23855.092	2.80	47.04	49.84	74.00	24.16	45.55	48.35	54.00	5.65	100	84	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18241.162	-4.97	50.76	45.79	74.00	28.21	49.81	44.84	54.00	9.16	100	294	Vertical	PASS
2	19135.806	-4.32	49.71	45.39	74.00	28.61	47.67	43.35	54.00	10.65	100	66	Vertical	PASS
3	20250.962	-2.74	48.93	46.19	74.00	27.81	48.13	45.39	54.00	8.61	100	309	Vertical	PASS
4	20767.238	-1.96	48.1	46.14	74.00	27.86	46.87	44.91	54.00	9.09	100	325	Vertical	PASS
5	22260.763	-1.09	46.78	45.69	74.00	28.31	45.54	44.45	54.00	9.55	100	356	Vertical	PASS
6	23994.049	3.13	47.03	50.16	74.00	23.84	46.26	49.39	54.00	4.61	100	192	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Appendix J: Conducted emission AC power port

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.156	10.26	38.91	65.67	26.76	26.80	55.67	28.87	L1	PASS
2	0.531	10.25	35.50	56.00	20.50	25.37	46.00	20.63	L1	PASS
3	2.112	10.28	36.48	56.00	19.52	22.64	46.00	23.36	L1	PASS
4	7.14	10.42	35.85	60.00	24.15	22.77	50.00	27.23	L1	PASS
5	12.804	10.51	35.63	60.00	24.37	22.85	50.00	27.15	L1	PASS
6	23.604	10.73	35.57	60.00	24.43	23.42	50.00	26.58	L1	PASS



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.186	10.35	35.45	64.21	28.76	24.29	54.21	29.92	N	PASS
2	0.54	10.25	34.21	56.00	21.79	23.17	46.00	22.83	N	PASS
3	1.593	10.33	34.87	56.00	21.13	21.83	46.00	24.17	N	PASS
4	5.025	10.41	35.47	60.00	24.53	23.31	50.00	26.69	N	PASS
5	11.256	10.50	35.45	60.00	24.55	22.48	50.00	27.52	N	PASS
6	24.594	10.74	35.96	60.00	24.04	22.24	50.00	27.76	N	PASS