





Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	36.26	40.93	74.00	33.07	34.35	39.02	54.00	14.98	150	288	Vertical	PASS
2	2326.6100	4.87	38.66	43.53	74.00	30.47	34.99	39.86	54.00	14.14	150	42	Vertical	PASS
3	2343.3300	4.93	37.87	42.80	74.00	31.20	35.78	40.71	54.00	13.29	150	290	Vertical	PASS
4	2355.5400	4.97	38.64	43.61	74.00	30.39	36.45	41.42	54.00	12.58	150	51	Vertical	PASS
5	2375.8900	5.03	39.48	44.51	74.00	29.49	36.39	41.42	54.00	12.58	150	334	Vertical	PASS
6	2390.0000	4.95	38.05	43.00	74.00	31.00	36.06	41.01	54.00	12.99	150	352	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:	DH5-2480
-------	----------



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	42.4	47.86	74.00	26.14	42.26	47.72	54.00	6.28	150	44	Horizontal	PASS
2	2487.2742	5.52	40.41	45.93	74.00	28.07	40.29	45.81	54.00	8.19	150	29	Horizontal	PASS
3	2489.1527	5.56	39.18	44.74	74.00	29.26	39.02	44.58	54.00	9.42	150	275	Horizontal	PASS
4	2491.9105	5.56	40.18	45.74	74.00	28.26	40.07	45.63	54.00	8.37	150	356	Horizontal	PASS
5	2494.3325	5.58	39.27	44.85	74.00	29.15	39.10	44.68	54.00	9.32	150	29	Horizontal	PASS
6	2500.0000	5.50	37.48	42.98	74.00	31.02	36.99	42.49	54.00	11.51	150	198	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	41.03	46.49	74.00	27.51	40.60	46.06	54.00	7.94	150	115	Vertical	PASS
2	2487.4341	5.51	39.59	45.10	74.00	28.90	39.50	45.01	54.00	8.99	150	150	Vertical	PASS
3	2491.1431	5.55	39.71	45.26	74.00	28.74	39.65	45.20	54.00	8.80	150	0	Vertical	PASS
4	2495.1879	5.56	39.3	44.86	74.00	29.14	39.19	44.75	54.00	9.25	150	0	Vertical	PASS
5	2498.2334	5.56	39.44	45.00	74.00	29.00	39.26	44.82	54.00	9.18	150	13	Vertical	PASS
6	2500.0000	5.50	37.48	42.98	74.00	31.02	37.22	42.72	54.00	11.28	150	184	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Mode:

2DH5-2402



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	37.91	42.58	74.00	31.42	36.08	40.75	54.00	13.25	150	292	Horizontal	PASS
2	2326.2800	4.87	39.89	44.76	74.00	29.24	37.89	42.76	54.00	11.24	150	114	Horizontal	PASS
3	2344.3200	4.97	39.07	44.04	74.00	29.96	37.08	42.05	54.00	11.95	150	278	Horizontal	PASS
4	2358.9500	4.96	39.83	44.79	74.00	29.21	37.81	42.77	54.00	11.23	150	255	Horizontal	PASS
5	2375.4500	5.02	39.61	44.63	74.00	29.37	38.09	43.11	54.00	10.89	150	59	Horizontal	PASS
6	2390.0000	4.95	37.35	42.30	74.00	31.70	35.54	40.49	54.00	13.51	150	198	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	37.95	42.62	74.00	31.38	35.41	40.08	54.00	13.92	150	238	Vertical	PASS
2	2320.5600	4.92	40	44.92	74.00	29.08	36.57	41.49	54.00	12.51	150	329	Vertical	PASS
3	2340.2500	4.85	38.83	43.68	74.00	30.32	35.20	40.05	54.00	13.95	150	162	Vertical	PASS
4	2357.9600	4.95	38.5	43.45	74.00	30.55	36.69	41.64	54.00	12.36	150	336	Vertical	PASS
5	2370.2800	5.04	39.06	44.10	74.00	29.90	36.41	41.45	54.00	12.55	150	159	Vertical	PASS
6	2390.0000	4.95	38.73	43.68	74.00	30.32	36.76	41.71	54.00	12.29	150	183	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Mode:

2DH5-2480



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	42.97	48.43	74.00	25.57	42.58	48.04	54.00	5.96	150	43	Horizontal	PASS
2	2487.1623	5.53	39.78	45.31	74.00	28.69	39.68	45.21	54.00	8.79	150	55	Horizontal	PASS
3	2490.1519	5.57	39.28	44.85	74.00	29.15	39.17	44.74	54.00	9.26	150	334	Horizontal	PASS
4	2492.2542	5.56	39.07	44.63	74.00	29.37	38.93	44.49	54.00	9.51	150	32	Horizontal	PASS
5	2495.4277	5.56	38.95	44.51	74.00	29.49	38.84	44.40	54.00	9.60	150	180	Horizontal	PASS
6	2500.0000	5.50	38.62	44.12	74.00	29.88	38.49	43.99	54.00	10.01	150	16	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	38.22	43.68	74.00	30.32	37.61	43.07	54.00	10.93	150	20	Vertical	PASS
2	2486.4428	5.50	38.47	43.97	74.00	30.03	38.34	43.84	54.00	10.16	150	140	Vertical	PASS
3	2490.8553	5.55	39.32	44.87	74.00	29.13	39.24	44.79	54.00	9.21	150	320	Vertical	PASS
4	2493.5891	5.59	39.17	44.76	74.00	29.24	39.00	44.59	54.00	9.41	150	130	Vertical	PASS
5	2496.8825	5.59	38.67	44.26	74.00	29.74	38.56	44.15	54.00	9.85	150	310	Vertical	PASS
6	2500.0000	5.50	35.89	41.39	74.00	32.61	35.72	41.22	54.00	12.78	150	50	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Mode:

3DH5-2402



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	37.6	42.27	74.00	31.73	35.92	40.59	54.00	13.41	150	120	Horizontal	PASS
2	2327.2700	4.87	39.06	43.93	74.00	30.07	35.98	40.85	54.00	13.15	150	10	Horizontal	PASS
3	2341.0200	4.87	38.38	43.25	74.00	30.75	36.15	41.02	54.00	12.98	150	350	Horizontal	PASS
4	2356.6400	4.95	39.05	44.00	74.00	30.00	36.03	40.98	54.00	13.02	150	220	Horizontal	PASS
5	2381.2800	5.03	39.84	44.87	74.00	29.13	36.10	41.13	54.00	12.87	150	360	Horizontal	PASS
6	2390.0000	4.95	37.38	42.33	74.00	31.67	35.98	40.93	54.00	13.07	150	220	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	37.23	41.90	74.00	32.10	35.58	40.25	54.00	13.75	150	60	Vertical	PASS
2	2321.7700	4.89	39.26	44.15	74.00	29.85	35.90	40.79	54.00	13.21	150	350	Vertical	PASS
3	2340.8000	4.86	40.24	45.10	74.00	28.90	35.72	40.58	54.00	13.42	150	300	Vertical	PASS
4	2356.9700	4.96	39.21	44.17	74.00	29.83	35.88	40.84	54.00	13.16	150	330	Vertical	PASS
5	2367.4200	4.99	39.2	44.19	74.00	29.81	36.77	41.76	54.00	12.24	150	340	Vertical	PASS
6	2390.0000	4.95	37.87	42.82	74.00	31.18	34.53	39.48	54.00	14.52	150	340	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Mode:

3DH5-2480



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	41.89	47.35	74.00	26.65	41.49	46.95	54.00	7.05	150	280	Horizontal	PASS
2	2486.5468	5.51	39.86	45.37	74.00	28.63	39.72	45.23	54.00	8.77	150	20	Horizontal	PASS
3	2489.3925	5.56	39	44.56	74.00	29.44	38.93	44.49	54.00	9.51	150	100	Horizontal	PASS
4	2492.2222	5.56	39.04	44.60	74.00	29.40	38.92	44.48	54.00	9.52	150	70	Horizontal	PASS
5	2496.4189	5.57	39.14	44.71	74.00	29.29	38.92	44.49	54.00	9.51	150	240	Horizontal	PASS
6	2500.0000	5.50	38.47	43.97	74.00	30.03	38.18	43.68	54.00	10.32	150	310	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	37.79	43.25	74.00	30.75	37.35	42.81	54.00	11.19	150	330	Vertical	PASS
2	2486.8185	5.53	38.97	44.50	74.00	29.50	38.84	44.37	54.00	9.63	150	120	Vertical	PASS
3	2489.5923	5.57	39.4	44.97	74.00	29.03	39.29	44.86	54.00	9.14	150	360	Vertical	PASS
4	2492.6938	5.57	38.81	44.38	74.00	29.62	38.63	44.20	54.00	9.80	150	100	Vertical	PASS
5	2496.8505	5.59	39.09	44.68	74.00	29.32	38.98	44.57	54.00	9.43	150	120	Vertical	PASS
6	2500.0000	5.50	36.8	42.30	74.00	31.70	36.49	41.99	54.00	12.01	150	220	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Appendix K: Radiated emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.


During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (2442MHz) condition was recorded in this report.

The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.

Left Ear:




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	35.8200	-16.11	12.58	40.00	27.42	100	19	Vertical	PASS
2	56.9175	-16.61	12.42	40.00	27.58	100	249	Vertical	PASS
3	149.5525	-15.93	13.35	43.50	30.15	100	290	Vertical	PASS
4	330.4575	-15.10	15.06	46.00	30.94	100	242	Vertical	PASS
5	582.1725	-9.05	22.34	46.00	23.66	100	140	Vertical	PASS
6	976.2350	-1.69	28.52	54.00	25.48	100	41	Vertical	PASS




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	33.5162	-16.30	13.72	40.00	26.28	100	30	Horizontal	PASS
2	46.6112	-15.98	12.65	40.00	27.35	100	226	Horizontal	PASS
3	159.0100	-15.77	13.85	43.50	29.65	100	118	Horizontal	PASS
4	397.8725	-13.49	17.81	46.00	28.19	100	47	Horizontal	PASS
5	578.2925	-9.15	23.01	46.00	22.99	100	86	Horizontal	PASS
6	920.0962	-2.60	28.94	46.00	17.06	100	45	Horizontal	PASS

Right Ear:



QP Final Data List


NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	37.1538	-16.07	13.96	40.00	26.04	100	31	Vertical	PASS
2	49.1575	-16.15	13.48	40.00	26.52	100	295	Vertical	PASS
3	151.2500	-15.94	12.91	43.50	30.59	100	59	Vertical	PASS
4	264.6188	-17.12	12.09	46.00	33.91	100	115	Vertical	PASS
5	430.8525	-12.70	18.83	46.00	27.17	100	140	Vertical	PASS
6	584.3550	-9.04	22.22	46.00	23.78	100	275	Vertical	PASS



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	48.5513	-16.11	12.60	40.00	27.40	100	10	Horizontal	PASS
2	122.7562	-17.39	12.84	43.50	30.66	100	322	Horizontal	PASS
3	165.9212	-16.10	13.59	43.50	29.91	100	282	Horizontal	PASS
4	382.5950	-13.80	16.65	46.00	29.35	100	275	Horizontal	PASS
5	615.0312	-8.62	21.96	46.00	24.04	100	80	Horizontal	PASS
6	963.5038	-1.52	29.47	54.00	24.53	100	40	Horizontal	PASS


Left Ear:
1-18G:

Mode:	DH5-2402
-------	----------



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3977.0000	-17.63	56.2	38.57	74.00	35.43	50.91	33.28	54.00	20.72	150	341	Horizontal	PASS
2	5259.0000	-13.25	54.92	41.67	74.00	32.33	52.16	38.91	54.00	15.09	150	136	Horizontal	PASS
3	7209.0000	-9.14	57.99	48.85	74.00	25.15	56.01	46.87	54.00	7.13	150	113	Horizontal	PASS
4	9344.0000	-5.04	51.28	46.24	74.00	27.76	48.51	43.47	54.00	10.53	150	121	Horizontal	PASS
5	11293.500	-2.90	50.39	47.49	74.00	26.51	48.73	45.83	54.00	8.17	150	325	Horizontal	PASS
6	14917.000	2.37	47.95	50.32	74.00	23.68	45.87	48.24	54.00	5.76	150	1	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3839.0000	-17.39	55.71	38.32	74.00	35.68	52.76	35.37	54.00	18.63	150	2	Vertical	PASS
2	5003.0000	-14.09	55.5	41.41	74.00	32.59	53.74	39.65	54.00	14.35	150	256	Vertical	PASS
3	7208.5000	-9.18	58.83	49.65	74.00	24.35	57.10	47.92	54.00	6.08	150	2	Vertical	PASS
4	10070.500	-4.41	51.37	46.96	74.00	27.04	49.31	44.90	54.00	9.10	150	157	Vertical	PASS
5	14070.500	1.14	48.57	49.71	74.00	24.29	44.00	45.14	54.00	8.86	150	196	Vertical	PASS
6	16646.500	4.41	48.37	52.78	74.00	21.22	46.02	50.43	54.00	3.57	150	181	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:	DH5-2441
-------	----------



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Readin g [dBμV/ m]	PK Value [dBμV/ m]	PK Limit [dBμV/ m]	PK Margin [dB]	AV Readin g [dBμV/ m]	AV Value [dBμV/ m]	AV Limit [dBμV/ m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3849.0000	-17.99	55.38	37.39	74.00	36.61	53.57	35.58	54.00	18.42	150	64	Horizontal	PASS
2	4884.0000	-13.92	55.33	41.41	74.00	32.59	53.42	39.50	54.00	14.50	150	87	Horizontal	PASS
3	7325.5000	-9.19	58.63	49.44	74.00	24.56	56.78	47.59	54.00	6.41	150	87	Horizontal	PASS
4	9270.0000	-5.07	51.21	46.14	74.00	27.86	47.91	42.84	54.00	11.16	150	234	Horizontal	PASS
5	12887.000	-0.19	48.64	48.45	74.00	25.55	46.69	46.50	54.00	7.50	150	204	Horizontal	PASS
6	15914.500	2.91	48.94	51.85	74.00	22.15	47.22	50.13	54.00	3.87	150	142	Horizontal	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3839.0000	-17.39	54.95	37.56	74.00	36.44	52.88	35.49	54.00	18.51	150	302	Vertical	PASS
2	6061.0000	-11.92	53.59	41.67	74.00	32.33	51.92	40.00	54.00	14.00	150	295	Vertical	PASS
3	7326.0000	-9.20	61.94	52.74	74.00	21.26	59.44	50.24	54.00	3.76	150	96	Vertical	PASS
4	9948.0000	-4.14	50.83	46.69	74.00	27.31	48.93	44.79	54.00	9.21	150	126	Vertical	PASS
5	11932.000	-1.60	50.13	48.53	74.00	25.47	47.96	46.36	54.00	7.64	150	310	Vertical	PASS
6	14445.000	1.00	49.62	50.62	74.00	23.38	47.51	48.51	54.00	5.49	150	12	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:	DH5-2480
-------	----------



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3817.5000	-18.50	56.36	37.86	74.00	36.14	54.95	36.45	54.00	17.55	150	157	Horizontal	PASS
2	5187.0000	-13.34	55.41	42.07	74.00	31.93	52.75	39.41	54.00	14.59	150	264	Horizontal	PASS
3	7440.0000	-8.89	59.27	50.38	74.00	23.62	57.53	48.64	54.00	5.36	150	111	Horizontal	PASS
4	9244.5000	-4.84	51.58	46.74	74.00	27.26	49.30	44.46	54.00	9.54	150	65	Horizontal	PASS
5	11894.500	-1.60	49.6	48.00	74.00	26.00	48.13	46.53	54.00	7.47	150	58	Horizontal	PASS
6	13743.500	0.11	49.61	49.72	74.00	24.28	46.72	46.83	54.00	7.17	150	95	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3839.0000	-17.39	54.9	37.51	74.00	36.49	53.44	36.05	54.00	17.95	150	57	Vertical	PASS
2	4906.5000	-13.26	54.66	41.40	74.00	32.60	50.71	37.45	54.00	16.55	150	262	Vertical	PASS
3	7439.5000	-8.92	61.61	52.69	74.00	21.31	58.99	50.07	54.00	3.93	150	95	Vertical	PASS
4	8639.0000	-6.83	53.12	46.29	74.00	27.71	47.74	40.91	54.00	13.09	150	72	Vertical	PASS
5	11112.500	-3.00	49.96	46.96	74.00	27.04	46.98	43.98	54.00	10.02	150	247	Vertical	PASS
6	14078.000	1.33	49.52	50.85	74.00	23.15	47.27	48.60	54.00	5.40	150	0	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Mode:

2DH5-2402



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3786.5000	-18.60	56.3	37.70	74.00	36.30	55.19	36.59	54.00	17.41	150	204	Horizontal	PASS
2	5030.0000	-13.77	55.42	41.65	74.00	32.35	51.25	37.48	54.00	16.52	150	152	Horizontal	PASS
3	7209.0000	-9.14	56.38	47.24	74.00	26.76	54.17	45.03	54.00	8.97	150	107	Horizontal	PASS
4	9890.5000	-4.34	51.22	46.88	74.00	27.12	49.38	45.04	54.00	8.96	150	99	Horizontal	PASS
5	11071.500	-3.01	50.65	47.64	74.00	26.36	45.16	42.15	54.00	11.85	150	167	Horizontal	PASS
6	13892.000	0.77	49.29	50.06	74.00	23.94	48.04	48.81	54.00	5.19	150	107	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3929.5000	-17.99	56.12	38.13	74.00	35.87	53.11	35.12	54.00	18.88	150	0	Vertical	PASS
2	4910.5000	-13.13	54.82	41.69	74.00	32.31	52.84	39.71	54.00	14.29	150	72	Vertical	PASS
3	6435.5000	-10.57	53.64	43.07	74.00	30.93	51.33	40.76	54.00	13.24	150	0	Vertical	PASS
4	7208.5000	-9.18	58.41	49.23	74.00	24.77	56.86	47.68	54.00	6.32	150	72	Vertical	PASS
5	10321.000	-3.92	50.97	47.05	74.00	26.95	48.67	44.75	54.00	9.25	150	287	Vertical	PASS
6	13633.500	0.70	49.46	50.16	74.00	23.84	47.05	47.75	54.00	6.25	150	65	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Mode:

2DH5-2441



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3821.5000	-18.50	57.36	38.86	74.00	35.14	52.48	33.98	54.00	20.02	150	172	Horizontal	PASS
2	4887.0000	-13.81	55.14	41.33	74.00	32.67	52.47	38.66	54.00	15.34	150	196	Horizontal	PASS
3	7325.5000	-9.19	58.6	49.41	74.00	24.59	56.60	47.41	54.00	6.59	150	112	Horizontal	PASS
4	9320.0000	-5.38	51.52	46.14	74.00	27.86	49.46	44.08	54.00	9.92	150	90	Horizontal	PASS
5	11296.500	-2.92	50.34	47.42	74.00	26.58	48.53	45.61	54.00	8.39	150	82	Horizontal	PASS
6	13753.000	0.42	49.49	49.91	74.00	24.09	47.50	47.92	54.00	6.08	150	98	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3804.5000	-18.48	56.81	38.33	74.00	35.67	53.03	34.55	54.00	19.45	150	128	Vertical	PASS
2	5181.0000	-13.44	54.64	41.20	74.00	32.80	52.85	39.41	54.00	14.59	150	75	Vertical	PASS
3	6235.0000	-10.24	52.97	42.73	74.00	31.27	51.01	40.77	54.00	13.23	150	83	Vertical	PASS
4	7326.0000	-9.20	62.44	53.24	74.00	20.76	58.23	49.03	54.00	4.97	150	90	Vertical	PASS
5	9931.0000	-4.29	51.19	46.90	74.00	27.10	49.16	44.87	54.00	9.13	150	242	Vertical	PASS
6	13762.500	0.69	50.05	50.74	74.00	23.26	47.36	48.05	54.00	5.95	150	67	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Mode:

2DH5-2480



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3592.5000	-19.11	57.38	38.27	74.00	35.73	53.51	34.40	54.00	19.60	150	228	Horizontal	PASS
2	5258.0000	-13.28	54.37	41.09	74.00	32.91	51.83	38.55	54.00	15.45	150	61	Horizontal	PASS
3	7440.0000	-8.89	58.53	49.64	74.00	24.36	56.64	47.75	54.00	6.25	150	114	Horizontal	PASS
4	9258.5000	-4.50	50.3	45.80	74.00	28.20	49.00	44.50	54.00	9.50	150	38	Horizontal	PASS
5	13017.000	-0.46	48.54	48.08	74.00	25.92	44.47	44.01	54.00	9.99	150	91	Horizontal	PASS
6	15699.500	2.46	48.52	50.98	74.00	23.02	43.70	46.16	54.00	7.84	150	302	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3909.0000	-18.14	56.51	38.37	74.00	35.63	54.43	36.29	54.00	17.71	150	280	Vertical	PASS
2	5021.5000	-13.62	55.32	41.70	74.00	32.30	52.14	38.52	54.00	15.48	150	218	Vertical	PASS
3	7440.0000	-8.89	62.35	53.46	74.00	20.54	59.04	50.15	54.00	3.85	150	94	Vertical	PASS
4	9952.0000	-4.07	51.7	47.63	74.00	26.37	50.06	45.99	54.00	8.01	150	3	Vertical	PASS
5	13146.000	0.17	48.67	48.84	74.00	25.16	46.70	46.87	54.00	7.13	150	126	Vertical	PASS
6	15816.500	2.47	48.63	51.10	74.00	22.90	47.16	49.63	54.00	4.37	150	41	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:3DH5-2402



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3904.0000	-18.38	56.05	37.67	74.00	36.33	54.33	35.95	54.00	18.05	150	340	Horizontal	PASS
2	4982.0000	-13.75	54.47	40.72	74.00	33.28	52.85	39.10	54.00	14.90	150	103	Horizontal	PASS
3	7208.5000	-9.18	55.86	46.68	74.00	27.32	54.06	44.88	54.00	9.12	150	103	Horizontal	PASS
4	9410.0000	-5.37	51.27	45.90	74.00	28.10	47.77	42.40	54.00	11.60	150	125	Horizontal	PASS
5	11220.500	-2.35	50.18	47.83	74.00	26.17	49.28	46.93	54.00	7.07	150	218	Horizontal	PASS
6	14582.000	1.40	48.59	49.99	74.00	24.01	46.50	47.90	54.00	6.10	150	265	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3949.0000	-17.30	55.4	38.10	74.00	35.90	51.30	34.00	54.00	20.00	150	138	Vertical	PASS
2	5174.0000	-13.07	54.68	41.61	74.00	32.39	52.59	39.52	54.00	14.48	150	0	Vertical	PASS
3	6505.5000	-10.30	53.5	43.20	74.00	30.80	51.93	41.63	54.00	12.37	150	324	Vertical	PASS
4	7209.0000	-9.14	59.31	50.17	74.00	23.83	57.35	48.21	54.00	5.79	150	6	Vertical	PASS
5	9297.0000	-5.50	51.99	46.49	74.00	27.51	47.61	42.11	54.00	11.89	150	308	Vertical	PASS
6	13836.000	0.98	48.61	49.59	74.00	24.41	44.73	45.71	54.00	8.29	150	0	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Mode:

3DH5-2441



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3382.0000	-19.73	57.11	37.38	74.00	36.62	55.07	35.34	54.00	18.66	150	124	Horizontal	PASS
2	5055.0000	-12.84	54.1	41.26	74.00	32.74	52.50	39.66	54.00	14.34	150	207	Horizontal	PASS
3	7326.0000	-9.20	58.16	48.96	74.00	25.04	55.47	46.27	54.00	7.73	150	94	Horizontal	PASS
4	9526.5000	-4.68	51.51	46.83	74.00	27.17	48.50	43.82	54.00	10.18	150	254	Horizontal	PASS
5	11632.500	-2.10	49.48	47.38	74.00	26.62	46.88	44.78	54.00	9.22	150	25	Horizontal	PASS
6	13818.000	1.13	49.56	50.69	74.00	23.31	47.46	48.59	54.00	5.41	150	170	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3513.0000	-19.55	57.1	37.55	74.00	36.45	55.34	35.79	54.00	18.21	150	190	Vertical	PASS
2	5049.5000	-12.93	54.15	41.22	74.00	32.78	51.55	38.62	54.00	15.38	150	242	Vertical	PASS
3	6137.0000	-11.08	52.99	41.91	74.00	32.09	51.38	40.30	54.00	13.70	150	1	Vertical	PASS
4	7325.5000	-9.19	62.22	53.03	74.00	20.97	58.36	49.17	54.00	4.83	150	68	Vertical	PASS
5	9052.5000	-6.12	52.29	46.17	74.00	27.83	49.25	43.13	54.00	10.87	150	92	Vertical	PASS
6	14177.000	1.40	48.62	50.02	74.00	23.98	46.96	48.36	54.00	5.64	150	242	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level


Mode:

3DH5-2480



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3829.5000	-18.02	55.88	37.86	74.00	36.14	52.94	34.92	54.00	19.08	150	13	Horizontal	PASS
2	5167.5000	-13.02	54.16	41.14	74.00	32.86	51.17	38.15	54.00	15.85	150	265	Horizontal	PASS
3	6373.0000	-10.30	53.36	43.06	74.00	30.94	51.11	40.81	54.00	13.19	150	347	Horizontal	PASS
4	7440.0000	-8.89	57.65	48.76	74.00	25.24	55.10	46.21	54.00	7.79	150	103	Horizontal	PASS
5	9515.5000	-4.70	51.4	46.70	74.00	27.30	47.47	42.77	54.00	11.23	150	355	Horizontal	PASS
6	14372.000	1.48	48.88	50.36	74.00	23.64	47.10	48.58	54.00	5.42	150	238	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Readin g [dBμV/ m]	PK Value [dBμV/ m]	PK Limit [dBμV/ m]	PK Margin [dB]	AV Readin g [dBμV/ m]	AV Value [dBμV/ m]	AV Limit [dBμV/ m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3593.5000	-19.13	57.03	37.90	74.00	36.10	55.59	36.46	54.00	17.54	150	0	Vertical	PASS
2	4908.0000	-13.19	54.34	41.15	74.00	32.85	52.79	39.60	54.00	14.40	150	244	Vertical	PASS
3	7439.5000	-8.92	62.08	53.16	74.00	20.84	59.46	50.54	54.00	3.46	150	90	Vertical	PASS
4	9957.0000	-3.97	51.05	47.08	74.00	26.92	49.20	45.23	54.00	8.77	150	72	Vertical	PASS
5	11883.500	-1.44	48.8	47.36	74.00	26.64	45.94	44.50	54.00	9.50	150	136	Vertical	PASS
6	13762.500	0.69	49.55	50.24	74.00	23.76	45.21	45.90	54.00	8.10	150	45	Vertical	PASS

Note: (1) Level = Reading + Factor (2) Margin = Limit - Level


18-25G:

Mode:	DH5-2402
-------	----------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18416.5208	-4.86	45.86	74.00	28.14	44.91	54.00	9.09	100	264	Horizontal	PASS
2	19476.0238	-3.85	45.62	74.00	28.38	43.98	54.00	10.02	100	213	Horizontal	PASS
3	20563.8782	-2.27	46.45	74.00	27.55	44.94	54.00	9.06	100	253	Horizontal	PASS
4	21639.8320	-1.69	45.55	74.00	28.45	44.04	54.00	9.96	100	150	Horizontal	PASS
5	22789.6395	0.25	47.38	74.00	26.62	46.31	54.00	7.69	100	166	Horizontal	PASS
6	23958.6979	3.04	50.30	74.00	23.70	48.61	54.00	5.39	100	280	Horizontal	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18452.5726	-4.84	45.91	74.00	28.09	44.84	54.00	9.16	100	301	Vertical	PASS
2	19180.6090	-4.26	45.16	74.00	28.84	42.64	54.00	11.36	100	324	Vertical	PASS
3	19827.7914	-3.36	47.35	74.00	26.65	46.48	54.00	7.52	100	234	Vertical	PASS
4	20752.5376	-1.99	45.82	74.00	28.18	44.78	54.00	9.22	100	324	Vertical	PASS
5	22017.5009	-1.69	45.83	74.00	28.17	44.50	54.00	9.50	100	266	Vertical	PASS
6	23782.9891	2.62	50.04	74.00	23.96	48.57	54.00	5.43	100	360	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:	DH5-2441
-------	----------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18076.3038	-5.06	45.42	74.00	28.58	44.53	54.00	9.47	100	106	Horizontal	PASS
2	18670.9835	-4.71	46.66	74.00	27.34	45.79	54.00	8.21	100	355	Horizontal	PASS
3	19609.0305	-3.66	45.74	74.00	28.26	43.70	54.00	10.30	100	332	Horizontal	PASS
4	20971.9986	-1.66	47.04	74.00	26.96	45.44	54.00	8.56	100	37	Horizontal	PASS
5	21694.4347	-1.70	45.23	74.00	28.77	44.32	54.00	9.68	100	248	Horizontal	PASS
6	23775.6388	2.61	50.34	74.00	23.66	49.41	54.00	4.59	100	37	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18269.8635	-4.95	45.24	74.00	28.76	44.38	54.00	9.62	100	356	Vertical	PASS
2	19374.5187	-3.99	46.58	74.00	27.42	45.78	54.00	8.22	100	196	Vertical	PASS
3	19827.7914	-3.36	47.19	74.00	26.81	46.32	54.00	7.68	100	336	Vertical	PASS
4	20804.6902	-1.91	46.12	74.00	27.88	44.53	54.00	9.47	100	298	Vertical	PASS
5	21550.5775	-1.68	45.70	74.00	28.30	42.77	54.00	11.23	100	217	Vertical	PASS
6	24157.5079	3.05	50.26	74.00	23.74	49.55	54.00	4.45	100	289	Vertical	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level