



Mode:	DH5-2480
-------	----------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18229.6115	-4.97	45.05	74.00	28.95	43.45	54.00	10.55	100	270	Horizontal	PASS
2	19318.5159	-4.07	44.73	74.00	29.27	42.88	54.00	11.12	100	290	Horizontal	PASS
3	19827.7914	-3.36	47.77	74.00	26.23	46.41	54.00	7.59	100	32	Horizontal	PASS
4	21249.5625	-1.64	45.70	74.00	28.30	44.84	54.00	9.16	100	229	Horizontal	PASS
5	22542.5271	-0.37	46.04	74.00	27.96	44.89	54.00	9.11	100	346	Horizontal	PASS
6	23782.9891	2.62	48.39	74.00	25.61	47.10	54.00	6.90	100	330	Horizontal	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18333.2167	-4.91	45.54	74.00	28.46	42.98	54.00	11.02	100	344	Vertical	PASS
2	19827.7914	-3.36	48.23	74.00	25.77	47.54	54.00	6.46	100	233	Vertical	PASS
3	20753.5877	-1.98	46.57	74.00	27.43	45.45	54.00	8.55	100	354	Vertical	PASS
4	21721.0361	-1.70	45.36	74.00	28.64	44.46	54.00	9.54	100	318	Vertical	PASS
5	22715.0858	0.06	46.88	74.00	27.12	45.40	54.00	8.60	100	45	Vertical	PASS
6	23877.4939	2.85	49.80	74.00	24.20	48.73	54.00	5.27	100	156	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:	2DH5-2402
-------	-----------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18684.9842	-4.70	45.57	74.00	28.43	44.00	54.00	10.00	100	161	Horizontal	PASS
2	19413.3707	-3.94	46.29	74.00	27.71	45.20	54.00	8.80	100	52	Horizontal	PASS
3	20459.5730	-2.42	46.49	74.00	27.51	45.70	54.00	8.30	100	31	Horizontal	PASS
4	21272.3136	-1.65	44.99	74.00	29.01	41.67	54.00	12.33	100	137	Horizontal	PASS
5	22522.5761	-0.42	45.42	74.00	28.58	44.22	54.00	9.78	100	20	Horizontal	PASS
6	24074.5537	3.10	49.61	74.00	24.39	46.77	54.00	7.23	100	3	Horizontal	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18404.9702	-4.87	45.01	74.00	28.99	43.16	54.00	10.84	100	95	Vertical	PASS
2	19345.8173	-4.03	45.03	74.00	28.97	43.76	54.00	10.24	100	315	Vertical	PASS
3	19827.7914	-3.36	46.85	74.00	27.15	46.47	54.00	7.53	100	264	Vertical	PASS
4	21174.3087	-1.63	46.23	74.00	27.77	45.23	54.00	8.77	100	168	Vertical	PASS
5	22076.3038	-1.55	44.83	74.00	29.17	43.61	54.00	10.39	100	259	Vertical	PASS
6	24073.8537	3.10	49.13	74.00	24.87	47.47	54.00	6.53	100	117	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:	2DH5-2441
-------	-----------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18252.3626	-4.96	44.20	74.00	29.80	42.91	54.00	11.09	100	312	Horizontal	PASS
2	19421.7711	-3.93	45.23	74.00	28.77	44.64	54.00	9.36	100	135	Horizontal	PASS
3	19827.7914	-3.36	47.73	74.00	26.27	46.77	54.00	7.23	100	36	Horizontal	PASS
4	20702.1351	-2.06	45.82	74.00	28.18	43.86	54.00	10.14	100	159	Horizontal	PASS
5	22282.4641	-1.03	45.66	74.00	28.34	43.51	54.00	10.49	100	175	Horizontal	PASS
6	24150.1575	3.05	49.40	74.00	24.60	47.74	54.00	6.26	100	50	Horizontal	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18148.0574	-5.02	45.46	74.00	28.54	44.02	54.00	9.98	100	319	Vertical	PASS
2	19191.1096	-4.24	45.03	74.00	28.97	43.79	54.00	10.21	100	282	Vertical	PASS
3	19827.7914	-3.36	48.22	74.00	25.78	46.80	54.00	7.20	100	40	Vertical	PASS
4	21526.4263	-1.68	45.52	74.00	28.48	43.41	54.00	10.59	100	329	Vertical	PASS
5	23024.8512	0.84	46.95	74.00	27.05	44.87	54.00	9.13	100	101	Vertical	PASS
6	24170.1085	3.05	49.59	74.00	24.41	48.42	54.00	5.58	100	15	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:	2DH5-2480
-------	-----------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18436.8218	-4.85	44.67	74.00	29.33	43.43	54.00	10.57	100	132	Horizontal	PASS
2	19017.8509	-4.49	45.05	74.00	28.95	43.95	54.00	10.05	100	231	Horizontal	PASS
3	19827.7914	-3.36	48.85	74.00	25.15	48.01	54.00	5.99	100	342	Horizontal	PASS
4	20815.8908	-1.89	46.01	74.00	27.99	45.03	54.00	8.97	100	337	Horizontal	PASS
5	21584.1792	-1.69	45.25	74.00	28.75	43.47	54.00	10.53	100	54	Horizontal	PASS
6	23979.3490	3.09	50.24	74.00	23.76	49.27	54.00	4.73	100	250	Horizontal	PASS


Note: (1) Level = Reading + Factor (2) Margin = Limit - Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18262.8631	-4.95	44.71	74.00	29.29	44.24	54.00	9.76	100	336	Vertical	PASS
2	19362.6181	-4.00	46.16	74.00	27.84	44.76	54.00	9.24	100	61	Vertical	PASS
3	20141.0571	-2.91	45.30	74.00	28.70	43.94	54.00	10.06	100	252	Vertical	PASS
4	21369.6185	-1.66	45.58	74.00	28.42	43.85	54.00	10.15	100	56	Vertical	PASS
5	22891.1446	0.50	46.92	74.00	27.08	45.49	54.00	8.51	100	319	Vertical	PASS
6	24257.9629	3.00	49.42	74.00	24.58	48.01	54.00	5.99	100	241	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:	3DH5-2402
-------	-----------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18244.6622	-4.96	45.98	74.00	28.02	44.62	54.00	9.38	100	141	Horizontal	PASS
2	18963.9482	-4.53	45.21	74.00	28.79	43.73	54.00	10.27	100	208	Horizontal	PASS
3	19921.2461	-3.23	45.11	74.00	28.89	43.09	54.00	10.91	100	43	Horizontal	PASS
4	21424.9212	-1.67	45.22	74.00	28.78	42.97	54.00	11.03	100	320	Horizontal	PASS
5	22814.1407	0.31	47.24	74.00	26.76	45.32	54.00	8.68	100	234	Horizontal	PASS
6	24115.5058	3.08	49.31	74.00	24.69	48.08	54.00	5.92	100	360	Horizontal	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18189.7095	-5.00	44.94	74.00	29.06	43.78	54.00	10.22	100	60	Vertical	PASS
2	19284.5642	-4.11	45.99	74.00	28.01	44.99	54.00	9.01	100	253	Vertical	PASS
3	20359.8180	-2.57	46.43	74.00	27.57	44.81	54.00	9.19	100	295	Vertical	PASS
4	21409.5205	-1.66	46.27	74.00	27.73	45.11	54.00	8.89	100	54	Vertical	PASS
5	22473.2237	-0.54	45.84	74.00	28.16	44.40	54.00	9.60	100	279	Vertical	PASS
6	24070.0035	3.10	50.03	74.00	23.97	48.57	54.00	5.43	100	44	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:	3DH5-2441
-------	-----------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18553.3777	-4.78	45.77	74.00	28.23	44.02	54.00	9.98	100	267	Horizontal	PASS
2	19814.1407	-3.38	45.74	74.00	28.26	44.19	54.00	9.81	100	311	Horizontal	PASS
3	20513.8257	-2.34	46.07	74.00	27.93	44.38	54.00	9.62	100	311	Horizontal	PASS
4	21608.6804	-1.69	44.75	74.00	29.25	43.62	54.00	10.38	100	298	Horizontal	PASS
5	22507.5254	-0.46	45.99	74.00	28.01	45.18	54.00	8.82	100	183	Horizontal	PASS
6	24265.6633	2.99	50.10	74.00	23.90	48.88	54.00	5.12	100	3	Horizontal	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18165.2083	-5.01	45.75	74.00	28.25	43.43	54.00	10.57	100	341	Vertical	PASS
2	18884.4942	-4.58	45.35	74.00	28.65	43.59	54.00	10.41	100	65	Vertical	PASS
3	19828.1414	-3.36	45.78	74.00	28.22	45.19	54.00	8.81	100	108	Vertical	PASS
4	21092.7546	-1.62	45.83	74.00	28.17	44.28	54.00	9.72	100	33	Vertical	PASS
5	22051.8026	-1.61	45.06	74.00	28.94	43.50	54.00	10.50	100	257	Vertical	PASS
6	23998.9499	3.14	50.66	74.00	23.34	49.26	54.00	4.74	100	215	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Mode:	3DH5-2480
-------	-----------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18222.6111	-4.98	46.39	74.00	27.61	44.78	54.00	9.22	100	139	Horizontal	PASS
2	18793.4897	-4.63	45.43	74.00	28.57	44.28	54.00	9.72	100	254	Horizontal	PASS
3	19837.5919	-3.35	46.96	74.00	27.04	45.70	54.00	8.30	100	124	Horizontal	PASS
4	20831.6416	-1.86	46.31	74.00	27.69	45.00	54.00	9.00	100	202	Horizontal	PASS
5	22462.3731	-0.57	45.89	74.00	28.11	44.06	54.00	9.94	100	170	Horizontal	PASS
6	23908.9955	2.92	49.96	74.00	24.04	48.08	54.00	5.92	100	139	Horizontal	PASS

Note:(1)Level=Reading+Factor (2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18320.2660	-4.92	45.35	74.00	28.65	44.49	54.00	9.51	100	19	Vertical	PASS
2	19690.5845	-3.55	45.68	74.00	28.32	43.39	54.00	10.61	100	274	Vertical	PASS
3	20984.5992	-1.63	46.90	74.00	27.10	45.41	54.00	8.59	100	304	Vertical	PASS
4	22033.2517	-1.66	44.68	74.00	29.32	43.69	54.00	10.31	100	205	Vertical	PASS
5	22578.5789	-0.28	46.31	74.00	27.69	45.22	54.00	8.78	100	269	Vertical	PASS
6	23840.7420	2.76	50.03	74.00	23.97	48.45	54.00	5.55	100	231	Vertical	PASS


Note:(1)Level=Reading+Factor (2)Margin=Limit-Level

Appendix L: Conducted emission AC power port

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Polarity	Verdict
1	0.156	10.26	41.04	65.67	24.63	29.32	55.67	26.35	L1	PASS
2	0.543	10.25	35.85	56.00	20.15	23.08	46.00	22.92	L1	PASS
3	1.947	10.28	35.88	56.00	20.12	22.52	46.00	23.48	L1	PASS
4	3.78	10.30	36.00	56.00	20.00	23.78	46.00	22.22	L1	PASS
5	7.539	10.42	35.99	60.00	24.01	24.45	50.00	25.55	L1	PASS
6	13.495	10.52	35.41	60.00	24.59	22.83	50.00	27.17	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Polarity	Verdict
1	0.156	10.35	38.43	65.67	27.24	28.20	55.67	27.47	N	PASS
2	0.543	10.25	35.58	56.00	20.42	24.57	46.00	21.43	N	PASS
3	1.476	10.32	35.19	56.00	20.81	23.50	46.00	22.50	N	PASS
4	3.609	10.40	34.59	56.00	21.41	22.97	46.00	23.03	N	PASS
5	5.82	10.41	36.26	60.00	23.74	23.69	50.00	26.31	N	PASS
6	11.179	10.49	35.77	60.00	24.23	22.82	50.00	27.18	N	PASS