











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																			
ANT	802.11g CH06 2437MHz - R																																			
2	Horizontal	Fundamental																																		
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sparton.com.cn Data: 3  Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000, 000KHz YBW 3000, 000KHz SMT Auto Model : (FR) R8214042 Plane : 40 Polarization : Full-directivity Pre-setting : 15.5 Antenna : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2485.12</td><td>54.26</td><td>-19.74</td><td>74.00</td><td>48.72</td><td>31.70</td><td>7.27</td><td>33.43</td><td>159</td><td>18 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2485.12	54.26	-19.74	74.00	48.72	31.70	7.27	33.43	159	18 Peak	HORIZONTAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																										
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																												
1	2485.12	54.26	-19.74	74.00	48.72	31.70	7.27	33.43	159	18 Peak	HORIZONTAL																									
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sparton.com.cn Data: 4  Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000, 000KHz YBW 3000, 000KHz SMT Auto Model : (FR) R8214042 Plane : 40 Polarization : Full-directivity Pre-setting : 15.5 Antenna : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2485.66</td><td>43.77</td><td>-10.23</td><td>54.00</td><td>38.23</td><td>31.70</td><td>7.27</td><td>33.43</td><td>159</td><td>18 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2485.66	43.77	-10.23	54.00	38.23	31.70	7.27	33.43	159	18 Average	HORIZONTAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																										
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																												
1	2485.66	43.77	-10.23	54.00	38.23	31.70	7.27	33.43	159	18 Average	HORIZONTAL																									











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11g CH06 2437MHz - L																																																																																																																																						
2	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Antenna : Full-directivity IMEI : 83 PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2351.08</td><td>55.57</td><td>-18.43</td><td>74.00</td><td>49.08</td><td>32.87</td><td>7.07</td><td>33.45</td><td>379</td><td>92 Peak</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Antenna : Full-directivity IMEI : 83 PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>101.93</td><td>95.03</td><td>33.11</td><td>7.23</td><td>33.44</td><td>379</td><td></td><td>92 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2351.08	55.57	-18.43	74.00	49.08	32.87	7.07	33.45	379	92 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2438.00	101.93	95.03	33.11	7.23	33.44	379		92 Peak	VERTICAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Antenna : Full-directivity IMEI : 83 PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2386.83</td><td>45.23</td><td>-8.77</td><td>54.00</td><td>38.02</td><td>33.50</td><td>7.16</td><td>33.45</td><td>379</td><td>92 Average</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Antenna : Full-directivity IMEI : 83 PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>94.20</td><td>87.30</td><td>33.11</td><td>7.23</td><td>33.44</td><td>379</td><td></td><td>92 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2386.83	45.23	-8.77	54.00	38.02	33.50	7.16	33.45	379	92 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2438.00	94.20	87.30	33.11	7.23	33.44	379		92 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																															
1	2351.08	55.57	-18.43	74.00	49.08	32.87	7.07	33.45	379	92 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																															
1	2438.00	101.93	95.03	33.11	7.23	33.44	379		92 Peak	VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																															
1	2386.83	45.23	-8.77	54.00	38.02	33.50	7.16	33.45	379	92 Average																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																															
1	2438.00	94.20	87.30	33.11	7.23	33.44	379		92 Average	VERTICAL																																																																																																																													







WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
ANT		802.11g CH06 2437MHz - R																																		
2	Vertical	Fundamental																																		
Peak	 Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : R0W 1000.000KHz Y0W 3000.000KHz DWT:Auto Model : 40 Plane : 2 Polarization : Full-directivity IMEI : 15.5 PowerSetting : ANT 2 ANT : 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2498.86</td><td>55.64</td><td>-18.36</td><td>74.00</td><td>49.03</td><td>32.73</td><td>7.30</td><td>33.42</td><td>379</td><td>92 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2498.86	55.64	-18.36	74.00	49.03	32.73	7.30	33.42	379	92 Peak	VERTICAL	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																										
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																												
1	2498.86	55.64	-18.36	74.00	49.03	32.73	7.30	33.42	379	92 Peak	VERTICAL																									
Avg.	 Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : R0W 1000.000KHz Y0W 3.7500KHz DWT:Auto Model : 40 Plane : 2 Polarization : Full-directivity IMEI : 15.5 PowerSetting : ANT 2 ANT : 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2486.62</td><td>44.65</td><td>-9.35</td><td>54.00</td><td>37.94</td><td>32.86</td><td>7.27</td><td>33.42</td><td>379</td><td>92 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2486.62	44.65	-9.35	54.00	37.94	32.86	7.27	33.42	379	92 Average	VERTICAL	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																										
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																												
1	2486.62	44.65	-9.35	54.00	37.94	32.86	7.27	33.42	379	92 Average	VERTICAL																									







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11g CH11 2462MHz																																																																																																																																						
2	Horizontal	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>54.65</td><td>-19.35</td><td>74.00</td><td>49.01</td><td>31.80</td><td>7.27</td><td>33.43</td><td>162 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2464.00</td><td>98.52</td><td></td><td>92.80</td><td>31.90</td><td>7.25</td><td>33.43</td><td>300</td><td>162 Peak</td><td>HORIZONTAL</td></tr></table> <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>44.17</td><td>-9.83</td><td>54.00</td><td>38.53</td><td>31.80</td><td>7.27</td><td>33.43</td><td>162 Average</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2464.00</td><td>90.92</td><td></td><td>85.20</td><td>31.90</td><td>7.25</td><td>33.43</td><td>300</td><td>162 Average</td><td>HORIZONTAL</td></tr></table> </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2483.50	54.65	-19.35	74.00	49.01	31.80	7.27	33.43	162 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2464.00	98.52		92.80	31.90	7.25	33.43	300	162 Peak	HORIZONTAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>44.17</td><td>-9.83</td><td>54.00</td><td>38.53</td><td>31.80</td><td>7.27</td><td>33.43</td><td>162 Average</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2464.00</td><td>90.92</td><td></td><td>85.20</td><td>31.90</td><td>7.25</td><td>33.43</td><td>300</td><td>162 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2483.50	44.17	-9.83	54.00	38.53	31.80	7.27	33.43	162 Average	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2464.00	90.92		85.20	31.90	7.25	33.43	300	162 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																															
1	2483.50	54.65	-19.35	74.00	49.01	31.80	7.27	33.43	162 Peak	HORIZONTAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																															
1	2464.00	98.52		92.80	31.90	7.25	33.43	300	162 Peak	HORIZONTAL																																																																																																																													
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>44.17</td><td>-9.83</td><td>54.00</td><td>38.53</td><td>31.80</td><td>7.27</td><td>33.43</td><td>162 Average</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2464.00</td><td>90.92</td><td></td><td>85.20</td><td>31.90</td><td>7.25</td><td>33.43</td><td>300</td><td>162 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2483.50	44.17	-9.83	54.00	38.53	31.80	7.27	33.43	162 Average	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2464.00	90.92		85.20	31.90	7.25	33.43	300	162 Average	HORIZONTAL																																																																				
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																															
1	2483.50	44.17	-9.83	54.00	38.53	31.80	7.27	33.43	162 Average	HORIZONTAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																															
1	2464.00	90.92		85.20	31.90	7.25	33.43	300	162 Average	HORIZONTAL																																																																																																																													







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																										
ANT	802.11g CH11 2462MHz																																																																																																																										
2	Vertical	Fundamental																																																																																																																									
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW: 3000.000KHz SWT: Auto Mode : (FR) R21A042 Plane : 2 Full-directivity IMEI : 15.5 Power setting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.68</td><td>57.62</td><td>-16.38</td><td>74.00</td><td>50.92</td><td>32.86</td><td>7.27</td><td>33.43</td><td>367</td><td>92</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW: 3000.000KHz SWT: Auto Mode : (FR) R21A042 Plane : 2 Full-directivity IMEI : 15.5 Power setting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>102.10</td><td>95.29</td><td>32.99</td><td>7.25</td><td>33.43</td><td>367</td><td>92</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2483.68	57.62	-16.38	74.00	50.92	32.86	7.27	33.43	367	92	Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2462.00	102.10	95.29	32.99	7.25	33.43	367	92	Peak	VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW: 3.7500KHz SWT: Auto Mode : (FR) R21A042 Plane : 2 Full-directivity IMEI : 15.5 Power setting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.56</td><td>45.75</td><td>-8.25</td><td>54.00</td><td>39.05</td><td>32.86</td><td>7.27</td><td>33.43</td><td>367</td><td>92</td><td>Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW: 3.7500KHz SWT: Auto Mode : (FR) R21A042 Plane : 2 Full-directivity IMEI : 15.5 Power setting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.00</td><td>94.42</td><td>87.61</td><td>32.99</td><td>7.25</td><td>33.43</td><td>367</td><td>92</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2483.56	45.75	-8.25	54.00	39.05	32.86	7.27	33.43	367	92	Average	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	2462.00	94.42	87.61	32.99	7.25	33.43	367	92	Average	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																				
1	2483.68	57.62	-16.38	74.00	50.92	32.86	7.27	33.43	367	92	Peak	VERTICAL																																																																																																															
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																				
1	2462.00	102.10	95.29	32.99	7.25	33.43	367	92	Peak	VERTICAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																				
1	2483.56	45.75	-8.25	54.00	39.05	32.86	7.27	33.43	367	92	Average	VERTICAL																																																																																																															
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																				
1	2462.00	94.42	87.61	32.99	7.25	33.43	367	92	Average	VERTICAL																																																																																																																	







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11g CH12 2467MHz																																																																																																																																						
2	Horizontal	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 86 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.68</td><td>65.61</td><td>-8.39</td><td>74.00</td><td>59.97</td><td>31.80</td><td>7.27</td><td>33.43</td><td>225</td><td>19 Peak</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 86 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2466.00</td><td>101.29</td><td>95.57</td><td>31.90</td><td>7.25</td><td>33.43</td><td>225</td><td>19 Peak</td><td></td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2483.68	65.61	-8.39	74.00	59.97	31.80	7.27	33.43	225	19 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2466.00	101.29	95.57	31.90	7.25	33.43	225	19 Peak		HORIZONTAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 86 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>48.02</td><td>-5.98</td><td>54.00</td><td>42.38</td><td>31.80</td><td>7.27</td><td>33.43</td><td>225</td><td>19 Average</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 86 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2466.00</td><td>93.82</td><td>88.10</td><td>31.90</td><td>7.25</td><td>33.43</td><td>225</td><td>19 Average</td><td></td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2483.50	48.02	-5.98	54.00	42.38	31.80	7.27	33.43	225	19 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2466.00	93.82	88.10	31.90	7.25	33.43	225	19 Average		HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																															
1	2483.68	65.61	-8.39	74.00	59.97	31.80	7.27	33.43	225	19 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																															
1	2466.00	101.29	95.57	31.90	7.25	33.43	225	19 Peak		HORIZONTAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																															
1	2483.50	48.02	-5.98	54.00	42.38	31.80	7.27	33.43	225	19 Average																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																																																																															
1	2466.00	93.82	88.10	31.90	7.25	33.43	225	19 Average		HORIZONTAL																																																																																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																				
ANT	802.11g CH12 2467MHz																																																																																																																																				
2	Vertical	Fundamental																																																																																																																																			
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW 1000.000MHz VSW:3000.000kHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity JMEI : 43 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2484.16</td><td>66.74</td><td>-7.26</td><td>74.00</td><td>60.04</td><td>32.86</td><td>7.27</td><td>33.43</td><td>343</td><td>48 Peak VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW 1000.000MHz VSW:3000.000kHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity JMEI : 43 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2466.00</td><td>101.86</td><td></td><td>95.05</td><td>32.99</td><td>7.25</td><td>33.43</td><td>343</td><td>48 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2484.16	66.74	-7.26	74.00	60.04	32.86	7.27	33.43	343	48 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2466.00	101.86		95.05	32.99	7.25	33.43	343	48 Peak VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSW 1000.000MHz VSW:3.7500kHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity JMEI : 43 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.80</td><td>50.39</td><td>-3.61</td><td>54.00</td><td>43.69</td><td>32.86</td><td>7.27</td><td>33.43</td><td>343</td><td>48 Average VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSW 1000.000MHz VSW:3.7500kHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity JMEI : 43 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2466.00</td><td>94.33</td><td></td><td>87.52</td><td>32.99</td><td>7.25</td><td>33.43</td><td>343</td><td>48 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2483.80	50.39	-3.61	54.00	43.69	32.86	7.27	33.43	343	48 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg			1	2466.00	94.33		87.52	32.99	7.25	33.43	343	48 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																										
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																													
1	2484.16	66.74	-7.26	74.00	60.04	32.86	7.27	33.43	343	48 Peak VERTICAL																																																																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																													
1	2466.00	101.86		95.05	32.99	7.25	33.43	343	48 Peak VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																													
1	2483.80	50.39	-3.61	54.00	43.69	32.86	7.27	33.43	343	48 Average VERTICAL																																																																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																																													
1	2466.00	94.33		87.52	32.99	7.25	33.43	343	48 Average VERTICAL																																																																																																																												







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11g CH13 2472MHz																																																																																																																																						
2	Horizontal	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. SPORTON LAB. Date: 9 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (dB) 60dB Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 43 PowerSetting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2485.36</td><td>66.05</td><td>-7.95</td><td>74.00</td><td>60.51</td><td>31.70</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Peak HORIZONTAL</td></tr></table> Date: 11 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1500 1700 1900 2100 2300 2500 2700 2900 3000 Frequency (MHz) FCC PART 15C (dB) 60dB Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 43 PowerSetting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2474.00</td><td>99.43</td><td></td><td>93.79</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Peak HORIZONTAL</td><td></td></tr></table> <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. SPORTON LAB. Date: 10 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) (dB) 60dB Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 43 PowerSetting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>49.65</td><td>-4.35</td><td>54.00</td><td>44.01</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Average HORIZONTAL</td></tr></table> Date: 12 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1500 1700 1900 2100 2300 2500 2700 2900 3000 Frequency (MHz) FCC PART 15C (AVG) (dB) 60dB Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 43 PowerSetting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2474.00</td><td>91.68</td><td></td><td>86.04</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Average HORIZONTAL</td><td></td></tr></table> </td></tr>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2485.36	66.05	-7.95	74.00	60.51	31.70	7.27	33.43	296	19 Peak HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2474.00	99.43		93.79	31.80	7.27	33.43	296	19 Peak HORIZONTAL		Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. SPORTON LAB. Date: 10 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) (dB) 60dB Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 43 PowerSetting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>49.65</td><td>-4.35</td><td>54.00</td><td>44.01</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Average HORIZONTAL</td></tr></table> Date: 12 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1500 1700 1900 2100 2300 2500 2700 2900 3000 Frequency (MHz) FCC PART 15C (AVG) (dB) 60dB Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 43 PowerSetting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2474.00</td><td>91.68</td><td></td><td>86.04</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Average HORIZONTAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2483.50	49.65	-4.35	54.00	44.01	31.80	7.27	33.43	296	19 Average HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2474.00	91.68		86.04	31.80	7.27	33.43	296	19 Average HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2485.36	66.05	-7.95	74.00	60.51	31.70	7.27	33.43	296	19 Peak HORIZONTAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2474.00	99.43		93.79	31.80	7.27	33.43	296	19 Peak HORIZONTAL																																																																																																																														
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900188 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. SPORTON LAB. Date: 10 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) FCC PART 15C (AVG) (dB) 60dB Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 43 PowerSetting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.50</td><td>49.65</td><td>-4.35</td><td>54.00</td><td>44.01</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Average HORIZONTAL</td></tr></table> Date: 12 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 1000 1300 1500 1700 1900 2100 2300 2500 2700 2900 3000 Frequency (MHz) FCC PART 15C (AVG) (dB) 60dB Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.7500KHz SWT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 43 PowerSetting : 12 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2474.00</td><td>91.68</td><td></td><td>86.04</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>19 Average HORIZONTAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2483.50	49.65	-4.35	54.00	44.01	31.80	7.27	33.43	296	19 Average HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	2474.00	91.68		86.04	31.80	7.27	33.43	296	19 Average HORIZONTAL																																																																					
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2483.50	49.65	-4.35	54.00	44.01	31.80	7.27	33.43	296	19 Average HORIZONTAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	2474.00	91.68		86.04	31.80	7.27	33.43	296	19 Average HORIZONTAL																																																																																																																														







2.4GHz 2400~2483.5MHz---ANT 2



WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																										
ANT	802.11n HT20 CH01 2412MHz																																																																																																																										
2	Horizontal	Fundamental																																																																																																																									
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sparton.com.cn SPARTON LAB. Date: 15 Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000, 000KHz VSW: 3000, 000KHz SWT Auto Mode : 44 Plane : Z Full-directivity : #3 Power setting : #2 Power setting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>64.45</td><td>+9.55</td><td>74.00</td><td>58.59</td><td>32.15</td><td>7.16</td><td>33.45</td><td>254</td><td>206 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sparton.com.cn SPARTON LAB. Date: 17 Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000, 000KHz VSW: 3000, 000KHz SWT Auto Mode : 44 Plane : Z Full-directivity : #3 Power setting : #2 Power setting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2414.00</td><td>101.07</td><td>27.07</td><td>74.00</td><td>95.13</td><td>32.20</td><td>7.18</td><td>33.44</td><td>254</td><td>206 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB/m	dB	dB	cm	deg	1	2389.43	64.45	+9.55	74.00	58.59	32.15	7.16	33.45	254	206 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB/m	dB	dB	cm	deg	1	2414.00	101.07	27.07	74.00	95.13	32.20	7.18	33.44	254	206 Peak	HORIZONTAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sparton.com.cn SPARTON LAB. Date: 16 Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000, 000KHz VSW: 0.870KHz SWT Auto Mode : 44 Plane : Z Full-directivity : #3 Power setting : #2 Power setting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>47.46</td><td>-6.54</td><td>54.00</td><td>41.60</td><td>32.15</td><td>7.16</td><td>33.45</td><td>254</td><td>206 Average</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sparton.com.cn SPARTON LAB. Date: 18 Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000, 000KHz VSW: 0.870KHz SWT Auto Mode : 44 Plane : Z Full-directivity : #3 Power setting : #2 Power setting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dB</th><th>dBV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>93.54</td><td>39.54</td><td>54.00</td><td>87.60</td><td>32.20</td><td>7.18</td><td>33.44</td><td>254</td><td>206 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB/m	dB	dB	cm	deg	1	2389.69	47.46	-6.54	54.00	41.60	32.15	7.16	33.45	254	206 Average	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBV/m	dB	dBV/m	dB/m	dB	dB	cm	deg	1	2412.00	93.54	39.54	54.00	87.60	32.20	7.18	33.44	254	206 Average	HORIZONTAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBV/m	dB	dBV/m	dB/m	dB	dB	cm	deg																																																																																																																			
1	2389.43	64.45	+9.55	74.00	58.59	32.15	7.16	33.45	254	206 Peak	HORIZONTAL																																																																																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBV/m	dB	dBV/m	dB/m	dB	dB	cm	deg																																																																																																																			
1	2414.00	101.07	27.07	74.00	95.13	32.20	7.18	33.44	254	206 Peak	HORIZONTAL																																																																																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBV/m	dB	dBV/m	dB/m	dB	dB	cm	deg																																																																																																																			
1	2389.69	47.46	-6.54	54.00	41.60	32.15	7.16	33.45	254	206 Average	HORIZONTAL																																																																																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																			
MHz	dBV/m	dB	dBV/m	dB/m	dB	dB	cm	deg																																																																																																																			
1	2412.00	93.54	39.54	54.00	87.60	32.20	7.18	33.44	254	206 Average	HORIZONTAL																																																																																																																







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																				
ANT	802.11n HT20 CH06 2437MHz - L																																																																				
2	Horizontal	Fundamental																																																																			
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2385.14</td><td>55.12</td><td>-18.88</td><td>74.00</td><td>49.29</td><td>32.15</td><td>7.13</td><td>33.45</td><td>329</td><td>341 Peak</td><td>HORI20NT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2385.14	55.12	-18.88	74.00	49.29	32.15	7.13	33.45	329	341 Peak	HORI20NT	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>102.57</td><td></td><td>96.78</td><td>32.00</td><td>7.23</td><td>33.44</td><td>329</td><td>341 Peak</td><td>HORI20NT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2438.00	102.57		96.78	32.00	7.23	33.44	329	341 Peak	HORI20NT
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																													
1	2385.14	55.12	-18.88	74.00	49.29	32.15	7.13	33.45	329	341 Peak	HORI20NT																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																													
1	2438.00	102.57		96.78	32.00	7.23	33.44	329	341 Peak	HORI20NT																																																											
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2382.54</td><td>44.29</td><td>-9.71</td><td>54.00</td><td>38.51</td><td>32.10</td><td>7.13</td><td>33.40</td><td>329</td><td>341 Average</td><td>HORI20NT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2382.54	44.29	-9.71	54.00	38.51	32.10	7.13	33.40	329	341 Average	HORI20NT	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity IMEI : 15.5 Powersetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>94.96</td><td></td><td>89.17</td><td>32.00</td><td>7.23</td><td>33.44</td><td>329</td><td>341 Average</td><td>HORI20NT</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg			1	2438.00	94.96		89.17	32.00	7.23	33.44	329	341 Average	HORI20NT
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																													
1	2382.54	44.29	-9.71	54.00	38.51	32.10	7.13	33.40	329	341 Average	HORI20NT																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dB	dB	cm	deg																																																													
1	2438.00	94.96		89.17	32.00	7.23	33.44	329	341 Average	HORI20NT																																																											





WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																
ANT		802.11n HT20 CH06 2437MHz - R																																
2	Horizontal	Fundamental																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 3  Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz YBW 3000.000KHz SMT Auto Model : Z Plane : 2 IMEI : Full-directivity PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2491.00</td><td>54.70</td><td>-19.30</td><td>74.00</td><td>49.12</td><td>31.70</td><td>7.30</td><td>33.42</td><td>329</td><td>341 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2491.00	54.70	-19.30	74.00	49.12	31.70	7.30	33.42	329	341 Peak	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																											
1	2491.00	54.70	-19.30	74.00	49.12	31.70	7.30	33.42	329	341 Peak	HORIZONTAL																							
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 4  Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz YBW 3.000KHz SMT Auto Model : Z Plane : 2 IMEI : Full-directivity PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2484.76</td><td>44.78</td><td>-9.72</td><td>54.00</td><td>38.64</td><td>31.80</td><td>7.27</td><td>33.43</td><td>329</td><td>341 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	2484.76	44.78	-9.72	54.00	38.64	31.80	7.27	33.43	329	341 Average	HORIZONTAL	Left blank
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																											
1	2484.76	44.78	-9.72	54.00	38.64	31.80	7.27	33.43	329	341 Average	HORIZONTAL																							







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11n HT20 CH06 2437MHz - L																																																																																																																																						
2	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity Power setting : 15.5 ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2384.88</td><td>56.01</td><td>-17.99</td><td>74.00</td><td>49.04</td><td>33.29</td><td>7.13</td><td>33.45</td><td>298</td><td>6 Peak VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity Power setting : 15.5 ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>101.91</td><td>95.01</td><td>33.11</td><td>7.23</td><td>33.44</td><td>298</td><td></td><td>6 Peak VERTICAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg			1	2384.88	56.01	-17.99	74.00	49.04	33.29	7.13	33.45	298	6 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg			1	2438.00	101.91	95.01	33.11	7.23	33.44	298		6 Peak VERTICAL		Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity Power setting : 15.5 ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2389.17</td><td>45.36</td><td>-8.64</td><td>54.00</td><td>38.15</td><td>33.50</td><td>7.16</td><td>33.40</td><td>298</td><td>6 Average VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Full-directivity Power setting : 15.5 ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2438.00</td><td>94.12</td><td>87.22</td><td>33.11</td><td>7.23</td><td>33.44</td><td>298</td><td></td><td>6 Average VERTICAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg			1	2389.17	45.36	-8.64	54.00	38.15	33.50	7.16	33.40	298	6 Average VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg			1	2438.00	94.12	87.22	33.11	7.23	33.44	298		6 Average VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																																																																															
1	2384.88	56.01	-17.99	74.00	49.04	33.29	7.13	33.45	298	6 Peak VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																																																																															
1	2438.00	101.91	95.01	33.11	7.23	33.44	298		6 Peak VERTICAL																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																																																																															
1	2389.17	45.36	-8.64	54.00	38.15	33.50	7.16	33.40	298	6 Average VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																																																																															
1	2438.00	94.12	87.22	33.11	7.23	33.44	298		6 Average VERTICAL																																																																																																																														







WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
ANT		802.11n HT20 CH06 2437MHz - R																																		
2		Vertical	Fundamental																																	
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 9  Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz YSM 3000.000KHz DWT:Auto Model : JRU0214042 Plane : 45 Polar : 2 Full-directivity IMEI : 15.5 PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2486.74</td><td>55.61</td><td>-18.39</td><td>74.00</td><td>48.90</td><td>32.86</td><td>7.27</td><td>33.42</td><td>298</td><td>6 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	2486.74	55.61	-18.39	74.00	48.90	32.86	7.27	33.42	298	6 Peak	VERTICAL	Left Blank
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																												
1	2486.74	55.61	-18.39	74.00	48.90	32.86	7.27	33.42	298	6 Peak	VERTICAL																									
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 10  Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz YSM 0.0300KHz DWT:Auto Model : JRU0214042 Plane : 45 Polar : 2 Full-directivity IMEI : 15.5 PowerSetting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2484.40</td><td>44.91</td><td>-9.09</td><td>54.00</td><td>38.21</td><td>32.86</td><td>7.27</td><td>33.43</td><td>298</td><td>6 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	2484.40	44.91	-9.09	54.00	38.21	32.86	7.27	33.43	298	6 Average	VERTICAL	Left Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																												
1	2484.40	44.91	-9.09	54.00	38.21	32.86	7.27	33.43	298	6 Average	VERTICAL																									







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																			
ANT	802.11n HT20 CH12 2467MHz																																																																			
2	Horizontal	Fundamental																																																																		
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 45 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>62.88</td><td>-11.12</td><td>74.00</td><td>57.24</td><td>31.80</td><td>7.27</td><td>33.43</td><td>223</td><td>339 Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2483.50	62.88	-11.12	74.00	57.24	31.80	7.27	33.43	223	339 Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 45 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2466.00</td><td>97.90</td><td>92.18</td><td>31.90</td><td>7.25</td><td>33.43</td><td>223</td><td>339</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2466.00	97.90	92.18	31.90	7.25	33.43	223	339	Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																												
1	2483.50	62.88	-11.12	74.00	57.24	31.80	7.27	33.43	223	339 Peak																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																												
1	2466.00	97.90	92.18	31.90	7.25	33.43	223	339	Peak	HORIZONTAL																																																										
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 45 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.68</td><td>47.88</td><td>-6.12</td><td>54.00</td><td>42.24</td><td>31.80</td><td>7.27</td><td>33.43</td><td>223</td><td>339 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2483.68	47.88	-6.12	54.00	42.24	31.80	7.27	33.43	223	339 Average	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900168 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)R214042 Plane : 2 Polarization : Full-directivity Polarization : 45 PowerSetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2466.00</td><td>90.16</td><td>84.44</td><td>31.90</td><td>7.25</td><td>33.43</td><td>223</td><td>339</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1	2466.00	90.16	84.44	31.90	7.25	33.43	223	339	Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																												
1	2483.68	47.88	-6.12	54.00	42.24	31.80	7.27	33.43	223	339 Average																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																												
1	2466.00	90.16	84.44	31.90	7.25	33.43	223	339	Average	HORIZONTAL																																																										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																								
ANT	802.11n HT20 CH12 2467MHz																																																																																																																																								
2	Vertical	Fundamental																																																																																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW-1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R21A042 Plane : 2 Full-directivity IMEI : 83 Powersetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2485.12</td><td>64.05</td><td>-9.95</td><td>74.00</td><td>57.35</td><td>32.66</td><td>7.27</td><td>33.43</td><td>262</td><td>21 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW-1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)R21A042 Plane : 2 Full-directivity IMEI : 83 Powersetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2464.00</td><td>101.02</td><td></td><td>94.21</td><td>32.99</td><td>7.25</td><td>33.43</td><td>262</td><td>21 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2485.12	64.05	-9.95	74.00	57.35	32.66	7.27	33.43	262	21 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2464.00	101.02		94.21	32.99	7.25	33.43	262	21 Peak	VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSW-1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)R21A042 Plane : 2 Full-directivity IMEI : 83 Powersetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.86</td><td>50.11</td><td>-3.89</td><td>54.00</td><td>43.41</td><td>32.66</td><td>7.27</td><td>33.43</td><td>262</td><td>21 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-K5 Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSW-1000.000KHz VSW:3.000KHz SMT:Auto Mode : (FR)R21A042 Plane : 2 Full-directivity IMEI : 83 Powersetting : 14 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2466.00</td><td>93.04</td><td></td><td>86.23</td><td>32.99</td><td>7.25</td><td>33.43</td><td>262</td><td>21 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.86	50.11	-3.89	54.00	43.41	32.66	7.27	33.43	262	21 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2466.00	93.04		86.23	32.99	7.25	33.43	262	21 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																	
1	2485.12	64.05	-9.95	74.00	57.35	32.66	7.27	33.43	262	21 Peak	VERTICAL																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																	
1	2464.00	101.02		94.21	32.99	7.25	33.43	262	21 Peak	VERTICAL																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																	
1	2483.86	50.11	-3.89	54.00	43.41	32.66	7.27	33.43	262	21 Average	VERTICAL																																																																																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																	
1	2466.00	93.04		86.23	32.99	7.25	33.43	262	21 Average	VERTICAL																																																																																																																															







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11n HT20 CH13 2472MHz																																																																																																																																						
2	Horizontal	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SWT:Auto Model : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.56</td><td>64.86</td><td>-9.14</td><td>74.00</td><td>59.22</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>342 Peak</td></tr></table> HORIZONTAL  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3000.000KHz SWT:Auto Model : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2474.00</td><td>98.17</td><td>24.17</td><td>74.00</td><td>92.53</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>342 Peak</td></tr></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.56	64.86	-9.14	74.00	59.22	31.80	7.27	33.43	296	342 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2474.00	98.17	24.17	74.00	92.53	31.80	7.27	33.43	296	342 Peak	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.000KHz SWT:Auto Model : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>49.74</td><td>-4.26</td><td>54.00</td><td>44.10</td><td>31.80</td><td>7.27</td><td>33.43</td><td>296</td><td>342 Average</td></tr></table> HORIZONTAL  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 HORIZONTAL Project : RSM 1000.000KHz VSW:3.000KHz SWT:Auto Model : (FR)MR214042 Plane : 2 Full-directivity IMEI : 43 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2470.00</td><td>90.17</td><td>36.17</td><td>54.00</td><td>84.55</td><td>31.80</td><td>7.25</td><td>33.43</td><td>296</td><td>342 Average</td></tr></table> HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.50	49.74	-4.26	54.00	44.10	31.80	7.27	33.43	296	342 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2470.00	90.17	36.17	54.00	84.55	31.80	7.25	33.43	296	342 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2483.56	64.86	-9.14	74.00	59.22	31.80	7.27	33.43	296	342 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2474.00	98.17	24.17	74.00	92.53	31.80	7.27	33.43	296	342 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2483.50	49.74	-4.26	54.00	44.10	31.80	7.27	33.43	296	342 Average																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																															
1	2470.00	90.17	36.17	54.00	84.55	31.80	7.25	33.43	296	342 Average																																																																																																																													



FCC RF Test Report



Report No. : FR170813-01C

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT20 CH13 2472MHz																																																																					
2	Vertical	Fundamental																																																																				
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 25  Site : 032006-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000kHz VSW:3000.000kHz SWF:Auto Model : (FR)R214042 Plane : 48 Polar : 2 Full-directivity : Full-directivity JME1 : 43 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>63.66</td><td>-10.34</td><td>74.00</td><td>55.96</td><td>32.86</td><td>7.27</td><td>33.43</td><td>300</td><td>265 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.50	63.66	-10.34	74.00	55.96	32.86	7.27	33.43	300	265 Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 27  Site : 032006-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000kHz VSW:3000.000kHz SWF:Auto Model : (FR)R214042 Plane : 48 Polar : 2 Full-directivity : Full-directivity JME1 : 43 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2474.00</td><td>95.50</td><td>21.50</td><td>74.00</td><td>88.80</td><td>32.86</td><td>7.27</td><td>33.43</td><td>300</td><td>265 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2474.00	95.50	21.50	74.00	88.80	32.86	7.27	33.43	300	265 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2483.50	63.66	-10.34	74.00	55.96	32.86	7.27	33.43	300	265 Peak	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2474.00	95.50	21.50	74.00	88.80	32.86	7.27	33.43	300	265 Peak	VERTICAL																																																											
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 26  Site : 032006-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000kHz VSW:3000.000kHz SWF:Auto Model : (FR)R214042 Plane : 48 Polar : 2 Full-directivity : Full-directivity JME1 : 43 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>48.93</td><td>-5.07</td><td>54.00</td><td>42.23</td><td>32.86</td><td>7.27</td><td>33.43</td><td>300</td><td>265 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2483.50	48.93	-5.07	54.00	42.23	32.86	7.27	33.43	300	265 Average	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 28  Site : 032006-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000kHz VSW:3000.000kHz SWF:Auto Model : (FR)R214042 Plane : 48 Polar : 2 Full-directivity : Full-directivity JME1 : 43 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2470.00</td><td>87.66</td><td>33.66</td><td>54.00</td><td>80.85</td><td>32.99</td><td>7.25</td><td>33.43</td><td>300</td><td>265 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2470.00	87.66	33.66	54.00	80.85	32.99	7.25	33.43	300	265 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2483.50	48.93	-5.07	54.00	42.23	32.86	7.27	33.43	300	265 Average	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2470.00	87.66	33.66	54.00	80.85	32.99	7.25	33.43	300	265 Average	VERTICAL																																																											





2.4GHz 2400~2483.5MHz---ANT 2



WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																								
ANT	802.11b CH01 2412MHz																																																																								
2	Horizontal	Vertical																																																																							
Peak Avg.	 Site : 030806-K3 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Mode : (F)WET14042 Plane : 2 Full-directivity Power setting : 17 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>44.04</td><td>-29.96</td><td>74.00</td><td>60.61</td><td>34.98</td><td>10.26</td><td>61.81</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1	4824.00	44.04	-29.96	74.00	60.61	34.98	10.26	61.81	300	0 Peak	HORIZONTAL	 Site : 030806-K3 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Mode : (F)WET14042 Plane : 2 Full-directivity Power setting : 17 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>44.42</td><td>-29.58</td><td>74.00</td><td>61.13</td><td>34.84</td><td>10.26</td><td>61.81</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	4824.00	44.42	-29.58	74.00	61.13	34.84	10.26	61.81	300	360 Peak	VERTICAL
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																													
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																	
1	4824.00	44.04	-29.96	74.00	60.61	34.98	10.26	61.81	300	0 Peak	HORIZONTAL																																																														
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																
1	4824.00	44.42	-29.58	74.00	61.13	34.84	10.26	61.81	300	360 Peak	VERTICAL																																																														







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11b CH06 2437MHz																																																																																																	
2	Horizontal	Vertical																																																																																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 17  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Plane : (FREQ) 1642 Mode : 25 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4872.00</td><td>43.58</td><td>-30.42</td><td>74.00</td><td>59.99</td><td>35.04</td><td>10.32</td><td>61.77</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7208.00</td><td>44.17</td><td>-29.88</td><td>74.00</td><td>56.57</td><td>36.86</td><td>12.75</td><td>62.06</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4872.00	43.58	-30.42	74.00	59.99	35.04	10.32	61.77	300	0 Peak	HORIZONTAL	2	7208.00	44.17	-29.88	74.00	56.57	36.86	12.75	62.06	300	0 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 18  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Plane : (FREQ) 1642 Mode : 25 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4872.00</td><td>45.38</td><td>-28.62</td><td>74.00</td><td>62.00</td><td>34.83</td><td>10.32</td><td>61.77</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7208.00</td><td>42.73</td><td>-31.77</td><td>74.00</td><td>55.15</td><td>26.39</td><td>12.75</td><td>62.06</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4872.00	45.38	-28.62	74.00	62.00	34.83	10.32	61.77	300	360 Peak	VERTICAL	2	7208.00	42.73	-31.77	74.00	55.15	26.39	12.75	62.06	300	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																									
1	4872.00	43.58	-30.42	74.00	59.99	35.04	10.32	61.77	300	0 Peak	HORIZONTAL																																																																																							
2	7208.00	44.17	-29.88	74.00	56.57	36.86	12.75	62.06	300	0 Peak	HORIZONTAL																																																																																							
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																									
1	4872.00	45.38	-28.62	74.00	62.00	34.83	10.32	61.77	300	360 Peak	VERTICAL																																																																																							
2	7208.00	42.73	-31.77	74.00	55.15	26.39	12.75	62.06	300	360 Peak	VERTICAL																																																																																							





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																												
ANT	802.11b CH11 2462MHz																																																																																												
2	Horizontal	Vertical																																																																																											
Peak Avg.	 No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sparton.com.cn Date: 13  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWT: Auto Plane : (FREQ) 164242 Mode : 2 Plane : Full-directivity IMEI : 83 Pre-setting : 17 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>42.73</td><td>-31.27</td><td>74.00</td><td>58.98</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7386.00</td><td>43.74</td><td>-30.26</td><td>74.00</td><td>56.10</td><td>36.88</td><td>12.83</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 109B, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sparton.com.cn Date: 14  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWT: Auto Plane : (FREQ) 164242 Mode : 2 Plane : Full-directivity IMEI : 83 Pre-setting : 17 ANT : ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>45.27</td><td>-28.73</td><td>74.00</td><td>61.80</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7386.00</td><td>42.38</td><td>-31.62</td><td>74.00</td><td>55.18</td><td>36.46</td><td>12.83</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	4926.00	42.73	-31.27	74.00	58.98	35.10	10.39	61.74	300	0 Peak	HORIZONTAL	2	7386.00	43.74	-30.26	74.00	56.10	36.88	12.83	62.07	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg			1	4926.00	45.27	-28.73	74.00	61.80	34.82	10.39	61.74	300	360 Peak	VERTICAL	2	7386.00	42.38	-31.62	74.00	55.18	36.46	12.83	62.07	300	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																					
1	4926.00	42.73	-31.27	74.00	58.98	35.10	10.39	61.74	300	0 Peak	HORIZONTAL																																																																																		
2	7386.00	43.74	-30.26	74.00	56.10	36.88	12.83	62.07	300	0 Peak	HORIZONTAL																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	deg																																																																																					
1	4926.00	45.27	-28.73	74.00	61.80	34.82	10.39	61.74	300	360 Peak	VERTICAL																																																																																		
2	7386.00	42.38	-31.62	74.00	55.18	36.46	12.83	62.07	300	360 Peak	VERTICAL																																																																																		



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																	
ANT	802.11b CH12 2467MHz																																																																																																																																																																																	
2	Horizontal	Vertical																																																																																																																																																																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RW 1000.000KHz VSW: 3000.000KHz SWT: Auto Bode : 27 Plane : 2 IME1 : Full-directivity IME2 : 43 Pre-setting : 17 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4932.00</td><td>43.13</td><td>-30.87</td><td>74.00</td><td>59.38</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td><td>0 Peak HORIZONTAL</td></tr><tr><td>2</td><td>7604.00</td><td>43.21</td><td>-30.79</td><td>74.00</td><td>55.55</td><td>36.88</td><td>12.85</td><td>62.07</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RW 1000.000KHz VSW: 3000.000KHz SWT: Auto Bode : 27 Plane : 2 IME1 : Full-directivity IME2 : 43 Pre-setting : 17 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4932.00</td><td>43.13</td><td>-30.87</td><td>74.00</td><td>59.38</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td><td>0 Peak HORIZONTAL</td></tr><tr><td>2</td><td>7604.00</td><td>43.21</td><td>-30.79</td><td>74.00</td><td>55.55</td><td>36.88</td><td>12.85</td><td>62.07</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4932.00	43.13	-30.87	74.00	59.38	35.10	10.39	61.74	300	0 Peak HORIZONTAL	2	7604.00	43.21	-30.79	74.00	55.55	36.88	12.85	62.07	300	0 Peak HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4932.00	43.13	-30.87	74.00	59.38	35.10	10.39	61.74	300	0 Peak HORIZONTAL	2	7604.00	43.21	-30.79	74.00	55.55	36.88	12.85	62.07	300	0 Peak HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RW 1000.000KHz VSW: 3000.000KHz SWT: Auto Bode : 27 Plane : 2 IME1 : Full-directivity IME2 : 43 Pre-setting : 17 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4932.00</td><td>45.24</td><td>-28.76</td><td>74.00</td><td>61.77</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td><td>360 Peak VERTICAL</td></tr><tr><td>2</td><td>7604.00</td><td>42.41</td><td>-31.59</td><td>74.00</td><td>55.18</td><td>36.45</td><td>12.85</td><td>62.07</td><td>300</td><td>360 Peak VERTICAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RW 1000.000KHz VSW: 3000.000KHz SWT: Auto Bode : 27 Plane : 2 IME1 : Full-directivity IME2 : 43 Pre-setting : 17 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4932.00</td><td>45.24</td><td>-28.76</td><td>74.00</td><td>61.77</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td><td>360 Peak VERTICAL</td></tr><tr><td>2</td><td>7604.00</td><td>42.41</td><td>-31.59</td><td>74.00</td><td>55.18</td><td>36.45</td><td>12.85</td><td>62.07</td><td>300</td><td>360 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4932.00	45.24	-28.76	74.00	61.77	34.82	10.39	61.74	300	360 Peak VERTICAL	2	7604.00	42.41	-31.59	74.00	55.18	36.45	12.85	62.07	300	360 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4932.00	45.24	-28.76	74.00	61.77	34.82	10.39	61.74	300	360 Peak VERTICAL	2	7604.00	42.41	-31.59	74.00	55.18	36.45	12.85	62.07	300	360 Peak VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4932.00	43.13	-30.87	74.00	59.38	35.10	10.39	61.74	300	0 Peak HORIZONTAL																																																																																																																																																																								
2	7604.00	43.21	-30.79	74.00	55.55	36.88	12.85	62.07	300	0 Peak HORIZONTAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4932.00	43.13	-30.87	74.00	59.38	35.10	10.39	61.74	300	0 Peak HORIZONTAL																																																																																																																																																																								
2	7604.00	43.21	-30.79	74.00	55.55	36.88	12.85	62.07	300	0 Peak HORIZONTAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4932.00	45.24	-28.76	74.00	61.77	34.82	10.39	61.74	300	360 Peak VERTICAL																																																																																																																																																																								
2	7604.00	42.41	-31.59	74.00	55.18	36.45	12.85	62.07	300	360 Peak VERTICAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	4932.00	45.24	-28.76	74.00	61.77	34.82	10.39	61.74	300	360 Peak VERTICAL																																																																																																																																																																								
2	7604.00	42.41	-31.59	74.00	55.18	36.45	12.85	62.07	300	360 Peak VERTICAL																																																																																																																																																																								





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																													
ANT	802.11b CH13 2472MHz																																																																																													
2	Horizontal	Vertical																																																																																												
Peak	 Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VBW 3000.000KHz SMT Auto Preset : ETSI EUTRAE2 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4944.00</td><td>42.84</td><td>-31.16</td><td>74.00</td><td>59.04</td><td>35.12</td><td>10.41</td><td>61.73</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.85</td><td>-31.15</td><td>74.00</td><td>55.19</td><td>36.88</td><td>12.80</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg			1	4944.00	42.84	-31.16	74.00	59.04	35.12	10.41	61.73	300	0 Peak	HORIZONTAL	2	7416.00	42.85	-31.15	74.00	55.19	36.88	12.80	62.07	300	0 Peak	HORIZONTAL	 Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VBW 3000.000KHz SMT Auto Preset : ETSI EUTRAE2 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4944.00</td><td>45.61</td><td>-28.39</td><td>74.00</td><td>62.12</td><td>34.81</td><td>10.41</td><td>61.73</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.85</td><td>-31.15</td><td>74.00</td><td>55.17</td><td>36.45</td><td>12.80</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg			1	4944.00	45.61	-28.39	74.00	62.12	34.81	10.41	61.73	300	360 Peak	VERTICAL	2	7416.00	42.85	-31.15	74.00	55.17	36.45	12.80	62.07	300	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																				
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg																																																																																						
1	4944.00	42.84	-31.16	74.00	59.04	35.12	10.41	61.73	300	0 Peak	HORIZONTAL																																																																																			
2	7416.00	42.85	-31.15	74.00	55.19	36.88	12.80	62.07	300	0 Peak	HORIZONTAL																																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																				
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg																																																																																						
1	4944.00	45.61	-28.39	74.00	62.12	34.81	10.41	61.73	300	360 Peak	VERTICAL																																																																																			
2	7416.00	42.85	-31.15	74.00	55.17	36.45	12.80	62.07	300	360 Peak	VERTICAL																																																																																			






2.4GHz 2400~2483.5MHz---ANT 2



WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																									
ANT	802.11g CH01 2412MHz																																																																									
2	Horizontal	Vertical																																																																								
Peak Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 13 Level (dBm/100kHz)  Site : 030806-K3 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RSW 1000.000KHz VSW: 3000.000KHz SMT Auto Mode : 29 Plane : 2 Full-directivity : 63 Power setting : 15.5 Power setting : 15.5 ANT : 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pow</th><th>T/Pow</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>41.78</td><td>-32.22</td><td>74.00</td><td>58.35</td><td>34.98</td><td>10.26</td><td>61.81</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pow	T/Pow	Remark	Poi/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	cm	deg			1	4824.00	41.78	-32.22	74.00	58.35	34.98	10.26	61.81	300	0 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technological Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 14 Level (dBm/100kHz)  Site : 030806-K3 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSW 1000.000KHz VSW: 3000.000KHz SMT Auto Mode : 29 Plane : 2 Full-directivity : 63 Power setting : 15.5 Power setting : 15.5 ANT : 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pow</th><th>T/Pow</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>41.18</td><td>-32.82</td><td>74.00</td><td>57.89</td><td>34.84</td><td>10.26</td><td>61.81</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pow	T/Pow	Remark	Poi/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	cm	deg			1	4824.00	41.18	-32.82	74.00	57.89	34.84	10.26	61.81	300	360 Peak	VERTICAL
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pow	T/Pow	Remark	Poi/Phas																																																														
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	cm	deg																																																																	
1	4824.00	41.78	-32.22	74.00	58.35	34.98	10.26	61.81	300	0 Peak	HORIZONTAL																																																															
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pow	T/Pow	Remark	Poi/Phas																																																															
MHz	dBm/100kHz	dB	dBm/100kHz	dB	dB	dB	dB	cm	deg																																																																	
1	4824.00	41.18	-32.82	74.00	57.89	34.84	10.26	61.81	300	360 Peak	VERTICAL																																																															





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11g CH06 2437MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 40 Plane : 2 Full-directivity IME1 : 43 Pre-setting : TS 5 ANT : ANT 2 Level (dBuV/m)  FCC PART 15C FCC PART 15C (AVG) <table><thead><tr><th>Item</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4872.00</td><td>41.10</td><td>-32.90</td><td>74.00</td><td>57.51</td><td>35.04</td><td>10.32</td><td>61.77</td><td>300</td><td>0 Peak</td></tr><tr><td>2</td><td>7208.00</td><td>43.43</td><td>-30.57</td><td>74.00</td><td>55.88</td><td>36.86</td><td>12.70</td><td>62.06</td><td>300</td><td>0 Peak</td></tr></tbody></table> <td>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 40 Plane : 2 Full-directivity IME1 : 43 Pre-setting : TS 5 ANT : ANT 2 Level (dBuV/m)  FCC PART 15C FCC PART 15C (AVG) <table><thead><tr><th>Item</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4872.00</td><td>40.82</td><td>-33.18</td><td>74.00</td><td>57.44</td><td>34.83</td><td>10.32</td><td>61.77</td><td>300</td><td>360 Peak</td></tr><tr><td>2</td><td>7208.00</td><td>43.50</td><td>-30.50</td><td>74.00</td><td>56.42</td><td>36.39</td><td>12.70</td><td>62.06</td><td>300</td><td>360 Peak</td></tr></tbody></table> </td>	Item	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	4872.00	41.10	-32.90	74.00	57.51	35.04	10.32	61.77	300	0 Peak	2	7208.00	43.43	-30.57	74.00	55.88	36.86	12.70	62.06	300	0 Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Mode : 40 Plane : 2 Full-directivity IME1 : 43 Pre-setting : TS 5 ANT : ANT 2 Level (dBuV/m)  FCC PART 15C FCC PART 15C (AVG) <table><thead><tr><th>Item</th><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4872.00</td><td>40.82</td><td>-33.18</td><td>74.00</td><td>57.44</td><td>34.83</td><td>10.32</td><td>61.77</td><td>300</td><td>360 Peak</td></tr><tr><td>2</td><td>7208.00</td><td>43.50</td><td>-30.50</td><td>74.00</td><td>56.42</td><td>36.39</td><td>12.70</td><td>62.06</td><td>300</td><td>360 Peak</td></tr></tbody></table>	Item	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	4872.00	40.82	-33.18	74.00	57.44	34.83	10.32	61.77	300	360 Peak	2	7208.00	43.50	-30.50	74.00	56.42	36.39	12.70	62.06	300	360 Peak
Item	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																
1	4872.00	41.10	-32.90	74.00	57.51	35.04	10.32	61.77	300	0 Peak																																																																																
2	7208.00	43.43	-30.57	74.00	55.88	36.86	12.70	62.06	300	0 Peak																																																																																
Item	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																
1	4872.00	40.82	-33.18	74.00	57.44	34.83	10.32	61.77	300	360 Peak																																																																																
2	7208.00	43.50	-30.50	74.00	56.42	36.39	12.70	62.06	300	360 Peak																																																																																



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																								
ANT	802.11g CH11 2462MHz																																																																																								
2	Horizontal	Vertical																																																																																							
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 21 Level (dBuV/m) Frequency (MHz) FCC PART 15C (dB) FCC PART 15C (Avg) Site Condition: 030806-K5 FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project: RBW 1000.000KHz VSW: 3000.000KHz SWT: Auto Mode: 41 Plane: 2 IMEI: Full-directivity Pre-setting: 15.5 ANT: ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 4926.00</td><td>40.55</td><td>-33.45</td><td>74.00</td><td>56.89</td><td>35.10</td><td>10.39</td><td>61.74</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 7386.00</td><td>42.56</td><td>-31.44</td><td>74.00</td><td>54.92</td><td>36.88</td><td>12.83</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 22 Level (dBuV/m) Frequency (MHz) FCC PART 15C (dB) FCC PART 15C (Avg) Site Condition: 030806-K5 FCC PART 15C 3m 3117 SN 70957 VERTICAL Project: RBW 1000.000KHz VSW: 3000.000KHz SWT: Auto Mode: 41 Plane: 2 IMEI: Full-directivity Pre-setting: 15.5 ANT: ANT 2 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 4926.00</td><td>40.24</td><td>-33.76</td><td>74.00</td><td>56.77</td><td>34.82</td><td>10.39</td><td>61.74</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2 7386.00</td><td>42.49</td><td>-31.51</td><td>74.00</td><td>55.79</td><td>36.46</td><td>12.83</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 4926.00	40.55	-33.45	74.00	56.89	35.10	10.39	61.74	300	0 Peak	HORIZONTAL	2 7386.00	42.56	-31.44	74.00	54.92	36.88	12.83	62.07	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 4926.00	40.24	-33.76	74.00	56.77	34.82	10.39	61.74	300	360 Peak	VERTICAL	2 7386.00	42.49	-31.51	74.00	55.79	36.46	12.83	62.07	300	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																	
1 4926.00	40.55	-33.45	74.00	56.89	35.10	10.39	61.74	300	0 Peak	HORIZONTAL																																																																															
2 7386.00	42.56	-31.44	74.00	54.92	36.88	12.83	62.07	300	0 Peak	HORIZONTAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																	
1 4926.00	40.24	-33.76	74.00	56.77	34.82	10.39	61.74	300	360 Peak	VERTICAL																																																																															
2 7386.00	42.49	-31.51	74.00	55.79	36.46	12.83	62.07	300	360 Peak	VERTICAL																																																																															



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																												
ANT	802.11g CH13 2472MHz																																																																																												
2	Horizontal	Vertical																																																																																											
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW 3000.000KHz SWF Auto Mode : 43 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 Level (dBm/100kHz)  <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.52</td><td>-33.48</td><td>74.00</td><td>56.72</td><td>35.12</td><td>10.41</td><td>61.73</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.51</td><td>-31.49</td><td>74.00</td><td>54.80</td><td>36.88</td><td>12.80</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sparton.com.cn Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW 3000.000KHz SWF Auto Mode : 43 Plane : 2 IMEI : Full-directivity Pre-setting : 43 ANT : ANT 2 Level (dBm/100kHz)  <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4944.00</td><td>40.12</td><td>-33.88</td><td>74.00</td><td>56.63</td><td>34.81</td><td>10.41</td><td>61.73</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.02</td><td>-31.98</td><td>74.00</td><td>54.79</td><td>36.40</td><td>12.80</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	dB	dB	cm	deg	1	4944.00	40.52	-33.48	74.00	56.72	35.12	10.41	61.73	300	0 Peak	HORIZONTAL	2	7416.00	42.51	-31.49	74.00	54.80	36.88	12.80	62.07	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	dB	dB	cm	deg	1	4944.00	40.12	-33.88	74.00	56.63	34.81	10.41	61.73	300	360 Peak	VERTICAL	2	7416.00	42.02	-31.98	74.00	54.79	36.40	12.80	62.07	300	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																		
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	dB	dB	cm	deg																																																																																			
1	4944.00	40.52	-33.48	74.00	56.72	35.12	10.41	61.73	300	0 Peak	HORIZONTAL																																																																																		
2	7416.00	42.51	-31.49	74.00	54.80	36.88	12.80	62.07	300	0 Peak	HORIZONTAL																																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																			
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	dB	dB	cm	deg																																																																																			
1	4944.00	40.12	-33.88	74.00	56.63	34.81	10.41	61.73	300	360 Peak	VERTICAL																																																																																		
2	7416.00	42.02	-31.98	74.00	54.79	36.40	12.80	62.07	300	360 Peak	VERTICAL																																																																																		





2.4GHz 2400~2483.5MHz---ANT 2





WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																							
ANT	802.11n HT20 CH01 2412MHz																																																																							
2	Horizontal						Vertical																																																																	
Peak Avg.	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB Date: 27 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 2000 6000 8000 10000 12000 14000 16000 18000 FCC PART 15C 60dB FCC PART 15C (AVG) 58.5dB Site : 030806-K5 Condition : FCC PART 15C 3m 3117 EN 75957 HORIZONTAL Project : RRM 1000, 000KHz VSW:3000, 000KHz SW: Auto Mode : 44 Plane : 2 Full-directivity IME1 : #3 Powersetting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>41.22</td><td>-32.78</td><td>74.00</td><td>57.79</td><td>34.98</td><td>10.26</td><td>61.81</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>						Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg		1	4824.00	41.22	-32.78	74.00	57.79	34.98	10.26	61.81	300	0 Peak	HORIZONTAL	No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB Date: 28 Level (dBuV/m) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 Frequency (MHz) 2000 6000 8000 10000 12000 14000 16000 18000 FCC PART 15C 60dB FCC PART 15C (AVG) 58.5dB Site : 030806-K5 Condition : FCC PART 15C 3m 3117 EN 75957 VERTICAL Project : RRM 1000, 000KHz VSW:3000, 000KHz SW: Auto Mode : 44 Plane : 2 Full-directivity IME1 : #3 Powersetting : 16 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cn</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>41.00</td><td>-33.00</td><td>74.00</td><td>57.71</td><td>34.84</td><td>10.26</td><td>61.81</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>						Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg		1	4824.00	41.00	-33.00	74.00	57.71	34.84	10.26	61.81	300	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																																	
1	4824.00	41.22	-32.78	74.00	57.79	34.98	10.26	61.81	300	0 Peak	HORIZONTAL																																																													
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	cn	deg																																																																	
1	4824.00	41.00	-33.00	74.00	57.71	34.84	10.26	61.81	300	360 Peak	VERTICAL																																																													



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH06 2437MHz																																																																																									
2	Horizontal	Vertical																																																																																								
Peak	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 17  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Plane : (FREQ) 1642 Mode : 45 Plane : 2 IMEI : Full-directivity Pre-setting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4872.00</td><td>40.28</td><td>-32.72</td><td>74.00</td><td>56.69</td><td>35.04</td><td>10.32</td><td>61.77</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7208.00</td><td>43.36</td><td>-30.64</td><td>74.00</td><td>55.81</td><td>36.86</td><td>12.75</td><td>62.06</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4872.00	40.28	-32.72	74.00	56.69	35.04	10.32	61.77	0 Peak	HORIZONTAL	2	7208.00	43.36	-30.64	74.00	55.81	36.86	12.75	62.06	0 Peak	HORIZONTAL	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 18  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW: 3000.000KHz SWF: Auto Plane : (FREQ) 1642 Mode : 45 Plane : 2 IMEI : Full-directivity Pre-setting : 15.5 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4872.00</td><td>41.69</td><td>-32.91</td><td>74.00</td><td>57.71</td><td>34.83</td><td>10.32</td><td>61.77</td><td>300 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7208.00</td><td>42.64</td><td>-31.36</td><td>74.00</td><td>55.56</td><td>36.39</td><td>12.75</td><td>62.06</td><td>300 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	4872.00	41.69	-32.91	74.00	57.71	34.83	10.32	61.77	300 Peak	VERTICAL	2	7208.00	42.64	-31.36	74.00	55.56	36.39	12.75	62.06	300 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1	4872.00	40.28	-32.72	74.00	56.69	35.04	10.32	61.77	0 Peak	HORIZONTAL																																																																																
2	7208.00	43.36	-30.64	74.00	55.81	36.86	12.75	62.06	0 Peak	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1	4872.00	41.69	-32.91	74.00	57.71	34.83	10.32	61.77	300 Peak	VERTICAL																																																																																
2	7208.00	42.64	-31.36	74.00	55.56	36.39	12.75	62.06	300 Peak	VERTICAL																																																																																







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																																																																									
ANT	802.11n HT20 CH13 2472MHz																																																																																																																																																																																									
2	Horizontal	Vertical																																																																																																																																																																																								
Peak Avg.	 Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW:3000.000KHz SWF:Auto Polar : EPR1821042Z Mode : 2 Plane : Full-directivity IMEI : 83 Pre-setting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4944.00</td><td>41.40</td><td>-32.60</td><td>74.00</td><td>57.60</td><td>35.12</td><td>10.41</td><td>61.73</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7416.00</td><td>43.11</td><td>-30.89</td><td>74.00</td><td>55.45</td><td>36.88</td><td>12.80</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 HORIZONTAL Project : RBW 1000.000KHz VSW:3000.000KHz SWF:Auto Polar : EPR1821042Z Mode : 2 Plane : Full-directivity IMEI : 83 Pre-setting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4944.00</td><td>41.40</td><td>-32.60</td><td>74.00</td><td>57.60</td><td>35.12</td><td>10.41</td><td>61.73</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7416.00</td><td>43.11</td><td>-30.89</td><td>74.00</td><td>55.45</td><td>36.88</td><td>12.80</td><td>62.07</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	4944.00	41.40	-32.60	74.00	57.60	35.12	10.41	61.73	300	0 Peak	HORIZONTAL	2	7416.00	43.11	-30.89	74.00	55.45	36.88	12.80	62.07	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	4944.00	41.40	-32.60	74.00	57.60	35.12	10.41	61.73	300	0 Peak	HORIZONTAL	2	7416.00	43.11	-30.89	74.00	55.45	36.88	12.80	62.07	300	0 Peak	HORIZONTAL	 Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW:3000.000KHz SWF:Auto Polar : EPR1821042Z Mode : 2 Plane : Full-directivity IMEI : 83 Pre-setting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4944.00</td><td>42.00</td><td>-34.00</td><td>74.00</td><td>56.51</td><td>34.81</td><td>10.41</td><td>61.73</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.45</td><td>-31.55</td><td>74.00</td><td>55.72</td><td>36.45</td><td>12.80</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  Site : 030806-K5 Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RBW 1000.000KHz VSW:3000.000KHz SWF:Auto Polar : EPR1821042Z Mode : 2 Plane : Full-directivity IMEI : 83 Pre-setting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4944.00</td><td>42.00</td><td>-34.00</td><td>74.00</td><td>56.51</td><td>34.81</td><td>10.41</td><td>61.73</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.45</td><td>-31.55</td><td>74.00</td><td>55.72</td><td>36.45</td><td>12.80</td><td>62.07</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	4944.00	42.00	-34.00	74.00	56.51	34.81	10.41	61.73	300	360 Peak	VERTICAL	2	7416.00	42.45	-31.55	74.00	55.72	36.45	12.80	62.07	300	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	4944.00	42.00	-34.00	74.00	56.51	34.81	10.41	61.73	300	360 Peak	VERTICAL	2	7416.00	42.45	-31.55	74.00	55.72	36.45	12.80	62.07	300	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																																																																																		
1	4944.00	41.40	-32.60	74.00	57.60	35.12	10.41	61.73	300	0 Peak	HORIZONTAL																																																																																																																																																																															
2	7416.00	43.11	-30.89	74.00	55.45	36.88	12.80	62.07	300	0 Peak	HORIZONTAL																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																																																																																		
1	4944.00	41.40	-32.60	74.00	57.60	35.12	10.41	61.73	300	0 Peak	HORIZONTAL																																																																																																																																																																															
2	7416.00	43.11	-30.89	74.00	55.45	36.88	12.80	62.07	300	0 Peak	HORIZONTAL																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																																																																																		
1	4944.00	42.00	-34.00	74.00	56.51	34.81	10.41	61.73	300	360 Peak	VERTICAL																																																																																																																																																																															
2	7416.00	42.45	-31.55	74.00	55.72	36.45	12.80	62.07	300	360 Peak	VERTICAL																																																																																																																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																																																																																		
1	4944.00	42.00	-34.00	74.00	56.51	34.81	10.41	61.73	300	360 Peak	VERTICAL																																																																																																																																																																															
2	7416.00	42.45	-31.55	74.00	55.72	36.45	12.80	62.07	300	360 Peak	VERTICAL																																																																																																																																																																															







WIFI Tx With AP15(US)

2.4GHz 2400~2483.5MHz---ANT 2

WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																												
ANT	802.11g CH13 2472MHz																																																																																																																												
2	Horizontal	Fundamental																																																																																																																											
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900108 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Mode : (FRI)M214042 Plane : 2 Antenna : Full-directivity MEI : 63 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2485.42</td><td>66.82</td><td>-7.18</td><td>74.00</td><td>61.28</td><td>31.70</td><td>7.27</td><td>33.43</td><td>109</td><td>40</td><td>Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900108 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Mode : (FRI)M214042 Plane : 2 Antenna : Full-directivity MEI : 63 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2472.00</td><td>101.74</td><td></td><td>96.10</td><td>31.80</td><td>7.27</td><td>33.43</td><td>109</td><td>40</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2485.42	66.82	-7.18	74.00	61.28	31.70	7.27	33.43	109	40	Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2472.00	101.74		96.10	31.80	7.27	33.43	109	40	Peak	HORIZONTAL	Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900108 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Mode : (FRI)M214042 Plane : 2 Antenna : Full-directivity MEI : 63 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>49.82</td><td>-4.18</td><td>54.00</td><td>44.18</td><td>31.80</td><td>7.27</td><td>33.43</td><td>109</td><td>40</td><td>Average</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900108 fax: +86-512-57900958 http://www.sparton.com.cn Site : 030906-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Mode : (FRI)M214042 Plane : 2 Antenna : Full-directivity MEI : 63 Powersetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2470.00</td><td>94.19</td><td></td><td>88.57</td><td>31.80</td><td>7.25</td><td>33.43</td><td>109</td><td>40</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2483.50	49.82	-4.18	54.00	44.18	31.80	7.27	33.43	109	40	Average	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1	2470.00	94.19		88.57	31.80	7.25	33.43	109	40	Average	HORIZONTAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																				
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																																							
1	2485.42	66.82	-7.18	74.00	61.28	31.70	7.27	33.43	109	40	Peak	HORIZONTAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																					
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																																							
1	2472.00	101.74		96.10	31.80	7.27	33.43	109	40	Peak	HORIZONTAL																																																																																																																		
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																					
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																																							
1	2483.50	49.82	-4.18	54.00	44.18	31.80	7.27	33.43	109	40	Average	HORIZONTAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																					
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																																																																																							
1	2470.00	94.19		88.57	31.80	7.25	33.43	109	40	Average	HORIZONTAL																																																																																																																		





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11g CH13 2472MHz																																																																																																																																						
2	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 43 PowerSetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100Hz</th><th>dB</th><th>dBm/100Hz</th><th>dBm/100Hz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2486.26</td><td>64.40</td><td>-9.60</td><td>74.00</td><td>57.69</td><td>32.86</td><td>7.27</td><td>33.42</td><td>295</td><td>91 Peak</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3000.000KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 43 PowerSetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100Hz</th><th>dB</th><th>dBm/100Hz</th><th>dBm/100Hz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2470.00</td><td>97.03</td><td></td><td>90.22</td><td>32.99</td><td>7.25</td><td>33.43</td><td>295</td><td>91 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100Hz	dB	dBm/100Hz	dBm/100Hz	dB	dB	cm	deg			1	2486.26	64.40	-9.60	74.00	57.69	32.86	7.27	33.42	295	91 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100Hz	dB	dBm/100Hz	dBm/100Hz	dB	dB	cm	deg			1	2470.00	97.03		90.22	32.99	7.25	33.43	295	91 Peak	VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 43 PowerSetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100Hz</th><th>dB</th><th>dBm/100Hz</th><th>dBm/100Hz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>48.60</td><td>-5.40</td><td>54.00</td><td>41.90</td><td>32.86</td><td>7.27</td><td>33.43</td><td>295</td><td>91 Average</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030H06-KS Condition : FCC PART 15C (AVG) 3m 3117 SN 70957 VERTICAL Project : RSM 1000.000KHz VSW:3.7500KHz SMT:Auto Mode : (FR)MR214042 Plane : 2 Polarization : Full-directivity IMEI : 43 PowerSetting : 11 ANT : ANT 2 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100Hz</th><th>dB</th><th>dBm/100Hz</th><th>dBm/100Hz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2470.00</td><td>89.19</td><td></td><td>82.38</td><td>32.99</td><td>7.25</td><td>33.43</td><td>295</td><td>91 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100Hz	dB	dBm/100Hz	dBm/100Hz	dB	dB	cm	deg			1	2483.50	48.60	-5.40	54.00	41.90	32.86	7.27	33.43	295	91 Average	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100Hz	dB	dBm/100Hz	dBm/100Hz	dB	dB	cm	deg			1	2470.00	89.19		82.38	32.99	7.25	33.43	295	91 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBm/100Hz	dB	dBm/100Hz	dBm/100Hz	dB	dB	cm	deg																																																																																																																															
1	2486.26	64.40	-9.60	74.00	57.69	32.86	7.27	33.42	295	91 Peak																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/100Hz	dB	dBm/100Hz	dBm/100Hz	dB	dB	cm	deg																																																																																																																															
1	2470.00	97.03		90.22	32.99	7.25	33.43	295	91 Peak	VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/100Hz	dB	dBm/100Hz	dBm/100Hz	dB	dB	cm	deg																																																																																																																															
1	2483.50	48.60	-5.40	54.00	41.90	32.86	7.27	33.43	295	91 Average																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/100Hz	dB	dBm/100Hz	dBm/100Hz	dB	dB	cm	deg																																																																																																																															
1	2470.00	89.19		82.38	32.99	7.25	33.43	295	91 Average	VERTICAL																																																																																																																													



2.4GHz 2400~2483.5MHz---ANT 2



WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																									
ANT	802.11g CH13 2472MHz																																																																																																									
2	Horizontal	Vertical																																																																																																								
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900186 Fax: +86-512-57900958 http://www.sparton.com.cn DATA: 29  Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 79957 HORIZONTAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Node : (FRE)WZ14042 Plane : 2 Polarization : Full-directivity Power setting : 11 Power setting : 11 ANT : ANT 2 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>41.32</td><td>-32.68</td><td>74.00</td><td>57.52</td><td>35.12</td><td>10.41</td><td>61.73</td><td>300</td><td>0</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7416.00</td><td>43.64</td><td>-30.36</td><td>74.00</td><td>55.98</td><td>36.88</td><td>12.85</td><td>62.07</td><td>300</td><td>0</td><td>Peak</td><td>HORIZONTAL</td></tr></tbody></table>		Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	4944.00	41.32	-32.68	74.00	57.52	35.12	10.41	61.73	300	0	Peak	HORIZONTAL	2	7416.00	43.64	-30.36	74.00	55.98	36.88	12.85	62.07	300	0	Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900186 Fax: +86-512-57900958 http://www.sparton.com.cn DATA: 30  Site : 030906-KS Condition : FCC PART 15C 3m 3117 SN 79957 VERTICAL Project : RSW 1000.000KHz VSW 3000.000KHz SMT Auto Node : (FRE)WZ14042 Plane : 2 Polarization : Full-directivity Power setting : 11 Power setting : 11 ANT : ANT 2 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4944.00</td><td>40.34</td><td>-33.66</td><td>74.00</td><td>56.85</td><td>34.81</td><td>10.41</td><td>61.73</td><td>300</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7416.00</td><td>42.70</td><td>-31.80</td><td>74.00</td><td>54.97</td><td>36.46</td><td>12.85</td><td>62.07</td><td>300</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>		Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	4944.00	40.34	-33.66	74.00	56.85	34.81	10.41	61.73	300	360	Peak	VERTICAL	2	7416.00	42.70	-31.80	74.00	54.97	36.46	12.85	62.07	300	360	Peak	VERTICAL
		Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																																																													
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																
1	4944.00	41.32	-32.68	74.00	57.52	35.12	10.41	61.73	300	0	Peak	HORIZONTAL																																																																																														
2	7416.00	43.64	-30.36	74.00	55.98	36.88	12.85	62.07	300	0	Peak	HORIZONTAL																																																																																														
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Poi/Phas																																																																																														
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																
1	4944.00	40.34	-33.66	74.00	56.85	34.81	10.41	61.73	300	360	Peak	VERTICAL																																																																																														
2	7416.00	42.70	-31.80	74.00	54.97	36.46	12.85	62.07	300	360	Peak	VERTICAL																																																																																														



Emission below 1GHz---ANT 2

2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																																	
ANT	802.11g LF																																																																																																																																																																																	
2	Horizontal	Vertical																																																																																																																																																																																
QP / Peak	 Site : 030602-KS Condition : FCC PART 15C 3m CBG1170 SN23182 HORIZONTAL Project : RSR 100.000KHz VBR 300.000KHz SRT Auto Mode : RES4042 Plane : Y Full-directivity Power setting : 12 13 <table><tr><th>Over</th><th>Level</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dBm</th><th>dBm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>31.64</td><td>-18.36</td><td>40.00</td><td>27.69</td><td>24.60</td><td>0.58</td><td>31.23</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>153.19</td><td>18.20</td><td>-25.24</td><td>43.50</td><td>31.24</td><td>16.35</td><td>1.99</td><td>31.32</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>163.86</td><td>18.10</td><td>-25.40</td><td>43.50</td><td>31.49</td><td>15.88</td><td>2.50</td><td>31.33</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>290.93</td><td>25.91</td><td>-20.09</td><td>46.00</td><td>35.40</td><td>19.34</td><td>2.70</td><td>31.59</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>5</td><td>313.24</td><td>26.64</td><td>-19.36</td><td>46.00</td><td>35.84</td><td>19.57</td><td>2.87</td><td>31.64</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>6</td><td>737.13</td><td>27.80</td><td>-18.20</td><td>46.00</td><td>29.04</td><td>25.47</td><td>4.41</td><td>31.12</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Limit	Level	Factor	Loss Factor	dBm	dBm	deg	1	30.00	31.64	-18.36	40.00	27.69	24.60	0.58	31.23	---	Peak	HORIZONTAL	2	153.19	18.20	-25.24	43.50	31.24	16.35	1.99	31.32	---	Peak	HORIZONTAL	3	163.86	18.10	-25.40	43.50	31.49	15.88	2.50	31.33	---	Peak	HORIZONTAL	4	290.93	25.91	-20.09	46.00	35.40	19.34	2.70	31.59	---	Peak	HORIZONTAL	5	313.24	26.64	-19.36	46.00	35.84	19.57	2.87	31.64	---	Peak	HORIZONTAL	6	737.13	27.80	-18.20	46.00	29.04	25.47	4.41	31.12	---	Peak	HORIZONTAL	 Site : 030602-KS Condition : FCC PART 15C 3m CBG1170 SN23182 VERTICAL Project : RSR 100.000KHz VBR 300.000KHz SRT Auto Mode : RES4042 Plane : Y Full-directivity Power setting : 12 13 <table><tr><th>Over</th><th>Level</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dBm</th><th>dBm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>26.32</td><td>-13.68</td><td>40.00</td><td>32.37</td><td>24.60</td><td>0.58</td><td>31.23</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>180.20</td><td>17.22</td><td>-26.28</td><td>43.50</td><td>31.20</td><td>15.15</td><td>2.20</td><td>31.33</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>297.72</td><td>20.85</td><td>-25.15</td><td>46.00</td><td>35.37</td><td>19.31</td><td>2.80</td><td>31.63</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>538.08</td><td>21.99</td><td>-24.01</td><td>46.00</td><td>35.17</td><td>24.63</td><td>3.77</td><td>31.57</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>5</td><td>741.98</td><td>27.88</td><td>-18.12</td><td>46.00</td><td>29.61</td><td>25.56</td><td>4.43</td><td>31.12</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>6</td><td>928.22</td><td>29.16</td><td>-16.84</td><td>46.00</td><td>28.07</td><td>26.81</td><td>4.96</td><td>30.68</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Limit	Level	Factor	Loss Factor	dBm	dBm	deg	1	30.00	26.32	-13.68	40.00	32.37	24.60	0.58	31.23	---	Peak	VERTICAL	2	180.20	17.22	-26.28	43.50	31.20	15.15	2.20	31.33	---	Peak	VERTICAL	3	297.72	20.85	-25.15	46.00	35.37	19.31	2.80	31.63	---	Peak	VERTICAL	4	538.08	21.99	-24.01	46.00	35.17	24.63	3.77	31.57	---	Peak	VERTICAL	5	741.98	27.88	-18.12	46.00	29.61	25.56	4.43	31.12	---	Peak	VERTICAL	6	928.22	29.16	-16.84	46.00	28.07	26.81	4.96	30.68	---	Peak	VERTICAL
Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																											
Level	Limit	Level	Factor	Loss Factor	dBm	dBm	deg																																																																																																																																																																											
1	30.00	31.64	-18.36	40.00	27.69	24.60	0.58	31.23	---	Peak	HORIZONTAL																																																																																																																																																																							
2	153.19	18.20	-25.24	43.50	31.24	16.35	1.99	31.32	---	Peak	HORIZONTAL																																																																																																																																																																							
3	163.86	18.10	-25.40	43.50	31.49	15.88	2.50	31.33	---	Peak	HORIZONTAL																																																																																																																																																																							
4	290.93	25.91	-20.09	46.00	35.40	19.34	2.70	31.59	---	Peak	HORIZONTAL																																																																																																																																																																							
5	313.24	26.64	-19.36	46.00	35.84	19.57	2.87	31.64	---	Peak	HORIZONTAL																																																																																																																																																																							
6	737.13	27.80	-18.20	46.00	29.04	25.47	4.41	31.12	---	Peak	HORIZONTAL																																																																																																																																																																							
Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																											
Level	Limit	Level	Factor	Loss Factor	dBm	dBm	deg																																																																																																																																																																											
1	30.00	26.32	-13.68	40.00	32.37	24.60	0.58	31.23	---	Peak	VERTICAL																																																																																																																																																																							
2	180.20	17.22	-26.28	43.50	31.20	15.15	2.20	31.33	---	Peak	VERTICAL																																																																																																																																																																							
3	297.72	20.85	-25.15	46.00	35.37	19.31	2.80	31.63	---	Peak	VERTICAL																																																																																																																																																																							
4	538.08	21.99	-24.01	46.00	35.17	24.63	3.77	31.57	---	Peak	VERTICAL																																																																																																																																																																							
5	741.98	27.88	-18.12	46.00	29.61	25.56	4.43	31.12	---	Peak	VERTICAL																																																																																																																																																																							
6	928.22	29.16	-16.84	46.00	28.07	26.81	4.96	30.68	---	Peak	VERTICAL																																																																																																																																																																							

Appendix E. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10HZ
802.11g	96.97	1.390	0.719	0.75KHZ
802.11n HT20	96.74	1.290	0.775	0.82KHZ




802.11b



Date: 8.OCT.2021 14:18:45


802.11g



Date: 9.OCT.2021 03:42:32



802.11n HT20



Date: 9.OCT.2021 03:53:51