


REMOTE CONTROL CAR INSTRUCTIONS

1. Battery installation instructions of car and remote control



Battery installation for car

1. Open the magnetic top cover of the car body, turn the buckle to open the battery cover. Install the battery pack and connect it to the car.
2. Close the battery cover and rotate the locking clip to cover the magnetic top cover of the car.

Connect the battery and putting the battery cable inside the lower right side, then put the battery in the battery compartment.

Notice: Only use the special charger for battery


Charging batteries:


It is recommended to use charging equipment that complies with national safety standards (Output voltage is DC5V)

WARNING:


1. Please take out the battery if not used for a long time.
2. Before first use must be full charged. Charging time is about 1 hours, and each charging time should not exceed 8 hours

2. Operation instructions of remote control







360°Rotate Left




360°Rotate Right




AUTO DEMO




ON/OFF




Move Left Up




Move Right Up




Move Left Down



Move Right Down



Move Left



Move Right

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.