




Test Graphs







2DH5_Ant1_2402



2DH5_Ant1_2441



2DH5_Ant1_2480




Appendix J: Emissions in Restricted Bands


Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.55	2.29	1.10	38.04	≤54	PASS
				AV	2365.310	-58.56	2.29	1.10	40.03	≤54	PASS
				AV	2390.000	-59	2.29	1.10	39.59	≤54	PASS
				Peak	2310.000	-52.87	2.29	0.00	44.62	≤74	PASS
				Peak	2367.935	-47.74	2.29	0.00	49.75	≤74	PASS
				Peak	2390.000	-50.62	2.29	0.00	46.87	≤74	PASS
		High	2480	AV	2483.500	-57.74	2.29	1.10	40.85	≤54	PASS
				AV	2483.520	-57.74	2.29	1.10	40.85	≤54	PASS
				AV	2500.000	-59.35	2.29	1.10	39.24	≤54	PASS
				Peak	2483.500	-50.21	2.29	0.00	47.28	≤74	PASS
				Peak	2484.160	-45.74	2.29	0.00	51.75	≤74	PASS
				Peak	2500.000	-51.27	2.29	0.00	46.22	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60	2.29	1.08	38.57	≤54	PASS
				AV	2388.935	-58.83	2.29	1.08	39.74	≤54	PASS
				AV	2390.000	-59.32	2.29	1.08	39.25	≤54	PASS
				Peak	2310.000	-53	2.29	0.00	44.49	≤74	PASS
				Peak	2361.740	-48.92	2.29	0.00	48.57	≤74	PASS
				Peak	2390.000	-52.27	2.29	0.00	45.22	≤74	PASS
		High	2480	AV	2483.500	-58.02	2.29	1.09	40.56	≤54	PASS
				AV	2483.520	-58.02	2.29	1.09	40.56	≤54	PASS
				AV	2500.000	-59.44	2.29	1.09	39.14	≤54	PASS
				Peak	2483.500	-50.95	2.29	0.00	46.54	≤74	PASS
				Peak	2484.240	-49.02	2.29	0.00	48.47	≤74	PASS
				Peak	2500.000	-50.59	2.29	0.00	46.9	≤74	PASS


Note: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV



2DH5_Ant1_Low_2402_Peak



2DH5_Ant1_High_2480_AV



2DH5_Ant1_High_2480_Peak

