



The Holy bond Electronics Co., Ltd.

Antenna Report

Model: T10_Pro-ANT



Frequency range: 2400-2500MHz; 5000-6000MHz

Antenna position



Test Result

Bluetooth/WIFI Antenna VSWR/S11




Test Result



Bluetooth/WIFI Antenna Gain/Efficiency/3D Date

Frequency (MHz)	Efficiency (dBi)	Gain (dBi)	Efficiency (%)
2400.0	-5.83	-1.35	26.11
2410.0	-5.81	-1.34	26.24
2420.0	-5.92	-1.78	25.59
2430.0	-5.90	-1.92	25.68
2440.0	-5.99	-1.95	25.19
2450.0	-6.08	-1.88	24.63
2460.0	-6.12	-1.85	24.41
2470.0	-6.02	-1.78	25.01
2480.0	-5.89	-1.70	25.73
2490.0	-5.88	-1.24	25.79
2500.0	-5.89	-1.23	25.77
5150.0	-6.60	-1.48	21.85
5250.0	-5.93	0.49	25.52
5550.0	-5.96	0.27	25.38
5750.0	-6.95	-0.59	20.17
5850.0	-6.95	-0.57	20.17


2450.0MHz H+V, Eff: 24.6%



Back View



5850.0MHz H+V, Eff: 20.2%



Back View

