



PRODUCT SPECIFICATION FOR APPROVAL

CUSTOMER	Genda
PRODUCT NAME:	transmitting coil
PART No.	4611200000039
PRODUCT SPEC	Sensitivity specification: 6.7uH±10% Disk size: 40*5.3*1 single slot Wire specification: 0.08*24*2*10Ts (21.7mm inner diameter) Outlet length: 50mm Reverse plain double-sided tape
DATE	Dec. 12, 2024
VERSION	REV 1.0

Revision	Modified Content	Principle	Date	Note
REV 1.0	first release	Xue Lei	Dec. 12, 2024	

PREPARED BY	CHECKED BY	APPROVED BY


Authorized signature & company chop		
-------------------------------------	--	--

Attached is the product specification, if you have any questions, please timely feedback to us, thank you!



SPECIFICATION

一、product size


	Disk diameter A	40±0.5mm
	Coil outer diameter B	38.5±1mm
	Coil inner diameter C	21.7±0.5mm
	Product thickness D	<1.8mm
	Outlet length E	50mm±3mm
	Solder length F	3±2mm
	Disk opening diameter G	5±0.3mm
	Diskette thickness	0.95±0.05mm
	Diskette shape	Circular single slot
	Backing thickness	Reverse plain double-sided tape
	Shatter-proof black film	N

Company name: Shenzhen Chenxing Electronic Technology Co., LTD

Factory address: 5F, Building 1, Xinke City Science and Technology Industrial Park, 51 Dabao Road, Xin 'an Street, Bao 'an District, Shenzhen



二、schematic diagram



三、Winding parameter

TERMINAL		WIRE	Turns	Winding Direction
S	F	Enamelled wire 0.08*24P double stranded and wound	10Ts	CCW

四、electrical specification:

TEMPERATURE:25±10°C, RELATIVE HUMIDITY:65±20%

ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
IND.	S-F	6.7uH±10%	100KHz/1.0V	LCZ METER 1062B

Company name: Shenzhen Chenxing Electronic Technology Co., LTD

Factory address: 5F, Building 1, Xinke City Science and Technology Industrial Park, 51 Dabao Road, Xin 'an Street, Bao 'an District, Shenzhen