

Shenzhen Shenlianyu Electronics Co., Ltd

Product specification acknowledgement

CUSTOMER: Shenzhen Chimele Technology Co., Ltd

Product Name ofCustomer: _____

Product Mame ofOurs(Maternal) _____

APPROVED _____

APPROVED Deng Xiang **DRAWN** Lai Wei **DATE** 2019/10/16

Address: No.3, Industrial Road 1, Songgang Xixi Community,
Baoan District, Shenzhen City


Telephone: 15112322462 Fax: 0755-29909524

REVISED RECORD

PEVISON NO	DATE	REVISE DESCRIPTION		Change person
REV:01				
REV:02				
ESCRINED		CHECKED	APPROVED	PACE
Lai Wei		Deng Xiang	Chen Zhanliang	2 of 5

Specification		CISTOME P/N:	_____
		PARTNUMBER:	

1.DIMENSIONS: mm



APPROVED BY	CHECKED BY	PREPARED BY	DATE	PACE
		Lai Wei	2019/10/17	

Specifcation					CUSTOMERP/N: _____		
					PARTNUMBER: _____		
5.WINDING DETAILS:							
Wdy.NO.	Start	Finish	Turns	Wire Dia	Wdg.TyepeSprad/lose	Wdg.Direction	Turns/Layer
	S	F	16TS	0.05*75P	Double layer close around	Positive and negative around	2layer/16TS
6.ELECTRICAL CHARACTERISTICS:							
PARAMETERS				UNIN		LIMTI	
Inductance Is@100KHz/1v				uh		12.2±5%	
Q @100KHz/1v						45Min	
DCR @100KHz/1v				m Ω		130Max	
APPROVED BY		CHECKED BY		PREPARED BY		DATE	
				Lai Wei		2019/10/17	
						4 of 5	

MATERIAL LIST			CUSTOMER P/N:	_____	
			PARTNUMBER:		
NO.	Material name	Description	Manufacturer	Material	
1	silk-covered wire	0.05*75P			
2	Lead-free tin strip	high temperature			
3	magnetic sheet	diameter27.5MM		ferrite. Manganese zinc.PC95	
4	glue	Resin glue			
APPROVED BY		CHECKED BY	PREPARED BY	DATE	PAGE
				2019/1017	5 of 5