







NTNV-11AC20SISO-Ant1-5580




NTNV-11AC20SISO-Ant2-5580




NTNV-11AC20SISO-Ant1-5700




NTNV-11AC20SISO-Ant2-5700




NTNV-11AC20SISO-Ant1-5745




NTNV-11AC20SISO-Ant2-5745




NTNV-11AC20SISO-Ant1-5785




NTNV-11AC20SISO-Ant2-5785




NTNV-11AC20SISO-Ant1-5825




NTNV-11AC20SISO-Ant2-5825




NTNV-11AC40SISO-Ant1-5190




NTNV-11AC40SISO-Ant2-5190




NTNV-11AC40SISO-Ant1-5230




NTNV-11AC40SISO-Ant2-5230




NTNV-11AC40SISO-Ant1-5270




NTNV-11AC40SISO-Ant2-5270




NTNV-11AC40SISO-Ant1-5310




NTNV-11AC40SISO-Ant2-5310




NTNV-11AC40SISO-Ant1-5510




NTNV-11AC40SISO-Ant2-5510




NTNV-11AC40SISO-Ant1-5590




NTNV-11AC40SISO-Ant2-5590




NTNV-11AC40SISO-Ant1-5670




NTNV-11AC40SISO-Ant2-5670




NTNV-11AC40SISO-Ant1-5755




NTNV-11AC40SISO-Ant2-5755




NTNV-11AC40SISO-Ant1-5795




NTNV-11AC40SISO-Ant2-5795




NTNV-11AC80SISO-Ant1-5210




NTNV-11AC80SISO-Ant2-5210




NTNV-11AC80SISO-Ant1-5290




NTNV-11AC80SISO-Ant2-5290




NTNV-11AC80SISO-Ant1-5530




NTNV-11AC80SISO-Ant2-5530




NTNV-11AC80SISO-Ant1-5610




NTNV-11AC80SISO-Ant2-5610




NTNV-11AC80SISO-Ant1-5775




NTNV-11AC80SISO-Ant2-5775




NTNV-11AX20SISO-Ant1-5180




NTNV-11AX20SISO-Ant2-5180




NTNV-11AX20SISO-Ant1-5200




NTNV-11AX20SISO-Ant2-5200




NTNV-11AX20SISO-Ant1-5240




NTNV-11AX20SISO-Ant2-5240







NTNV-11AX20SISO-Ant1-5300




NTNV-11AX20SISO-Ant2-5300




NTNV-11AX20SISO-Ant1-5320




NTNV-11AX20SISO-Ant2-5320




NTNV-11AX20SISO-Ant1-5500




NTNV-11AX20SISO-Ant2-5500




NTNV-11AX20SISO-Ant1-5580




NTNV-11AX20SISO-Ant2-5580




NTNV-11AX20SISO-Ant1-5700




NTNV-11AX20SISO-Ant2-5700







NTNV-11AX20SISO-Ant1-5785




NTNV-11AX20SISO-Ant2-5785




NTNV-11AX20SISO-Ant1-5825




NTNV-11AX20SISO-Ant2-5825




NTNV-11AX40SISO-Ant1-5190




NTNV-11AX40SISO-Ant2-5190







NTNV-11AX40SISO-Ant1-5270




NTNV-11AX40SISO-Ant2-5270







NTNV-11AX40SISO-Ant1-5510




NTNV-11AX40SISO-Ant2-5510




NTNV-11AX40SISO-Ant1-5590




NTNV-11AX40SISO-Ant2-5590




NTNV-11AX40SISO-Ant1-5670




NTNV-11AX40SISO-Ant2-5670




NTNV-11AX40SISO-Ant1-5755




NTNV-11AX40SISO-Ant2-5755




NTNV-11AX40SISO-Ant1-5795




NTNV-11AX40SISO-Ant2-5795




NTNV-11AX80SISO-Ant1-5210




NTNV-11AX80SISO-Ant2-5210




NTNV-11AX80SISO-Ant1-5290




NTNV-11AX80SISO-Ant2-5290




NTNV-11AX80SISO-Ant1-5530




NTNV-11AX80SISO-Ant2-5530




NTNV-11AX80SISO-Ant1-5610




NTNV-11AX80SISO-Ant2-5610



NTNV-11AX80SISO-Ant1-5775



NTNV-11AX80SISO-Ant2-5775



Appendix E: Maximum conducted output power

Test Result Channel Power

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	14.65	93.29	0.30	14.95	≤23.98	PASS
11A	Ant2	5180	12.77	93.33	0.30	13.07	≤23.98	PASS
11A	Ant1	5200	14.93	93.29	0.30	15.23	≤23.98	PASS
11A	Ant2	5200	13.41	93.33	0.30	13.71	≤23.98	PASS
11A	Ant1	5240	14.28	93.29	0.30	14.58	≤23.98	PASS
11A	Ant2	5240	13.97	93.33	0.30	14.27	≤23.98	PASS
11A	Ant1	5260	14.09	93.33	0.30	14.39	≤23.98	PASS
11A	Ant2	5260	14.11	93.33	0.30	14.41	≤23.98	PASS
11A	Ant1	5300	13.25	93.29	0.30	13.55	≤23.98	PASS
11A	Ant2	5300	14.12	93.29	0.30	14.42	≤23.98	PASS
11A	Ant1	5320	12.76	93.33	0.30	13.06	≤23.98	PASS
11A	Ant2	5320	14.21	93.29	0.30	14.51	≤23.98	PASS
11A	Ant1	5500	14.62	93.33	0.30	14.92	≤23.98	PASS
11A	Ant2	5500	11.52	93.33	0.30	11.82	≤23.98	PASS
11A	Ant1	5580	13.74	93.33	0.30	14.04	≤23.98	PASS
11A	Ant2	5580	13.03	93.33	0.30	13.33	≤23.98	PASS
11A	Ant1	5700	13.94	93.33	0.30	14.24	≤23.98	PASS
11A	Ant2	5700	14.39	93.33	0.30	14.69	≤23.98	PASS
11A	Ant1	5745	15.25	93.29	0.30	15.55	≤30.00	PASS
11A	Ant2	5745	14.95	93.33	0.30	15.25	≤30.00	PASS
11A	Ant1	5785	14.80	93.29	0.30	15.10	≤30.00	PASS
11A	Ant2	5785	14.44	93.29	0.30	14.74	≤30.00	PASS
11A	Ant1	5825	14.28	93.33	0.30	14.58	≤30.00	PASS
11A	Ant2	5825	14.04	93.33	0.30	14.34	≤30.00	PASS
11N20SI SO	Ant1	5180	13.46	92.91	0.32	13.78	≤23.98	PASS
11N20SI SO	Ant2	5180	12.67	92.91	0.32	12.99	≤23.98	PASS
11N20SI SO	Ant1	5200	13.80	92.86	0.32	14.12	≤23.98	PASS
11N20SI SO	Ant2	5200	13.68	92.91	0.32	14.00	≤23.98	PASS
11N20SI SO	Ant1	5240	13.74	92.91	0.32	14.06	≤23.98	PASS
11N20SI SO	Ant2	5240	12.40	92.86	0.32	12.72	≤23.98	PASS

11N20SI SO	Ant1	5260	14.30	92.86	0.32	14.62	≤23.98	PASS
11N20SI SO	Ant2	5260	12.37	92.91	0.32	12.69	≤23.98	PASS
11N20SI SO	Ant1	5300	14.00	92.91	0.32	14.32	≤23.98	PASS
11N20SI SO	Ant2	5300	12.69	92.86	0.32	13.01	≤23.98	PASS
11N20SI SO	Ant1	5320	13.99	92.91	0.32	14.31	≤23.98	PASS
11N20SI SO	Ant2	5320	12.39	92.86	0.32	12.71	≤23.98	PASS
11N20SI SO	Ant1	5500	13.38	92.86	0.32	13.70	≤23.98	PASS
11N20SI SO	Ant2	5500	12.50	92.91	0.32	12.82	≤23.98	PASS
11N20SI SO	Ant1	5580	12.72	92.91	0.32	13.04	≤23.98	PASS
11N20SI SO	Ant2	5580	12.72	92.91	0.32	13.04	≤23.98	PASS
11N20SI SO	Ant1	5700	13.54	92.91	0.32	13.86	≤23.98	PASS
11N20SI SO	Ant2	5700	12.89	92.91	0.32	13.21	≤23.98	PASS
11N20SI SO	Ant1	5745	15.04	92.91	0.32	15.36	≤30.00	PASS
11N20SI SO	Ant2	5745	14.48	92.86	0.32	14.80	≤30.00	PASS
11N20SI SO	Ant1	5785	14.69	92.91	0.32	15.01	≤30.00	PASS
11N20SI SO	Ant2	5785	14.31	92.86	0.32	14.63	≤30.00	PASS
11N20SI SO	Ant1	5825	14.24	92.86	0.32	14.56	≤30.00	PASS
11N20SI SO	Ant2	5825	14.19	92.91	0.32	14.51	≤30.00	PASS
11N40SI SO	Ant1	5190	15.27	86.67	0.62	15.89	≤23.98	PASS
11N40SI SO	Ant2	5190	12.71	86.67	0.62	13.33	≤23.98	PASS
11N40SI SO	Ant1	5230	14.73	86.67	0.62	15.35	≤23.98	PASS
11N40SI SO	Ant2	5230	13.36	86.67	0.62	13.98	≤23.98	PASS

11N40SI SO	Ant1	5270	13.72	86.67	0.62	14.34	≤23.98	PASS
11N40SI SO	Ant2	5270	13.61	86.67	0.62	14.23	≤23.98	PASS
11N40SI SO	Ant1	5310	12.69	86.49	0.63	13.32	≤23.98	PASS
11N40SI SO	Ant2	5310	13.63	86.67	0.62	14.25	≤23.98	PASS
11N40SI SO	Ant1	5510	13.88	86.49	0.63	14.51	≤23.98	PASS
11N40SI SO	Ant2	5510	11.47	86.67	0.62	12.09	≤23.98	PASS
11N40SI SO	Ant1	5590	13.35	86.67	0.62	13.97	≤23.98	PASS
11N40SI SO	Ant2	5590	12.80	86.49	0.63	13.43	≤23.98	PASS
11N40SI SO	Ant1	5670	13.00	86.67	0.62	13.62	≤23.98	PASS
11N40SI SO	Ant2	5670	13.89	86.49	0.63	14.52	≤23.98	PASS
11N40SI SO	Ant1	5755	15.12	86.67	0.62	15.74	≤30.00	PASS
11N40SI SO	Ant2	5755	14.58	86.49	0.63	15.21	≤30.00	PASS
11N40SI SO	Ant1	5795	14.58	86.67	0.62	15.20	≤30.00	PASS
11N40SI SO	Ant2	5795	14.30	86.49	0.63	14.93	≤30.00	PASS
11AC20S ISO	Ant1	5180	14.59	92.91	0.32	14.91	≤23.98	PASS
11AC20S ISO	Ant2	5180	12.63	92.96	0.32	12.95	≤23.98	PASS
11AC20S ISO	Ant1	5200	15.01	92.91	0.32	15.33	≤23.98	PASS
11AC20S ISO	Ant2	5200	13.38	92.91	0.32	13.70	≤23.98	PASS
11AC20S ISO	Ant1	5240	14.12	92.96	0.32	14.44	≤23.98	PASS
11AC20S ISO	Ant2	5240	13.77	92.91	0.32	14.09	≤23.98	PASS
11AC20S ISO	Ant1	5260	13.94	92.91	0.32	14.26	≤23.98	PASS
11AC20S ISO	Ant2	5260	14.05	92.96	0.32	14.37	≤23.98	PASS

11AC20S ISO	Ant1	5300	13.12	92.96	0.32	13.44	≤23.98	PASS
11AC20S ISO	Ant2	5300	14.04	92.96	0.32	14.36	≤23.98	PASS
11AC20S ISO	Ant1	5320	12.63	92.96	0.32	12.95	≤23.98	PASS
11AC20S ISO	Ant2	5320	14.22	92.96	0.32	14.54	≤23.98	PASS
11AC20S ISO	Ant1	5500	14.22	92.91	0.32	14.54	≤23.98	PASS
11AC20S ISO	Ant2	5500	11.83	92.96	0.32	12.15	≤23.98	PASS
11AC20S ISO	Ant1	5580	13.57	92.91	0.32	13.89	≤23.98	PASS
11AC20S ISO	Ant2	5580	12.97	92.96	0.32	13.29	≤23.98	PASS
11AC20S ISO	Ant1	5700	13.83	92.91	0.32	14.15	≤23.98	PASS
11AC20S ISO	Ant2	5700	14.33	92.91	0.32	14.65	≤23.98	PASS
11AC20S ISO	Ant1	5745	15.19	92.91	0.32	15.51	≤30.00	PASS
11AC20S ISO	Ant2	5745	14.79	92.96	0.32	15.11	≤30.00	PASS
11AC20S ISO	Ant1	5785	14.63	92.96	0.32	14.95	≤30.00	PASS
11AC20S ISO	Ant2	5785	14.43	92.91	0.32	14.75	≤30.00	PASS
11AC20S ISO	Ant1	5825	14.15	92.96	0.32	14.47	≤30.00	PASS
11AC20S ISO	Ant2	5825	13.88	92.91	0.32	14.20	≤30.00	PASS
11AC40S ISO	Ant1	5190	15.00	86.84	0.61	15.61	≤23.98	PASS
11AC40S ISO	Ant2	5190	13.08	86.84	0.61	13.69	≤23.98	PASS
11AC40S ISO	Ant1	5230	14.48	86.84	0.61	15.09	≤23.98	PASS
11AC40S ISO	Ant2	5230	14.07	86.84	0.61	14.68	≤23.98	PASS
11AC40S ISO	Ant1	5270	13.64	86.84	0.61	14.25	≤23.98	PASS
11AC40S ISO	Ant2	5270	14.09	86.84	0.61	14.70	≤23.98	PASS