


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band25

1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.83	-13	Pass	2985
30	1000	0.1	RMS	990.599	-55.91	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.45	-13	Pass	830
1830	1925	1	RMS	1850.267	15.65	60	Pass	601
1925	3000	1	RMS	2670.694	-39.07	-13	Pass	1075
3000	12000	1	RMS	11917.991	-46.72	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.81	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.43	-13	Pass	2985
30	1000	0.1	RMS	904.89	-56.03	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.43	-13	Pass	830
1830	1925	1	RMS	1851.217	15.5	60	Pass	601
1925	3000	1	RMS	2668.692	-39.06	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.69	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.8	-13	Pass	8000



1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.01	-13	Pass	2985
30	1000	0.1	RMS	902.69	-56.02	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.44	-13	Pass	830
1830	1925	1	RMS	1850.267	14.76	60	Pass	601
1925	3000	1	RMS	2669.693	-39.05	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.82	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.03	-13	Pass	2985
30	1000	0.1	RMS	937.994	-55.98	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.42	-13	Pass	830
1830	1925	1	RMS	1851.217	14.61	60	Pass	601
1925	3000	1	RMS	2667.691	-39.09	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.71	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.78	-13	Pass	8000



1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.21	-13	Pass	2985
30	1000	0.1	RMS	902.49	-56	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.43	-13	Pass	830
1830	1925	1	RMS	1882.092	15.04	60	Pass	601
1925	3000	1	RMS	2667.691	-39.07	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.85	-13	Pass	8000



1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.91	-13	Pass	2985
30	1000	0.1	RMS	922.492	-55.89	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.43	-13	Pass	830
1830	1925	1	RMS	1882.883	15.02	60	Pass	601
1925	3000	1	RMS	2668.692	-39.1	-13	Pass	1075
3000	12000	1	RMS	11911.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.8	-13	Pass	8000



1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.62	-13	Pass	2985
30	1000	0.1	RMS	901.09	-55.98	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.43	-13	Pass	830
1830	1925	1	RMS	1882.092	14.12	60	Pass	601
1925	3000	1	RMS	2669.693	-39.08	-13	Pass	1075
3000	12000	1	RMS	11917.991	-46.76	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.84	-13	Pass	8000



1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.71	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.62	-13	Pass	2985
30	1000	0.1	RMS	973.897	-55.9	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.41	-13	Pass	830
1830	1925	1	RMS	1882.883	14.11	60	Pass	601
1925	3000	1	RMS	2668.692	-39.04	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.8	-13	Pass	8000



1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.4	-13	Pass	2985
30	1000	0.1	RMS	929.293	-56.02	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.41	-13	Pass	830
1830	1925	1	RMS	1913.917	14.85	60	Pass	601
1925	3000	1	RMS	2672.696	-39.05	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.73	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.77	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.96	-13	Pass	2985
30	1000	0.1	RMS	898.089	-55.71	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.38	-13	Pass	830
1830	1925	1	RMS	1914.708	14.04	60	Pass	601
1925	3000	1	RMS	2667.691	-39.04	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.7	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.84	-13	Pass	8000



1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.35	-13	Pass	2985
30	1000	0.1	RMS	899.09	-56.06	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.43	-13	Pass	830
1830	1925	1	RMS	1913.917	14.23	60	Pass	601
1925	3000	1	RMS	2667.691	-39.02	-13	Pass	1075
3000	12000	1	RMS	11906.99	-46.76	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.8	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.84	-13	Pass	2985
30	1000	0.1	RMS	903.09	-55.92	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.4	-13	Pass	830
1830	1925	1	RMS	1914.708	13.43	60	Pass	601
1925	3000	1	RMS	2669.693	-39.03	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.84	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.93	-13	Pass	2985
30	1000	0.1	RMS	898.89	-55.99	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.4	-13	Pass	830
1830	1925	1	RMS	1850.267	15.84	60	Pass	601
1925	3000	1	RMS	2669.693	-39.06	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.76	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.81	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.55	-13	Pass	2985
30	1000	0.1	RMS	938.594	-55.96	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.39	-13	Pass	830
1830	1925	1	RMS	1852.8	15.55	60	Pass	601
1925	3000	1	RMS	2672.696	-39.54	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.71	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.77	-13	Pass	8000



1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.45	-13	Pass	2985
30	1000	0.1	RMS	908.791	-55.72	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.4	-13	Pass	830
1830	1925	1	RMS	1850.267	15.11	60	Pass	601
1925	3000	1	RMS	2669.693	-39.51	-13	Pass	1075
3000	12000	1	RMS	11916.991	-46.73	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.84	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.6	-13	Pass	2985
30	1000	0.1	RMS	899.89	-55.92	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.4	-13	Pass	830
1830	1925	1	RMS	1852.8	14.74	60	Pass	601
1925	3000	1	RMS	2669.693	-39.05	-13	Pass	1075
3000	12000	1	RMS	11914.991	-46.72	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.8	-13	Pass	8000



1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.41	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.01	-13	Pass	2985
30	1000	0.1	RMS	904.09	-55.83	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.4	-13	Pass	830
1830	1925	1	RMS	1881.3	15.14	60	Pass	601
1925	3000	1	RMS	2669.693	-39.05	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.79	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.79	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.76	-13	Pass	2985
30	1000	0.1	RMS	919.092	-55.79	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.44	-13	Pass	830
1830	1925	1	RMS	1883.833	15.11	60	Pass	601
1925	3000	1	RMS	2667.691	-39.05	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.68	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.84	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.38	-13	Pass	2985
30	1000	0.1	RMS	921.092	-55.97	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.41	-13	Pass	830
1830	1925	1	RMS	1881.3	14.21	60	Pass	601
1925	3000	1	RMS	2668.692	-39.1	-13	Pass	1075
3000	12000	1	RMS	11907.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.73	-13	Pass	8000



1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.76	-13	Pass	2985
30	1000	0.1	RMS	994.899	-55.97	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.4	-13	Pass	830
1830	1925	1	RMS	1883.675	14.22	60	Pass	601
1925	3000	1	RMS	2668.692	-39.05	-13	Pass	1075
3000	12000	1	RMS	11900.989	-46.78	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.79	-13	Pass	8000



1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.61	-13	Pass	2985
30	1000	0.1	RMS	998.6	-55.95	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.4	-13	Pass	830
1830	1925	1	RMS	1912.175	15.57	60	Pass	601
1925	3000	1	RMS	2668.692	-39.05	-13	Pass	1075
3000	12000	1	RMS	11914.991	-46.74	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.79	-13	Pass	8000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.03	-13	Pass	2985
30	1000	0.1	RMS	950.095	-55.87	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.42	-13	Pass	830
1830	1925	1	RMS	1914.708	13.87	60	Pass	601
1925	3000	1	RMS	2667.691	-39.05	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.79	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.79	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.78	-13	Pass	2985
30	1000	0.1	RMS	907.19	-55.91	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.41	-13	Pass	830
1830	1925	1	RMS	1912.175	14.92	60	Pass	601
1925	3000	1	RMS	2664.688	-39.05	-13	Pass	1075
3000	12000	1	RMS	11901.989	-46.74	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.8	-13	Pass	8000



1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.85	-13	Pass	2985
30	1000	0.1	RMS	971.297	-55.91	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.4	-13	Pass	830
1830	1925	1	RMS	1914.708	13.13	60	Pass	601
1925	3000	1	RMS	2670.694	-39.06	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.73	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.85	-13	Pass	8000



1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.44	-13	Pass	2985
30	1000	0.1	RMS	981.498	-55.96	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.43	-13	Pass	830
1830	1925	1	RMS	1850.425	15.75	60	Pass	601
1925	3000	1	RMS	2671.695	-39	-13	Pass	1075
3000	12000	1	RMS	11911.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.85	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.94	-13	Pass	2985
30	1000	0.1	RMS	900.39	-55.92	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.42	-13	Pass	830
1830	1925	1	RMS	1854.7	15.36	60	Pass	601
1925	3000	1	RMS	2669.693	-39.1	-13	Pass	1075
3000	12000	1	RMS	11904.989	-46.74	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.8	-13	Pass	8000



1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.5	-13	Pass	2985
30	1000	0.1	RMS	991.699	-55.97	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.43	-13	Pass	830
1830	1925	1	RMS	1850.267	15	60	Pass	601
1925	3000	1	RMS	2670.694	-39.08	-13	Pass	1075
3000	12000	1	RMS	11916.991	-46.72	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.83	-13	Pass	8000



1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.9	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.62	-13	Pass	2985
30	1000	0.1	RMS	919.292	-55.9	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.44	-13	Pass	830
1830	1925	1	RMS	1854.7	14.6	60	Pass	601
1925	3000	1	RMS	2669.693	-39.08	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.82	-13	Pass	8000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.1	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.84	-13	Pass	2985
30	1000	0.1	RMS	929.293	-55.85	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.41	-13	Pass	830
1830	1925	1	RMS	1880.35	15.19	60	Pass	601
1925	3000	1	RMS	2672.696	-39.06	-13	Pass	1075
3000	12000	1	RMS	11899.989	-46.76	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.78	-13	Pass	8000



1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.57	-13	Pass	2985
30	1000	0.1	RMS	988.399	-55.94	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.39	-13	Pass	830
1830	1925	1	RMS	1884.625	15.48	60	Pass	601
1925	3000	1	RMS	2670.694	-39.04	-13	Pass	1075
3000	12000	1	RMS	11914.991	-46.73	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.81	-13	Pass	8000



1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.14	-13	Pass	2985
30	1000	0.1	RMS	897.089	-55.89	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.42	-13	Pass	830
1830	1925	1	RMS	1880.35	14.39	60	Pass	601
1925	3000	1	RMS	2665.689	-39.07	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.71	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.79	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.69	-13	Pass	2985
30	1000	0.1	RMS	997	-56.05	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.42	-13	Pass	830
1830	1925	1	RMS	1884.625	14.7	60	Pass	601
1925	3000	1	RMS	2669.693	-39.06	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.77	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.8	-13	Pass	8000



1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.46	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.14	-13	Pass	2985
30	1000	0.1	RMS	909.391	-55.7	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.38	-13	Pass	830
1830	1925	1	RMS	1910.275	15.63	60	Pass	601
1925	3000	1	RMS	2669.693	-39.05	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.78	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.78	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.25	-13	Pass	2985
30	1000	0.1	RMS	900.49	-55.9	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.38	-13	Pass	830
1830	1925	1	RMS	1914.708	14.34	60	Pass	601
1925	3000	1	RMS	2667.691	-39.01	-13	Pass	1075
3000	12000	1	RMS	11922.991	-46.73	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.83	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.62	-13	Pass	2985
30	1000	0.1	RMS	997.9	-55.9	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.43	-13	Pass	830
1830	1925	1	RMS	1910.275	15.01	60	Pass	601
1925	3000	1	RMS	2670.694	-39.07	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.82	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.98	-13	Pass	2985
30	1000	0.1	RMS	998.6	-55.81	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.43	-13	Pass	830
1830	1925	1	RMS	1914.708	13.84	60	Pass	601
1925	3000	1	RMS	2668.692	-39.04	-13	Pass	1075
3000	12000	1	RMS	11916.991	-46.69	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.74	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.69	-13	Pass	2985
30	1000	0.1	RMS	988.199	-56	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.43	-13	Pass	830
1830	1925	1	RMS	1850.583	15.92	60	Pass	601
1925	3000	1	RMS	2671.695	-39.09	-13	Pass	1075
3000	12000	1	RMS	11918.991	-46.73	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.77	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.91	-13	Pass	2985
30	1000	0.1	RMS	899.49	-56.04	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.42	-13	Pass	830
1830	1925	1	RMS	1859.45	16.2	60	Pass	601
1925	3000	1	RMS	2668.692	-39.02	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.8	-13	Pass	8000



1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.14	-13	Pass	2985
30	1000	0.1	RMS	999.9	-55.94	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.43	-13	Pass	830
1830	1925	1	RMS	1850.583	15.15	60	Pass	601
1925	3000	1	RMS	2669.693	-39.04	-13	Pass	1075
3000	12000	1	RMS	11922.991	-46.75	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.82	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.32	-13	Pass	2985
30	1000	0.1	RMS	958.996	-55.72	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.37	-13	Pass	830
1830	1925	1	RMS	1859.45	15.34	60	Pass	601
1925	3000	1	RMS	2667.691	-39.07	-13	Pass	1075
3000	12000	1	RMS	11914.991	-46.76	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.78	-13	Pass	8000



1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.66	-13	Pass	2985
30	1000	0.1	RMS	972.297	-56	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.41	-13	Pass	830
1830	1925	1	RMS	1878.133	15.5	60	Pass	601
1925	3000	1	RMS	2670.694	-39.04	-13	Pass	1075
3000	12000	1	RMS	11917.991	-46.73	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.83	-13	Pass	8000



1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.29	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.79	-13	Pass	2985
30	1000	0.1	RMS	908.391	-55.92	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.44	-13	Pass	830
1830	1925	1	RMS	1886.842	15.8	60	Pass	601
1925	3000	1	RMS	2664.688	-39.05	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.71	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.76	-13	Pass	8000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.17	-13	Pass	2985
30	1000	0.1	RMS	952.195	-55.99	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.42	-13	Pass	830
1830	1925	1	RMS	1878.133	14.67	60	Pass	601
1925	3000	1	RMS	2670.694	-39.03	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.72	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.83	-13	Pass	8000



1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.44	-13	Pass	2985
30	1000	0.1	RMS	900.89	-55.94	-13	Pass	9700
1000	1830	1	RMS	1828.999	-44.44	-13	Pass	830
1830	1925	1	RMS	1886.842	14.94	60	Pass	601
1925	3000	1	RMS	2670.694	-39.05	-13	Pass	1075
3000	12000	1	RMS	11907.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.81	-13	Pass	8000



1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.17	-13	Pass	2985
30	1000	0.1	RMS	992.199	-55.78	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.44	-13	Pass	830
1830	1925	1	RMS	1905.525	15.69	60	Pass	601
1925	3000	1	RMS	2668.692	-39.03	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.75	-13	Pass	8000



1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.71	-13	Pass	2985
30	1000	0.1	RMS	990.699	-55.8	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.42	-13	Pass	830
1830	1925	1	RMS	1914.392	14.6	60	Pass	601
1925	3000	1	RMS	2672.696	-39.02	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.83	-13	Pass	8000



1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.41	-13	Pass	2985
30	1000	0.1	RMS	896.289	-55.7	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.44	-13	Pass	830
1830	1925	1	RMS	1905.525	15.02	60	Pass	601
1925	3000	1	RMS	2668.692	-39.04	-13	Pass	1075
3000	12000	1	RMS	11919.991	-46.77	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.77	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.27	-13	Pass	2985
30	1000	0.1	RMS	993.999	-56.02	-13	Pass	9700
1000	1830	1	RMS	1802.967	-44.46	-13	Pass	830
1830	1925	1	RMS	1914.392	13.92	60	Pass	601
1925	3000	1	RMS	2673.696	-39.03	-13	Pass	1075
3000	12000	1	RMS	11901.989	-46.75	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.85	-13	Pass	8000




1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.02	-13	Pass	2985
30	1000	0.1	RMS	889.589	-55.82	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.02	-13	Pass	830
1830	1925	1	RMS	1850.9	16.42	60	Pass	601
1925	3000	1	RMS	2666.69	-39.08	-13	Pass	1075
3000	12000	1	RMS	11906.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.79	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.26	-13	Pass	2985
30	1000	0.1	RMS	902.89	-55.92	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.44	-13	Pass	830
1830	1925	1	RMS	1864.2	16.78	60	Pass	601
1925	3000	1	RMS	2669.693	-39.09	-13	Pass	1075
3000	12000	1	RMS	11916.991	-46.74	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.79	-13	Pass	8000




1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.28	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.65	-13	Pass	2985
30	1000	0.1	RMS	929.193	-55.93	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.14	-13	Pass	830
1830	1925	1	RMS	1850.9	15.67	60	Pass	601
1925	3000	1	RMS	2668.692	-39.05	-13	Pass	1075
3000	12000	1	RMS	11917.991	-46.73	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.78	-13	Pass	8000



1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.4	-13	Pass	2985
30	1000	0.1	RMS	894.689	-56.02	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.42	-13	Pass	830
1830	1925	1	RMS	1864.2	16.07	60	Pass	601
1925	3000	1	RMS	2667.691	-39.03	-13	Pass	1075
3000	12000	1	RMS	11907.99	-46.76	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.83	-13	Pass	8000



1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.14	-13	Pass	2985
30	1000	0.1	RMS	901.49	-55.79	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.42	-13	Pass	830
1830	1925	1	RMS	1875.917	16.24	60	Pass	601
1925	3000	1	RMS	2671.695	-38.99	-13	Pass	1075
3000	12000	1	RMS	11917.991	-46.77	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.8	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39	-13	Pass	2985
30	1000	0.1	RMS	994.099	-55.87	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.42	-13	Pass	830
1830	1925	1	RMS	1889.217	16.18	60	Pass	601
1925	3000	1	RMS	2669.693	-39.02	-13	Pass	1075
3000	12000	1	RMS	11915.991	-46.75	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.82	-13	Pass	8000



1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.96	-13	Pass	2985
30	1000	0.1	RMS	994.999	-55.79	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.44	-13	Pass	830
1830	1925	1	RMS	1875.917	15.48	60	Pass	601
1925	3000	1	RMS	2670.694	-39.08	-13	Pass	1075
3000	12000	1	RMS	11909.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.77	-13	Pass	8000



1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.1	-13	Pass	2985
30	1000	0.1	RMS	893.589	-55.82	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.44	-13	Pass	830
1830	1925	1	RMS	1889.217	15.49	60	Pass	601
1925	3000	1	RMS	2669.693	-39.06	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.81	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.56	-13	Pass	2985
30	1000	0.1	RMS	981.398	-56.04	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.42	-13	Pass	830
1830	1925	1	RMS	1900.775	16.39	60	Pass	601
1925	3000	1	RMS	2670.694	-39.03	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.77	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.76	-13	Pass	8000



1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.14	-13	Pass	2985
30	1000	0.1	RMS	996.7	-55.91	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.4	-13	Pass	830
1830	1925	1	RMS	1914.233	14.65	60	Pass	601
1925	3000	1	RMS	2669.693	-39.07	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.84	-13	Pass	8000



1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.92	-13	Pass	2985
30	1000	0.1	RMS	963.096	-55.88	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.36	-13	Pass	830
1830	1925	1	RMS	1900.933	15.71	60	Pass	601
1925	3000	1	RMS	2669.693	-39.07	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.83	-13	Pass	8000



1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.46	-13	Pass	2985
30	1000	0.1	RMS	890.689	-55.92	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.42	-13	Pass	830
1830	1925	1	RMS	1914.233	14.11	60	Pass	601
1925	3000	1	RMS	2669.693	-39.07	-13	Pass	1075
3000	12000	1	RMS	11914.991	-46.7	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.79	-13	Pass	8000




1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.77	-13	Pass	2985
30	1000	0.1	RMS	957.096	-55.82	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.14	-13	Pass	830
1830	1925	1	RMS	1851.058	16.37	60	Pass	601
1925	3000	1	RMS	2667.691	-39.07	-13	Pass	1075
3000	12000	1	RMS	11898.989	-46.76	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.8	-13	Pass	8000



1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.77	-13	Pass	2985
30	1000	0.1	RMS	914.291	-56	-13	Pass	9700
1000	1830	1	RMS	1823.993	-44.33	-13	Pass	830
1830	1925	1	RMS	1868.95	16.84	60	Pass	601
1925	3000	1	RMS	2670.694	-39.05	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.73	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.77	-13	Pass	8000



1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.73	-13	Pass	2985
30	1000	0.1	RMS	898.19	-55.92	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.27	-13	Pass	830
1830	1925	1	RMS	1851.058	15.48	60	Pass	601
1925	3000	1	RMS	2668.692	-39.05	-13	Pass	1075
3000	12000	1	RMS	11914.991	-46.73	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.84	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.93	-13	Pass	2985
30	1000	0.1	RMS	903.09	-55.96	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.42	-13	Pass	830
1830	1925	1	RMS	1868.95	15.9	60	Pass	601
1925	3000	1	RMS	2672.696	-39.05	-13	Pass	1075
3000	12000	1	RMS	11913.99	-46.75	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.78	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.54	-13	Pass	2985
30	1000	0.1	RMS	997.6	-55.84	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.42	-13	Pass	830
1830	1925	1	RMS	1873.542	16.91	60	Pass	601
1925	3000	1	RMS	2671.695	-39.08	-13	Pass	1075
3000	12000	1	RMS	11908.99	-46.74	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.84	-13	Pass	8000



1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.92	-13	Pass	2985
30	1000	0.1	RMS	966.397	-56	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.4	-13	Pass	830
1830	1925	1	RMS	1891.433	16.34	60	Pass	601
1925	3000	1	RMS	2667.691	-39.03	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.72	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.79	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.48	-13	Pass	2985
30	1000	0.1	RMS	933.693	-55.88	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.43	-13	Pass	830
1830	1925	1	RMS	1873.542	16.12	60	Pass	601
1925	3000	1	RMS	2669.693	-39.02	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.73	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.78	-13	Pass	8000



1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.66	-13	Pass	2985
30	1000	0.1	RMS	915.191	-55.88	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.39	-13	Pass	830
1830	1925	1	RMS	1891.433	15.59	60	Pass	601
1925	3000	1	RMS	2669.693	-39.05	-13	Pass	1075
3000	12000	1	RMS	11911.99	-46.72	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.82	-13	Pass	8000



1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.95	-13	Pass	2985
30	1000	0.1	RMS	987.599	-55.96	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.43	-13	Pass	830
1830	1925	1	RMS	1896.025	16.83	60	Pass	601
1925	3000	1	RMS	2669.693	-39.01	-13	Pass	1075
3000	12000	1	RMS	11912.99	-46.73	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.8	-13	Pass	8000




1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.92	-13	Pass	2985
30	1000	0.1	RMS	913.391	-55.85	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.42	-13	Pass	830
1830	1925	1	RMS	1913.917	15.39	60	Pass	601
1925	3000	1	RMS	2665.689	-39.02	-13	Pass	1075
3000	12000	1	RMS	11910.99	-46.72	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.79	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.93	-13	Pass	2985
30	1000	0.1	RMS	997.3	-55.85	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.4	-13	Pass	830
1830	1925	1	RMS	1896.025	15.97	60	Pass	601
1925	3000	1	RMS	2669.693	-39.47	-13	Pass	1075
3000	12000	1	RMS	11906.99	-46.69	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.73	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.71	-13	Pass	2985
30	1000	0.1	RMS	895.589	-55.99	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.42	-13	Pass	830
1830	1925	1	RMS	1913.917	14.71	60	Pass	601
1925	3000	1	RMS	2668.692	-39.47	-13	Pass	1075
3000	12000	1	RMS	11911.99	-46.76	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.79	-13	Pass	8000



END