


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band4


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.1	-13	Pass	2986
30	1000	0.1	RMS	848.5	-58.39	-13	Pass	9701
1000	1700	1	RMS	1700	-45.87	-13	Pass	701
1700	1765	1	RMS	1710.238	23.88	60	Pass	401
1765	3000	1	RMS	2666	-41.61	-13	Pass	1236
3000	12000	1	RMS	11996	-47.38	-13	Pass	9001
12000	18000	1	RMS	15799	-38.9	-13	Pass	6001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.31	-13	Pass	2986
30	1000	0.1	RMS	895.3	-58.28	-13	Pass	9701
1000	1700	1	RMS	1700	-46.11	-13	Pass	701
1700	1765	1	RMS	1711.213	23.84	60	Pass	401
1765	3000	1	RMS	2662	-41.61	-13	Pass	1236
3000	12000	1	RMS	11997	-47.27	-13	Pass	9001
12000	18000	1	RMS	15801	-38.92	-13	Pass	6001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	1000	0.1	RMS	872.6	-58.26	-13	Pass	9701
1000	1700	1	RMS	1700	-45.99	-13	Pass	701
1700	1765	1	RMS	1710.238	22.94	60	Pass	401
1765	3000	1	RMS	2666	-41.63	-13	Pass	1236
3000	12000	1	RMS	11995	-47.36	-13	Pass	9001
12000	18000	1	RMS	15799	-38.86	-13	Pass	6001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2986
30	1000	0.1	RMS	904.3	-58.28	-13	Pass	9701
1000	1700	1	RMS	1700	-46.32	-13	Pass	701
1700	1765	1	RMS	1711.213	22.92	60	Pass	401
1765	3000	1	RMS	2660	-41.66	-13	Pass	1236
3000	12000	1	RMS	11998	-47.34	-13	Pass	9001
12000	18000	1	RMS	15800	-38.94	-13	Pass	6001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.83	-13	Pass	2986
30	1000	0.1	RMS	946	-58.23	-13	Pass	9701
1000	1700	1	RMS	1602	-46.89	-13	Pass	701
1700	1765	1	RMS	1732.013	23.81	60	Pass	401
1765	3000	1	RMS	2664	-41.6	-13	Pass	1236
3000	12000	1	RMS	11997	-47.27	-13	Pass	9001
12000	18000	1	RMS	15796	-39.04	-13	Pass	6001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	892	-58.33	-13	Pass	9701
1000	1700	1	RMS	1595	-46.9	-13	Pass	701
1700	1765	1	RMS	1732.988	23.8	60	Pass	401
1765	3000	1	RMS	2665	-41.6	-13	Pass	1236
3000	12000	1	RMS	11997	-47.36	-13	Pass	9001
12000	18000	1	RMS	15798	-38.85	-13	Pass	6001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-13	Pass	2986
30	1000	0.1	RMS	973.2	-58.25	-13	Pass	9701
1000	1700	1	RMS	1601	-46.88	-13	Pass	701
1700	1765	1	RMS	1732.013	22.89	60	Pass	401
1765	3000	1	RMS	2665	-41.65	-13	Pass	1236
3000	12000	1	RMS	11998	-47.34	-13	Pass	9001
12000	18000	1	RMS	15799	-38.86	-13	Pass	6001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-13	Pass	2986
30	1000	0.1	RMS	984.6	-58.22	-13	Pass	9701
1000	1700	1	RMS	1605	-46.88	-13	Pass	701
1700	1765	1	RMS	1732.988	22.91	60	Pass	401
1765	3000	1	RMS	2664	-41.61	-13	Pass	1236
3000	12000	1	RMS	11997	-47.14	-13	Pass	9001
12000	18000	1	RMS	15799	-38.9	-13	Pass	6001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2986
30	1000	0.1	RMS	872.8	-58.37	-13	Pass	9701
1000	1700	1	RMS	1600	-46.85	-13	Pass	701
1700	1765	1	RMS	1753.788	23.73	60	Pass	401
1765	3000	1	RMS	2670	-41.62	-13	Pass	1236
3000	12000	1	RMS	11998	-47.37	-13	Pass	9001
12000	18000	1	RMS	15800	-38.97	-13	Pass	6001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-13	Pass	2986
30	1000	0.1	RMS	887.7	-58.43	-13	Pass	9701
1000	1700	1	RMS	1606	-46.89	-13	Pass	701
1700	1765	1	RMS	1754.763	23.81	60	Pass	401
1765	3000	1	RMS	2669	-41.61	-13	Pass	1236
3000	12000	1	RMS	12000	-47.28	-13	Pass	9001
12000	18000	1	RMS	15801	-38.96	-13	Pass	6001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.41	-13	Pass	2986
30	1000	0.1	RMS	955	-58.45	-13	Pass	9701
1000	1700	1	RMS	1600	-46.88	-13	Pass	701
1700	1765	1	RMS	1753.788	22.88	60	Pass	401
1765	3000	1	RMS	2670	-41.63	-13	Pass	1236
3000	12000	1	RMS	12000	-47.32	-13	Pass	9001
12000	18000	1	RMS	15798	-38.97	-13	Pass	6001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.76	-13	Pass	2986
30	1000	0.1	RMS	902.8	-58.25	-13	Pass	9701
1000	1700	1	RMS	1604	-46.88	-13	Pass	701
1700	1765	1	RMS	1754.763	22.92	60	Pass	401
1765	3000	1	RMS	2667	-41.62	-13	Pass	1236
3000	12000	1	RMS	11988	-47.3	-13	Pass	9001
12000	18000	1	RMS	15800	-39.02	-13	Pass	6001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.16	-13	Pass	2986
30	1000	0.1	RMS	894.3	-58.45	-13	Pass	9701
1000	1700	1	RMS	1700	-45.92	-13	Pass	701
1700	1765	1	RMS	1710.238	23.66	60	Pass	401
1765	3000	1	RMS	2668	-41.59	-13	Pass	1236
3000	12000	1	RMS	11998	-47.32	-13	Pass	9001
12000	18000	1	RMS	15800	-38.98	-13	Pass	6001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.85	-13	Pass	2986
30	1000	0.1	RMS	857.9	-58.28	-13	Pass	9701
1000	1700	1	RMS	1700	-46.5	-13	Pass	701
1700	1765	1	RMS	1712.675	23.56	60	Pass	401
1765	3000	1	RMS	2668	-41.62	-13	Pass	1236
3000	12000	1	RMS	11994	-47.21	-13	Pass	9001
12000	18000	1	RMS	15798	-38.89	-13	Pass	6001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-13	Pass	2986
30	1000	0.1	RMS	989.6	-58.3	-13	Pass	9701
1000	1700	1	RMS	1700	-46.04	-13	Pass	701
1700	1765	1	RMS	1710.238	22.88	60	Pass	401
1765	3000	1	RMS	2666	-41.62	-13	Pass	1236
3000	12000	1	RMS	11989	-47.3	-13	Pass	9001
12000	18000	1	RMS	15801	-39.01	-13	Pass	6001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.15	-13	Pass	2986
30	1000	0.1	RMS	854.3	-58.1	-13	Pass	9701
1000	1700	1	RMS	1700	-46.64	-13	Pass	701
1700	1765	1	RMS	1712.838	22.79	60	Pass	401
1765	3000	1	RMS	2668	-41.63	-13	Pass	1236
3000	12000	1	RMS	11996	-47.27	-13	Pass	9001
12000	18000	1	RMS	15799	-38.88	-13	Pass	6001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.39	-13	Pass	2986
30	1000	0.1	RMS	876.5	-58.42	-13	Pass	9701
1000	1700	1	RMS	1601	-46.86	-13	Pass	701
1700	1765	1	RMS	1731.2	23.67	60	Pass	401
1765	3000	1	RMS	2669	-41.6	-13	Pass	1236
3000	12000	1	RMS	11998	-47.13	-13	Pass	9001
12000	18000	1	RMS	15797	-38.9	-13	Pass	6001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	980.3	-58.4	-13	Pass	9701
1000	1700	1	RMS	1612	-46.86	-13	Pass	701
1700	1765	1	RMS	1733.8	23.66	60	Pass	401
1765	3000	1	RMS	2666	-41.59	-13	Pass	1236
3000	12000	1	RMS	11995	-47.31	-13	Pass	9001
12000	18000	1	RMS	15800	-38.84	-13	Pass	6001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-13	Pass	2986
30	1000	0.1	RMS	975.2	-58.01	-13	Pass	9701
1000	1700	1	RMS	1610	-46.88	-13	Pass	701
1700	1765	1	RMS	1731.2	22.72	60	Pass	401
1765	3000	1	RMS	2669	-41.57	-13	Pass	1236
3000	12000	1	RMS	11995	-47.22	-13	Pass	9001
12000	18000	1	RMS	15800	-38.77	-13	Pass	6001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.52	-13	Pass	2986
30	1000	0.1	RMS	859.1	-58.27	-13	Pass	9701
1000	1700	1	RMS	1612	-46.88	-13	Pass	701
1700	1765	1	RMS	1733.8	22.71	60	Pass	401
1765	3000	1	RMS	2667	-41.64	-13	Pass	1236
3000	12000	1	RMS	11996	-47.25	-13	Pass	9001
12000	18000	1	RMS	15799	-38.84	-13	Pass	6001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-13	Pass	2986
30	1000	0.1	RMS	978.3	-58.18	-13	Pass	9701
1000	1700	1	RMS	1603	-46.89	-13	Pass	701
1700	1765	1	RMS	1752.163	23.59	60	Pass	401
1765	3000	1	RMS	2670	-41.63	-13	Pass	1236
3000	12000	1	RMS	12000	-47.3	-13	Pass	9001
12000	18000	1	RMS	15800	-38.92	-13	Pass	6001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.66	-13	Pass	2986
30	1000	0.1	RMS	846.6	-58.36	-13	Pass	9701
1000	1700	1	RMS	1603	-46.88	-13	Pass	701
1700	1765	1	RMS	1754.763	23.57	60	Pass	401
1765	3000	1	RMS	2669	-41.61	-13	Pass	1236
3000	12000	1	RMS	11996	-47.23	-13	Pass	9001
12000	18000	1	RMS	15797	-38.96	-13	Pass	6001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.38	-13	Pass	2986
30	1000	0.1	RMS	852.1	-58.23	-13	Pass	9701
1000	1700	1	RMS	1599	-46.87	-13	Pass	701
1700	1765	1	RMS	1752.163	22.7	60	Pass	401
1765	3000	1	RMS	2667	-41.63	-13	Pass	1236
3000	12000	1	RMS	11998	-47.09	-13	Pass	9001
12000	18000	1	RMS	15801	-38.95	-13	Pass	6001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	1000	0.1	RMS	993.8	-58.3	-13	Pass	9701
1000	1700	1	RMS	1607	-46.87	-13	Pass	701
1700	1765	1	RMS	1754.763	22.65	60	Pass	401
1765	3000	1	RMS	2661	-41.54	-13	Pass	1236
3000	12000	1	RMS	11998	-47.31	-13	Pass	9001
12000	18000	1	RMS	15700	-38.92	-13	Pass	6001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.24	-13	Pass	2986
30	1000	0.1	RMS	885	-58.26	-13	Pass	9701
1000	1700	1	RMS	1700	-45.56	-13	Pass	701
1700	1765	1	RMS	1710.4	23.59	60	Pass	401
1765	3000	1	RMS	2669	-41.62	-13	Pass	1236
3000	12000	1	RMS	12000	-47.18	-13	Pass	9001
12000	18000	1	RMS	15800	-38.98	-13	Pass	6001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.43	-13	Pass	2986
30	1000	0.1	RMS	881.8	-58.24	-13	Pass	9701
1000	1700	1	RMS	1700	-46.71	-13	Pass	701
1700	1765	1	RMS	1714.625	23.38	60	Pass	401
1765	3000	1	RMS	2663	-41.63	-13	Pass	1236
3000	12000	1	RMS	11999	-47.19	-13	Pass	9001
12000	18000	1	RMS	15800	-38.92	-13	Pass	6001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.75	-13	Pass	2986
30	1000	0.1	RMS	980.4	-58.34	-13	Pass	9701
1000	1700	1	RMS	1700	-45.89	-13	Pass	701
1700	1765	1	RMS	1710.4	22.71	60	Pass	401
1765	3000	1	RMS	2669	-41.63	-13	Pass	1236
3000	12000	1	RMS	11999	-47.35	-13	Pass	9001
12000	18000	1	RMS	15800	-39.01	-13	Pass	6001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	1000	0.1	RMS	899.6	-58.15	-13	Pass	9701
1000	1700	1	RMS	1700	-46.78	-13	Pass	701
1700	1765	1	RMS	1714.625	22.53	60	Pass	401
1765	3000	1	RMS	2666	-41.6	-13	Pass	1236
3000	12000	1	RMS	11999	-47.22	-13	Pass	9001
12000	18000	1	RMS	15800	-38.93	-13	Pass	6001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	1000	0.1	RMS	998.5	-58.06	-13	Pass	9701
1000	1700	1	RMS	1601	-46.87	-13	Pass	701
1700	1765	1	RMS	1730.388	23.53	60	Pass	401
1765	3000	1	RMS	2664	-41.61	-13	Pass	1236
3000	12000	1	RMS	11999	-47.3	-13	Pass	9001
12000	18000	1	RMS	15800	-38.96	-13	Pass	6001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2986
30	1000	0.1	RMS	947.6	-58.43	-13	Pass	9701
1000	1700	1	RMS	1614	-46.9	-13	Pass	701
1700	1765	1	RMS	1734.613	23.51	60	Pass	401
1765	3000	1	RMS	2661	-41.61	-13	Pass	1236
3000	12000	1	RMS	11996	-47.27	-13	Pass	9001
12000	18000	1	RMS	15799	-38.8	-13	Pass	6001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	900.5	-58.11	-13	Pass	9701
1000	1700	1	RMS	1613	-46.86	-13	Pass	701
1700	1765	1	RMS	1730.388	22.75	60	Pass	401
1765	3000	1	RMS	2664	-41.65	-13	Pass	1236
3000	12000	1	RMS	11991	-47.3	-13	Pass	9001
12000	18000	1	RMS	15799	-38.91	-13	Pass	6001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	897.7	-58.39	-13	Pass	9701
1000	1700	1	RMS	1598	-46.88	-13	Pass	701
1700	1765	1	RMS	1734.613	22.74	60	Pass	401
1765	3000	1	RMS	2666	-41.6	-13	Pass	1236
3000	12000	1	RMS	12000	-47.31	-13	Pass	9001
12000	18000	1	RMS	15799	-38.84	-13	Pass	6001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-13	Pass	2986
30	1000	0.1	RMS	883.8	-58.36	-13	Pass	9701
1000	1700	1	RMS	1595	-46.88	-13	Pass	701
1700	1765	1	RMS	1750.375	23.5	60	Pass	401
1765	3000	1	RMS	2664	-41.66	-13	Pass	1236
3000	12000	1	RMS	11989	-47.32	-13	Pass	9001
12000	18000	1	RMS	15799	-38.9	-13	Pass	6001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2986
30	1000	0.1	RMS	972.1	-58.25	-13	Pass	9701
1000	1700	1	RMS	1601	-46.88	-13	Pass	701
1700	1765	1	RMS	1754.6	23.48	60	Pass	401
1765	3000	1	RMS	2668	-41.59	-13	Pass	1236
3000	12000	1	RMS	11999	-47.24	-13	Pass	9001
12000	18000	1	RMS	15798	-38.91	-13	Pass	6001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.31	-13	Pass	2986
30	1000	0.1	RMS	889.6	-58.35	-13	Pass	9701
1000	1700	1	RMS	1602	-46.88	-13	Pass	701
1700	1765	1	RMS	1750.375	22.78	60	Pass	401
1765	3000	1	RMS	2671	-41.65	-13	Pass	1236
3000	12000	1	RMS	11998	-47.22	-13	Pass	9001
12000	18000	1	RMS	15801	-38.95	-13	Pass	6001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.65	-13	Pass	2986
30	1000	0.1	RMS	869.2	-58.37	-13	Pass	9701
1000	1700	1	RMS	1611	-46.88	-13	Pass	701
1700	1765	1	RMS	1754.6	22.72	60	Pass	401
1765	3000	1	RMS	2665	-41.62	-13	Pass	1236
3000	12000	1	RMS	12000	-47.19	-13	Pass	9001
12000	18000	1	RMS	15800	-38.91	-13	Pass	6001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-13	Pass	2986
30	1000	0.1	RMS	974.3	-58.31	-13	Pass	9701
1000	1700	1	RMS	1693	-37.8	-13	Pass	701
1700	1765	1	RMS	1710.563	23.48	60	Pass	401
1765	3000	1	RMS	2669	-41.56	-13	Pass	1236
3000	12000	1	RMS	11997	-47.33	-13	Pass	9001
12000	18000	1	RMS	15801	-38.9	-13	Pass	6001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	1000	0.1	RMS	877.5	-58.36	-13	Pass	9701
1000	1700	1	RMS	1700	-46.71	-13	Pass	701
1700	1765	1	RMS	1719.338	23.3	60	Pass	401
1765	3000	1	RMS	2662	-41.61	-13	Pass	1236
3000	12000	1	RMS	11998	-47.28	-13	Pass	9001
12000	18000	1	RMS	15800	-38.94	-13	Pass	6001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.67	-13	Pass	2986
30	1000	0.1	RMS	999.4	-58.34	-13	Pass	9701
1000	1700	1	RMS	1693	-38.99	-13	Pass	701
1700	1765	1	RMS	1710.563	22.67	60	Pass	401
1765	3000	1	RMS	2666	-41.63	-13	Pass	1236
3000	12000	1	RMS	12000	-47.2	-13	Pass	9001
12000	18000	1	RMS	15798	-38.97	-13	Pass	6001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	1000	0.1	RMS	900.6	-58.21	-13	Pass	9701
1000	1700	1	RMS	1700	-46.8	-13	Pass	701
1700	1765	1	RMS	1719.338	22.53	60	Pass	401
1765	3000	1	RMS	2664	-41.63	-13	Pass	1236
3000	12000	1	RMS	12000	-47.2	-13	Pass	9001
12000	18000	1	RMS	15799	-38.91	-13	Pass	6001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.22	-13	Pass	2986
30	1000	0.1	RMS	967.4	-58.28	-13	Pass	9701
1000	1700	1	RMS	1603	-46.89	-13	Pass	701
1700	1765	1	RMS	1728.113	23.42	60	Pass	401
1765	3000	1	RMS	2662	-41.62	-13	Pass	1236
3000	12000	1	RMS	12000	-47.18	-13	Pass	9001
12000	18000	1	RMS	15801	-38.96	-13	Pass	6001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	1000	0.1	RMS	903.3	-58.32	-13	Pass	9701
1000	1700	1	RMS	1607	-46.88	-13	Pass	701
1700	1765	1	RMS	1736.888	23.39	60	Pass	401
1765	3000	1	RMS	2666	-41.62	-13	Pass	1236
3000	12000	1	RMS	11997	-47.35	-13	Pass	9001
12000	18000	1	RMS	15800	-39.02	-13	Pass	6001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.54	-13	Pass	2986
30	1000	0.1	RMS	890.9	-58.29	-13	Pass	9701
1000	1700	1	RMS	1603	-46.89	-13	Pass	701
1700	1765	1	RMS	1728.113	22.41	60	Pass	401
1765	3000	1	RMS	2669	-41.66	-13	Pass	1236
3000	12000	1	RMS	12000	-47.27	-13	Pass	9001
12000	18000	1	RMS	15797	-39.02	-13	Pass	6001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.74	-13	Pass	2986
30	1000	0.1	RMS	904.1	-58.3	-13	Pass	9701
1000	1700	1	RMS	1614	-46.89	-13	Pass	701
1700	1765	1	RMS	1736.888	22.49	60	Pass	401
1765	3000	1	RMS	2665	-41.59	-13	Pass	1236
3000	12000	1	RMS	11999	-47.29	-13	Pass	9001
12000	18000	1	RMS	15800	-38.76	-13	Pass	6001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.07	-13	Pass	2986
30	1000	0.1	RMS	878	-58.22	-13	Pass	9701
1000	1700	1	RMS	1606	-46.87	-13	Pass	701
1700	1765	1	RMS	1745.663	23.44	60	Pass	401
1765	3000	1	RMS	2665	-41.66	-13	Pass	1236
3000	12000	1	RMS	12000	-47.29	-13	Pass	9001
12000	18000	1	RMS	15800	-38.95	-13	Pass	6001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	865.5	-58.41	-13	Pass	9701
1000	1700	1	RMS	1614	-46.86	-13	Pass	701
1700	1765	1	RMS	1754.438	23.39	60	Pass	401
1765	3000	1	RMS	1772	-38.83	-13	Pass	1236
3000	12000	1	RMS	11989	-47.26	-13	Pass	9001
12000	18000	1	RMS	15801	-38.99	-13	Pass	6001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.24	-13	Pass	2986
30	1000	0.1	RMS	970.8	-58.4	-13	Pass	9701
1000	1700	1	RMS	1601	-46.88	-13	Pass	701
1700	1765	1	RMS	1745.663	22.57	60	Pass	401
1765	3000	1	RMS	2670	-41.61	-13	Pass	1236
3000	12000	1	RMS	12000	-47.25	-13	Pass	9001
12000	18000	1	RMS	15800	-38.91	-13	Pass	6001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-13	Pass	2986
30	1000	0.1	RMS	966.6	-58.22	-13	Pass	9701
1000	1700	1	RMS	1599	-46.87	-13	Pass	701
1700	1765	1	RMS	1754.438	22.48	60	Pass	401
1765	3000	1	RMS	1772	-39.78	-13	Pass	1236
3000	12000	1	RMS	11994	-47.33	-13	Pass	9001
12000	18000	1	RMS	15801	-38.92	-13	Pass	6001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.94	-13	Pass	2986
30	1000	0.1	RMS	935.1	-58.43	-13	Pass	9701
1000	1700	1	RMS	1698	-41.09	-13	Pass	701
1700	1765	1	RMS	1710.888	23.55	60	Pass	401
1765	3000	1	RMS	2668	-41.62	-13	Pass	1236
3000	12000	1	RMS	11999	-47.2	-13	Pass	9001
12000	18000	1	RMS	15800	-38.97	-13	Pass	6001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-13	Pass	2986
30	1000	0.1	RMS	901.2	-58.37	-13	Pass	9701
1000	1700	1	RMS	1698	-31.51	-13	Pass	701
1700	1765	1	RMS	1724.213	23.39	60	Pass	401
1765	3000	1	RMS	2663	-41.6	-13	Pass	1236
3000	12000	1	RMS	11999	-47.3	-13	Pass	9001
12000	18000	1	RMS	15800	-38.91	-13	Pass	6001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.31	-13	Pass	2986
30	1000	0.1	RMS	890.6	-58.36	-13	Pass	9701
1000	1700	1	RMS	1698	-42.86	-13	Pass	701
1700	1765	1	RMS	1710.888	22.79	60	Pass	401
1765	3000	1	RMS	2668	-41.6	-13	Pass	1236
3000	12000	1	RMS	11995	-47.25	-13	Pass	9001
12000	18000	1	RMS	15799	-38.92	-13	Pass	6001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	1000	0.1	RMS	835.7	-58.46	-13	Pass	9701
1000	1700	1	RMS	1697	-32.37	-13	Pass	701
1700	1765	1	RMS	1724.213	22.56	60	Pass	401
1765	3000	1	RMS	2664	-41.63	-13	Pass	1236
3000	12000	1	RMS	12000	-47.26	-13	Pass	9001
12000	18000	1	RMS	15800	-38.83	-13	Pass	6001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	860.3	-58.26	-13	Pass	9701
1000	1700	1	RMS	1699	-36.83	-13	Pass	701
1700	1765	1	RMS	1725.838	23.48	60	Pass	401
1765	3000	1	RMS	2666	-41.6	-13	Pass	1236
3000	12000	1	RMS	11990	-47.18	-13	Pass	9001
12000	18000	1	RMS	15799	-38.98	-13	Pass	6001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	1000	0.1	RMS	966.3	-58.07	-13	Pass	9701
1000	1700	1	RMS	1601	-46.86	-13	Pass	701
1700	1765	1	RMS	1739.163	23.57	60	Pass	401
1765	3000	1	RMS	1766	-37.26	-13	Pass	1236
3000	12000	1	RMS	12000	-47.26	-13	Pass	9001
12000	18000	1	RMS	15800	-38.9	-13	Pass	6001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.89	-13	Pass	2986
30	1000	0.1	RMS	983.2	-58.21	-13	Pass	9701
1000	1700	1	RMS	1699	-38.27	-13	Pass	701
1700	1765	1	RMS	1725.838	22.47	60	Pass	401
1765	3000	1	RMS	2659	-41.64	-13	Pass	1236
3000	12000	1	RMS	11997	-47.21	-13	Pass	9001
12000	18000	1	RMS	15702	-38.96	-13	Pass	6001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-13	Pass	2986
30	1000	0.1	RMS	893.4	-58.28	-13	Pass	9701
1000	1700	1	RMS	1604	-46.85	-13	Pass	701
1700	1765	1	RMS	1739.163	22.65	60	Pass	401
1765	3000	1	RMS	1766	-38.58	-13	Pass	1236
3000	12000	1	RMS	12000	-47.32	-13	Pass	9001
12000	18000	1	RMS	15797	-39.03	-13	Pass	6001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.63	-13	Pass	2986
30	1000	0.1	RMS	905.6	-58.4	-13	Pass	9701
1000	1700	1	RMS	1599	-46.84	-13	Pass	701
1700	1765	1	RMS	1740.788	23.56	60	Pass	401
1765	3000	1	RMS	1767	-33.52	-13	Pass	1236
3000	12000	1	RMS	12000	-47.3	-13	Pass	9001
12000	18000	1	RMS	15799	-38.84	-13	Pass	6001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-13	Pass	2986
30	1000	0.1	RMS	989	-58.23	-13	Pass	9701
1000	1700	1	RMS	1609	-46.86	-13	Pass	701
1700	1765	1	RMS	1754.113	23.47	60	Pass	401
1765	3000	1	RMS	1781	-38.72	-13	Pass	1236
3000	12000	1	RMS	11994	-47.23	-13	Pass	9001
12000	18000	1	RMS	15799	-38.92	-13	Pass	6001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	972.9	-58.35	-13	Pass	9701
1000	1700	1	RMS	1600	-46.85	-13	Pass	701
1700	1765	1	RMS	1740.788	22.77	60	Pass	401
1765	3000	1	RMS	1767	-35.35	-13	Pass	1236
3000	12000	1	RMS	11997	-47.2	-13	Pass	9001
12000	18000	1	RMS	15799	-38.91	-13	Pass	6001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	849.7	-58.24	-13	Pass	9701
1000	1700	1	RMS	1601	-46.88	-13	Pass	701
1700	1765	1	RMS	1754.113	22.6	60	Pass	401
1765	3000	1	RMS	1781	-39.76	-13	Pass	1236
3000	12000	1	RMS	11997	-47.19	-13	Pass	9001
12000	18000	1	RMS	15800	-38.93	-13	Pass	6001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	1000	0.1	RMS	867.3	-58.27	-13	Pass	9701
1000	1700	1	RMS	1693	-41.98	-13	Pass	701
1700	1765	1	RMS	1711.05	23.55	60	Pass	401
1765	3000	1	RMS	2665	-41.6	-13	Pass	1236
3000	12000	1	RMS	11992	-47.14	-13	Pass	9001
12000	18000	1	RMS	15800	-38.91	-13	Pass	6001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-13	Pass	2986
30	1000	0.1	RMS	980.7	-58.26	-13	Pass	9701
1000	1700	1	RMS	1693	-31.94	-13	Pass	701
1700	1765	1	RMS	1728.925	23.45	60	Pass	401
1765	3000	1	RMS	1765	-37.21	-13	Pass	1236
3000	12000	1	RMS	11998	-47.35	-13	Pass	9001
12000	18000	1	RMS	15801	-39	-13	Pass	6001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.28	-13	Pass	2986
30	1000	0.1	RMS	981.1	-58.3	-13	Pass	9701
1000	1700	1	RMS	1693	-44.3	-13	Pass	701
1700	1765	1	RMS	1711.05	22.74	60	Pass	401
1765	3000	1	RMS	2667	-41.59	-13	Pass	1236
3000	12000	1	RMS	11995	-47.33	-13	Pass	9001
12000	18000	1	RMS	15800	-38.72	-13	Pass	6001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-13	Pass	2986
30	1000	0.1	RMS	863.2	-58.21	-13	Pass	9701
1000	1700	1	RMS	1693	-32.48	-13	Pass	701
1700	1765	1	RMS	1728.925	22.63	60	Pass	401
1765	3000	1	RMS	1765	-38.53	-13	Pass	1236
3000	12000	1	RMS	11996	-47.31	-13	Pass	9001
12000	18000	1	RMS	15799	-38.9	-13	Pass	6001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-13	Pass	2986
30	1000	0.1	RMS	974.2	-58.34	-13	Pass	9701
1000	1700	1	RMS	1688	-45.57	-13	Pass	701
1700	1765	1	RMS	1723.563	23.46	60	Pass	401
1765	3000	1	RMS	2667	-41.65	-13	Pass	1236
3000	12000	1	RMS	11992	-47.22	-13	Pass	9001
12000	18000	1	RMS	15799	-38.8	-13	Pass	6001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-13	Pass	2986
30	1000	0.1	RMS	894.7	-58.17	-13	Pass	9701
1000	1700	1	RMS	1600	-46.82	-13	Pass	701
1700	1765	1	RMS	1741.438	23.57	60	Pass	401
1765	3000	1	RMS	1777	-36.88	-13	Pass	1236
3000	12000	1	RMS	11997	-47.24	-13	Pass	9001
12000	18000	1	RMS	15800	-38.92	-13	Pass	6001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.31	-13	Pass	2986
30	1000	0.1	RMS	980.6	-58.37	-13	Pass	9701
1000	1700	1	RMS	1688	-46.21	-13	Pass	701
1700	1765	1	RMS	1723.563	22.53	60	Pass	401
1765	3000	1	RMS	2670	-41.62	-13	Pass	1236
3000	12000	1	RMS	12000	-47.29	-13	Pass	9001
12000	18000	1	RMS	15799	-38.9	-13	Pass	6001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.08	-13	Pass	2986
30	1000	0.1	RMS	973.7	-58.16	-13	Pass	9701
1000	1700	1	RMS	1599	-46.88	-13	Pass	701
1700	1765	1	RMS	1741.438	22.65	60	Pass	401
1765	3000	1	RMS	1777	-38.51	-13	Pass	1236
3000	12000	1	RMS	11996	-47.4	-13	Pass	9001
12000	18000	1	RMS	15800	-38.87	-13	Pass	6001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2986
30	1000	0.1	RMS	898.5	-58.4	-13	Pass	9701
1000	1700	1	RMS	1700	-39.02	-13	Pass	701
1700	1765	1	RMS	1736.075	23.41	60	Pass	401
1765	3000	1	RMS	1772	-34.69	-13	Pass	1236
3000	12000	1	RMS	11998	-47.26	-13	Pass	9001
12000	18000	1	RMS	15799	-38.96	-13	Pass	6001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.26	-13	Pass	2986
30	1000	0.1	RMS	958.1	-58.18	-13	Pass	9701
1000	1700	1	RMS	1600	-46.86	-13	Pass	701
1700	1765	1	RMS	1753.95	23.37	60	Pass	401
1765	3000	1	RMS	1790	-40.37	-13	Pass	1236
3000	12000	1	RMS	11996	-47.27	-13	Pass	9001
12000	18000	1	RMS	15799	-38.96	-13	Pass	6001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-13	Pass	2986
30	1000	0.1	RMS	955.8	-58.08	-13	Pass	9701
1000	1700	1	RMS	1700	-40.16	-13	Pass	701
1700	1765	1	RMS	1736.075	22.46	60	Pass	401
1765	3000	1	RMS	1772	-37.09	-13	Pass	1236
3000	12000	1	RMS	11998	-47.26	-13	Pass	9001
12000	18000	1	RMS	15801	-38.98	-13	Pass	6001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	1000	0.1	RMS	968.8	-58.14	-13	Pass	9701
1000	1700	1	RMS	1598	-46.87	-13	Pass	701
1700	1765	1	RMS	1753.95	22.43	60	Pass	401
1765	3000	1	RMS	1790	-41.14	-13	Pass	1236
3000	12000	1	RMS	11999	-47.28	-13	Pass	9001
12000	18000	1	RMS	15802	-39.02	-13	Pass	6001



END