

Appendix A: Test Data

SISO

Duty cycle						
Mode	Frequency (MHz)	On time (ms)	On+off time (ms)	Duty cycle (%)	Duty Factor (dB)	1/T Minimum VBW (kHz)
802.11b	2412	0.690	3.065	22.512	6.476	1.449
802.11g	2412	1.990	2.045	97.311	0.118	0.503
802.11n HT20	2412	5.490	6.780	80.973	0.917	0.182
802.11n HT40	2422	5.490	6.810	80.617	0.936	0.182
802.11n VHT20	2412	5.490	6.840	80.263	0.955	0.182
802.11n VHT40	2422	5.490	6.810	80.617	0.936	0.182
802.11ax HE20	2412	5.520	6.840	80.702	0.931	0.181
802.11ax HE40	2422	5.490	6.840	80.263	0.955	0.182

2.4 GHz Band							
Mode	Channel	Freq. (MHz)	RF power setting in Test SW				Test SW Version
			Ant-0	Ant-1	Ant-2	Ant-3	
802.11b	1	2412	42.00	-	-	-	Tera Term v4.06
802.11b	6	2437	54.00	-	-	-	
802.11b	11	2462	44.00	-	-	-	
802.11b	12	2467	31.00	-	-	-	
802.11b	13	2472	24.00	-	-	-	
802.11g	1	2412	36.00	-	-	-	
802.11g	6	2437	50.00	-	-	-	
802.11g	11	2462	34.00	-	-	-	
802.11g	12	2467	23.00	-	-	-	
802.11g	13	2472	12.00	-	-	-	
802.11n HT20	1	2412	37.00	-	-	-	
802.11n HT20	6	2437	50.00	-	-	-	
802.11n HT20	11	2462	33.00	-	-	-	
802.11n HT20	12	2467	23.00	-	-	-	
802.11n HT20	13	2472	6.00	-	-	-	
802.11n HT40	3	2422	34.00	-	-	-	
802.11n HT40	6	2437	36.00	-	-	-	
802.11n HT40	9	2452	31.00	-	-	-	
802.11n HT40	10	2457	24.00	-	-	-	
802.11n HT40	11	2462	19.00	-	-	-	
802.11n VHT20	1	2412	37.00	-	-	-	
802.11n VHT20	6	2437	50.00	-	-	-	
802.11n VHT20	11	2462	33.00	-	-	-	
802.11n VHT20	12	2467	23.00	-	-	-	
802.11n VHT20	13	2472	6.00	-	-	-	
802.11n VHT40	3	2422	34.00	-	-	-	
802.11n VHT40	6	2437	36.00	-	-	-	
802.11n VHT40	9	2452	31.00	-	-	-	
802.11n VHT40	10	2457	24.00	-	-	-	
802.11n VHT40	11	2462	19.00	-	-	-	
802.11ax HE20	1	2412	37.00	-	-	-	
802.11ax HE20	6	2437	46.00	-	-	-	
802.11ax HE20	11	2462	32.00	-	-	-	
802.11ax HE20	12	2467	23.00	-	-	-	
802.11ax HE20	13	2472	4.00	-	-	-	
802.11ax HE40	3	2422	34.00	-	-	-	
802.11ax HE40	6	2437	34.00	-	-	-	
802.11ax HE40	9	2452	24.00	-	-	-	
802.11ax HE40	10	2457	22.00	-	-	-	
802.11ax HE40	11	2462	18.00	-	-	-	

2.4 GHz Band													
Mode	CH	Freq. (MHz)	Data Rate	Avg Conducted Power (dBm)					Conducted Power Limit (dBm)				
				Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11b	1	2412	1M	21.19	-	-	-	-	30.00	-	-	-	-
802.11b	6	2437	1M	26.45	-	-	-	-	30.00	-	-	-	-
802.11b	11	2462	1M	21.69	-	-	-	-	30.00	-	-	-	-
802.11b	12	2467	1M	14.97	-	-	-	-	30.00	-	-	-	-
802.11b	13	2472	1M	11.79	-	-	-	-	30.00	-	-	-	-
802.11g	1	2412	6M	17.00	-	-	-	-	30.00	-	-	-	-
802.11g	6	2437	6M	23.15	-	-	-	-	30.00	-	-	-	-
802.11g	11	2462	6M	15.36	-	-	-	-	30.00	-	-	-	-
802.11g	12	2467	6M	9.93	-	-	-	-	30.00	-	-	-	-
802.11g	13	2472	6M	5.30	-	-	-	-	30.00	-	-	-	-
802.11n HT20	1	2412	6.5M	17.29	-	-	-	-	30.00	-	-	-	-
802.11n HT20	6	2437	6.5M	22.98	-	-	-	-	30.00	-	-	-	-
802.11n HT20	11	2462	6.5M	14.54	-	-	-	-	30.00	-	-	-	-
802.11n HT20	12	2467	6.5M	9.69	-	-	-	-	30.00	-	-	-	-
802.11n HT20	13	2472	6.5M	2.43	-	-	-	-	30.00	-	-	-	-
802.11n HT40	3	2422	13.5M	16.09	-	-	-	-	30.00	-	-	-	-
802.11n HT40	6	2437	13.5M	16.95	-	-	-	-	30.00	-	-	-	-
802.11n HT40	9	2452	13.5M	14.36	-	-	-	-	30.00	-	-	-	-
802.11n HT40	10	2457	13.5M	10.76	-	-	-	-	30.00	-	-	-	-
802.11n HT40	11	2462	13.5M	8.09	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	1	2412	MCS0	17.19	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	6	2437	MCS0	22.92	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	11	2462	MCS0	14.42	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	12	2467	MCS0	9.58	-	-	-	-	30.00	-	-	-	-
802.11n VHT20	13	2472	MCS0	2.31	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	3	2422	MCS0	16.02	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	6	2437	MCS0	16.84	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	9	2452	MCS0	14.27	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	10	2457	MCS0	10.65	-	-	-	-	30.00	-	-	-	-
802.11n VHT40	11	2462	MCS0	8.03	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	1	2412	MCS0	17.62	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	6	2437	MCS0	21.71	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	11	2462	MCS0	14.38	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	12	2467	MCS0	10.05	-	-	-	-	30.00	-	-	-	-
802.11ax HE20	13	2472	MCS0	1.65	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	3	2422	MCS0	16.23	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	6	2437	MCS0	15.98	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	9	2452	MCS0	10.98	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	10	2457	MCS0	10.02	-	-	-	-	30.00	-	-	-	-
802.11ax HE40	11	2462	MCS0	7.80	-	-	-	-	30.00	-	-	-	-

6 dB Bandwidth						
Mode	Freq. (MHz)	6 dB Bandwidth (kHz)				6 dB Bandwidth Min.Limit (kHz)
		Ant-0	Ant-1	Ant-2	Ant-3	
802.11b	2412	7588	-	-	-	≥ 500
802.11b	2437	8053	-	-	-	≥ 500
802.11b	2462	9028	-	-	-	≥ 500
802.11b	2467	7143	-	-	-	≥ 500
802.11b	2472	8083	-	-	-	≥ 500
802.11g	2412	16070	-	-	-	≥ 500
802.11g	2437	16300	-	-	-	≥ 500
802.11g	2462	16330	-	-	-	≥ 500
802.11g	2467	16080	-	-	-	≥ 500
802.11g	2472	16300	-	-	-	≥ 500
802.11n HT20	2412	17180	-	-	-	≥ 500
802.11n HT20	2437	17150	-	-	-	≥ 500
802.11n HT20	2462	17290	-	-	-	≥ 500
802.11n HT20	2467	16960	-	-	-	≥ 500
802.11n HT20	2472	17030	-	-	-	≥ 500
802.11n HT40	2422	35510	-	-	-	≥ 500
802.11n HT40	2437	35550	-	-	-	≥ 500
802.11n HT40	2452	35500	-	-	-	≥ 500
802.11n HT40	2457	35500	-	-	-	≥ 500
802.11n HT40	2462	35660	-	-	-	≥ 500
802.11ax HE20	2412	18680	-	-	-	≥ 500
802.11ax HE20	2437	18810	-	-	-	≥ 500
802.11ax HE20	2462	18680	-	-	-	≥ 500
802.11ax HE20	2467	18670	-	-	-	≥ 500
802.11ax HE20	2472	18780	-	-	-	≥ 500
802.11ax HE40	2422	37390	-	-	-	≥ 500
802.11ax HE40	2437	37660	-	-	-	≥ 500
802.11ax HE40	2452	37440	-	-	-	≥ 500
802.11ax HE40	2457	37530	-	-	-	≥ 500
802.11ax HE40	2462	37660	-	-	-	≥ 500

99 % Occupied BW					
Mode	Freq. (MHz)	99 % Occupied BW (MHz)			
		Ant-0	Ant-1	Ant-2	Ant-3
802.11b	2412	13.095	-	-	-
802.11b	2437	13.359	-	-	-
802.11b	2462	13.132	-	-	-
802.11b	2467	13.099	-	-	-
802.11b	2472	13.119	-	-	-
802.11g	2412	16.397	-	-	-
802.11g	2437	16.462	-	-	-
802.11g	2462	16.396	-	-	-
802.11g	2467	16.390	-	-	-
802.11g	2472	16.409	-	-	-
802.11n HT20	2412	17.546	-	-	-
802.11n HT20	2437	17.602	-	-	-
802.11n HT20	2462	17.561	-	-	-
802.11n HT20	2467	17.555	-	-	-
802.11n HT20	2472	17.581	-	-	-
802.11n HT40	2422	36.114	-	-	-
802.11n HT40	2437	36.154	-	-	-
802.11n HT40	2452	36.216	-	-	-
802.11n HT40	2457	36.174	-	-	-
802.11n HT40	2462	36.150	-	-	-
802.11ax HE20	2412	18.887	-	-	-
802.11ax HE20	2437	18.943	-	-	-
802.11ax HE20	2462	18.885	-	-	-
802.11ax HE20	2467	18.891	-	-	-
802.11ax HE20	2472	18.904	-	-	-
802.11ax HE40	2422	37.807	-	-	-
802.11ax HE40	2437	37.801	-	-	-
802.11ax HE40	2452	37.804	-	-	-
802.11ax HE40	2457	37.877	-	-	-
802.11ax HE40	2462	37.741	-	-	-

Maximum Power Spectral Density Measurement											
Mode	Freq. (MHz)	Measurement (dBm/3 kHz)					Max.Limit (dBm/ 3 kHz)				
		Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11b	2412	-1.51	-	-	-	-	8.00	-	-	-	-
802.11b	2437	4.06	-	-	-	-	8.00	-	-	-	-
802.11b	2462	-0.07	-	-	-	-	8.00	-	-	-	-
802.11b	2467	-7.00	-	-	-	-	8.00	-	-	-	-
802.11b	2472	-10.61	-	-	-	-	8.00	-	-	-	-
802.11g	2412	-8.18	-	-	-	-	8.00	-	-	-	-
802.11g	2437	-1.21	-	-	-	-	8.00	-	-	-	-
802.11g	2462	-8.91	-	-	-	-	8.00	-	-	-	-
802.11g	2467	-15.24	-	-	-	-	8.00	-	-	-	-
802.11g	2472	-18.84	-	-	-	-	8.00	-	-	-	-
802.11n HT20	2412	-5.95	-	-	-	-	8.00	-	-	-	-
802.11n HT20	2437	-0.59	-	-	-	-	8.00	-	-	-	-
802.11n HT20	2462	-7.36	-	-	-	-	8.00	-	-	-	-
802.11n HT20	2467	-13.25	-	-	-	-	8.00	-	-	-	-
802.11n HT20	2472	-20.62	-	-	-	-	8.00	-	-	-	-
802.11n HT40	2422	-10.73	-	-	-	-	8.00	-	-	-	-
802.11n HT40	2437	-9.80	-	-	-	-	8.00	-	-	-	-
802.11n HT40	2452	-12.15	-	-	-	-	8.00	-	-	-	-
802.11n HT40	2457	-15.69	-	-	-	-	8.00	-	-	-	-
802.11n HT40	2462	-18.23	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2412	-7.07	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2437	-2.49	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2462	-9.90	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2467	-14.15	-	-	-	-	8.00	-	-	-	-
802.11ax HE20	2472	-22.57	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2422	-9.86	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2437	-11.14	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2452	-15.42	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2457	-17.38	-	-	-	-	8.00	-	-	-	-
802.11ax HE40	2462	-18.58	-	-	-	-	8.00	-	-	-	-

MIMO

Duty cycle

Mode	Frequency (MHz)	On time (ms)	On+off time (ms)	Duty cycle (%)	Duty Factor (dB)	1/T Minimum VBW (kHz)
802.11n HT20	2412	5.490	6.780	80.973	0.917	0.182
802.11n HT40	2422	5.490	6.810	80.617	0.936	0.182
802.11n VHT20	2412	5.490	6.840	80.263	0.955	0.182
802.11n VHT40	2422	5.490	6.810	80.617	0.936	0.182
802.11ax HE20	2412	5.520	6.840	80.702	0.931	0.181
802.11ax HE40	2422	5.490	6.840	80.263	0.955	0.182

2.4 GHz Band							
Mode	Channel	Freq. (MHz)	RF power setting in Test SW				Test SW Version
			Ant-0	Ant-1	Ant-2	Ant-3	
802.11n HT20	1	2412	31.00	31.00	-	-	Tera Term v4.06
802.11n HT20	6	2437	41.00	41.00	-	-	
802.11n HT20	11	2462	29.00	29.00	-	-	
802.11n HT20	12	2467	21.00	21.00	-	-	
802.11n HT20	13	2472	3.00	3.00	-	-	
802.11n HT40	3	2422	28.00	28.00	-	-	
802.11n HT40	6	2437	32.00	32.00	-	-	
802.11n HT40	9	2452	26.00	26.00	-	-	
802.11n HT40	10	2457	21.00	21.00	-	-	
802.11n HT40	11	2462	12.00	12.00	-	-	
802.11n VHT20	1	2412	34.00	34.00	-	-	
802.11n VHT20	6	2437	41.00	41.00	-	-	
802.11n VHT20	11	2462	32.00	32.00	-	-	
802.11n VHT20	12	2467	24.00	24.00	-	-	
802.11n VHT20	13	2472	4.00	4.00	-	-	
802.11n VHT40	3	2422	30.00	30.00	-	-	
802.11n VHT40	6	2437	34.00	34.00	-	-	
802.11n VHT40	9	2452	29.00	29.00	-	-	
802.11n VHT40	10	2457	22.00	22.00	-	-	
802.11n VHT40	11	2462	12.00	12.00	-	-	
802.11ax HE20	1	2412	32.00	32.00	-	-	
802.11ax HE20	6	2437	39.00	39.00	-	-	
802.11ax HE20	11	2462	28.00	28.00	-	-	
802.11ax HE20	12	2467	22.00	22.00	-	-	
802.11ax HE20	13	2472	2.00	2.00	-	-	
802.11ax HE40	3	2422	27.00	27.00	-	-	
802.11ax HE40	6	2437	31.00	31.00	-	-	
802.11ax HE40	9	2452	21.00	21.00	-	-	
802.11ax HE40	10	2457	20.00	20.00	-	-	
802.11ax HE40	11	2462	13.00	13.00	-	-	

2.4 GHz Band													
Mode	CH	Freq. (MHz)	Data Rate	Avg Conducted Power (dBm)					Conducted Power Limit (dBm)				
				Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11n HT20	1	2412	13M	14.43	14.21	-	-	17.33	30.00	30.00	-	-	30.00
802.11n HT20	6	2437	13M	19.33	18.70	-	-	22.03	30.00	30.00	-	-	30.00
802.11n HT20	11	2462	13M	13.21	12.64	-	-	15.94	30.00	30.00	-	-	30.00
802.11n HT20	12	2467	13M	8.97	8.51	-	-	11.75	30.00	30.00	-	-	30.00
802.11n HT20	13	2472	13M	1.14	1.07	-	-	4.11	30.00	30.00	-	-	30.00
802.11n HT40	3	2422	27M	13.45	13.28	-	-	16.37	30.00	30.00	-	-	30.00
802.11n HT40	6	2437	27M	15.29	14.79	-	-	18.05	30.00	30.00	-	-	30.00
802.11n HT40	9	2452	27M	12.05	11.58	-	-	14.83	30.00	30.00	-	-	30.00
802.11n HT40	10	2457	27M	9.36	9.30	-	-	12.34	30.00	30.00	-	-	30.00
802.11n HT40	11	2462	27M	4.92	4.58	-	-	7.76	30.00	30.00	-	-	30.00
802.11n VHT20	1	2412	MCS0	14.36	14.11	-	-	17.25	30.00	30.00	-	-	30.00
802.11n VHT20	6	2437	MCS0	19.30	18.63	-	-	21.99	30.00	30.00	-	-	30.00
802.11n VHT20	11	2462	MCS0	13.11	12.54	-	-	15.85	30.00	30.00	-	-	30.00
802.11n VHT20	12	2467	MCS0	8.90	8.44	-	-	11.69	30.00	30.00	-	-	30.00
802.11n VHT20	13	2472	MCS0	1.06	1.04	-	-	4.07	30.00	30.00	-	-	30.00
802.11n VHT40	3	2422	MCS0	13.31	13.16	-	-	16.24	30.00	30.00	-	-	30.00
802.11n VHT40	6	2437	MCS0	15.16	14.67	-	-	17.93	30.00	30.00	-	-	30.00
802.11n VHT40	9	2452	MCS0	11.99	11.50	-	-	14.76	30.00	30.00	-	-	30.00
802.11n VHT40	10	2457	MCS0	9.28	9.18	-	-	12.24	30.00	30.00	-	-	30.00
802.11n VHT40	11	2462	MCS0	4.80	4.50	-	-	7.66	30.00	30.00	-	-	30.00
802.11ax HE20	1	2412	MCS0	15.18	15.10	-	-	18.15	30.00	30.00	-	-	30.00
802.11ax HE20	6	2437	MCS0	18.80	18.19	-	-	21.52	30.00	30.00	-	-	30.00
802.11ax HE20	11	2462	MCS0	13.12	12.55	-	-	15.86	30.00	30.00	-	-	30.00
802.11ax HE20	12	2467	MCS0	9.87	9.45	-	-	12.68	30.00	30.00	-	-	30.00
802.11ax HE20	13	2472	MCS0	0.80	0.75	-	-	3.79	30.00	30.00	-	-	30.00
802.11ax HE40	3	2422	MCS0	13.33	12.89	-	-	16.13	30.00	30.00	-	-	30.00
802.11ax HE40	6	2437	MCS0	14.96	14.44	-	-	17.72	30.00	30.00	-	-	30.00
802.11ax HE40	9	2452	MCS0	9.66	9.50	-	-	12.60	30.00	30.00	-	-	30.00
802.11ax HE40	10	2457	MCS0	8.99	8.93	-	-	11.98	30.00	30.00	-	-	30.00
802.11ax HE40	11	2462	MCS0	5.58	5.24	-	-	8.43	30.00	30.00	-	-	30.00

6 dB Bandwidth						
Mode	Freq. (MHz)	6 dB Bandwidth (kHz)				6 dB Bandwidth Min.Limit (kHz)
		Ant-0	Ant-1	Ant-2	Ant-3	
802.11n HT20	2412	17180	17580	-	-	≥ 500
802.11n HT20	2437	17170	17540	-	-	≥ 500
802.11n HT20	2462	17310	17570	-	-	≥ 500
802.11n HT20	2467	17040	17570	-	-	≥ 500
802.11n HT20	2472	16940	17580	-	-	≥ 500
802.11n HT40	2422	35550	35450	-	-	≥ 500
802.11n HT40	2437	35510	35980	-	-	≥ 500
802.11n HT40	2452	35550	35590	-	-	≥ 500
802.11n HT40	2457	35500	35450	-	-	≥ 500
802.11n HT40	2462	35670	35440	-	-	≥ 500
802.11ax HE20	2412	18720	18490	-	-	≥ 500
802.11ax HE20	2437	18760	18690	-	-	≥ 500
802.11ax HE20	2462	18700	18530	-	-	≥ 500
802.11ax HE20	2467	18740	18500	-	-	≥ 500
802.11ax HE20	2472	18730	18670	-	-	≥ 500
802.11ax HE40	2422	37190	36410	-	-	≥ 500
802.11ax HE40	2437	37580	36640	-	-	≥ 500
802.11ax HE40	2452	37580	37270	-	-	≥ 500
802.11ax HE40	2457	37100	37390	-	-	≥ 500
802.11ax HE40	2462	37210	36300	-	-	≥ 500

99 % Occupied BW					
Mode	Freq. (MHz)	99 % Occupied BW (MHz)			
		Ant-0	Ant-1	Ant-2	Ant-3
802.11n HT20	2412	17.544	17.541	-	-
802.11n HT20	2437	17.555	17.557	-	-
802.11n HT20	2462	17.554	17.543	-	-
802.11n HT20	2467	17.555	17.549	-	-
802.11n HT20	2472	17.601	17.566	-	-
802.11n HT40	2422	36.117	36.003	-	-
802.11n HT40	2437	36.138	36.082	-	-
802.11n HT40	2452	36.139	36.017	-	-
802.11n HT40	2457	36.148	36.055	-	-
802.11n HT40	2462	36.187	36.059	-	-
802.11ax HE20	2412	18.892	18.918	-	-
802.11ax HE20	2437	18.901	18.915	-	-
802.11ax HE20	2462	18.896	18.924	-	-
802.11ax HE20	2467	18.905	18.905	-	-
802.11ax HE20	2472	18.946	18.926	-	-
802.11ax HE40	2422	37.762	37.768	-	-
802.11ax HE40	2437	37.819	37.777	-	-
802.11ax HE40	2452	37.779	37.819	-	-
802.11ax HE40	2457	37.792	37.829	-	-
802.11ax HE40	2462	37.809	37.817	-	-

Maximum Power Spectral Density Measurement											
Mode	Freq. (MHz)	Measurement (dBm/3 kHz)					Max.Limit (dBm/ 3 kHz)				
		Ant-0	Ant-1	Ant-2	Ant-3	SUM	Ant-0	Ant-1	Ant-2	Ant-3	SUM
802.11n HT20	2412	-10.02	-8.05	-	-	-5.91	8.00	8.00	-	-	8.00
802.11n HT20	2437	-5.29	-1.62	-	-	-0.07	8.00	8.00	-	-	8.00
802.11n HT20	2462	-9.80	-9.10	-	-	-6.43	8.00	8.00	-	-	8.00
802.11n HT20	2467	-14.64	-12.65	-	-	-10.52	8.00	8.00	-	-	8.00
802.11n HT20	2472	-22.28	-20.52	-	-	-18.30	8.00	8.00	-	-	8.00
802.11n HT40	2422	-11.66	-12.11	-	-	-8.87	8.00	8.00	-	-	8.00
802.11n HT40	2437	-9.98	-9.87	-	-	-6.91	8.00	8.00	-	-	8.00
802.11n HT40	2452	-13.47	-13.04	-	-	-10.24	8.00	8.00	-	-	8.00
802.11n HT40	2457	-17.37	-16.05	-	-	-13.65	8.00	8.00	-	-	8.00
802.11n HT40	2462	-22.24	-20.88	-	-	-18.50	8.00	8.00	-	-	8.00
802.11ax HE20	2412	-9.22	-8.77	-	-	-5.98	8.00	8.00	-	-	8.00
802.11ax HE20	2437	-6.29	-6.25	-	-	-3.26	8.00	8.00	-	-	8.00
802.11ax HE20	2462	-11.69	-10.95	-	-	-8.29	8.00	8.00	-	-	8.00
802.11ax HE20	2467	-14.57	-14.50	-	-	-11.52	8.00	8.00	-	-	8.00
802.11ax HE20	2472	-22.83	-24.21	-	-	-20.46	8.00	8.00	-	-	8.00
802.11ax HE40	2422	-14.13	-13.35	-	-	-10.71	8.00	8.00	-	-	8.00
802.11ax HE40	2437	-13.10	-11.95	-	-	-9.48	8.00	8.00	-	-	8.00
802.11ax HE40	2452	-17.98	-17.02	-	-	-14.46	8.00	8.00	-	-	8.00
802.11ax HE40	2457	-17.93	-18.18	-	-	-15.04	8.00	8.00	-	-	8.00
802.11ax HE40	2462	-21.74	-21.57	-	-	-18.64	8.00	8.00	-	-	8.00