






11G_Ant1_2412_30~1000




11G_Ant1_2412_1000~26500








11G_Ant1_2437_30~1000



Date: 14 JAN 2024 14:55:45


11G_Ant1_2437_1000~26500



Date: 14 JAN 2024 14:56:01




11G_Ant1_2462_30~1000



Date: 14 JAN 2024 14:57:16


11G_Ant1_2462_1000~26500



Date: 14 JAN 2024 14:57:32




11N20SISO_Ant1_2412_30~1000



Date: 14 JAN 2024 14:59:24


11N20SISO_Ant1_2412_1000~26500



Date: 14 JAN 2024 14:59:39




11N20SISO_Ant1_2417_30~1000



Date: 25 MAR 2024 17:17:28


11N20SISO_Ant1_2417_1000~26500



Date: 25 MAR 2024 17:17:45




11N20SISO_Ant1_2437_30~1000



Date: 14 JAN 2024 15:00:36


11N20SISO_Ant1_2437_1000~26500



Date: 14 JAN 2024 15:00:52




11N20SISO_Ant1_2462_30~1000



Date: 14 JAN 2024 15:02:02


11N20SISO_Ant1_2462_1000~26500



Date: 14 JAN 2024 15:02:17




11N40SISO_Ant1_2422_30~1000



Date: 14 JAN 2024 15:03:44


11N40SISO_Ant1_2422_1000~26500



Date: 14 JAN 2024 15:04:00




11N40SISO_Ant1_2427_30~1000



Date: 25 MAR 2024 17:23:19


11N40SISO_Ant1_2427_1000~26500



Date: 25 MAR 2024 17:23:36




11N40SISO_Ant1_2432_30~1000



Date: 25 MAR 2024 17:26:18


11N40SISO_Ant1_2432_1000~26500



Date: 25 MAR 2024 17:26:34




11N40SISO_Ant1_2437_30~1000



Date: 14 JAN 2024 15:05:15


11N40SISO_Ant1_2437_1000~26500



Date: 14 JAN 2024 15:05:30




11N40SISO_Ant1_2452_30~1000



Date: 14 JAN 2024 15:06:53


11N40SISO_Ant1_2452_1000~26500



Date: 14 JAN 2024 15:07:08

Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	2.4G Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.169	51.66	-13.33	64.99	41.20	0.04	10.42	QP
2	0.169	35.06	-19.93	54.99	24.60	0.04	10.42	Average
3	0.179	50.65	-13.90	64.55	40.20	0.04	10.41	QP
4	0.179	36.25	-18.30	54.55	25.80	0.04	10.41	Average
5	0.226	43.02	-19.59	62.61	32.60	0.03	10.39	QP
6	0.226	29.12	-23.49	52.61	18.70	0.03	10.39	Average
7	0.292	34.28	-26.18	60.46	23.90	0.04	10.34	QP
8	0.292	20.58	-29.88	50.46	10.20	0.04	10.34	Average
9	13.551	33.58	-26.42	60.00	22.60	-0.13	11.11	QP
10	13.551	27.88	-22.12	50.00	16.90	-0.13	11.11	Average
11	18.622	31.90	-28.10	60.00	20.90	-0.31	11.31	QP
12	18.622	25.70	-24.30	50.00	14.70	-0.31	11.31	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	2.4G Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.170	52.06	-12.88	64.94	41.60	0.04	10.42	QP
2	0.170	35.56	-19.38	54.94	25.10	0.04	10.42	Average
3	0.183	49.16	-15.17	64.33	38.70	0.05	10.41	QP
4	0.183	32.56	-21.77	54.33	22.10	0.05	10.41	Average
5	0.208	42.74	-20.53	63.27	32.30	0.04	10.40	QP
6	0.208	28.34	-24.93	53.27	17.90	0.04	10.40	Average
7	0.226	43.71	-18.90	62.61	33.30	0.02	10.39	QP
8	0.226	27.81	-24.80	52.61	17.40	0.02	10.39	Average
9	0.255	38.56	-23.04	61.60	28.20	0.00	10.36	QP
10	0.255	23.86	-27.74	51.60	13.50	0.00	10.36	Average
11	17.291	34.69	-25.31	60.00	23.60	-0.18	11.27	QP
12	17.291	28.69	-21.31	50.00	17.60	-0.18	11.27	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	levi zhao	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes





Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	1	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	1	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	1	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	1	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	1	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	1	802.11n HT20	01	2412	MCS0	-	-
Mode 8	2400-2483.5	1	802.11n HT20	06	2437	MCS0	-	-
Mode 9	2400-2483.5	1	802.11n HT20	11	2462	MCS0	-	-
Mode 10	2400-2483.5	1	802.11n HT40	03	2422	MCS0	-	-
Mode 11	2400-2483.5	1	802.11n HT40	06	2437	MCS0	-	-
Mode 12	2400-2483.5	1	802.11n HT40	09	2452	MCS0	-	-
Mode 13	2400-2483.5	1	802.11g	02	2417	6Mbps	-	-
Mode 14	2400-2483.5	1	802.11n HT20	02	2417	MCS0	-	-
Mode 15	2400-2483.5	1	802.11n HT40	04	2427	MCS0	-	-
Mode 16	2400-2483.5	1	802.11n HT40	05	2432	MCS0	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	1038.00	49.79	54.00	-4.21	H	Average	Pass	Band Edge
	802.11b	01	4824.00	50.75	54.00	-3.25	H	AVERAGE	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
	802.11b	06	4874.00	50.90	54.00	-3.10	H	AVERAGE	Pass	Harmonic
3	802.11b	11	1038.00	49.77	54.00	-4.23	H	Average	Pass	Band Edge
	802.11b	11	4924.00	50.71	54.00	-3.29	H	AVERAGE	Pass	Harmonic
4	802.11g	01	2389.95	52.33	54.00	-1.67	H	AVERAGE	Pass	Band Edge
	802.11g	01	4824.00	40.08	54.00	-13.92	H	AVERAGE	Pass	Harmonic
5	802.11g	06	-	-	-	-	-	-	-	Band Edge
	802.11g	06	7311.00	45.97	54.00	-8.03	H	AVERAGE	Pass	Harmonic
6	802.11g	11	2483.68	52.51	54.00	-1.49	H	AVERAGE	Pass	Band Edge
	802.11g	11	4924.00	45.04	54.00	-8.96	H	AVERAGE	Pass	Harmonic
7	802.11n HT20	01	2389.95	52.31	54.00	-1.69	H	AVERAGE	Pass	Band Edge
	802.11n HT20	01	4824.00	38.52	54.00	-15.48	H	AVERAGE	Pass	Harmonic
8	802.11n HT20	06	-	-	-	-	-	-	-	Band Edge
	802.11n HT20	06	7311.00	43.08	54.00	-10.92	H	AVERAGE	Pass	Harmonic
9	802.11n HT20	11	2483.50	52.31	54.00	-1.69	H	AVERAGE	Pass	Band Edge
	802.11n HT20	11	4924.00	45.45	54.00	-8.55	H	AVERAGE	Pass	Harmonic
10	802.11n HT40	03	2389.95	52.61	54.00	-1.39	H	AVERAGE	Pass	Band Edge
	802.11n HT40	03	7266.00	40.69	54.00	-13.31	H	AVERAGE	Pass	Harmonic
11	802.11n HT40	06	1038.00	50.93	54.00	-3.07	H	Average	Pass	Band Edge
	802.11n HT40	06	7311.00	39.66	54.00	-14.34	H	AVERAGE	Pass	Harmonic
12	802.11n HT40	09	2483.50	52.36	54.00	-1.64	H	AVERAGE	Pass	Band Edge
	802.11n HT40	09	4904.00	40.27	54.00	-13.73	H	AVERAGE	Pass	Harmonic
13	802.11g	02	2389.82	52.10	54.00	-1.90	H	AVERAGE	Pass	Band Edge
	802.11g	02	7251.00	51.97	54.00	-2.03	H	AVERAGE	Pass	Harmonic
14	802.11n HT20	02	2389.95	51.33	54.00	-2.67	H	AVERAGE	Pass	Band Edge
	802.11n HT20	02	7251.00	51.19	54.00	-2.81	H	AVERAGE	Pass	Harmonic
15	802.11n HT40	04	2389.97	52.12	54.00	-1.88	H	AVERAGE	Pass	Band Edge
	802.11n HT40	04	7281.00	39.12	54.00	-14.88	H	AVERAGE	Pass	Harmonic
16	802.11n HT40	05	2389.82	52.38	54.00	-1.62	H	AVERAGE	Pass	Band Edge
	802.11n HT40	05	7296.00	43.77	54.00	-10.23	H	AVERAGE	Pass	Harmonic





Mode	1																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.37</td><td>50.36</td><td>74.00</td><td>-23.64</td><td>42.34</td><td>32.01</td><td>7.07</td><td>37.06</td><td>6.00</td><td>155</td><td>244</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2368.37	50.36	74.00	-23.64	42.34	32.01	7.07	37.06	6.00	155	244	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1038.00</td><td>55.63</td><td>74.00</td><td>-18.37</td><td>54.04</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>155</td><td>244</td><td>Peak</td></tr><tr><td>2</td><td>2412.00</td><td>100.16</td><td>-----</td><td>-----</td><td>91.89</td><td>32.15</td><td>7.14</td><td>37.02</td><td>6.00</td><td>155</td><td>244</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	55.63	74.00	-18.37	54.04	28.13	4.67	37.21	6.00	155	244	Peak	2	2412.00	100.16	-----	-----	91.89	32.15	7.14	37.02	6.00	155	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2368.37	50.36	74.00	-23.64	42.34	32.01	7.07	37.06	6.00	155	244	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	55.63	74.00	-18.37	54.04	28.13	4.67	37.21	6.00	155	244	Peak																																																																																																				
2	2412.00	100.16	-----	-----	91.89	32.15	7.14	37.02	6.00	155	244	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.63</td><td>40.30</td><td>54.00</td><td>-13.70</td><td>32.28</td><td>32.01</td><td>7.07</td><td>37.06</td><td>6.00</td><td>155</td><td>244</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2368.63	40.30	54.00	-13.70	32.28	32.01	7.07	37.06	6.00	155	244	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1038.00</td><td>49.79</td><td>54.00</td><td>-4.21</td><td>48.20</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>155</td><td>244</td><td>Average</td></tr><tr><td>2</td><td>2412.00</td><td>95.43</td><td>-----</td><td>-----</td><td>87.16</td><td>32.15</td><td>7.14</td><td>37.02</td><td>6.00</td><td>155</td><td>244</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	49.79	54.00	-4.21	48.20	28.13	4.67	37.21	6.00	155	244	Average	2	2412.00	95.43	-----	-----	87.16	32.15	7.14	37.02	6.00	155	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2368.63	40.30	54.00	-13.70	32.28	32.01	7.07	37.06	6.00	155	244	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	49.79	54.00	-4.21	48.20	28.13	4.67	37.21	6.00	155	244	Average																																																																																																				
2	2412.00	95.43	-----	-----	87.16	32.15	7.14	37.02	6.00	155	244	AVERAGE																																																																																																				





Mode	1																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2315.07</td><td>49.55</td><td>74.00</td><td>-24.45</td><td>41.79</td><td>31.85</td><td>6.99</td><td>37.08</td><td>6.00</td><td>300</td><td>168</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2315.07	49.55	74.00	-24.45	41.79	31.85	6.99	37.08	6.00	300	168	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1036.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>46.27</td><td>28.16</td><td>4.67</td><td>37.21</td><td>6.00</td><td>300</td><td>168</td><td>Peak</td></tr><tr><td>2</td><td>2412.00</td><td>94.33</td><td>-----</td><td>-----</td><td>86.03</td><td>32.17</td><td>7.14</td><td>37.01</td><td>6.00</td><td>300</td><td>168</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1036.00	47.89	74.00	-26.11	46.27	28.16	4.67	37.21	6.00	300	168	Peak	2	2412.00	94.33	-----	-----	86.03	32.17	7.14	37.01	6.00	300	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2315.07	49.55	74.00	-24.45	41.79	31.85	6.99	37.08	6.00	300	168	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1036.00	47.89	74.00	-26.11	46.27	28.16	4.67	37.21	6.00	300	168	Peak																																																																																																				
2	2412.00	94.33	-----	-----	86.03	32.17	7.14	37.01	6.00	300	168	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2309.82</td><td>38.08</td><td>54.00</td><td>-15.92</td><td>29.95</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>300</td><td>168</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2309.82	38.08	54.00	-15.92	29.95	32.07	7.11	37.05	6.00	300	168	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1036.00</td><td>37.90</td><td>54.00</td><td>-16.10</td><td>36.31</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>300</td><td>168</td><td>Average</td></tr><tr><td>2</td><td>2412.00</td><td>89.84</td><td>-----</td><td>-----</td><td>81.54</td><td>32.17</td><td>7.14</td><td>37.01</td><td>6.00</td><td>300</td><td>168</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1036.00	37.90	54.00	-16.10	36.31	28.13	4.67	37.21	6.00	300	168	Average	2	2412.00	89.84	-----	-----	81.54	32.17	7.14	37.01	6.00	300	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2309.82	38.08	54.00	-15.92	29.95	32.07	7.11	37.05	6.00	300	168	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1036.00	37.90	54.00	-16.10	36.31	28.13	4.67	37.21	6.00	300	168	Average																																																																																																				
2	2412.00	89.84	-----	-----	81.54	32.17	7.14	37.01	6.00	300	168	AVERAGE																																																																																																				







Mode	1																																																																				
	Harmonic																																																																				
	2400-2483.5_802.11b_CH01_2412MHz																																																																				
ANT	1																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>52.84</td><td>74.00</td><td>-21.16</td><td>73.96</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>100</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>50.75</td><td>54.00</td><td>-3.25</td><td>71.87</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>100</td><td>313</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	52.84	74.00	-21.16	73.96	33.90	10.23	65.25	0.00	100	313	PEAK	2	4824.00	50.75	54.00	-3.25	71.87	33.90	10.23	65.25	0.00	100	313	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4824.00	52.84	74.00	-21.16	73.96	33.90	10.23	65.25	0.00	100	313	PEAK																																																									
2	4824.00	50.75	54.00	-3.25	71.87	33.90	10.23	65.25	0.00	100	313	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>65.56</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	44.44	74.00	-29.56	65.56	33.90	10.23	65.25	0.00	--	--	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4824.00	44.44	74.00	-29.56	65.56	33.90	10.23	65.25	0.00	--	--	PEAK																																																									



Mode	2																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>73.26</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>100</td><td>312</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>50.90</td><td>54.00</td><td>-3.10</td><td>71.98</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>100</td><td>312</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>41.46</td><td>74.00</td><td>-32.54</td><td>59.49</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	52.18	74.00	-21.82	73.26	33.90	10.29	65.27	0.00	100	312	PEAK	2	4874.00	50.90	54.00	-3.10	71.98	33.90	10.29	65.27	0.00	100	312	AVERAGE	3	7311.00	41.46	74.00	-32.54	59.49	35.70	12.72	66.45	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>65.20</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>41.78</td><td>74.00</td><td>-32.22</td><td>59.81</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	44.12	74.00	-29.88	65.20	33.90	10.29	65.27	0.00	--	--	PEAK	2	7311.00	41.78	74.00	-32.22	59.81	35.70	12.72	66.45	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4874.00	52.18	74.00	-21.82	73.26	33.90	10.29	65.27	0.00	100	312	PEAK																																																																																																																															
2	4874.00	50.90	54.00	-3.10	71.98	33.90	10.29	65.27	0.00	100	312	AVERAGE																																																																																																																															
3	7311.00	41.46	74.00	-32.54	59.49	35.70	12.72	66.45	0.00	--	--	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4874.00	44.12	74.00	-29.88	65.20	33.90	10.29	65.27	0.00	--	--	PEAK																																																																																																																															
2	7311.00	41.78	74.00	-32.22	59.81	35.70	12.72	66.45	0.00	--	--	PEAK																																																																																																																															





Mode	3																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.62</td><td>51.21</td><td>74.00</td><td>-22.79</td><td>42.15</td><td>32.59</td><td>7.28</td><td>36.81</td><td>6.00</td><td>196</td><td>245</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.62	51.21	74.00	-22.79	42.15	32.59	7.28	36.81	6.00	196	245	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1038.00</td><td>55.47</td><td>74.00</td><td>-18.53</td><td>53.88</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>196</td><td>245</td><td>Peak</td></tr><tr><td>2</td><td>2462.00</td><td>98.56</td><td>.....</td><td>.....</td><td>89.81</td><td>32.42</td><td>7.22</td><td>36.89</td><td>6.00</td><td>196</td><td>245</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	55.47	74.00	-18.53	53.88	28.13	4.67	37.21	6.00	196	245	Peak	2	2462.00	98.56			89.81	32.42	7.22	36.89	6.00	196	245
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2498.62	51.21	74.00	-22.79	42.15	32.59	7.28	36.81	6.00	196	245	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	55.47	74.00	-18.53	53.88	28.13	4.67	37.21	6.00	196	245	Peak																																																																																																				
2	2462.00	98.56			89.81	32.42	7.22	36.89	6.00	196	245	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.56</td><td>40.19</td><td>54.00</td><td>-13.81</td><td>31.13</td><td>32.59</td><td>7.28</td><td>36.81</td><td>6.00</td><td>196</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.56	40.19	54.00	-13.81	31.13	32.59	7.28	36.81	6.00	196	245	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1038.00</td><td>49.77</td><td>54.00</td><td>-4.23</td><td>48.18</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>196</td><td>245</td><td>Average</td></tr><tr><td>2</td><td>2462.00</td><td>94.07</td><td>.....</td><td>.....</td><td>85.34</td><td>32.41</td><td>7.22</td><td>36.90</td><td>6.00</td><td>196</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	49.77	54.00	-4.23	48.18	28.13	4.67	37.21	6.00	196	245	Average	2	2462.00	94.07			85.34	32.41	7.22	36.90	6.00	196	245
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2498.56	40.19	54.00	-13.81	31.13	32.59	7.28	36.81	6.00	196	245	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	49.77	54.00	-4.23	48.18	28.13	4.67	37.21	6.00	196	245	Average																																																																																																				
2	2462.00	94.07			85.34	32.41	7.22	36.90	6.00	196	245	AVERAGE																																																																																																				







Mode	3																																																																																																												
	Band Edge - L																																																																																																												
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2496.82</td><td>50.05</td><td>74.00</td><td>-23.95</td><td>41.01</td><td>32.58</td><td>7.28</td><td>36.82</td><td>6.00</td><td>100</td><td>331 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.82	50.05	74.00	-23.95	41.01	32.58	7.28	36.82	6.00	100	331 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>50.96</td><td>74.00</td><td>-23.04</td><td>49.37</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>331 Peak</td></tr><tr><td>2</td><td>2462.00</td><td>91.14</td><td>-----</td><td>-----</td><td>82.41</td><td>32.41</td><td>7.22</td><td>36.90</td><td>6.00</td><td>100</td><td>331 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	50.96	74.00	-23.04	49.37	28.13	4.67	37.21	6.00	100	331 Peak	2	2462.00	91.14	-----	-----	82.41	32.41	7.22	36.90	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2496.82	50.05	74.00	-23.95	41.01	32.58	7.28	36.82	6.00	100	331 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	1038.00	50.96	74.00	-23.04	49.37	28.13	4.67	37.21	6.00	100	331 Peak																																																																																																		
2	2462.00	91.14	-----	-----	82.41	32.41	7.22	36.90	6.00	100	331 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2498.38</td><td>38.51</td><td>54.00</td><td>-15.49</td><td>29.45</td><td>32.59</td><td>7.28</td><td>36.81</td><td>6.00</td><td>100</td><td>331 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.38	38.51	54.00	-15.49	29.45	32.59	7.28	36.81	6.00	100	331 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>41.17</td><td>54.00</td><td>-12.83</td><td>39.58</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>331 Average</td></tr><tr><td>2</td><td>2462.00</td><td>86.60</td><td>-----</td><td>-----</td><td>77.87</td><td>32.41</td><td>7.22</td><td>36.90</td><td>6.00</td><td>100</td><td>331 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	41.17	54.00	-12.83	39.58	28.13	4.67	37.21	6.00	100	331 Average	2	2462.00	86.60	-----	-----	77.87	32.41	7.22	36.90	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2498.38	38.51	54.00	-15.49	29.45	32.59	7.28	36.81	6.00	100	331 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	1038.00	41.17	54.00	-12.83	39.58	28.13	4.67	37.21	6.00	100	331 Average																																																																																																		
2	2462.00	86.60	-----	-----	77.87	32.41	7.22	36.90	6.00	100	331 AVERAGE																																																																																																		







Mode	3																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>72.52</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>100</td><td>11</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>50.71</td><td>54.00</td><td>-3.29</td><td>71.70</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>100</td><td>11</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>40.95</td><td>74.00</td><td>-33.05</td><td>59.18</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	51.53	74.00	-22.47	72.52	33.95	10.35	65.29	0.00	100	11	PEAK	2	4924.00	50.71	54.00	-3.29	71.70	33.95	10.35	65.29	0.00	100	11	AVERAGE	3	7386.00	40.95	74.00	-33.05	59.18	35.70	12.73	66.66	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>43.72</td><td>74.00</td><td>-30.28</td><td>64.71</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>40.83</td><td>74.00</td><td>-33.17</td><td>59.06</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.72	74.00	-30.28	64.71	33.95	10.35	65.29	0.00	--	--	PEAK	2	7386.00	40.83	74.00	-33.17	59.06	35.70	12.73	66.66	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4924.00	51.53	74.00	-22.47	72.52	33.95	10.35	65.29	0.00	100	11	PEAK																																																																																																																														
2	4924.00	50.71	54.00	-3.29	71.70	33.95	10.35	65.29	0.00	100	11	AVERAGE																																																																																																																														
3	7386.00	40.95	74.00	-33.05	59.18	35.70	12.73	66.66	0.00	--	--	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4924.00	43.72	74.00	-30.28	64.71	33.95	10.35	65.29	0.00	--	--	PEAK																																																																																																																														
2	7386.00	40.83	74.00	-33.17	59.06	35.70	12.73	66.66	0.00	--	--	PEAK																																																																																																																														





Mode	4																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11g_CH01_2412MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.82</td><td>70.39</td><td>74.00</td><td>-3.61</td><td>62.26</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>131 249 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.82	70.39	74.00	-3.61	62.26	32.07	7.11	37.05	6.00	131 249 PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 1040.00</td><td>59.17</td><td>74.00</td><td>-14.83</td><td>57.61</td><td>28.10</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100 213 Peak</td></tr><tr><td>2 2412.00</td><td>106.68</td><td>-----</td><td>-----</td><td>98.45</td><td>32.13</td><td>7.13</td><td>37.03</td><td>6.00</td><td>131 249 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 1040.00	59.17	74.00	-14.83	57.61	28.10	4.67	37.21	6.00	100 213 Peak	2 2412.00	106.68	-----	-----	98.45	32.13	7.13	37.03	6.00	131 249 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 2389.82	70.39	74.00	-3.61	62.26	32.07	7.11	37.05	6.00	131 249 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 1040.00	59.17	74.00	-14.83	57.61	28.10	4.67	37.21	6.00	100 213 Peak																																																																																			
2 2412.00	106.68	-----	-----	98.45	32.13	7.13	37.03	6.00	131 249 PEAK																																																																																			
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.95</td><td>52.33</td><td>54.00</td><td>-1.67</td><td>44.20</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>131 249 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.95	52.33	54.00	-1.67	44.20	32.07	7.11	37.05	6.00	131 249 AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 1038.00</td><td>51.69</td><td>54.00</td><td>-2.31</td><td>50.10</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100 213 Average</td></tr><tr><td>2 2412.00</td><td>97.48</td><td>-----</td><td>-----</td><td>89.26</td><td>32.12</td><td>7.13</td><td>37.03</td><td>6.00</td><td>131 249 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 1038.00	51.69	54.00	-2.31	50.10	28.13	4.67	37.21	6.00	100 213 Average	2 2412.00	97.48	-----	-----	89.26	32.12	7.13	37.03	6.00	131 249 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 2389.95	52.33	54.00	-1.67	44.20	32.07	7.11	37.05	6.00	131 249 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 1038.00	51.69	54.00	-2.31	50.10	28.13	4.67	37.21	6.00	100 213 Average																																																																																			
2 2412.00	97.48	-----	-----	89.26	32.12	7.13	37.03	6.00	131 249 AVERAGE																																																																																			





		4																																																																																																													
Mode		Band Edge																																																																																																													
		2400-2483.5_802.11g_CH01_2412MHz																																																																																																													
ANT		1																																																																																																													
Pol.		Vertical					Fundamental																																																																																																								
Peak																																																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	64.58	74.00	-9.42	56.46	32.07	7.10	37.05	6.00	167	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1040.00	47.69	74.00	-26.31	46.13	28.10	4.67	37.21	6.00	300	167	Peak	2	2412.00	102.68	-----	-----	94.32	32.20	7.15	36.99	6.00	300	167	PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.78	64.58	74.00	-9.42	56.46	32.07	7.10	37.05	6.00	167	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	1040.00	47.69	74.00	-26.31	46.13	28.10	4.67	37.21	6.00	300	167	Peak																																																																																																			
2	2412.00	102.68	-----	-----	94.32	32.20	7.15	36.99	6.00	300	167	PEAK																																																																																																			
Avg																																																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.74	54.00	-7.26	38.61	32.07	7.11	37.05	6.00	300	167	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1040.00	36.11	54.00	-17.89	34.55	28.10	4.67	37.21	6.00	300	167	Average	2	2412.00	93.76	-----	-----	85.40	32.20	7.15	36.99	6.00	300	167	AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	46.74	54.00	-7.26	38.61	32.07	7.11	37.05	6.00	300	167	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	1040.00	36.11	54.00	-17.89	34.55	28.10	4.67	37.21	6.00	300	167	Average																																																																																																			
2	2412.00	93.76	-----	-----	85.40	32.20	7.15	36.99	6.00	300	167	AVERAGE																																																																																																			







Mode	4																																																																				
	Harmonic																																																																				
	2400-2483.5_802.11g_CH01_2412MHz																																																																				
ANT	1																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>72.52</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>103</td><td>314</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>40.08</td><td>54.00</td><td>-13.92</td><td>61.20</td><td>33.90</td><td>10.24</td><td>65.26</td><td>0.00</td><td>103</td><td>314</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	51.40	74.00	-22.60	72.52	33.90	10.23	65.25	0.00	103	314	PEAK	2	4824.00	40.08	54.00	-13.92	61.20	33.90	10.24	65.26	0.00	103	314	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4824.00	51.40	74.00	-22.60	72.52	33.90	10.23	65.25	0.00	103	314	PEAK																																																									
2	4824.00	40.08	54.00	-13.92	61.20	33.90	10.24	65.26	0.00	103	314	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.35</td><td>74.00</td><td>-31.65</td><td>63.47</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	42.35	74.00	-31.65	63.47	33.90	10.23	65.25	0.00	--	--	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4824.00	42.35	74.00	-31.65	63.47	33.90	10.23	65.25	0.00	--	--	PEAK																																																									







Mode	5																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>52.15</td><td>74.00</td><td>-21.85</td><td>73.23</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>307</td><td>315</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>41.63</td><td>54.00</td><td>-12.37</td><td>62.71</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>307</td><td>315</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>56.93</td><td>74.00</td><td>-17.07</td><td>74.96</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>102</td><td>350</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>64.00</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>102</td><td>350</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	52.15	74.00	-21.85	73.23	33.90	10.29	65.27	0.00	307	315	PEAK	2	4874.00	41.63	54.00	-12.37	62.71	33.90	10.29	65.27	0.00	307	315	AVERAGE	3	7311.00	56.93	74.00	-17.07	74.96	35.70	12.72	66.45	0.00	102	350	PEAK	4	7311.00	45.97	54.00	-8.03	64.00	35.70	12.72	66.45	0.00	102	350	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>42.30</td><td>74.00</td><td>-31.70</td><td>63.38</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>71.39</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>344</td><td>147</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>60.36</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>344</td><td>147</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.30	74.00	-31.70	63.38	33.90	10.29	65.27	0.00	--	--	PEAK	2	7311.00	53.36	74.00	-20.64	71.39	35.70	12.72	66.45	0.00	344	147	PEAK	3	7311.00	42.33	54.00	-11.67	60.36	35.70	12.72	66.45	0.00	344	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4874.00	52.15	74.00	-21.85	73.23	33.90	10.29	65.27	0.00	307	315	PEAK																																																																																																																																																								
2	4874.00	41.63	54.00	-12.37	62.71	33.90	10.29	65.27	0.00	307	315	AVERAGE																																																																																																																																																								
3	7311.00	56.93	74.00	-17.07	74.96	35.70	12.72	66.45	0.00	102	350	PEAK																																																																																																																																																								
4	7311.00	45.97	54.00	-8.03	64.00	35.70	12.72	66.45	0.00	102	350	AVERAGE																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4874.00	42.30	74.00	-31.70	63.38	33.90	10.29	65.27	0.00	--	--	PEAK																																																																																																																																																								
2	7311.00	53.36	74.00	-20.64	71.39	35.70	12.72	66.45	0.00	344	147	PEAK																																																																																																																																																								
3	7311.00	42.33	54.00	-11.67	60.36	35.70	12.72	66.45	0.00	344	147	AVERAGE																																																																																																																																																								





		6																																																														
Mode		Band Edge - L																																																														
		2400-2483.5_802.11g_CH11_2462MHz																																																														
ANT		1																																																														
Pol.		Horizontal					Fundamental																																																									
Peak																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.56</td><td>68.66</td><td>74.00</td><td>-5.34</td><td>59.71</td><td>32.53</td><td>7.26</td><td>36.84</td><td>6.00</td><td>100</td><td>244 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.56	68.66	74.00	-5.34	59.71	32.53	7.26	36.84	6.00	100	244 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2486.56	68.66	74.00	-5.34	59.71	32.53	7.26	36.84	6.00	100	244 PEAK																																																					
Fundamental																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1038.00</td><td>58.81</td><td>74.00</td><td>-15.19</td><td>57.22</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>211 Peak</td></tr><tr><td>2</td><td>2462.00</td><td>109.25</td><td>-----</td><td>-----</td><td>100.53</td><td>32.40</td><td>7.22</td><td>36.90</td><td>6.00</td><td>100</td><td>244 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	58.81	74.00	-15.19	57.22	28.13	4.67	37.21	6.00	100	211 Peak	2	2462.00	109.25	-----	-----	100.53	32.40	7.22	36.90	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	1038.00	58.81	74.00	-15.19	57.22	28.13	4.67	37.21	6.00	100	211 Peak																																																					
2	2462.00	109.25	-----	-----	100.53	32.40	7.22	36.90	6.00	100	244 PEAK																																																					
Avg																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>52.51</td><td>54.00</td><td>-1.49</td><td>43.58</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>244 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	52.51	54.00	-1.49	43.58	32.52	7.26	36.85	6.00	100	244 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2483.68	52.51	54.00	-1.49	43.58	32.52	7.26	36.85	6.00	100	244 AVERAGE																																																					
Fundamental																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1038.00</td><td>51.70</td><td>54.00</td><td>-2.30</td><td>50.11</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>211 Average</td></tr><tr><td>2</td><td>2462.00</td><td>99.59</td><td>-----</td><td>-----</td><td>90.87</td><td>32.40</td><td>7.22</td><td>36.90</td><td>6.00</td><td>100</td><td>244 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	51.70	54.00	-2.30	50.11	28.13	4.67	37.21	6.00	100	211 Average	2	2462.00	99.59	-----	-----	90.87	32.40	7.22	36.90	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	1038.00	51.70	54.00	-2.30	50.11	28.13	4.67	37.21	6.00	100	211 Average																																																					
2	2462.00	99.59	-----	-----	90.87	32.40	7.22	36.90	6.00	100	244 AVERAGE																																																					







Mode	6																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.34</td><td>61.32</td><td>74.00</td><td>-12.68</td><td>52.36</td><td>32.54</td><td>7.26</td><td>36.84</td><td>6.00</td><td>102</td><td>332</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.34	61.32	74.00	-12.68	52.36	32.54	7.26	36.84	6.00	102	332	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1036.00</td><td>56.82</td><td>74.00</td><td>-17.18</td><td>55.20</td><td>28.16</td><td>4.67</td><td>37.21</td><td>6.00</td><td>278</td><td>271</td><td>Peak</td></tr><tr><td>2</td><td>2462.00</td><td>102.22</td><td>-----</td><td>-----</td><td>93.45</td><td>32.43</td><td>7.23</td><td>36.89</td><td>6.00</td><td>102</td><td>332</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1036.00	56.82	74.00	-17.18	55.20	28.16	4.67	37.21	6.00	278	271	Peak	2	2462.00	102.22	-----	-----	93.45	32.43	7.23	36.89	6.00	102	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2487.34	61.32	74.00	-12.68	52.36	32.54	7.26	36.84	6.00	102	332	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1036.00	56.82	74.00	-17.18	55.20	28.16	4.67	37.21	6.00	278	271	Peak																																																																																																				
2	2462.00	102.22	-----	-----	93.45	32.43	7.23	36.89	6.00	102	332	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>44.15</td><td>54.00</td><td>-9.85</td><td>35.22</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>102</td><td>332</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.15	54.00	-9.85	35.22	32.52	7.26	36.85	6.00	102	332	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>49.70</td><td>54.00</td><td>-4.30</td><td>48.11</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>278</td><td>271</td><td>Average</td></tr><tr><td>2</td><td>2462.00</td><td>92.99</td><td>-----</td><td>-----</td><td>84.24</td><td>32.42</td><td>7.22</td><td>36.89</td><td>6.00</td><td>102</td><td>332</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	49.70	54.00	-4.30	48.11	28.13	4.67	37.21	6.00	278	271	Average	2	2462.00	92.99	-----	-----	84.24	32.42	7.22	36.89	6.00	102	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2483.50	44.15	54.00	-9.85	35.22	32.52	7.26	36.85	6.00	102	332	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	49.70	54.00	-4.30	48.11	28.13	4.67	37.21	6.00	278	271	Average																																																																																																				
2	2462.00	92.99	-----	-----	84.24	32.42	7.22	36.89	6.00	102	332	AVERAGE																																																																																																				







Mode	6																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>54.73</td><td>74.00</td><td>-19.27</td><td>75.72</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>164</td><td>12</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.04</td><td>54.00</td><td>-8.96</td><td>66.03</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>164</td><td>12</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>71.86</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>104</td><td>350</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>61.07</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>104</td><td>350</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	54.73	74.00	-19.27	75.72	33.95	10.35	65.29	0.00	164	12	PEAK	2	4924.00	45.04	54.00	-8.96	66.03	33.95	10.35	65.29	0.00	164	12	AVERAGE	3	7386.00	53.63	74.00	-20.37	71.86	35.70	12.73	66.66	0.00	104	350	PEAK	4	7386.00	42.84	54.00	-11.16	61.07	35.70	12.73	66.66	0.00	104	350	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>64.87</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>63.94</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	43.88	74.00	-30.12	64.87	33.95	10.35	65.29	0.00	--	--	PEAK	2	7386.00	45.71	74.00	-28.29	63.94	35.70	12.73	66.66	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4924.00	54.73	74.00	-19.27	75.72	33.95	10.35	65.29	0.00	164	12	PEAK																																																																																																																																												
2	4924.00	45.04	54.00	-8.96	66.03	33.95	10.35	65.29	0.00	164	12	AVERAGE																																																																																																																																												
3	7386.00	53.63	74.00	-20.37	71.86	35.70	12.73	66.66	0.00	104	350	PEAK																																																																																																																																												
4	7386.00	42.84	54.00	-11.16	61.07	35.70	12.73	66.66	0.00	104	350	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4924.00	43.88	74.00	-30.12	64.87	33.95	10.35	65.29	0.00	--	--	PEAK																																																																																																																																												
2	7386.00	45.71	74.00	-28.29	63.94	35.70	12.73	66.66	0.00	--	--	PEAK																																																																																																																																												





		7																																																																																																														
Mode		Band Edge																																																																																																														
		2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																														
ANT		1																																																																																																														
Pol.		Horizontal						Fundamental																																																																																																								
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.83</td><td>70.04</td><td>74.00</td><td>-3.96</td><td>61.93</td><td>32.06</td><td>7.10</td><td>37.05</td><td>6.00</td><td>154</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2386.83	70.04	74.00	-3.96	61.93	32.06	7.10	37.05	6.00	154	243	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1040.00</td><td>59.27</td><td>74.00</td><td>-14.73</td><td>57.71</td><td>28.10</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>214</td><td>Peak</td></tr><tr><td>2</td><td>2412.00</td><td>105.34</td><td>-----</td><td>-----</td><td>97.07</td><td>32.15</td><td>7.14</td><td>37.02</td><td>6.00</td><td>154</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1040.00	59.27	74.00	-14.73	57.71	28.10	4.67	37.21	6.00	100	214	Peak	2	2412.00	105.34	-----	-----	97.07	32.15	7.14	37.02	6.00	154	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2386.83	70.04	74.00	-3.96	61.93	32.06	7.10	37.05	6.00	154	243	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	1040.00	59.27	74.00	-14.73	57.71	28.10	4.67	37.21	6.00	100	214	Peak																																																																																																				
2	2412.00	105.34	-----	-----	97.07	32.15	7.14	37.02	6.00	154	243	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>52.31</td><td>54.00</td><td>-1.69</td><td>44.18</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>154</td><td>243</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	52.31	54.00	-1.69	44.18	32.07	7.11	37.05	6.00	154	243	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1040.00</td><td>51.67</td><td>54.00</td><td>-2.33</td><td>50.11</td><td>28.10</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>214</td><td>Average</td></tr><tr><td>2</td><td>2412.00</td><td>96.47</td><td>-----</td><td>-----</td><td>88.25</td><td>32.12</td><td>7.13</td><td>37.03</td><td>6.00</td><td>154</td><td>243</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1040.00	51.67	54.00	-2.33	50.11	28.10	4.67	37.21	6.00	100	214	Average	2	2412.00	96.47	-----	-----	88.25	32.12	7.13	37.03	6.00	154	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	2389.95	52.31	54.00	-1.69	44.18	32.07	7.11	37.05	6.00	154	243	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	1040.00	51.67	54.00	-2.33	50.11	28.10	4.67	37.21	6.00	100	214	Average																																																																																																				
2	2412.00	96.47	-----	-----	88.25	32.12	7.13	37.03	6.00	154	243	AVERAGE																																																																																																				





Mode	7																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>63.19</td><td>74.00</td><td>-10.81</td><td>55.06</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>300</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	63.19	74.00	-10.81	55.06	32.07	7.11	37.05	6.00	300	168	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>57.02</td><td>74.00</td><td>-16.98</td><td>55.43</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>279</td><td>273</td><td>Peak</td></tr><tr><td>2</td><td>2412.00</td><td>100.45</td><td>-----</td><td>-----</td><td>92.09</td><td>32.20</td><td>7.15</td><td>36.99</td><td>6.00</td><td>300</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	57.02	74.00	-16.98	55.43	28.13	4.67	37.21	6.00	279	273	Peak	2	2412.00	100.45	-----	-----	92.09	32.20	7.15	36.99	6.00	300	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.95	63.19	74.00	-10.81	55.06	32.07	7.11	37.05	6.00	300	168	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	57.02	74.00	-16.98	55.43	28.13	4.67	37.21	6.00	279	273	Peak																																																																																																				
2	2412.00	100.45	-----	-----	92.09	32.20	7.15	36.99	6.00	300	168	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>36.88</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>300</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	45.01	54.00	-8.99	36.88	32.07	7.11	37.05	6.00	300	168	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>49.73</td><td>54.00</td><td>-4.27</td><td>48.14</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>279</td><td>273</td><td>Average</td></tr><tr><td>2</td><td>2412.00</td><td>91.29</td><td>-----</td><td>-----</td><td>82.93</td><td>32.20</td><td>7.15</td><td>36.99</td><td>6.00</td><td>300</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	49.73	54.00	-4.27	48.14	28.13	4.67	37.21	6.00	279	273	Average	2	2412.00	91.29	-----	-----	82.93	32.20	7.15	36.99	6.00	300	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.95	45.01	54.00	-8.99	36.88	32.07	7.11	37.05	6.00	300	168	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	49.73	54.00	-4.27	48.14	28.13	4.67	37.21	6.00	279	273	Average																																																																																																				
2	2412.00	91.29	-----	-----	82.93	32.20	7.15	36.99	6.00	300	168	AVERAGE																																																																																																				







Mode	7																																																																																																																														
	Harmonic																																																																																																																														
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>50.91</td><td>74.00</td><td>-23.09</td><td>72.03</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>38.52</td><td>54.00</td><td>-15.48</td><td>59.65</td><td>33.90</td><td>10.23</td><td>65.26</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	50.91	74.00	-23.09	72.03	33.90	10.23	65.25	0.00	100	360	PEAK	2	4824.00	38.52	54.00	-15.48	59.65	33.90	10.23	65.26	0.00	100	360	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>41.49</td><td>74.00</td><td>-32.51</td><td>62.61</td><td>33.90</td><td>10.23</td><td>65.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	41.49	74.00	-32.51	62.61	33.90	10.23	65.25	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4824.00	50.91	74.00	-23.09	72.03	33.90	10.23	65.25	0.00	100	360	PEAK																																																																																																																			
2	4824.00	38.52	54.00	-15.48	59.65	33.90	10.23	65.26	0.00	100	360	AVERAGE																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4824.00	41.49	74.00	-32.51	62.61	33.90	10.23	65.25	0.00	--	--	PEAK																																																																																																																			



Mode	8																																																																																														
	Harmonic																																																																																														
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal																																																																																														
Peak Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>52.14</td><td>74.00</td><td>-21.86</td><td>73.22</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>40.88</td><td>54.00</td><td>-13.12</td><td>61.96</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>73.22</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>120</td><td>344 PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>61.10</td><td>35.70</td><td>12.72</td><td>66.44</td><td>0.00</td><td>120</td><td>344 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	52.14	74.00	-21.86	73.22	33.90	10.29	65.27	0.00	100	0 PEAK	2	4874.00	40.88	54.00	-13.12	61.96	33.90	10.29	65.27	0.00	100	0 AVERAGE	3	7311.00	55.19	74.00	-18.81	73.22	35.70	12.72	66.45	0.00	120	344 PEAK	4	7311.00	43.08	54.00	-10.92	61.10	35.70	12.72	66.44	0.00	120	344 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4874.00	52.14	74.00	-21.86	73.22	33.90	10.29	65.27	0.00	100	0 PEAK																																																																																				
2	4874.00	40.88	54.00	-13.12	61.96	33.90	10.29	65.27	0.00	100	0 AVERAGE																																																																																				
3	7311.00	55.19	74.00	-18.81	73.22	35.70	12.72	66.45	0.00	120	344 PEAK																																																																																				
4	7311.00	43.08	54.00	-10.92	61.10	35.70	12.72	66.44	0.00	120	344 AVERAGE																																																																																				
Vertical																																																																																															
																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>42.86</td><td>74.00</td><td>-31.14</td><td>63.94</td><td>33.90</td><td>10.29</td><td>65.27</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>50.35</td><td>74.00</td><td>-23.65</td><td>68.38</td><td>35.70</td><td>12.72</td><td>66.45</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>38.39</td><td>54.00</td><td>-15.61</td><td>56.40</td><td>35.70</td><td>12.72</td><td>66.43</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	42.86	74.00	-31.14	63.94	33.90	10.29	65.27	0.00	--	-- PEAK	2	7311.00	50.35	74.00	-23.65	68.38	35.70	12.72	66.45	0.00	300	360 PEAK	3	7311.00	38.39	54.00	-15.61	56.40	35.70	12.72	66.43	0.00	300	360 AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4874.00	42.86	74.00	-31.14	63.94	33.90	10.29	65.27	0.00	--	-- PEAK																																																																																				
2	7311.00	50.35	74.00	-23.65	68.38	35.70	12.72	66.45	0.00	300	360 PEAK																																																																																				
3	7311.00	38.39	54.00	-15.61	56.40	35.70	12.72	66.43	0.00	300	360 AVERAGE																																																																																				



Mode	9																																																																																																												
	Band Edge - L																																																																																																												
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.68</td><td>72.06</td><td>74.00</td><td>-1.94</td><td>63.13</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>120</td><td>247 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.68	72.06	74.00	-1.94	63.13	32.52	7.26	36.85	6.00	120	247 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>58.81</td><td>74.00</td><td>-15.19</td><td>57.22</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>214 Peak</td></tr><tr><td>2</td><td>2462.00</td><td>108.29</td><td>-----</td><td>-----</td><td>99.63</td><td>32.37</td><td>7.21</td><td>36.92</td><td>6.00</td><td>120</td><td>247 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1038.00	58.81	74.00	-15.19	57.22	28.13	4.67	37.21	6.00	100	214 Peak	2	2462.00	108.29	-----	-----	99.63	32.37	7.21	36.92	6.00	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2483.68	72.06	74.00	-1.94	63.13	32.52	7.26	36.85	6.00	120	247 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	1038.00	58.81	74.00	-15.19	57.22	28.13	4.67	37.21	6.00	100	214 Peak																																																																																																		
2	2462.00	108.29	-----	-----	99.63	32.37	7.21	36.92	6.00	120	247 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>52.31</td><td>54.00</td><td>-1.69</td><td>43.38</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>120</td><td>247 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	52.31	54.00	-1.69	43.38	32.52	7.26	36.85	6.00	120	247 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>51.88</td><td>54.00</td><td>-2.12</td><td>50.29</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>214 Average</td></tr><tr><td>2</td><td>2462.00</td><td>98.99</td><td>-----</td><td>-----</td><td>90.33</td><td>32.37</td><td>7.21</td><td>36.92</td><td>6.00</td><td>120</td><td>247 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1038.00	51.88	54.00	-2.12	50.29	28.13	4.67	37.21	6.00	100	214 Average	2	2462.00	98.99	-----	-----	90.33	32.37	7.21	36.92	6.00	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	2483.50	52.31	54.00	-1.69	43.38	32.52	7.26	36.85	6.00	120	247 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	1038.00	51.88	54.00	-2.12	50.29	28.13	4.67	37.21	6.00	100	214 Average																																																																																																		
2	2462.00	98.99	-----	-----	90.33	32.37	7.21	36.92	6.00	120	247 AVERAGE																																																																																																		

Mode

ANT

Pol.

Peak

Avg

9

Band Edge - L

2400-2483.5_802.11n_HT20_CH11_2462MHz

1

Vertical

Fundamental

2485.00

2462.00

1038.00

2483.50

2462.00

FCC PART 15C

FCC PART 15C

FCC PART 15C (AVG)

FCC PART 15C (AVG)



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	dB	dB	dB	dB	dB	dB	dB	dB	dB
1 2485.00	68.94	74.00	-13.06	52.00	32.53	7.26	36.85	6.00	105	332	PEAK									

Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	dB	dB	dB	dB	dB	dB	dB	dB	dB
1 1038.00	57.09	74.00	-16.91	55.50	28.13	4.67	37.21	6.00	280	272	Peak									
2 2462.00	101.41	-----	-----	92.61	32.45	7.23	36.88	6.00	105	332	PEAK									





Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	dB	dB	dB	dB	dB	dB	dB	dB	dB
1 2483.50	43.75	54.00	-10.25	34.82	32.52	7.26	36.85	6.00	105	332	AVERAGE									

Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	dB	dB	dB	dB	dB	dB	dB	dB	dB
1 1038.00	49.73	54.00	-4.27	48.14	28.13	4.67	37.21	6.00	280	272	Average									
2 2462.00	92.00	-----	-----	83.20	32.45	7.23	36.88	6.00	105	332	AVERAGE									





Mode	9																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>76.18</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>100</td><td>10</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>66.44</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>100</td><td>10</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>71.61</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>119</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>41.68</td><td>54.00</td><td>-12.32</td><td>59.90</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>119</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	55.19	74.00	-18.81	76.18	33.95	10.35	65.29	0.00	100	10	PEAK	2	4924.00	45.45	54.00	-8.55	66.44	33.95	10.35	65.29	0.00	100	10	AVERAGE	3	7386.00	53.38	74.00	-20.62	71.61	35.70	12.73	66.66	0.00	119	0	PEAK	4	7386.00	41.68	54.00	-12.32	59.90	35.70	12.73	66.66	0.00	119	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>73.32</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>291</td><td>165</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>64.44</td><td>33.95</td><td>10.35</td><td>65.29</td><td>0.00</td><td>291</td><td>165</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>64.78</td><td>35.70</td><td>12.73</td><td>66.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	52.33	74.00	-21.67	73.32	33.95	10.35	65.29	0.00	291	165	PEAK	2	4924.00	43.45	54.00	-10.55	64.44	33.95	10.35	65.29	0.00	291	165	AVERAGE	3	7386.00	46.55	74.00	-27.45	64.78	35.70	12.73	66.66	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	55.19	74.00	-18.81	76.18	33.95	10.35	65.29	0.00	100	10	PEAK																																																																																																																																																								
2	4924.00	45.45	54.00	-8.55	66.44	33.95	10.35	65.29	0.00	100	10	AVERAGE																																																																																																																																																								
3	7386.00	53.38	74.00	-20.62	71.61	35.70	12.73	66.66	0.00	119	0	PEAK																																																																																																																																																								
4	7386.00	41.68	54.00	-12.32	59.90	35.70	12.73	66.66	0.00	119	0	AVERAGE																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	52.33	74.00	-21.67	73.32	33.95	10.35	65.29	0.00	291	165	PEAK																																																																																																																																																								
2	4924.00	43.45	54.00	-10.55	64.44	33.95	10.35	65.29	0.00	291	165	AVERAGE																																																																																																																																																								
3	7386.00	46.55	74.00	-27.45	64.78	35.70	12.73	66.66	0.00	--	--	PEAK																																																																																																																																																								







Mode	10																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.39</td><td>70.84</td><td>74.00</td><td>-3.16</td><td>62.72</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>153</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.39	70.84	74.00	-3.16	62.72	32.07	7.10	37.05	6.00	153	243	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1036.00</td><td>59.12</td><td>74.00</td><td>-14.88</td><td>57.50</td><td>28.16</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>215</td><td>Peak</td></tr><tr><td>2</td><td>2422.00</td><td>101.94</td><td>-----</td><td>-----</td><td>93.69</td><td>32.14</td><td>7.13</td><td>37.02</td><td>6.00</td><td>153</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1036.00	59.12	74.00	-14.88	57.50	28.16	4.67	37.21	6.00	100	215	Peak	2	2422.00	101.94	-----	-----	93.69	32.14	7.13	37.02	6.00	153	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2388.39	70.84	74.00	-3.16	62.72	32.07	7.10	37.05	6.00	153	243	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1036.00	59.12	74.00	-14.88	57.50	28.16	4.67	37.21	6.00	100	215	Peak																																																																																																				
2	2422.00	101.94	-----	-----	93.69	32.14	7.13	37.02	6.00	153	243	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>52.61</td><td>54.00</td><td>-1.39</td><td>44.48</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>153</td><td>243</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	52.61	54.00	-1.39	44.48	32.07	7.11	37.05	6.00	153	243	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1038.00</td><td>52.09</td><td>54.00</td><td>-1.91</td><td>50.50</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>215</td><td>Average</td></tr><tr><td>2</td><td>2422.00</td><td>92.48</td><td>-----</td><td>-----</td><td>84.25</td><td>32.13</td><td>7.13</td><td>37.03</td><td>6.00</td><td>153</td><td>243</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	52.09	54.00	-1.91	50.50	28.13	4.67	37.21	6.00	100	215	Average	2	2422.00	92.48	-----	-----	84.25	32.13	7.13	37.03	6.00	153	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.95	52.61	54.00	-1.39	44.48	32.07	7.11	37.05	6.00	153	243	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	52.09	54.00	-1.91	50.50	28.13	4.67	37.21	6.00	100	215	Average																																																																																																				
2	2422.00	92.48	-----	-----	84.25	32.13	7.13	37.03	6.00	153	243	AVERAGE																																																																																																				



Mode	10																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																					
ANT	1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.00</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>44.33</td><td>32.53</td><td>7.26</td><td>36.85</td><td>6.00</td><td>153</td><td>243 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.00	53.27	74.00	-20.73	44.33	32.53	7.26	36.85	6.00	153	243 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2485.00	53.27	74.00	-20.73	44.33	32.53	7.26	36.85	6.00	153	243 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.06</td><td>45.43</td><td>54.00</td><td>-8.57</td><td>36.47</td><td>32.54</td><td>7.26</td><td>36.84</td><td>6.00</td><td>153</td><td>243 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.06	45.43	54.00	-8.57	36.47	32.54	7.26	36.84	6.00	153	243 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2488.06	45.43	54.00	-8.57	36.47	32.54	7.26	36.84	6.00	153	243 AVERAGE																																											





Mode	10																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.30</td><td>62.66</td><td>74.00</td><td>-11.34</td><td>54.54</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>304</td><td>167</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	62.66	74.00	-11.34	54.54	32.07	7.10	37.05	6.00	304	167	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1040.00</td><td>57.20</td><td>74.00</td><td>-16.80</td><td>55.64</td><td>28.10</td><td>4.67</td><td>37.21</td><td>6.00</td><td>277</td><td>274</td><td>Peak</td></tr><tr><td>2</td><td>2422.00</td><td>97.04</td><td>-----</td><td>-----</td><td>88.70</td><td>32.19</td><td>7.15</td><td>37.00</td><td>6.00</td><td>304</td><td>167</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1040.00	57.20	74.00	-16.80	55.64	28.10	4.67	37.21	6.00	277	274	Peak	2	2422.00	97.04	-----	-----	88.70	32.19	7.15	37.00	6.00	304	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.30	62.66	74.00	-11.34	54.54	32.07	7.10	37.05	6.00	304	167	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1040.00	57.20	74.00	-16.80	55.64	28.10	4.67	37.21	6.00	277	274	Peak																																																																																																				
2	2422.00	97.04	-----	-----	88.70	32.19	7.15	37.00	6.00	304	167	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>37.97</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>304</td><td>167</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	46.10	54.00	-7.90	37.97	32.07	7.11	37.05	6.00	304	167	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>49.94</td><td>54.00</td><td>-4.06</td><td>48.35</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>277</td><td>274</td><td>Average</td></tr><tr><td>2</td><td>2422.00</td><td>87.57</td><td>-----</td><td>-----</td><td>79.32</td><td>32.14</td><td>7.13</td><td>37.02</td><td>6.00</td><td>304</td><td>167</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	49.94	54.00	-4.06	48.35	28.13	4.67	37.21	6.00	277	274	Average	2	2422.00	87.57	-----	-----	79.32	32.14	7.13	37.02	6.00	304	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.82	46.10	54.00	-7.90	37.97	32.07	7.11	37.05	6.00	304	167	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	49.94	54.00	-4.06	48.35	28.13	4.67	37.21	6.00	277	274	Average																																																																																																				
2	2422.00	87.57	-----	-----	79.32	32.14	7.13	37.02	6.00	304	167	AVERAGE																																																																																																				







Mode	10																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.20</td><td>50.56</td><td>74.00</td><td>-23.44</td><td>41.56</td><td>32.56</td><td>7.27</td><td>36.83</td><td>6.00</td><td>304</td><td>167</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.20	50.56	74.00	-23.44	41.56	32.56	7.27	36.83	6.00	304	167	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2492.20	50.56	74.00	-23.44	41.56	32.56	7.27	36.83	6.00	304	167	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.04</td><td>38.61</td><td>54.00</td><td>-15.39</td><td>29.54</td><td>32.60</td><td>7.28</td><td>36.81</td><td>6.00</td><td>304</td><td>167</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.04	38.61	54.00	-15.39	29.54	32.60	7.28	36.81	6.00	304	167	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2499.04	38.61	54.00	-15.39	29.54	32.60	7.28	36.81	6.00	304	167	AVERAGE																																												





Mode	10																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																																																																					
ANT	1																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>68.75</td><td>33.90</td><td>10.25</td><td>65.26</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>51.43</td><td>74.00</td><td>-22.57</td><td>69.33</td><td>35.70</td><td>12.72</td><td>66.32</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>3</td><td>7266.00</td><td>40.69</td><td>54.00</td><td>-13.31</td><td>58.57</td><td>35.70</td><td>12.72</td><td>66.30</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	47.64	74.00	-26.36	68.75	33.90	10.25	65.26	0.00	--	PEAK	2	7266.00	51.43	74.00	-22.57	69.33	35.70	12.72	66.32	0.00	100	0 PEAK	3	7266.00	40.69	54.00	-13.31	58.57	35.70	12.72	66.30	0.00	100	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>42.87</td><td>74.00</td><td>-31.13</td><td>63.98</td><td>33.90</td><td>10.25</td><td>65.26</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>64.06</td><td>35.70</td><td>12.72</td><td>66.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	42.87	74.00	-31.13	63.98	33.90	10.25	65.26	0.00	--	PEAK	2	7266.00	46.16	74.00	-27.84	64.06	35.70	12.72	66.32	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	4844.00	47.64	74.00	-26.36	68.75	33.90	10.25	65.26	0.00	--	PEAK																																																																																																																											
2	7266.00	51.43	74.00	-22.57	69.33	35.70	12.72	66.32	0.00	100	0 PEAK																																																																																																																											
3	7266.00	40.69	54.00	-13.31	58.57	35.70	12.72	66.30	0.00	100	0 AVERAGE																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	4844.00	42.87	74.00	-31.13	63.98	33.90	10.25	65.26	0.00	--	PEAK																																																																																																																											
2	7266.00	46.16	74.00	-27.84	64.06	35.70	12.72	66.32	0.00	--	PEAK																																																																																																																											







		11																																																																																																																									
Mode		Band Edge - L																																																																																																																									
		2400-2483.5_802.11n_HT40_CH06_2437MHz																																																																																																																									
ANT		1																																																																																																																									
Pol.	Horizontal											Fundamental																																																																																																															
Peak																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.04</td><td>66.28</td><td>74.00</td><td>-7.72</td><td>58.16</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>100</td><td>247 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	66.28	74.00	-7.72	58.16	32.07	7.10	37.05	6.00	100	247 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>57.17</td><td>74.00</td><td>-16.83</td><td>55.58</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>247 Peak</td></tr><tr><td>2</td><td>2437.00</td><td>104.55</td><td>.....</td><td>.....</td><td>95.89</td><td>32.37</td><td>7.21</td><td>36.92</td><td>6.00</td><td>100</td><td>247 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	57.17	74.00	-16.83	55.58	28.13	4.67	37.21	6.00	100	247 Peak	2	2437.00	104.55			95.89	32.37	7.21	36.92	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2389.04	66.28	74.00	-7.72	58.16	32.07	7.10	37.05	6.00	100	247 PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	1038.00	57.17	74.00	-16.83	55.58	28.13	4.67	37.21	6.00	100	247 Peak																																																																																																																
2	2437.00	104.55			95.89	32.37	7.21	36.92	6.00	100	247 PEAK																																																																																																																
Avg																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>49.92</td><td>54.00</td><td>-4.08</td><td>41.79</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>100</td><td>247 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	49.92	54.00	-4.08	41.79	32.07	7.11	37.05	6.00	100	247 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>50.93</td><td>54.00</td><td>-3.07</td><td>49.34</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>247 Average</td></tr><tr><td>2</td><td>2437.00</td><td>95.31</td><td>.....</td><td>.....</td><td>86.66</td><td>32.36</td><td>7.21</td><td>36.92</td><td>6.00</td><td>100</td><td>247 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	50.93	54.00	-3.07	49.34	28.13	4.67	37.21	6.00	100	247 Average	2	2437.00	95.31			86.66	32.36	7.21	36.92	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2389.82	49.92	54.00	-4.08	41.79	32.07	7.11	37.05	6.00	100	247 AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	1038.00	50.93	54.00	-3.07	49.34	28.13	4.67	37.21	6.00	100	247 Average																																																																																																																
2	2437.00	95.31			86.66	32.36	7.21	36.92	6.00	100	247 AVERAGE																																																																																																																



Mode	11																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>61.54</td><td>74.00</td><td>-12.46</td><td>52.61</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>247</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	61.54	74.00	-12.46	52.61	32.52	7.26	36.85	6.00	100	247	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.80	61.54	74.00	-12.46	52.61	32.52	7.26	36.85	6.00	100	247	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>61.54</td><td>74.00</td><td>-12.46</td><td>52.61</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>247</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	61.54	74.00	-12.46	52.61	32.52	7.26	36.85	6.00	100	247	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.80	61.54	74.00	-12.46	52.61	32.52	7.26	36.85	6.00	100	247	PEAK																																											





		11																																																																					
Mode		Band Edge - L																																																																					
		2400-2483.5_802.11n HT40_CH06_2437MHz																																																																					
ANT		1																																																																					
Pol.		Vertical																																																																					
Peak																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2385.40</td><td>58.76</td><td>74.00</td><td>-15.24</td><td>50.65</td><td>32.06</td><td>7.10</td><td>37.05</td><td>6.00</td><td>300</td><td>168</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2385.40	58.76	74.00	-15.24	50.65	32.06	7.10	37.05	6.00	300	168	PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 2385.40	58.76	74.00	-15.24	50.65	32.06	7.10	37.05	6.00	300	168	PEAK																																																												
Fundamental																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 1038.00</td><td>48.54</td><td>74.00</td><td>-25.46</td><td>46.95</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>300</td><td>168</td><td>Peak</td></tr><tr><td>2 2437.00</td><td>100.67</td><td>-----</td><td>-----</td><td>92.29</td><td>32.21</td><td>7.16</td><td>36.99</td><td>6.00</td><td>300</td><td>168</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 1038.00	48.54	74.00	-25.46	46.95	28.13	4.67	37.21	6.00	300	168	Peak	2 2437.00	100.67	-----	-----	92.29	32.21	7.16	36.99	6.00	300	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 1038.00	48.54	74.00	-25.46	46.95	28.13	4.67	37.21	6.00	300	168	Peak																																																												
2 2437.00	100.67	-----	-----	92.29	32.21	7.16	36.99	6.00	300	168	PEAK																																																												
Avg																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2389.95</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>35.69</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>300</td><td>168</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2389.95	43.82	54.00	-10.18	35.69	32.07	7.11	37.05	6.00	300	168	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 2389.95	43.82	54.00	-10.18	35.69	32.07	7.11	37.05	6.00	300	168	AVERAGE																																																												
Fundamental																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 1038.00</td><td>40.59</td><td>54.00</td><td>-13.41</td><td>39.00</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>300</td><td>168</td><td>Average</td></tr><tr><td>2 2437.00</td><td>91.24</td><td>-----</td><td>-----</td><td>82.06</td><td>32.21</td><td>7.16</td><td>36.99</td><td>6.00</td><td>300</td><td>168</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 1038.00	40.59	54.00	-13.41	39.00	28.13	4.67	37.21	6.00	300	168	Average	2 2437.00	91.24	-----	-----	82.06	32.21	7.16	36.99	6.00	300	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 1038.00	40.59	54.00	-13.41	39.00	28.13	4.67	37.21	6.00	300	168	Average																																																												
2 2437.00	91.24	-----	-----	82.06	32.21	7.16	36.99	6.00	300	168	AVERAGE																																																												







Mode	11										
	Band Edge - R										
	2400-2483.5_802.11n HT40_CH06_2437MHz										
ANT	1										
Pol.	Vertical										
Peak	Level (dBuV/m) </										



Mode	11																																																																																	
	Harmonic																																																																																	
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal																																																																																	
Peak Avg																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	48.88	74.00	-25.12	69.96	33.90	10.29	65.27	0.00	100	0	PEAK	2	4874.00	38.43	54.00	-15.57	59.51	33.90	10.29	65.27	0.00	100	0	AVERAGE	3	7311.00	51.12	74.00	-22.88	69.15	35.70	12.72	66.45	0.00	102	347	PEAK	4	7311.00	39.66	54.00	-14.34	57.69	35.70	12.72	66.45	0.00	102	347
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	4874.00	48.88	74.00	-25.12	69.96	33.90	10.29	65.27	0.00	100	0	PEAK																																																																						
2	4874.00	38.43	54.00	-15.57	59.51	33.90	10.29	65.27	0.00	100	0	AVERAGE																																																																						
3	7311.00	51.12	74.00	-22.88	69.15	35.70	12.72	66.45	0.00	102	347	PEAK																																																																						
4	7311.00	39.66	54.00	-14.34	57.69	35.70	12.72	66.45	0.00	102	347	AVERAGE																																																																						
Peak Avg																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	41.95	74.00	-32.05	63.03	33.90	10.29	65.27	0.00	--	--	PEAK	2	7311.00	44.87	74.00	-29.13	62.90	35.70	12.72	66.45	0.00	--	--	PEAK																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	4874.00	41.95	74.00	-32.05	63.03	33.90	10.29	65.27	0.00	--	--	PEAK																																																																						
2	7311.00	44.87	74.00	-29.13	62.90	35.70	12.72	66.45	0.00	--	--	PEAK																																																																						







Mode	12																																																																																																												
	Band Edge - L																																																																																																												
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>57.00</td><td>74.00</td><td>-17.00</td><td>48.89</td><td>32.06</td><td>7.10</td><td>37.05</td><td>6.00</td><td>122</td><td>243 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	57.00	74.00	-17.00	48.89	32.06	7.10	37.05	6.00	122	243 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1040.00</td><td>58.98</td><td>74.00</td><td>-15.02</td><td>57.42</td><td>28.10</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>214 Peak</td></tr><tr><td>2</td><td>2452.00</td><td>103.97</td><td>-----</td><td>-----</td><td>95.28</td><td>32.39</td><td>7.21</td><td>36.91</td><td>6.00</td><td>122</td><td>243 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1040.00	58.98	74.00	-15.02	57.42	28.10	4.67	37.21	6.00	100	214 Peak	2	2452.00	103.97	-----	-----	95.28	32.39	7.21	36.91	6.00	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2388.13	57.00	74.00	-17.00	48.89	32.06	7.10	37.05	6.00	122	243 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	1040.00	58.98	74.00	-15.02	57.42	28.10	4.67	37.21	6.00	100	214 Peak																																																																																																		
2	2452.00	103.97	-----	-----	95.28	32.39	7.21	36.91	6.00	122	243 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>42.96</td><td>54.00</td><td>-11.04</td><td>34.83</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>122</td><td>243 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	42.96	54.00	-11.04	34.83	32.07	7.11	37.05	6.00	122	243 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1038.00</td><td>51.81</td><td>54.00</td><td>-2.19</td><td>50.22</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>214 Average</td></tr><tr><td>2</td><td>2452.00</td><td>94.63</td><td>-----</td><td>-----</td><td>85.94</td><td>32.39</td><td>7.21</td><td>36.91</td><td>6.00</td><td>122</td><td>243 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	51.81	54.00	-2.19	50.22	28.13	4.67	37.21	6.00	100	214 Average	2	2452.00	94.63	-----	-----	85.94	32.39	7.21	36.91	6.00	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.95	42.96	54.00	-11.04	34.83	32.07	7.11	37.05	6.00	122	243 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	1038.00	51.81	54.00	-2.19	50.22	28.13	4.67	37.21	6.00	100	214 Average																																																																																																		
2	2452.00	94.63	-----	-----	85.94	32.39	7.21	36.91	6.00	122	243 AVERAGE																																																																																																		





Mode	12																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.10</td><td>67.06</td><td>74.00</td><td>-6.94</td><td>58.13</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>122</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	67.06	74.00	-6.94	58.13	32.52	7.26	36.85	6.00	122	243	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.10	67.06	74.00	-6.94	58.13	32.52	7.26	36.85	6.00	122	243	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>52.36</td><td>54.00</td><td>-1.64</td><td>43.43</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>122</td><td>243</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	52.36	54.00	-1.64	43.43	32.52	7.26	36.85	6.00	122	243	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	52.36	54.00	-1.64	43.43	32.52	7.26	36.85	6.00	122	243	AVERAGE																																												





Mode	12																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2366.81</td><td>50.79</td><td>74.00</td><td>-23.21</td><td>42.78</td><td>32.00</td><td>7.07</td><td>37.06</td><td>6.00</td><td>399</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2366.81	50.79	74.00	-23.21	42.78	32.00	7.07	37.06	6.00	399	168	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1042.00</td><td>56.96</td><td>74.00</td><td>-17.04</td><td>55.42</td><td>28.07</td><td>4.68</td><td>37.21</td><td>6.00</td><td>279</td><td>273</td><td>Peak</td></tr><tr><td>2</td><td>2452.00</td><td>98.78</td><td>-----</td><td>-----</td><td>89.99</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>399</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1042.00	56.96	74.00	-17.04	55.42	28.07	4.68	37.21	6.00	279	273	Peak	2	2452.00	98.78	-----	-----	89.99	32.44	7.23	36.88	6.00	399	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2366.81	50.79	74.00	-23.21	42.78	32.00	7.07	37.06	6.00	399	168	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1042.00	56.96	74.00	-17.04	55.42	28.07	4.68	37.21	6.00	279	273	Peak																																																																																																				
2	2452.00	98.78	-----	-----	89.99	32.44	7.23	36.88	6.00	399	168	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2372.27</td><td>39.51</td><td>54.00</td><td>-14.49</td><td>31.46</td><td>32.02</td><td>7.08</td><td>37.05</td><td>6.00</td><td>399</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2372.27	39.51	54.00	-14.49	31.46	32.02	7.08	37.05	6.00	399	168	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>49.72</td><td>54.00</td><td>-4.28</td><td>48.13</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>279</td><td>273</td><td>Average</td></tr><tr><td>2</td><td>2452.00</td><td>89.43</td><td>-----</td><td>-----</td><td>80.64</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>399</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	49.72	54.00	-4.28	48.13	28.13	4.67	37.21	6.00	279	273	Average	2	2452.00	89.43	-----	-----	80.64	32.44	7.23	36.88	6.00	399	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2372.27	39.51	54.00	-14.49	31.46	32.02	7.08	37.05	6.00	399	168	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	49.72	54.00	-4.28	48.13	28.13	4.67	37.21	6.00	279	273	Average																																																																																																				
2	2452.00	89.43	-----	-----	80.64	32.44	7.23	36.88	6.00	399	168	AVERAGE																																																																																																				







Mode	12																																																
	Band Edge - R																																																
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																
ANT	1																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.52</td><td>64.82</td><td>74.00</td><td>-9.18</td><td>55.89</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>399</td><td>168</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.52	64.82	74.00	-9.18	55.89	32.52
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2484.52	64.82	74.00	-9.18	55.89	32.52	7.26	36.85	6.00	399	168	PEAK																																					
Avg							Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>47.75</td><td>54.00</td><td>-6.25</td><td>38.82</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>399</td><td>168</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.75	54.00	-6.25	38.82	32.52
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2483.50	47.75	54.00	-6.25	38.82	32.52	7.26	36.85	6.00	399	168	AVERAGE																																					







Mode	12																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>50.50</td><td>74.00</td><td>-23.50</td><td>71.55</td><td>33.91</td><td>10.33</td><td>65.29</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4904.00</td><td>40.27</td><td>54.00</td><td>-13.73</td><td>61.32</td><td>33.91</td><td>10.33</td><td>65.29</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>7356.00</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>66.20</td><td>35.70</td><td>12.73</td><td>66.57</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>7356.00</td><td>37.86</td><td>54.00</td><td>-16.14</td><td>56.01</td><td>35.70</td><td>12.73</td><td>66.58</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	50.50	74.00	-23.50	71.55	33.91	10.33	65.29	0.00	100	360	PEAK	2	4904.00	40.27	54.00	-13.73	61.32	33.91	10.33	65.29	0.00	100	360	AVERAGE	3	7356.00	48.06	74.00	-25.94	66.20	35.70	12.73	66.57	0.00	100	360	PEAK	4	7356.00	37.86	54.00	-16.14	56.01	35.70	12.73	66.58	0.00	100	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>42.91</td><td>74.00</td><td>-31.09</td><td>63.96</td><td>33.91</td><td>10.33</td><td>65.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>43.45</td><td>74.00</td><td>-30.55</td><td>61.59</td><td>35.70</td><td>12.73</td><td>66.57</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	42.91	74.00	-31.09	63.96	33.91	10.33	65.29	0.00	--	--	PEAK	2	7356.00	43.45	74.00	-30.55	61.59	35.70	12.73	66.57	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4904.00	50.50	74.00	-23.50	71.55	33.91	10.33	65.29	0.00	100	360	PEAK																																																																																																																																											
2	4904.00	40.27	54.00	-13.73	61.32	33.91	10.33	65.29	0.00	100	360	AVERAGE																																																																																																																																											
3	7356.00	48.06	74.00	-25.94	66.20	35.70	12.73	66.57	0.00	100	360	PEAK																																																																																																																																											
4	7356.00	37.86	54.00	-16.14	56.01	35.70	12.73	66.58	0.00	100	360	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4904.00	42.91	74.00	-31.09	63.96	33.91	10.33	65.29	0.00	--	--	PEAK																																																																																																																																											
2	7356.00	43.45	74.00	-30.55	61.59	35.70	12.73	66.57	0.00	--	--	PEAK																																																																																																																																											





Mode	13																																																																																																															
	Band Edge																																																																																																															
	2400-2483.5_802.11g_CH02_2417MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>71.78</td><td>74.00</td><td>-2.22</td><td>63.65</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>100</td><td>244</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	71.78	74.00	-2.22	63.65	32.07	7.11	37.05	6.00	100	244	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1040.00</td><td>58.37</td><td>74.00</td><td>-15.63</td><td>56.81</td><td>28.10</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>244</td><td>Peak</td></tr><tr><td>2</td><td>2417.00</td><td>108.58</td><td>-----</td><td>-----</td><td>100.28</td><td>32.17</td><td>7.14</td><td>37.01</td><td>6.00</td><td>100</td><td>244</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1040.00	58.37	74.00	-15.63	56.81	28.10	4.67	37.21	6.00	100	244	Peak	2	2417.00	108.58	-----	-----	100.28	32.17	7.14	37.01	6.00	100	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.82	71.78	74.00	-2.22	63.65	32.07	7.11	37.05	6.00	100	244	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1040.00	58.37	74.00	-15.63	56.81	28.10	4.67	37.21	6.00	100	244	Peak																																																																																																				
2	2417.00	108.58	-----	-----	100.28	32.17	7.14	37.01	6.00	100	244	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>52.10</td><td>54.00</td><td>-1.90</td><td>43.97</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	52.10	54.00	-1.90	43.97	32.07	7.11	37.05	6.00	100	244	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1038.00</td><td>51.29</td><td>54.00</td><td>-2.71</td><td>49.70</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>100</td><td>244</td><td>Average</td></tr><tr><td>2</td><td>2417.00</td><td>99.35</td><td>-----</td><td>-----</td><td>90.99</td><td>32.20</td><td>7.15</td><td>36.99</td><td>6.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	51.29	54.00	-2.71	49.70	28.13	4.67	37.21	6.00	100	244	Average	2	2417.00	99.35	-----	-----	90.99	32.20	7.15	36.99	6.00	100	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.82	52.10	54.00	-1.90	43.97	32.07	7.11	37.05	6.00	100	244	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	51.29	54.00	-2.71	49.70	28.13	4.67	37.21	6.00	100	244	Average																																																																																																				
2	2417.00	99.35	-----	-----	90.99	32.20	7.15	36.99	6.00	100	244	AVERAGE																																																																																																				







Mode	13																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH02_2417MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>61.44</td><td>74.00</td><td>-12.56</td><td>53.31</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>313</td><td>165</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	61.44	74.00	-12.56	53.31	32.07	7.11	37.05	6.00	313	165	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>104.31</td><td>-----</td><td>-----</td><td>96.04</td><td>32.15</td><td>7.14</td><td>37.02</td><td>6.00</td><td>313</td><td>165</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	104.31	-----	-----	96.04	32.15	7.14	37.02	6.00	313	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.69	61.44	74.00	-12.56	53.31	32.07	7.11	37.05	6.00	313	165	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2417.00	104.31	-----	-----	96.04	32.15	7.14	37.02	6.00	313	165	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>36.12</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>313</td><td>165</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	44.25	54.00	-9.75	36.12	32.07	7.11	37.05	6.00	313	165	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>95.13</td><td>-----</td><td>-----</td><td>86.06</td><td>32.15</td><td>7.14</td><td>37.02</td><td>6.00</td><td>313</td><td>165</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	95.13	-----	-----	86.06	32.15	7.14	37.02	6.00	313	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.69	44.25	54.00	-9.75	36.12	32.07	7.11	37.05	6.00	313	165	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2417.00	95.13	-----	-----	86.06	32.15	7.14	37.02	6.00	313	165	AVERAGE																																																																																							







Mode	13																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5_802.11g_CH02_2417MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal							Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>43.85</td><td>74.00</td><td>-30.15</td><td>65.21</td><td>33.90</td><td>10.24</td><td>65.50</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>62.40</td><td>74.00</td><td>-11.60</td><td>80.12</td><td>35.70</td><td>12.72</td><td>66.14</td><td>0.00</td><td>147</td><td>264</td><td>PEAK</td></tr><tr><td>3</td><td>7251.00</td><td>51.97</td><td>54.00</td><td>-2.03</td><td>69.70</td><td>35.70</td><td>12.72</td><td>66.15</td><td>0.00</td><td>147</td><td>264</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	43.85	74.00	-30.15	65.21	33.90	10.24	65.50	0.00	--	--	PEAK	2	7251.00	62.40	74.00	-11.60	80.12	35.70	12.72	66.14	0.00	147	264	PEAK	3	7251.00	51.97	54.00	-2.03	69.70	35.70	12.72	66.15	0.00	147	264	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>61.47</td><td>33.90</td><td>10.24</td><td>65.50</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>58.76</td><td>74.00</td><td>-15.24</td><td>76.48</td><td>35.70</td><td>12.72</td><td>66.14</td><td>0.00</td><td>251</td><td>273</td><td>PEAK</td></tr><tr><td>3</td><td>7251.00</td><td>48.18</td><td>54.00</td><td>-5.82</td><td>65.91</td><td>35.70</td><td>12.72</td><td>66.15</td><td>0.00</td><td>251</td><td>273</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	40.11	74.00	-33.89	61.47	33.90	10.24	65.50	0.00	--	--	PEAK	2	7251.00	58.76	74.00	-15.24	76.48	35.70	12.72	66.14	0.00	251	273	PEAK	3	7251.00	48.18	54.00	-5.82	65.91	35.70	12.72	66.15	0.00	251	273	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	4834.00	43.85	74.00	-30.15	65.21	33.90	10.24	65.50	0.00	--	--	PEAK																																																																																																																																													
2	7251.00	62.40	74.00	-11.60	80.12	35.70	12.72	66.14	0.00	147	264	PEAK																																																																																																																																													
3	7251.00	51.97	54.00	-2.03	69.70	35.70	12.72	66.15	0.00	147	264	AVERAGE																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	4834.00	40.11	74.00	-33.89	61.47	33.90	10.24	65.50	0.00	--	--	PEAK																																																																																																																																													
2	7251.00	58.76	74.00	-15.24	76.48	35.70	12.72	66.14	0.00	251	273	PEAK																																																																																																																																													
3	7251.00	48.18	54.00	-5.82	65.91	35.70	12.72	66.15	0.00	251	273	AVERAGE																																																																																																																																													





Mode	14																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_802.11n_HT20_CH02_2417MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.56</td><td>69.92</td><td>74.00</td><td>-4.08</td><td>61.80</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>232</td><td>252 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	69.92	74.00	-4.08	61.80	32.07	7.10	37.05	6.00	232	252 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1040.00</td><td>57.77</td><td>74.00</td><td>-16.23</td><td>56.21</td><td>28.10</td><td>4.67</td><td>37.21</td><td>6.00</td><td>232</td><td>252 Peak</td></tr><tr><td>2</td><td>2417.00</td><td>107.97</td><td>-----</td><td>-----</td><td>99.70</td><td>32.15</td><td>7.14</td><td>37.02</td><td>6.00</td><td>232</td><td>252 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1040.00	57.77	74.00	-16.23	56.21	28.10	4.67	37.21	6.00	232	252 Peak	2	2417.00	107.97	-----	-----	99.70	32.15	7.14	37.02	6.00	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.56	69.92	74.00	-4.08	61.80	32.07	7.10	37.05	6.00	232	252 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	1040.00	57.77	74.00	-16.23	56.21	28.10	4.67	37.21	6.00	232	252 Peak																																																																																																		
2	2417.00	107.97	-----	-----	99.70	32.15	7.14	37.02	6.00	232	252 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>51.33</td><td>54.00</td><td>-2.67</td><td>43.20</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>232</td><td>252 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	51.33	54.00	-2.67	43.20	32.07	7.11	37.05	6.00	232	252 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1038.00</td><td>50.79</td><td>54.00</td><td>-3.21</td><td>49.20</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>232</td><td>252 Average</td></tr><tr><td>2</td><td>2417.00</td><td>99.02</td><td>-----</td><td>-----</td><td>90.75</td><td>32.15</td><td>7.14</td><td>37.02</td><td>6.00</td><td>232</td><td>252 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	50.79	54.00	-3.21	49.20	28.13	4.67	37.21	6.00	232	252 Average	2	2417.00	99.02	-----	-----	90.75	32.15	7.14	37.02	6.00	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2389.95	51.33	54.00	-2.67	43.20	32.07	7.11	37.05	6.00	232	252 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	1038.00	50.79	54.00	-3.21	49.20	28.13	4.67	37.21	6.00	232	252 Average																																																																																																		
2	2417.00	99.02	-----	-----	90.75	32.15	7.14	37.02	6.00	232	252 AVERAGE																																																																																																		







Mode	14																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.04</td><td>61.66</td><td>74.00</td><td>-12.34</td><td>53.54</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>306</td><td>163</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	61.66	74.00	-12.34	53.54	32.07	7.10	37.05	6.00	306	163	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>103.04</td><td>-----</td><td>-----</td><td>94.77</td><td>32.15</td><td>7.14</td><td>37.02</td><td>6.00</td><td>306</td><td>163</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	103.04	-----	-----	94.77	32.15	7.14	37.02	6.00	306	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.04	61.66	74.00	-12.34	53.54	32.07	7.10	37.05	6.00	306	163	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2417.00	103.04	-----	-----	94.77	32.15	7.14	37.02	6.00	306	163	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>34.94</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>306</td><td>163</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	43.07	54.00	-10.93	34.94	32.07	7.11	37.05	6.00	306	163	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>94.33</td><td>-----</td><td>-----</td><td>86.03</td><td>32.17</td><td>7.14</td><td>37.01</td><td>6.00</td><td>306</td><td>163</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	94.33	-----	-----	86.03	32.17	7.14	37.01	6.00	306	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	43.07	54.00	-10.93	34.94	32.07	7.11	37.05	6.00	306	163	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2417.00	94.33	-----	-----	86.03	32.17	7.14	37.01	6.00	306	163	AVERAGE																																																																																																			



Mode	14																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>66.68</td><td>33.90</td><td>10.24</td><td>65.50</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>62.07</td><td>74.00</td><td>-11.93</td><td>79.79</td><td>35.70</td><td>12.72</td><td>66.14</td><td>0.00</td><td>119</td><td>262</td><td>PEAK</td></tr><tr><td>3</td><td>7251.00</td><td>51.19</td><td>54.00</td><td>-2.81</td><td>68.91</td><td>35.70</td><td>12.72</td><td>66.14</td><td>0.00</td><td>119</td><td>262</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	45.32	74.00	-28.68	66.68	33.90	10.24	65.50	0.00	--	--	PEAK	2	7251.00	62.07	74.00	-11.93	79.79	35.70	12.72	66.14	0.00	119	262	PEAK	3	7251.00	51.19	54.00	-2.81	68.91	35.70	12.72	66.14	0.00	119	262	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>62.83</td><td>33.90</td><td>10.24</td><td>65.50</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>59.51</td><td>74.00</td><td>-14.49</td><td>77.23</td><td>35.70</td><td>12.72</td><td>66.14</td><td>0.00</td><td>211</td><td>274</td><td>PEAK</td></tr><tr><td>3</td><td>7251.00</td><td>48.37</td><td>54.00</td><td>-5.63</td><td>66.08</td><td>35.70</td><td>12.72</td><td>66.13</td><td>0.00</td><td>211</td><td>274</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	41.47	74.00	-32.53	62.83	33.90	10.24	65.50	0.00	--	--	PEAK	2	7251.00	59.51	74.00	-14.49	77.23	35.70	12.72	66.14	0.00	211	274	PEAK	3	7251.00	48.37	54.00	-5.63	66.08	35.70	12.72	66.13	0.00	211	274	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4834.00	45.32	74.00	-28.68	66.68	33.90	10.24	65.50	0.00	--	--	PEAK																																																																																																																																												
2	7251.00	62.07	74.00	-11.93	79.79	35.70	12.72	66.14	0.00	119	262	PEAK																																																																																																																																												
3	7251.00	51.19	54.00	-2.81	68.91	35.70	12.72	66.14	0.00	119	262	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	4834.00	41.47	74.00	-32.53	62.83	33.90	10.24	65.50	0.00	--	--	PEAK																																																																																																																																												
2	7251.00	59.51	74.00	-14.49	77.23	35.70	12.72	66.14	0.00	211	274	PEAK																																																																																																																																												
3	7251.00	48.37	54.00	-5.63	66.08	35.70	12.72	66.13	0.00	211	274	AVERAGE																																																																																																																																												







Mode	15																																																																																																															
	Band Edge - L																																																																																																															
	2400-2483.5_802.11n HT40_CH04_2427MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.95</td><td>67.12</td><td>74.00</td><td>-6.88</td><td>59.01</td><td>32.06</td><td>7.10</td><td>37.05</td><td>6.00</td><td>233</td><td>253</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.95	67.12	74.00	-6.88	59.01	32.06	7.10	37.05	6.00	233	253	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1038.00</td><td>58.29</td><td>74.00</td><td>-15.71</td><td>56.70</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>233</td><td>253</td><td>Peak</td></tr><tr><td>2</td><td>2427.00</td><td>101.55</td><td>-----</td><td>-----</td><td>93.26</td><td>32.16</td><td>7.14</td><td>37.01</td><td>6.00</td><td>233</td><td>253</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	58.29	74.00	-15.71	56.70	28.13	4.67	37.21	6.00	233	253	Peak	2	2427.00	101.55	-----	-----	93.26	32.16	7.14	37.01	6.00	233	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2387.95	67.12	74.00	-6.88	59.01	32.06	7.10	37.05	6.00	233	253	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	58.29	74.00	-15.71	56.70	28.13	4.67	37.21	6.00	233	253	Peak																																																																																																				
2	2427.00	101.55	-----	-----	93.26	32.16	7.14	37.01	6.00	233	253	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.97</td><td>52.12</td><td>54.00</td><td>-1.88</td><td>43.99</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>233</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	52.12	54.00	-1.88	43.99	32.07	7.11	37.05	6.00	233	253	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1038.00</td><td>51.59</td><td>54.00</td><td>-2.41</td><td>50.00</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>233</td><td>253</td><td>Average</td></tr><tr><td>2</td><td>2427.00</td><td>92.24</td><td>-----</td><td>-----</td><td>83.95</td><td>32.16</td><td>7.14</td><td>37.01</td><td>6.00</td><td>233</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1038.00	51.59	54.00	-2.41	50.00	28.13	4.67	37.21	6.00	233	253	Average	2	2427.00	92.24	-----	-----	83.95	32.16	7.14	37.01	6.00	233	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2389.97	52.12	54.00	-1.88	43.99	32.07	7.11	37.05	6.00	233	253	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	1038.00	51.59	54.00	-2.41	50.00	28.13	4.67	37.21	6.00	233	253	Average																																																																																																				
2	2427.00	92.24	-----	-----	83.95	32.16	7.14	37.01	6.00	233	253	AVERAGE																																																																																																				



Mode	15																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11n HT40_CH04_2427MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.18</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>44.19</td><td>32.53</td><td>7.26</td><td>36.84</td><td>6.00</td><td>233</td><td>253</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.18	53.14	74.00	-20.86	44.19	32.53	7.26	36.84	6.00	233	253	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2485.18	53.14	74.00	-20.86	44.19	32.53	7.26	36.84	6.00	233	253	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.34</td><td>39.84</td><td>54.00</td><td>-14.16</td><td>38.89</td><td>32.53</td><td>7.26</td><td>36.84</td><td>6.00</td><td>233</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.34	39.84	54.00	-14.16	38.89	32.53	7.26	36.84	6.00	233	253	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2485.34	39.84	54.00	-14.16	38.89	32.53	7.26	36.84	6.00	233	253	AVERAGE																																											





Mode	15																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11n_HT40_CH04_2427MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.63</td><td>62.38</td><td>74.00</td><td>-11.62</td><td>54.26</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>300</td><td>192</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.63	62.38	74.00	-11.62	54.26	32.07	7.10	37.05	6.00	300	192	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>95.78</td><td>-----</td><td>-----</td><td>87.51</td><td>32.15</td><td>7.14</td><td>37.02</td><td>6.00</td><td>300</td><td>192</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	95.78	-----	-----	87.51	32.15	7.14	37.02	6.00	300	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.63	62.38	74.00	-11.62	54.26	32.07	7.10	37.05	6.00	300	192	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2427.00	95.78	-----	-----	87.51	32.15	7.14	37.02	6.00	300	192	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.41</td><td>46.91</td><td>54.00</td><td>-7.09</td><td>38.79</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>300</td><td>192</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.41	46.91	54.00	-7.09	38.79	32.07	7.10	37.05	6.00	300	192	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>86.60</td><td>-----</td><td>-----</td><td>78.31</td><td>32.16</td><td>7.14</td><td>37.01</td><td>6.00</td><td>300</td><td>192</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	86.60	-----	-----	78.31	32.16	7.14	37.01	6.00	300	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.41	46.91	54.00	-7.09	38.79	32.07	7.10	37.05	6.00	300	192	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2427.00	86.60	-----	-----	78.31	32.16	7.14	37.01	6.00	300	192	AVERAGE																																																																																							







Mode	15																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11n HT40_CH04_2427MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.32</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>41.39</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>300</td><td>192</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.32	50.32	74.00	-23.68	41.39	32.52	7.26	36.85	6.00	300	192	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.32	50.32	74.00	-23.68	41.39	32.52	7.26	36.85	6.00	300	192	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.85</td><td>38.17</td><td>54.00</td><td>-15.83</td><td>29.15</td><td>32.57</td><td>7.27</td><td>36.82</td><td>6.00</td><td>300</td><td>192</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.85	38.17	54.00	-15.83	29.15	32.57	7.27	36.82	6.00	300	192	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2494.85	38.17	54.00	-15.83	29.15	32.57	7.27	36.82	6.00	300	192	AVERAGE																																												





Mode	15																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_802.11n HT40_CH04_2427MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4854.00</td><td>42.47</td><td>74.00</td><td>-31.53</td><td>63.81</td><td>33.90</td><td>10.27</td><td>65.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7281.00</td><td>50.19</td><td>74.00</td><td>-23.81</td><td>67.99</td><td>35.70</td><td>12.72</td><td>66.22</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>7281.00</td><td>39.12</td><td>54.00</td><td>-14.88</td><td>56.92</td><td>35.70</td><td>12.72</td><td>66.22</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4854.00	42.47	74.00	-31.53	63.81	33.90	10.27	65.51	0.00	--	--	PEAK	2	7281.00	50.19	74.00	-23.81	67.99	35.70	12.72	66.22	0.00	100	360	PEAK	3	7281.00	39.12	54.00	-14.88	56.92	35.70	12.72	66.22	0.00	100	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4854.00</td><td>40.78</td><td>74.00</td><td>-33.22</td><td>62.12</td><td>33.90</td><td>10.27</td><td>65.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7281.00</td><td>42.57</td><td>74.00</td><td>-31.43</td><td>60.37</td><td>35.70</td><td>12.72</td><td>66.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4854.00	40.78	74.00	-33.22	62.12	33.90	10.27	65.51	0.00	--	--	PEAK	2	7281.00	42.57	74.00	-31.43	60.37	35.70	12.72	66.22	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4854.00	42.47	74.00	-31.53	63.81	33.90	10.27	65.51	0.00	--	--	PEAK																																																																																																																														
2	7281.00	50.19	74.00	-23.81	67.99	35.70	12.72	66.22	0.00	100	360	PEAK																																																																																																																														
3	7281.00	39.12	54.00	-14.88	56.92	35.70	12.72	66.22	0.00	100	360	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4854.00	40.78	74.00	-33.22	62.12	33.90	10.27	65.51	0.00	--	--	PEAK																																																																																																																														
2	7281.00	42.57	74.00	-31.43	60.37	35.70	12.72	66.22	0.00	--	--	PEAK																																																																																																																														







		16																																																																																																																				
Mode		Band Edge - L																																																																																																																				
		2400-2483.5_802.11n HT40_CH05_2432MHz																																																																																																																				
ANT		1																																																																																																																				
Pol.	Horizontal										Fundamental																																																																																																											
Peak																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2388.52</td><td>68.06</td><td>74.00</td><td>-5.94</td><td>59.94</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>172</td><td>247 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2388.52	68.06	74.00	-5.94	59.94	32.07	7.10	37.05	6.00	172	247 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 1038.00</td><td>59.49</td><td>74.00</td><td>-14.51</td><td>57.90</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>172</td><td>247 Peak</td></tr><tr><td>2 2432.00</td><td>104.29</td><td>-----</td><td>-----</td><td>95.68</td><td>32.34</td><td>7.20</td><td>36.93</td><td>6.00</td><td>172</td><td>247 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 1038.00	59.49	74.00	-14.51	57.90	28.13	4.67	37.21	6.00	172	247 Peak	2 2432.00	104.29	-----	-----	95.68	32.34	7.20	36.93	6.00	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 2388.52	68.06	74.00	-5.94	59.94	32.07	7.10	37.05	6.00	172	247 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 1038.00	59.49	74.00	-14.51	57.90	28.13	4.67	37.21	6.00	172	247 Peak																																																																																																												
2 2432.00	104.29	-----	-----	95.68	32.34	7.20	36.93	6.00	172	247 PEAK																																																																																																												
Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.82</td><td>52.38</td><td>54.00</td><td>-1.62</td><td>44.25</td><td>32.07</td><td>7.11</td><td>37.05</td><td>6.00</td><td>172</td><td>247 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.82	52.38	54.00	-1.62	44.25	32.07	7.11	37.05	6.00	172	247 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 1038.00</td><td>51.79</td><td>54.00</td><td>-2.21</td><td>50.20</td><td>28.13</td><td>4.67</td><td>37.21</td><td>6.00</td><td>172</td><td>247 Average</td></tr><tr><td>2 2432.00</td><td>95.29</td><td>-----</td><td>-----</td><td>86.68</td><td>32.34</td><td>7.20</td><td>36.93</td><td>6.00</td><td>172</td><td>247 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 1038.00	51.79	54.00	-2.21	50.20	28.13	4.67	37.21	6.00	172	247 Average	2 2432.00	95.29	-----	-----	86.68	32.34	7.20	36.93	6.00	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 2389.82	52.38	54.00	-1.62	44.25	32.07	7.11	37.05	6.00	172	247 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 1038.00	51.79	54.00	-2.21	50.20	28.13	4.67	37.21	6.00	172	247 Average																																																																																																												
2 2432.00	95.29	-----	-----	86.68	32.34	7.20	36.93	6.00	172	247 AVERAGE																																																																																																												



Mode	16																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11n HT40_CH05_2432MHz																																																					
ANT	1																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.22</td><td>59.56</td><td>74.00</td><td>-14.44</td><td>50.63</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>172</td><td>247 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.22	59.56	74.00	-14.44	50.63	32.52	7.26	36.85	6.00	172	247 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.22	59.56	74.00	-14.44	50.63	32.52	7.26	36.85	6.00	172	247 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.86</td><td>45.41</td><td>54.00</td><td>-8.59</td><td>36.37</td><td>32.58</td><td>7.28</td><td>36.82</td><td>6.00</td><td>172</td><td>247 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.86	45.41	54.00	-8.59	36.37	32.58	7.28	36.82	6.00	172	247 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2495.86	45.41	54.00	-8.59	36.37	32.58	7.28	36.82	6.00	172	247 AVERAGE																																											





Mode	16																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11n HT40_CH05_2432MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.53</td><td>58.13</td><td>74.00</td><td>-15.87</td><td>50.02</td><td>32.06</td><td>7.10</td><td>37.05</td><td>6.00</td><td>300</td><td>166</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.53	58.13	74.00	-15.87	50.02	32.06	7.10	37.05	6.00	300	166	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2432.00</td><td>97.36</td><td>-----</td><td>-----</td><td>89.02</td><td>32.19</td><td>7.15</td><td>37.00</td><td>6.00</td><td>300</td><td>166</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2432.00	97.36	-----	-----	89.02	32.19	7.15	37.00	6.00	300	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2385.53	58.13	74.00	-15.87	50.02	32.06	7.10	37.05	6.00	300	166	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2432.00	97.36	-----	-----	89.02	32.19	7.15	37.00	6.00	300	166	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2375.65</td><td>46.42</td><td>54.00</td><td>-7.58</td><td>38.36</td><td>32.03</td><td>7.08</td><td>37.05</td><td>6.00</td><td>300</td><td>166</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.65	46.42	54.00	-7.58	38.36	32.03	7.08	37.05	6.00	300	166	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2432.00</td><td>88.02</td><td>-----</td><td>-----</td><td>79.69</td><td>32.18</td><td>7.15</td><td>37.00</td><td>6.00</td><td>300</td><td>166</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2432.00	88.02	-----	-----	79.69	32.18	7.15	37.00	6.00	300	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2375.65	46.42	54.00	-7.58	38.36	32.03	7.08	37.05	6.00	300	166	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2432.00	88.02	-----	-----	79.69	32.18	7.15	37.00	6.00	300	166	AVERAGE																																																																																							



Mode	16										
	Band Edge - R										
	2400-2483.5_802.11n HT40_CH05_2432MHz										
ANT	1										
Pol.	Vertical										
Peak											





Mode	16																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_802.11n HT40_CH05_2432MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4864.00</td><td>42.58</td><td>74.00</td><td>-31.42</td><td>63.92</td><td>33.90</td><td>10.28</td><td>65.52</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7296.00</td><td>54.08</td><td>74.00</td><td>-19.92</td><td>71.92</td><td>35.70</td><td>12.72</td><td>66.26</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr><tr><td>3</td><td>7296.00</td><td>43.77</td><td>54.00</td><td>-10.23</td><td>61.62</td><td>35.70</td><td>12.72</td><td>66.27</td><td>0.00</td><td>100</td><td>264</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4864.00	42.58	74.00	-31.42	63.92	33.90	10.28	65.52	0.00	--	--	PEAK	2	7296.00	54.08	74.00	-19.92	71.92	35.70	12.72	66.26	0.00	100	264	PEAK	3	7296.00	43.77	54.00	-10.23	61.62	35.70	12.72	66.27	0.00	100	264	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4864.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>61.88</td><td>33.90</td><td>10.28</td><td>65.52</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7296.00</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>12.72</td><td>66.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4864.00	40.54	74.00	-33.46	61.88	33.90	10.28	65.52	0.00	--	--	PEAK	2	7296.00	43.60	74.00	-30.40	61.44	35.70	12.72	66.26	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4864.00	42.58	74.00	-31.42	63.92	33.90	10.28	65.52	0.00	--	--	PEAK																																																																																																																															
2	7296.00	54.08	74.00	-19.92	71.92	35.70	12.72	66.26	0.00	100	264	PEAK																																																																																																																															
3	7296.00	43.77	54.00	-10.23	61.62	35.70	12.72	66.27	0.00	100	264	AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	4864.00	40.54	74.00	-33.46	61.88	33.90	10.28	65.52	0.00	--	--	PEAK																																																																																																																															
2	7296.00	43.60	74.00	-30.40	61.44	35.70	12.72	66.26	0.00	--	--	PEAK																																																																																																																															



Mode	10	
	18G-25G	
	2400-2483.5_802.11n HT40_CH03_2422MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		

Note: Only the worst case has assessed 18G ~25GHz to test.




Mode	10																																																																																																																													
	30-1G																																																																																																																													
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal																																																																																																																													
Peak																																																																																																																														
	<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Read Level</th><th>CableAntenna Loss</th><th>Preampl Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>23.93</td><td>-16.07</td><td>40.00</td><td>32.12</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>124.09</td><td>19.83</td><td>-23.67</td><td>43.50</td><td>34.26</td><td>1.67</td><td>16.75</td><td>32.85</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>358.83</td><td>30.06</td><td>-15.94</td><td>46.00</td><td>39.43</td><td>2.89</td><td>20.65</td><td>32.91</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>480.08</td><td>33.18</td><td>-12.82</td><td>46.00</td><td>39.64</td><td>3.35</td><td>23.17</td><td>32.98</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>718.70</td><td>38.77</td><td>-7.23</td><td>46.00</td><td>42.19</td><td>4.10</td><td>25.45</td><td>32.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>741.01</td><td>35.99</td><td>-10.01</td><td>46.00</td><td>38.94</td><td>4.17</td><td>25.72</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>7</td><td>862.26</td><td>42.10</td><td>-3.90</td><td>46.00</td><td>43.25</td><td>4.48</td><td>26.61</td><td>32.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>8</td><td>934.04</td><td>42.25</td><td>-3.75</td><td>46.00</td><td>42.01</td><td>4.67</td><td>27.28</td><td>31.71</td><td>200</td><td>117</td><td>Peak</td></tr></table>											Freq	Level	Over Limit	Read Level	CableAntenna Loss	Preampl Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.97	23.93	-16.07	40.00	32.12	0.73	24.07	32.99	---	---	Peak	2	124.09	19.83	-23.67	43.50	34.26	1.67	16.75	32.85	---	---	Peak	3	358.83	30.06	-15.94	46.00	39.43	2.89	20.65	32.91	---	---	Peak	4	480.08	33.18	-12.82	46.00	39.64	3.35	23.17	32.98	---	---	Peak	5	718.70	38.77	-7.23	46.00	42.19	4.10	25.45	32.97	---	---	Peak	6	741.01	35.99	-10.01	46.00	38.94	4.17	25.72	32.84	---	---	Peak	7	862.26	42.10	-3.90	46.00	43.25	4.48	26.61	32.24	---	---	Peak	8	934.04	42.25	-3.75	46.00	42.01	4.67	27.28	31.71	200	117	Peak
	Freq	Level	Over Limit	Read Level	CableAntenna Loss	Preampl Factor	A/Pos	T/Pos	Remark																																																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																				
	1	30.97	23.93	-16.07	40.00	32.12	0.73	24.07	32.99	---	---	Peak																																																																																																																		
	2	124.09	19.83	-23.67	43.50	34.26	1.67	16.75	32.85	---	---	Peak																																																																																																																		
	3	358.83	30.06	-15.94	46.00	39.43	2.89	20.65	32.91	---	---	Peak																																																																																																																		
	4	480.08	33.18	-12.82	46.00	39.64	3.35	23.17	32.98	---	---	Peak																																																																																																																		
	5	718.70	38.77	-7.23	46.00	42.19	4.10	25.45	32.97	---	---	Peak																																																																																																																		
	6	741.01	35.99	-10.01	46.00	38.94	4.17	25.72	32.84	---	---	Peak																																																																																																																		
7	862.26	42.10	-3.90	46.00	43.25	4.48	26.61	32.24	---	---	Peak																																																																																																																			
8	934.04	42.25	-3.75	46.00	42.01	4.67	27.28	31.71	200	117	Peak																																																																																																																			
Vertical																																																																																																																														
																																																																																																																														
<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Read Level</th><th>CableAntenna Loss</th><th>Preampl Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>31.38</td><td>-8.62</td><td>40.00</td><td>39.57</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>358.83</td><td>29.38</td><td>-16.62</td><td>46.00</td><td>38.75</td><td>2.89</td><td>20.65</td><td>32.91</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>464.56</td><td>34.04</td><td>-11.96</td><td>46.00</td><td>40.93</td><td>3.29</td><td>22.84</td><td>33.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>502.39</td><td>35.22</td><td>-10.78</td><td>46.00</td><td>41.05</td><td>3.43</td><td>23.67</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>718.70</td><td>38.73</td><td>-7.27</td><td>46.00</td><td>42.15</td><td>4.10</td><td>25.45</td><td>32.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>741.01</td><td>37.46</td><td>-8.54</td><td>46.00</td><td>40.41</td><td>4.17</td><td>25.72</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>7</td><td>862.26</td><td>40.92</td><td>-5.08</td><td>46.00</td><td>42.07</td><td>4.48</td><td>26.61</td><td>32.24</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Freq	Level	Over Limit	Read Level	CableAntenna Loss	Preampl Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.97	31.38	-8.62	40.00	39.57	0.73	24.07	32.99	---	---	Peak	2	358.83	29.38	-16.62	46.00	38.75	2.89	20.65	32.91	---	---	Peak	3	464.56	34.04	-11.96	46.00	40.93	3.29	22.84	33.02	---	---	Peak	4	502.39	35.22	-10.78	46.00	41.05	3.43	23.67	32.93	---	---	Peak	5	718.70	38.73	-7.27	46.00	42.15	4.10	25.45	32.97	---	---	Peak	6	741.01	37.46	-8.54	46.00	40.41	4.17	25.72	32.84	---	---	Peak	7	862.26	40.92	-5.08	46.00	42.07	4.48	26.61	32.24	---	---	Peak													
Freq	Level	Over Limit	Read Level	CableAntenna Loss	Preampl Factor	A/Pos	T/Pos	Remark																																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																					
1	30.97	31.38	-8.62	40.00	39.57	0.73	24.07	32.99	---	---	Peak																																																																																																																			
2	358.83	29.38	-16.62	46.00	38.75	2.89	20.65	32.91	---	---	Peak																																																																																																																			
3	464.56	34.04	-11.96	46.00	40.93	3.29	22.84	33.02	---	---	Peak																																																																																																																			
4	502.39	35.22	-10.78	46.00	41.05	3.43	23.67	32.93	---	---	Peak																																																																																																																			
5	718.70	38.73	-7.27	46.00	42.15	4.10	25.45	32.97	---	---	Peak																																																																																																																			
6	741.01	37.46	-8.54	46.00	40.41	4.17	25.72	32.84	---	---	Peak																																																																																																																			
7	862.26	40.92	-5.08	46.00	42.07	4.48	26.61	32.24	---	---	Peak																																																																																																																			

Appendix D. Duty Cycle Plots


2.4G Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	98.63	-	-	10Hz
802.11g	96.41	3.116	0.321	0.33kHz
802.11n HT20	97.33	4.754	0.210	0.22KHz
802.11n HT40	95.81	2.319	0.431	0.47KHz

2.4G 802.11b






2.4G 802.11g



2.4G 802.11n HT20





2.4G 802.11n HT40

