





#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1195.00         | 62.93          | 40.44          | -22.49        | 74.00          | 33.56       | 150         | 83        | PK  | Vertical | PASS    |
| 2   | 1400.00         | 63.58          | 42.25          | -21.33        | 74.00          | 31.75       | 150         | 101       | PK  | Vertical | PASS    |
| 3   | 1766.00         | 65.73          | 46.54          | -19.19        | 74.00          | 27.46       | 150         | 162       | PK  | Vertical | PASS    |
| 4   | 2394.00         | 71.21          | 54.72          | -16.49        | 74.00          | 19.28       | 150         | 251       | PK  | Vertical | PASS    |
| 5   | 3801.00         | 53.51          | 43.84          | -9.67         | 74.00          | 30.16       | 150         | 275       | PK  | Vertical | PASS    |
| 6   | 4823.00         | 55.86          | 48.58          | -7.28         | 74.00          | 25.42       | 150         | 337       | PK  | Vertical | PASS    |
| 7   | 1195.00         | 52.56          | 30.07          | -22.49        | 54.00          | 23.93       | 150         | 83        | AV  | Vertical | PASS    |
| 8   | 1459.00         | 51.53          | 30.43          | -21.10        | 54.00          | 23.57       | 150         | 24        | AV  | Vertical | PASS    |
| 9   | 1766.00         | 59.04          | 39.85          | -19.19        | 54.00          | 14.15       | 150         | 162       | AV  | Vertical | PASS    |
| 10  | 2230.00         | 53.72          | 36.70          | -17.02        | 54.00          | 17.30       | 150         | 115       | AV  | Vertical | PASS    |
| 11  | 3906.00         | 44.12          | 35.30          | -8.82         | 54.00          | 18.70       | 150         | 148       | AV  | Vertical | PASS    |
| 12  | 4822.00         | 46.08          | 38.80          | -7.28         | 54.00          | 15.20       | 150         | 360       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11g | Test Date:     | 2024-05-23  |
| Test Channel: | 06      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1198.00         | 58.00          | 34.54          | -23.46        | 74.00          | 39.46       | 150         | 310       | PK  | Horizontal | PASS    |
| 2                   | 1594.00         | 55.65          | 34.52          | -21.13        | 74.00          | 39.48       | 150         | 94        | PK  | Horizontal | PASS    |
| 3                   | 1768.00         | 59.55          | 39.80          | -19.75        | 74.00          | 34.20       | 150         | 44        | PK  | Horizontal | PASS    |
| 4                   | 2192.00         | 57.93          | 40.68          | -17.25        | 74.00          | 33.32       | 150         | 26        | PK  | Horizontal | PASS    |
| 5                   | 2596.00         | 57.32          | 41.78          | -15.54        | 74.00          | 32.22       | 150         | 6         | PK  | Horizontal | PASS    |
| 6                   | 4110.00         | 54.20          | 46.12          | -8.08         | 74.00          | 27.88       | 150         | 241       | PK  | Horizontal | PASS    |
| 7                   | 1199.00         | 47.04          | 23.59          | -23.45        | 54.00          | 30.41       | 150         | 65        | AV  | Horizontal | PASS    |
| 8                   | 1600.00         | 47.09          | 26.00          | -21.09        | 54.00          | 28.00       | 150         | 76        | AV  | Horizontal | PASS    |
| 9                   | 1768.00         | 51.45          | 31.70          | -19.75        | 54.00          | 22.30       | 150         | 44        | AV  | Horizontal | PASS    |
| 10                  | 2219.00         | 47.20          | 30.06          | -17.14        | 54.00          | 23.94       | 150         | 87        | AV  | Horizontal | PASS    |
| 11                  | 2652.00         | 46.11          | 30.75          | -15.36        | 54.00          | 23.25       | 150         | 76        | AV  | Horizontal | PASS    |
| 12                  | 4125.00         | 44.27          | 36.21          | -8.06         | 54.00          | 17.79       | 150         | 266       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1245.00         | 63.61          | 41.36          | -22.25        | 74.00          | 32.64       | 150         | 97        | PK  | Vertical | PASS    |
| 2   | 1793.00         | 64.74          | 45.76          | -18.98        | 74.00          | 28.24       | 150         | 269       | PK  | Vertical | PASS    |
| 3   | 1991.00         | 67.83          | 49.99          | -17.84        | 74.00          | 24.01       | 150         | 83        | PK  | Vertical | PASS    |
| 4   | 2308.00         | 62.65          | 45.82          | -16.83        | 74.00          | 28.18       | 150         | 283       | PK  | Vertical | PASS    |
| 5   | 2668.00         | 59.15          | 43.72          | -15.43        | 74.00          | 30.28       | 150         | 266       | PK  | Vertical | PASS    |
| 6   | 4167.00         | 53.66          | 45.74          | -7.92         | 74.00          | 28.26       | 150         | 262       | PK  | Vertical | PASS    |
| 7   | 1245.00         | 51.95          | 29.70          | -22.25        | 54.00          | 24.30       | 150         | 97        | AV  | Vertical | PASS    |
| 8   | 1796.00         | 49.89          | 30.94          | -18.95        | 54.00          | 23.06       | 150         | 102       | AV  | Vertical | PASS    |
| 9   | 1991.00         | 53.19          | 35.35          | -17.84        | 54.00          | 18.65       | 150         | 83        | AV  | Vertical | PASS    |
| 10  | 2308.00         | 53.15          | 36.32          | -16.83        | 54.00          | 17.68       | 150         | 283       | AV  | Vertical | PASS    |
| 11  | 2611.00         | 49.29          | 33.60          | -15.69        | 54.00          | 20.40       | 150         | 258       | AV  | Vertical | PASS    |
| 12  | 4226.00         | 44.51          | 36.64          | -7.87         | 54.00          | 17.36       | 150         | 102       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11g | Test Date:     | 2024-05-23  |
| Test Channel: | 11      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1435.00         | 60.34          | 38.30          | -22.04        | 74.00          | 35.70       | 150         | 73        | PK  | Horizontal | PASS    |
| 2                   | 1783.00         | 71.10          | 51.48          | -19.62        | 74.00          | 22.52       | 150         | 76        | PK  | Horizontal | PASS    |
| 3                   | 1992.00         | 61.40          | 43.17          | -18.23        | 74.00          | 30.83       | 150         | 84        | PK  | Horizontal | PASS    |
| 4                   | 2492.00         | 61.39          | 45.55          | -15.84        | 74.00          | 28.45       | 150         | 149       | PK  | Horizontal | PASS    |
| 5                   | 3498.00         | 57.06          | 44.69          | -12.37        | 74.00          | 29.31       | 150         | 160       | PK  | Horizontal | PASS    |
| 6                   | 4928.00         | 53.18          | 46.81          | -6.37         | 74.00          | 27.19       | 150         | 116       | PK  | Horizontal | PASS    |
| 7                   | 1435.00         | 53.71          | 31.67          | -22.04        | 54.00          | 22.33       | 150         | 73        | AV  | Horizontal | PASS    |
| 8                   | 1783.00         | 57.58          | 37.96          | -19.62        | 54.00          | 16.04       | 150         | 76        | AV  | Horizontal | PASS    |
| 9                   | 1993.00         | 48.85          | 30.63          | -18.22        | 54.00          | 23.37       | 150         | 134       | AV  | Horizontal | PASS    |
| 10                  | 2598.00         | 46.41          | 30.88          | -15.53        | 54.00          | 23.12       | 150         | 80        | AV  | Horizontal | PASS    |
| 11                  | 3498.00         | 50.07          | 37.70          | -12.37        | 54.00          | 16.30       | 150         | 160       | AV  | Horizontal | PASS    |
| 12                  | 4923.00         | 44.39          | 38.00          | -6.39         | 54.00          | 16.00       | 150         | 137       | AV  | Horizontal | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1246.00         | 64.78          | 42.54          | -22.24        | 74.00          | 31.46       | 150         | 61        | PK  | Vertical | PASS    |
| 2   | 1770.00         | 70.36          | 51.20          | -19.16        | 74.00          | 22.80       | 150         | 321       | PK  | Vertical | PASS    |
| 3   | 2198.00         | 63.71          | 46.62          | -17.09        | 74.00          | 27.38       | 150         | 91        | PK  | Vertical | PASS    |
| 4   | 2564.00         | 60.87          | 45.01          | -15.86        | 74.00          | 28.99       | 150         | 266       | PK  | Vertical | PASS    |
| 5   | 3987.00         | 54.92          | 46.57          | -8.35         | 74.00          | 27.43       | 150         | 101       | PK  | Vertical | PASS    |
| 6   | 4915.00         | 54.57          | 47.51          | -7.06         | 74.00          | 26.49       | 150         | 355       | PK  | Vertical | PASS    |
| 7   | 1246.00         | 54.96          | 32.72          | -22.24        | 54.00          | 21.28       | 150         | 61        | AV  | Vertical | PASS    |
| 8   | 1770.00         | 57.83          | 38.67          | -19.16        | 54.00          | 15.33       | 150         | 321       | AV  | Vertical | PASS    |
| 9   | 2227.00         | 53.51          | 36.49          | -17.02        | 54.00          | 17.51       | 150         | 116       | AV  | Vertical | PASS    |
| 10  | 2531.00         | 49.96          | 33.98          | -15.98        | 54.00          | 20.02       | 150         | 87        | AV  | Vertical | PASS    |
| 11  | 4095.00         | 44.46          | 36.53          | -7.93         | 54.00          | 17.47       | 150         | 306       | AV  | Vertical | PASS    |
| 12  | 4922.00         | 45.90          | 38.87          | -7.03         | 54.00          | 15.13       | 150         | 360       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |              |                |             |
|---------------|--------------|----------------|-------------|
| Test Mode:    | 802.11n-HT20 | Test Date:     | 2024-05-23  |
| Test Channel: | 01           | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1249.00         | 60.29          | 37.12          | -23.17        | 74.00          | 36.88       | 150         | 47        | PK  | Horizontal | PASS    |
| 2                   | 1769.00         | 66.91          | 47.16          | -19.75        | 74.00          | 26.84       | 150         | 323       | PK  | Horizontal | PASS    |
| 3                   | 1999.00         | 59.26          | 41.09          | -18.17        | 74.00          | 32.91       | 150         | 155       | PK  | Horizontal | PASS    |
| 4                   | 2389.00         | 69.58          | 53.22          | -16.36        | 74.00          | 20.78       | 150         | 338       | PK  | Horizontal | PASS    |
| 5                   | 3977.00         | 53.99          | 45.26          | -8.73         | 74.00          | 28.74       | 150         | 25        | PK  | Horizontal | PASS    |
| 6                   | 5409.00         | 54.24          | 48.30          | -5.94         | 74.00          | 25.70       | 150         | 148       | PK  | Horizontal | PASS    |
| 7                   | 1249.00         | 49.52          | 26.35          | -23.17        | 54.00          | 27.65       | 150         | 47        | AV  | Horizontal | PASS    |
| 8                   | 1769.00         | 56.03          | 36.28          | -19.75        | 54.00          | 13.72       | 150         | 323       | AV  | Horizontal | PASS    |
| 9                   | 1999.00         | 47.84          | 29.67          | -18.17        | 54.00          | 24.33       | 150         | 155       | AV  | Horizontal | PASS    |
| 10                  | 2393.00         | 59.20          | 42.86          | -16.34        | 54.00          | 11.14       | 150         | 211       | AV  | Horizontal | PASS    |
| 11                  | 4105.00         | 43.99          | 35.91          | -8.08         | 54.00          | 18.09       | 150         | 0         | AV  | Horizontal | PASS    |
| 12                  | 5352.00         | 44.43          | 38.35          | -6.08         | 54.00          | 15.65       | 150         | 0         | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




| Suspected Data List |                 |                |                |               |                |             |             |           |     |          |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
| 1                   | 1248.00         | 62.04          | 39.81          | -22.23        | 74.00          | 34.19       | 150         | 47        | PK  | Vertical | PASS    |
| 2                   | 1398.00         | 65.49          | 44.15          | -21.34        | 74.00          | 29.85       | 150         | 90        | PK  | Vertical | PASS    |
| 3                   | 1771.00         | 70.11          | 50.97          | -19.14        | 74.00          | 23.03       | 150         | 287       | PK  | Vertical | PASS    |
| 4                   | 1997.00         | 61.33          | 43.54          | -17.79        | 74.00          | 30.46       | 150         | 360       | PK  | Vertical | PASS    |
| 5                   | 2393.00         | 71.72          | 55.23          | -16.49        | 74.00          | 18.77       | 150         | 280       | PK  | Vertical | PASS    |
| 6                   | 4821.00         | 55.44          | 48.16          | -7.28         | 74.00          | 25.84       | 150         | 102       | PK  | Vertical | PASS    |
| 7                   | 1194.00         | 49.55          | 27.06          | -22.49        | 54.00          | 26.94       | 150         | 310       | AV  | Vertical | PASS    |
| 8                   | 1398.00         | 51.85          | 30.51          | -21.34        | 54.00          | 23.49       | 150         | 90        | AV  | Vertical | PASS    |
| 9                   | 1772.00         | 57.21          | 38.07          | -19.14        | 54.00          | 9.93        | 150         | 346       | AV  | Vertical | PASS    |
| 10                  | 1997.00         | 51.21          | 33.42          | -17.79        | 54.00          | 20.58       | 150         | 106       | AV  | Vertical | PASS    |
| 11                  | 2394.00         | 60.29          | 43.80          | -16.49        | 54.00          | 10.20       | 150         | 276       | AV  | Vertical | PASS    |
| 12                  | 4829.00         | 45.65          | 38.38          | -7.27         | 54.00          | 15.62       | 150         | 338       | AV  | Vertical | PASS    |

Note:(1)  $\text{Level} = \text{Reading} + \text{Factor}$

(2)  $\text{Margin} = \text{Limit} - \text{Level}$


|               |              |                |             |
|---------------|--------------|----------------|-------------|
| Test Mode:    | 802.11n-HT20 | Test Date:     | 2024-05-23  |
| Test Channel: | 06           | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1197.00         | 58.77          | 35.31          | -23.46        | 74.00          | 38.69       | 150         | 343       | PK  | Horizontal | PASS    |
| 2                   | 1766.00         | 66.99          | 47.22          | -19.77        | 74.00          | 26.78       | 150         | 350       | PK  | Horizontal | PASS    |
| 3                   | 1993.00         | 62.41          | 44.19          | -18.22        | 74.00          | 29.81       | 150         | 136       | PK  | Horizontal | PASS    |
| 4                   | 2616.00         | 55.72          | 40.25          | -15.47        | 74.00          | 33.75       | 150         | 81        | PK  | Horizontal | PASS    |
| 5                   | 4089.00         | 53.60          | 45.46          | -8.14         | 74.00          | 28.54       | 150         | 44        | PK  | Horizontal | PASS    |
| 6                   | 5148.00         | 54.21          | 48.05          | -6.16         | 74.00          | 25.95       | 150         | 318       | PK  | Horizontal | PASS    |
| 7                   | 1198.00         | 49.62          | 26.16          | -23.46        | 54.00          | 27.84       | 150         | 140       | AV  | Horizontal | PASS    |
| 8                   | 1766.00         | 61.02          | 41.25          | -19.77        | 54.00          | 12.75       | 150         | 350       | AV  | Horizontal | PASS    |
| 9                   | 1995.00         | 48.44          | 30.24          | -18.20        | 54.00          | 23.76       | 150         | 0         | AV  | Horizontal | PASS    |
| 10                  | 2588.00         | 46.29          | 30.73          | -15.56        | 54.00          | 23.27       | 150         | 360       | AV  | Horizontal | PASS    |
| 11                  | 4122.00         | 44.34          | 36.27          | -8.07         | 54.00          | 17.73       | 150         | 246       | AV  | Horizontal | PASS    |
| 12                  | 5181.00         | 44.12          | 37.91          | -6.21         | 54.00          | 16.09       | 150         | 114       | AV  | Horizontal | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1198.00         | 63.50          | 41.02          | -22.48        | 74.00          | 32.98       | 150         | 296       | PK  | Vertical | PASS    |
| 2   | 1397.00         | 64.26          | 42.91          | -21.35        | 74.00          | 31.09       | 150         | 88        | PK  | Vertical | PASS    |
| 3   | 1773.00         | 70.66          | 51.53          | -19.13        | 74.00          | 22.47       | 150         | 175       | PK  | Vertical | PASS    |
| 4   | 1993.00         | 65.73          | 47.91          | -17.82        | 74.00          | 26.09       | 150         | 92        | PK  | Vertical | PASS    |
| 5   | 2317.00         | 62.22          | 45.43          | -16.79        | 74.00          | 28.57       | 150         | 274       | PK  | Vertical | PASS    |
| 6   | 3985.00         | 54.27          | 45.90          | -8.37         | 74.00          | 28.10       | 150         | 95        | PK  | Vertical | PASS    |
| 7   | 1198.00         | 51.18          | 28.70          | -22.48        | 54.00          | 25.30       | 150         | 99        | AV  | Vertical | PASS    |
| 8   | 1397.00         | 50.68          | 29.33          | -21.35        | 54.00          | 24.67       | 150         | 88        | AV  | Vertical | PASS    |
| 9   | 1773.00         | 55.68          | 36.55          | -19.13        | 54.00          | 17.45       | 150         | 175       | AV  | Vertical | PASS    |
| 10  | 1994.00         | 52.85          | 35.04          | -17.81        | 54.00          | 18.96       | 150         | 76        | AV  | Vertical | PASS    |
| 11  | 2308.00         | 53.33          | 36.50          | -16.83        | 54.00          | 17.50       | 150         | 281       | AV  | Vertical | PASS    |
| 12  | 4139.00         | 44.49          | 36.57          | -7.92         | 54.00          | 17.43       | 150         | 230       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |              |                |             |
|---------------|--------------|----------------|-------------|
| Test Mode:    | 802.11n-HT20 | Test Date:     | 2024-05-23  |
| Test Channel: | 11           | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 1245.00         | 59.92          | 36.72          | -23.20        | 74.00          | 37.28       | 150         | 82        | PK  | Horizontal | PASS    |
| 2                   | 1783.00         | 63.87          | 44.25          | -19.62        | 74.00          | 29.75       | 150         | 115       | PK  | Horizontal | PASS    |
| 3                   | 1997.00         | 58.46          | 40.27          | -18.19        | 74.00          | 33.73       | 150         | 138       | PK  | Horizontal | PASS    |
| 4                   | 2491.00         | 61.55          | 45.71          | -15.84        | 74.00          | 28.29       | 150         | 0         | PK  | Horizontal | PASS    |
| 5                   | 3693.00         | 53.97          | 42.88          | -11.09        | 74.00          | 31.12       | 150         | 309       | PK  | Horizontal | PASS    |
| 6                   | 5126.00         | 54.11          | 47.99          | -6.12         | 74.00          | 26.01       | 150         | 149       | PK  | Horizontal | PASS    |
| 7                   | 1248.00         | 51.14          | 27.96          | -23.18        | 54.00          | 26.04       | 150         | 61        | AV  | Horizontal | PASS    |
| 8                   | 1772.00         | 52.16          | 32.44          | -19.72        | 54.00          | 21.56       | 150         | 0         | AV  | Horizontal | PASS    |
| 9                   | 1993.00         | 47.89          | 29.67          | -18.22        | 54.00          | 24.33       | 150         | 100       | AV  | Horizontal | PASS    |
| 10                  | 2493.00         | 48.32          | 32.48          | -15.84        | 54.00          | 21.52       | 150         | 13        | AV  | Horizontal | PASS    |
| 11                  | 3727.00         | 43.88          | 33.07          | -10.81        | 54.00          | 20.93       | 150         | 54        | AV  | Horizontal | PASS    |
| 12                  | 5166.00         | 44.33          | 38.14          | -6.19         | 54.00          | 15.86       | 150         | 138       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level



#### Suspected Data List


| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 1196.00         | 62.66          | 40.17          | -22.49        | 74.00          | 33.83       | 150         | 93        | PK  | Vertical | PASS    |
| 2   | 1397.00         | 58.28          | 36.93          | -21.35        | 74.00          | 37.07       | 150         | 97        | PK  | Vertical | PASS    |
| 3   | 1769.00         | 70.23          | 51.07          | -19.16        | 74.00          | 22.93       | 150         | 119       | PK  | Vertical | PASS    |
| 4   | 2235.00         | 61.37          | 44.37          | -17.00        | 74.00          | 29.63       | 150         | 294       | PK  | Vertical | PASS    |
| 5   | 2655.00         | 60.24          | 44.75          | -15.49        | 74.00          | 29.25       | 150         | 261       | PK  | Vertical | PASS    |
| 6   | 4123.00         | 54.64          | 46.73          | -7.91         | 74.00          | 27.27       | 150         | 46        | PK  | Vertical | PASS    |
| 7   | 1196.00         | 52.03          | 29.54          | -22.49        | 54.00          | 24.46       | 150         | 93        | AV  | Vertical | PASS    |
| 8   | 1375.00         | 48.88          | 27.39          | -21.49        | 54.00          | 26.61       | 150         | 301       | AV  | Vertical | PASS    |
| 9   | 1768.00         | 64.08          | 44.91          | -19.17        | 54.00          | 9.09        | 150         | 119       | AV  | Vertical | PASS    |
| 10  | 2235.00         | 53.11          | 36.11          | -17.00        | 54.00          | 17.89       | 150         | 294       | AV  | Vertical | PASS    |
| 11  | 2622.00         | 49.97          | 34.34          | -15.63        | 54.00          | 19.66       | 150         | 264       | AV  | Vertical | PASS    |
| 12  | 4103.00         | 44.61          | 36.70          | -7.91         | 54.00          | 17.30       | 150         | 152       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level

## 6GHz-18GHz

|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11b | Test Date:     | 2024-05-23  |
| Test Channel: | 01      | Test Engineer: | Stone Zhang |




### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| 1   | 6819.00         | 46.48          | 41.67          | -4.81         | 74.00          | 32.33       | 150         | 244       | PK  | Horizontal | PASS    |
| 2   | 8160.00         | 43.46          | 42.18          | -1.28         | 74.00          | 31.82       | 150         | 213       | PK  | Horizontal | PASS    |
| 3   | 9555.00         | 42.50          | 42.41          | -0.09         | 74.00          | 31.59       | 150         | 122       | PK  | Horizontal | PASS    |
| 4   | 12051.00        | 43.42          | 44.93          | 1.51          | 74.00          | 29.07       | 150         | 360       | PK  | Horizontal | PASS    |
| 5   | 14328.00        | 40.92          | 45.78          | 4.86          | 74.00          | 28.22       | 150         | 198       | PK  | Horizontal | PASS    |
| 6   | 15900.00        | 40.24          | 50.02          | 9.78          | 74.00          | 23.98       | 150         | 304       | PK  | Horizontal | PASS    |
| 7   | 6756.00         | 37.47          | 32.17          | -5.30         | 54.00          | 21.83       | 150         | 122       | AV  | Horizontal | PASS    |
| 8   | 8202.00         | 35.08          | 33.62          | -1.46         | 54.00          | 20.38       | 150         | 313       | AV  | Horizontal | PASS    |
| 9   | 9366.00         | 34.73          | 33.88          | -0.85         | 54.00          | 20.12       | 150         | 251       | AV  | Horizontal | PASS    |
| 10  | 12054.00        | 34.88          | 36.39          | 1.51          | 54.00          | 17.61       | 150         | 351       | AV  | Horizontal | PASS    |
| 11  | 14302.50        | 33.04          | 37.79          | 4.75          | 54.00          | 16.21       | 150         | 190       | AV  | Horizontal | PASS    |
| 12  | 15880.50        | 32.70          | 42.11          | 9.41          | 54.00          | 11.89       | 150         | 84        | AV  | Horizontal | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 7234.50         | 47.11          | 43.18          | -3.93         | 74.00          | 30.82       | 150         | 161       | PK  | Vertical | PASS    |
| 2   | 9000.00         | 43.71          | 42.93          | -0.78         | 74.00          | 31.07       | 150         | 115       | PK  | Vertical | PASS    |
| 3   | 10821.00        | 42.25          | 43.07          | 0.82          | 74.00          | 30.93       | 150         | 91        | PK  | Vertical | PASS    |
| 4   | 12430.50        | 41.48          | 43.91          | 2.43          | 74.00          | 30.09       | 150         | 321       | PK  | Vertical | PASS    |
| 5   | 14359.50        | 41.28          | 46.77          | 5.49          | 74.00          | 27.23       | 150         | 130       | PK  | Vertical | PASS    |
| 6   | 16371.00        | 40.49          | 50.08          | 9.59          | 74.00          | 23.92       | 150         | 260       | PK  | Vertical | PASS    |
| 7   | 7237.50         | 40.31          | 36.40          | -3.91         | 54.00          | 17.60       | 150         | 161       | AV  | Vertical | PASS    |
| 8   | 9000.00         | 37.74          | 36.96          | -0.78         | 54.00          | 17.04       | 150         | 79        | AV  | Vertical | PASS    |
| 9   | 10849.50        | 33.97          | 34.89          | 0.92          | 54.00          | 19.11       | 150         | 157       | AV  | Vertical | PASS    |
| 10  | 12523.50        | 33.43          | 35.91          | 2.48          | 54.00          | 18.09       | 150         | 192       | AV  | Vertical | PASS    |
| 11  | 14347.50        | 33.14          | 38.60          | 5.46          | 54.00          | 15.40       | 150         | 152       | AV  | Vertical | PASS    |
| 12  | 16356.00        | 31.84          | 41.37          | 9.53          | 54.00          | 12.63       | 150         | 338       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11b | Test Date:     | 2024-05-23  |
| Test Channel: | 06      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 7311.00         | 46.25          | 42.86          | -3.39         | 74.00          | 31.14       | 150         | 211       | PK  | Horizontal | PASS    |
| 2                   | 8271.00         | 43.35          | 42.09          | -1.26         | 74.00          | 31.91       | 150         | 146       | PK  | Horizontal | PASS    |
| 3                   | 10099.50        | 42.39          | 42.34          | -0.05         | 74.00          | 31.66       | 150         | 242       | PK  | Horizontal | PASS    |
| 4                   | 12183.00        | 44.99          | 46.70          | 1.71          | 74.00          | 27.30       | 150         | 337       | PK  | Horizontal | PASS    |
| 5                   | 14793.00        | 41.89          | 47.33          | 5.44          | 74.00          | 26.67       | 150         | 15        | PK  | Horizontal | PASS    |
| 6                   | 16011.00        | 40.36          | 49.97          | 9.61          | 74.00          | 24.03       | 150         | 84        | PK  | Horizontal | PASS    |
| 7                   | 7309.50         | 39.83          | 36.43          | -3.40         | 54.00          | 17.57       | 150         | 173       | AV  | Horizontal | PASS    |
| 8                   | 8455.50         | 34.30          | 32.97          | -1.33         | 54.00          | 21.03       | 150         | 65        | AV  | Horizontal | PASS    |
| 9                   | 10047.00        | 34.15          | 34.12          | -0.03         | 54.00          | 19.88       | 150         | 238       | AV  | Horizontal | PASS    |
| 10                  | 12186.00        | 39.99          | 41.71          | 1.72          | 54.00          | 12.29       | 150         | 360       | AV  | Horizontal | PASS    |
| 11                  | 14757.00        | 32.87          | 38.29          | 5.42          | 54.00          | 15.71       | 150         | 115       | AV  | Horizontal | PASS    |
| 12                  | 15915.00        | 32.02          | 41.80          | 9.78          | 54.00          | 12.20       | 150         | 323       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 7309.50         | 50.12          | 46.72          | -3.40         | 74.00          | 27.28       | 150         | 168       | PK  | Vertical | PASS    |
| 2   | 8575.50         | 43.14          | 41.78          | -1.36         | 74.00          | 32.22       | 150         | 214       | PK  | Vertical | PASS    |
| 3   | 10362.00        | 42.03          | 42.52          | 0.49          | 74.00          | 31.48       | 150         | 256       | PK  | Vertical | PASS    |
| 4   | 12184.50        | 44.68          | 46.44          | 1.76          | 74.00          | 27.56       | 150         | 11        | PK  | Vertical | PASS    |
| 5   | 14382.00        | 41.52          | 47.08          | 5.56          | 74.00          | 26.92       | 150         | 5         | PK  | Vertical | PASS    |
| 6   | 16411.50        | 40.18          | 49.86          | 9.68          | 74.00          | 24.14       | 150         | 0         | PK  | Vertical | PASS    |
| 7   | 7309.50         | 46.14          | 42.74          | -3.40         | 54.00          | 11.26       | 150         | 168       | AV  | Vertical | PASS    |
| 8   | 9000.00         | 36.85          | 36.07          | -0.78         | 54.00          | 17.93       | 150         | 80        | AV  | Vertical | PASS    |
| 9   | 10486.50        | 33.25          | 34.33          | 1.08          | 54.00          | 19.67       | 150         | 156       | AV  | Vertical | PASS    |
| 10  | 12186.00        | 39.71          | 41.47          | 1.76          | 54.00          | 12.53       | 150         | 15        | AV  | Vertical | PASS    |
| 11  | 14365.50        | 32.40          | 37.91          | 5.51          | 54.00          | 16.09       | 150         | 207       | AV  | Vertical | PASS    |
| 12  | 16338.00        | 31.67          | 41.12          | 9.45          | 54.00          | 12.88       | 150         | 92        | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11b | Test Date:     | 2024-05-23  |
| Test Channel: | 11      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 7387.50         | 46.43          | 43.61          | -2.82         | 74.00          | 30.39       | 150         | 211       | PK  | Horizontal | PASS    |
| 2                   | 8556.00         | 43.57          | 42.14          | -1.43         | 74.00          | 31.86       | 150         | 242       | PK  | Horizontal | PASS    |
| 3                   | 9847.50         | 44.67          | 44.34          | -0.33         | 74.00          | 29.66       | 150         | 122       | PK  | Horizontal | PASS    |
| 4                   | 12309.00        | 45.12          | 46.76          | 1.64          | 74.00          | 27.24       | 150         | 353       | PK  | Horizontal | PASS    |
| 5                   | 14685.00        | 42.08          | 47.31          | 5.23          | 74.00          | 26.69       | 150         | 99        | PK  | Horizontal | PASS    |
| 6                   | 15985.50        | 41.20          | 50.98          | 9.78          | 74.00          | 23.02       | 150         | 53        | PK  | Horizontal | PASS    |
| 7                   | 7384.50         | 39.94          | 37.10          | -2.84         | 54.00          | 16.90       | 150         | 153       | AV  | Horizontal | PASS    |
| 8                   | 8589.00         | 35.36          | 34.04          | -1.32         | 54.00          | 19.96       | 150         | 30        | AV  | Horizontal | PASS    |
| 9                   | 9847.50         | 37.60          | 37.27          | -0.33         | 54.00          | 16.73       | 150         | 126       | AV  | Horizontal | PASS    |
| 10                  | 12309.00        | 39.99          | 41.63          | 1.64          | 54.00          | 12.37       | 150         | 359       | AV  | Horizontal | PASS    |
| 11                  | 14754.00        | 33.54          | 38.95          | 5.41          | 54.00          | 15.05       | 150         | 303       | AV  | Horizontal | PASS    |
| 12                  | 15951.00        | 32.69          | 42.47          | 9.78          | 54.00          | 11.53       | 150         | 276       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 7386.00         | 49.06          | 46.23          | -2.83         | 74.00          | 27.77       | 150         | 164       | PK  | Vertical | PASS    |
| 2   | 8851.50         | 42.95          | 41.83          | -1.12         | 74.00          | 32.17       | 150         | 248       | PK  | Vertical | PASS    |
| 3   | 10315.50        | 42.96          | 43.41          | 0.45          | 74.00          | 30.59       | 150         | 87        | PK  | Vertical | PASS    |
| 4   | 12310.50        | 44.45          | 46.16          | 1.71          | 74.00          | 27.84       | 150         | 14        | PK  | Vertical | PASS    |
| 5   | 14395.50        | 41.17          | 46.76          | 5.59          | 74.00          | 27.24       | 150         | 33        | PK  | Vertical | PASS    |
| 6   | 15975.00        | 41.00          | 50.28          | 9.28          | 74.00          | 23.72       | 150         | 268       | PK  | Vertical | PASS    |
| 7   | 7386.00         | 44.80          | 41.97          | -2.83         | 54.00          | 12.03       | 150         | 160       | AV  | Vertical | PASS    |
| 8   | 8977.50         | 34.40          | 33.53          | -0.87         | 54.00          | 20.47       | 150         | 126       | AV  | Vertical | PASS    |
| 9   | 10174.50        | 33.85          | 34.23          | 0.38          | 54.00          | 19.77       | 150         | 229       | AV  | Vertical | PASS    |
| 10  | 12310.50        | 39.04          | 40.75          | 1.71          | 54.00          | 13.25       | 150         | 10        | AV  | Vertical | PASS    |
| 11  | 14677.50        | 33.23          | 38.60          | 5.37          | 54.00          | 15.40       | 150         | 110       | AV  | Vertical | PASS    |
| 12  | 16342.50        | 32.07          | 41.54          | 9.47          | 54.00          | 12.46       | 150         | 118       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11g | Test Date:     | 2024-05-23  |
| Test Channel: | 01      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 7506.00         | 44.31          | 41.31          | -3.00         | 74.00          | 32.69       | 150         | 257       | PK  | Horizontal | PASS    |
| 2                   | 8841.00         | 43.09          | 41.98          | -1.11         | 74.00          | 32.02       | 150         | 66        | PK  | Horizontal | PASS    |
| 3                   | 10500.00        | 42.02          | 42.89          | 0.87          | 74.00          | 31.11       | 150         | 119       | PK  | Horizontal | PASS    |
| 4                   | 12060.00        | 44.23          | 45.74          | 1.51          | 74.00          | 28.26       | 150         | 360       | PK  | Horizontal | PASS    |
| 5                   | 14400.00        | 41.69          | 46.86          | 5.17          | 74.00          | 27.14       | 150         | 123       | PK  | Horizontal | PASS    |
| 6                   | 15975.00        | 40.58          | 50.36          | 9.78          | 74.00          | 23.64       | 150         | 285       | PK  | Horizontal | PASS    |
| 7                   | 7464.00         | 35.56          | 32.64          | -2.92         | 54.00          | 21.36       | 150         | 322       | AV  | Horizontal | PASS    |
| 8                   | 8904.00         | 33.96          | 32.78          | -1.18         | 54.00          | 21.22       | 150         | 227       | AV  | Horizontal | PASS    |
| 9                   | 10545.00        | 33.69          | 34.50          | 0.81          | 54.00          | 19.50       | 150         | 250       | AV  | Horizontal | PASS    |
| 10                  | 12061.50        | 34.47          | 35.98          | 1.51          | 54.00          | 18.02       | 150         | 360       | AV  | Horizontal | PASS    |
| 11                  | 14398.50        | 33.19          | 38.36          | 5.17          | 54.00          | 15.64       | 150         | 360       | AV  | Horizontal | PASS    |
| 12                  | 15943.50        | 32.23          | 42.01          | 9.78          | 54.00          | 11.99       | 150         | 128       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 7236.00         | 48.38          | 44.46          | -3.92         | 74.00          | 29.54       | 150         | 157       | PK  | Vertical | PASS    |
| 2   | 8454.00         | 43.19          | 41.86          | -1.33         | 74.00          | 32.14       | 150         | 84        | PK  | Vertical | PASS    |
| 3   | 10266.00        | 42.82          | 43.23          | 0.41          | 74.00          | 30.77       | 150         | 330       | PK  | Vertical | PASS    |
| 4   | 12066.00        | 42.97          | 44.48          | 1.51          | 74.00          | 29.52       | 150         | 15        | PK  | Vertical | PASS    |
| 5   | 14334.00        | 41.06          | 46.48          | 5.42          | 74.00          | 27.52       | 150         | 146       | PK  | Vertical | PASS    |
| 6   | 16351.50        | 41.08          | 50.59          | 9.51          | 74.00          | 23.41       | 150         | 272       | PK  | Vertical | PASS    |
| 7   | 7236.00         | 38.78          | 34.86          | -3.92         | 54.00          | 19.14       | 150         | 165       | AV  | Vertical | PASS    |
| 8   | 8542.50         | 34.57          | 33.10          | -1.47         | 54.00          | 20.90       | 150         | 315       | AV  | Vertical | PASS    |
| 9   | 10339.50        | 33.78          | 34.25          | 0.47          | 54.00          | 19.75       | 150         | 5         | AV  | Vertical | PASS    |
| 10  | 12052.50        | 35.01          | 36.53          | 1.52          | 54.00          | 17.47       | 150         | 10        | AV  | Vertical | PASS    |
| 11  | 14401.50        | 33.52          | 39.11          | 5.59          | 54.00          | 14.89       | 150         | 198       | AV  | Vertical | PASS    |
| 12  | 16707.00        | 31.48          | 41.76          | 10.28         | 54.00          | 12.24       | 150         | 41        | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11g | Test Date:     | 2024-05-23  |
| Test Channel: | 06      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 7308.00         | 45.23          | 41.82          | -3.41         | 74.00          | 32.18       | 150         | 169       | PK  | Horizontal | PASS    |
| 2                   | 8640.00         | 44.32          | 43.10          | -1.22         | 74.00          | 30.90       | 150         | 126       | PK  | Horizontal | PASS    |
| 3                   | 10153.50        | 43.11          | 43.06          | -0.05         | 74.00          | 30.94       | 150         | 314       | PK  | Horizontal | PASS    |
| 4                   | 12184.50        | 45.93          | 47.65          | 1.72          | 74.00          | 26.35       | 150         | 360       | PK  | Horizontal | PASS    |
| 5                   | 14353.50        | 42.41          | 47.38          | 4.97          | 74.00          | 26.62       | 150         | 360       | PK  | Horizontal | PASS    |
| 6                   | 15919.50        | 40.36          | 50.14          | 9.78          | 74.00          | 23.86       | 150         | 77        | PK  | Horizontal | PASS    |
| 7                   | 7311.00         | 36.91          | 33.52          | -3.39         | 54.00          | 20.48       | 150         | 242       | AV  | Horizontal | PASS    |
| 8                   | 8649.00         | 35.17          | 33.97          | -1.20         | 54.00          | 20.03       | 150         | 334       | AV  | Horizontal | PASS    |
| 9                   | 10054.50        | 34.62          | 34.58          | -0.04         | 54.00          | 19.42       | 150         | 276       | AV  | Horizontal | PASS    |
| 10                  | 12184.50        | 35.23          | 36.95          | 1.72          | 54.00          | 17.05       | 150         | 360       | AV  | Horizontal | PASS    |
| 11                  | 14421.00        | 33.51          | 38.50          | 4.99          | 54.00          | 15.50       | 150         | 346       | AV  | Horizontal | PASS    |
| 12                  | 15951.00        | 32.78          | 42.56          | 9.78          | 54.00          | 11.44       | 150         | 30        | AV  | Horizontal | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 7309.50         | 50.06          | 46.66          | -3.40         | 74.00          | 27.34       | 150         | 160       | PK  | Vertical | PASS    |
| 2   | 9000.00         | 44.68          | 43.90          | -0.78         | 74.00          | 30.10       | 150         | 115       | PK  | Vertical | PASS    |
| 3   | 12183.00        | 45.36          | 47.11          | 1.75          | 74.00          | 26.89       | 150         | 10        | PK  | Vertical | PASS    |
| 4   | 14343.00        | 41.87          | 47.31          | 5.44          | 74.00          | 26.69       | 150         | 38        | PK  | Vertical | PASS    |
| 5   | 16041.00        | 41.28          | 49.98          | 8.70          | 74.00          | 24.02       | 150         | 333       | PK  | Vertical | PASS    |
| 6   | 17616.00        | 39.29          | 53.70          | 14.41         | 74.00          | 20.30       | 150         | 272       | PK  | Vertical | PASS    |
| 7   | 7306.50         | 41.24          | 37.82          | -3.42         | 54.00          | 16.18       | 150         | 165       | AV  | Vertical | PASS    |
| 8   | 9000.00         | 36.83          | 36.05          | -0.78         | 54.00          | 17.95       | 150         | 115       | AV  | Vertical | PASS    |
| 9   | 12000.00        | 35.51          | 37.04          | 1.53          | 54.00          | 16.96       | 150         | 53        | AV  | Vertical | PASS    |
| 10  | 14391.00        | 34.02          | 39.60          | 5.58          | 54.00          | 14.40       | 150         | 118       | AV  | Vertical | PASS    |
| 11  | 15999.00        | 32.40          | 41.68          | 9.28          | 54.00          | 12.32       | 150         | 0         | AV  | Vertical | PASS    |
| 12  | 17647.50        | 30.85          | 45.07          | 14.22         | 54.00          | 8.93        | 150         | 256       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |         |                |             |
|---------------|---------|----------------|-------------|
| Test Mode:    | 802.11g | Test Date:     | 2024-05-23  |
| Test Channel: | 11      | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 7446.00         | 45.35          | 42.49          | -2.86         | 74.00          | 31.51       | 150         | 215       | PK  | Horizontal | PASS    |
| 2                   | 9483.00         | 43.82          | 43.74          | -0.08         | 74.00          | 30.26       | 150         | 223       | PK  | Horizontal | PASS    |
| 3                   | 10912.50        | 43.27          | 44.28          | 1.01          | 74.00          | 29.72       | 150         | 307       | PK  | Horizontal | PASS    |
| 4                   | 12309.00        | 44.44          | 46.08          | 1.64          | 74.00          | 27.92       | 150         | 319       | PK  | Horizontal | PASS    |
| 5                   | 14737.50        | 41.92          | 47.33          | 5.41          | 74.00          | 26.67       | 150         | 111       | PK  | Horizontal | PASS    |
| 6                   | 16038.00        | 41.49          | 50.66          | 9.17          | 74.00          | 23.34       | 150         | 189       | PK  | Horizontal | PASS    |
| 7                   | 7389.00         | 36.82          | 34.01          | -2.81         | 54.00          | 19.99       | 150         | 215       | AV  | Horizontal | PASS    |
| 8                   | 9487.50         | 35.33          | 35.28          | -0.05         | 54.00          | 18.72       | 150         | 18        | AV  | Horizontal | PASS    |
| 9                   | 10857.00        | 34.81          | 35.60          | 0.79          | 54.00          | 18.40       | 150         | 285       | AV  | Horizontal | PASS    |
| 10                  | 12309.00        | 34.78          | 36.42          | 1.64          | 54.00          | 17.58       | 150         | 358       | AV  | Horizontal | PASS    |
| 11                  | 14745.00        | 34.18          | 39.60          | 5.42          | 54.00          | 14.40       | 150         | 327       | AV  | Horizontal | PASS    |
| 12                  | 15903.00        | 32.82          | 42.60          | 9.78          | 54.00          | 11.40       | 150         | 358       | AV  | Horizontal | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level




#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 7387.50         | 48.21          | 45.39          | -2.82         | 74.00          | 28.61       | 150         | 160       | PK  | Vertical | PASS    |
| 2   | 9000.00         | 44.23          | 43.45          | -0.78         | 74.00          | 30.55       | 150         | 118       | PK  | Vertical | PASS    |
| 3   | 11059.50        | 42.83          | 43.89          | 1.06          | 74.00          | 30.11       | 150         | 14        | PK  | Vertical | PASS    |
| 4   | 12480.00        | 42.89          | 45.41          | 2.52          | 74.00          | 28.59       | 150         | 10        | PK  | Vertical | PASS    |
| 5   | 14385.00        | 42.61          | 48.17          | 5.56          | 74.00          | 25.83       | 150         | 333       | PK  | Vertical | PASS    |
| 6   | 15979.50        | 40.88          | 50.16          | 9.28          | 74.00          | 23.84       | 150         | 256       | PK  | Vertical | PASS    |
| 7   | 7389.00         | 40.58          | 37.77          | -2.81         | 54.00          | 16.23       | 150         | 160       | AV  | Vertical | PASS    |
| 8   | 9000.00         | 37.61          | 36.83          | -0.78         | 54.00          | 17.17       | 150         | 79        | AV  | Vertical | PASS    |
| 9   | 11025.00        | 34.39          | 35.66          | 1.27          | 54.00          | 18.34       | 150         | 279       | AV  | Vertical | PASS    |
| 10  | 12468.00        | 33.78          | 36.27          | 2.49          | 54.00          | 17.73       | 150         | 337       | AV  | Vertical | PASS    |
| 11  | 14424.00        | 34.55          | 39.93          | 5.38          | 54.00          | 14.07       | 150         | 156       | AV  | Vertical | PASS    |
| 12  | 15996.00        | 32.81          | 42.09          | 9.28          | 54.00          | 11.91       | 150         | 263       | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level


|               |              |                |             |
|---------------|--------------|----------------|-------------|
| Test Mode:    | 802.11n-HT20 | Test Date:     | 2024-05-23  |
| Test Channel: | 01           | Test Engineer: | Stone Zhang |



| Suspected Data List |                 |                |                |               |                |             |             |           |     |            |         |
|---------------------|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|------------|---------|
| NO.                 | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol        | Verdict |
| 1                   | 7477.50         | 44.55          | 41.60          | -2.95         | 74.00          | 32.40       | 150         | 107       | PK  | Horizontal | PASS    |
| 2                   | 8895.00         | 43.52          | 42.34          | -1.18         | 74.00          | 31.66       | 150         | 269       | PK  | Horizontal | PASS    |
| 3                   | 10674.00        | 42.75          | 43.29          | 0.54          | 74.00          | 30.71       | 150         | 345       | PK  | Horizontal | PASS    |
| 4                   | 12055.50        | 45.16          | 46.67          | 1.51          | 74.00          | 27.33       | 150         | 7         | PK  | Horizontal | PASS    |
| 5                   | 14389.50        | 42.20          | 47.32          | 5.12          | 74.00          | 26.68       | 150         | 360       | PK  | Horizontal | PASS    |
| 6                   | 16008.00        | 41.66          | 51.31          | 9.65          | 74.00          | 22.69       | 150         | 307       | PK  | Horizontal | PASS    |
| 7                   | 7360.50         | 36.79          | 33.77          | -3.02         | 54.00          | 20.23       | 150         | 303       | AV  | Horizontal | PASS    |
| 8                   | 8623.50         | 36.01          | 34.76          | -1.25         | 54.00          | 19.24       | 150         | 200       | AV  | Horizontal | PASS    |
| 9                   | 10551.00        | 34.29          | 35.09          | 0.80          | 54.00          | 18.91       | 150         | 245       | AV  | Horizontal | PASS    |
| 10                  | 12067.50        | 36.55          | 38.05          | 1.50          | 54.00          | 15.95       | 150         | 334       | AV  | Horizontal | PASS    |
| 11                  | 14389.50        | 33.42          | 38.54          | 5.12          | 54.00          | 15.46       | 150         | 257       | AV  | Horizontal | PASS    |
| 12                  | 15997.50        | 32.51          | 42.29          | 9.78          | 54.00          | 11.71       | 150         | 134       | AV  | Horizontal | PASS    |

Note:(1) Level=Reading+Factor

(2) Margin=Limit-Level



#### Suspected Data List

| NO. | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Det | Pol      | Verdict |
|-----|-----------------|----------------|----------------|---------------|----------------|-------------|-------------|-----------|-----|----------|---------|
| 1   | 7242.00         | 46.83          | 42.96          | -3.87         | 74.00          | 31.04       | 150         | 210       | PK  | Vertical | PASS    |
| 2   | 8695.50         | 43.54          | 42.42          | -1.12         | 74.00          | 31.58       | 150         | 97        | PK  | Vertical | PASS    |
| 3   | 10060.50        | 43.12          | 43.56          | 0.44          | 74.00          | 30.44       | 150         | 0         | PK  | Vertical | PASS    |
| 4   | 12055.50        | 44.50          | 46.02          | 1.52          | 74.00          | 27.98       | 150         | 6         | PK  | Vertical | PASS    |
| 5   | 14434.50        | 42.64          | 47.91          | 5.27          | 74.00          | 26.09       | 150         | 194       | PK  | Vertical | PASS    |
| 6   | 15976.50        | 41.55          | 50.83          | 9.28          | 74.00          | 23.17       | 150         | 319       | PK  | Vertical | PASS    |
| 7   | 7233.00         | 39.46          | 35.52          | -3.94         | 54.00          | 18.48       | 150         | 164       | AV  | Vertical | PASS    |
| 8   | 9000.00         | 37.42          | 36.64          | -0.78         | 54.00          | 17.36       | 150         | 78        | AV  | Vertical | PASS    |
| 9   | 10807.50        | 34.54          | 35.31          | 0.77          | 54.00          | 18.69       | 150         | 164       | AV  | Vertical | PASS    |
| 10  | 12468.00        | 34.47          | 36.96          | 2.49          | 54.00          | 17.04       | 150         | 62        | AV  | Vertical | PASS    |
| 11  | 14806.50        | 34.18          | 39.76          | 5.58          | 54.00          | 14.24       | 150         | 198       | AV  | Vertical | PASS    |
| 12  | 16366.50        | 32.69          | 42.27          | 9.58          | 54.00          | 11.73       | 150         | 0         | AV  | Vertical | PASS    |

Note: (1) Level=Reading+Factor

(2) Margin=Limit-Level