



Shenzhen CTL Testing Technology Co., Ltd.

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com


1. Bandwidth

1.1 OBW


1.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)	Verdict
				Result	
802.11a	SISO	5180	1	17.465	Pass
		5200	1	17.481	Pass
		5240	1	17.471	Pass
802.11n (HT20)	SISO	5180	1	18.417	Pass
		5200	1	18.385	Pass
		5240	1	18.392	Pass
802.11n (HT40)	SISO	5190	1	36.919	Pass
		5230	1	36.886	Pass
802.11ac (VHT20)	SISO	5180	1	18.325	Pass
		5200	1	18.375	Pass
		5240	1	18.343	Pass
802.11ac (VHT40)	SISO	5190	1	37.039	Pass
		5230	1	37.019	Pass
802.11ac (VHT80)	SISO	5210	1	76.406	Pass


1.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




1.2 26dB BW


1.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)	Verdict
				Result	
802.11a	SISO	5180	1	20.689	Pass
		5200	1	20.516	Pass
		5240	1	20.544	Pass
802.11n (HT20)	SISO	5180	1	21.325	Pass
		5200	1	20.948	Pass
		5240	1	21.040	Pass
802.11n (HT40)	SISO	5190	1	41.800	Pass
		5230	1	41.473	Pass
802.11ac (VHT20)	SISO	5180	1	20.966	Pass
		5200	1	21.328	Pass
		5240	1	21.000	Pass
802.11ac (VHT40)	SISO	5190	1	41.504	Pass
		5230	1	41.838	Pass
802.11ac (VHT80)	SISO	5210	1	82.225	Pass


1.2.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



2. Maximum Conducted Output Power


2.1 Power

2.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	2.67	<=23.98	Pass
		5200	2.77	<=23.98	Pass
		5240	2.58	<=23.98	Pass
802.11n (HT20)	SISO	5180	2.46	<=23.98	Pass
		5200	2.63	<=23.98	Pass
		5240	2.74	<=23.98	Pass
802.11n (HT40)	SISO	5190	3.19	<=23.98	Pass
		5230	3.65	<=23.98	Pass
802.11ac (VHT20)	SISO	5180	2.41	<=23.98	Pass
		5200	2.48	<=23.98	Pass
		5240	2.68	<=23.98	Pass
802.11ac (VHT40)	SISO	5190	3.29	<=23.98	Pass
		5230	3.74	<=23.98	Pass
802.11ac (VHT80)	SISO	5210	4.54	<=23.98	Pass

Note1: Antenna Gain: Ant1: 1.31dBi;


2.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



3. Maximum Power Spectral Density


3.1 PSD

3.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	-8.22	<=11	Pass
		5200	-8.08	<=11	Pass
		5240	-8.39	<=11	Pass
802.11n (HT20)	SISO	5180	-8.81	<=11	Pass
		5200	-8.68	<=11	Pass
		5240	-8.69	<=11	Pass
802.11n (HT40)	SISO	5190	-11.12	<=11	Pass
		5230	-10.77	<=11	Pass
802.11ac (VHT20)	SISO	5180	-8.57	<=11	Pass
		5200	-8.62	<=11	Pass
		5240	-8.64	<=11	Pass
802.11ac (VHT40)	SISO	5190	-10.90	<=11	Pass
		5230	-10.60	<=11	Pass
802.11ac (VHT80)	SISO	5210	-11.92	<=11	Pass

Note1: Antenna Gain: Ant1: 1.31dBi;


3.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



4. Frequency Stability

4.1 Ant1

4.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	102	5179.980	5150 to 5250	Pass
				120	5180.040	5150 to 5250	Pass
				138	5180.040	5150 to 5250	Pass
			-30	120	5180.020	5150 to 5250	Pass
			-20	120	5180.000	5150 to 5250	Pass
			-10	120	5180.000	5150 to 5250	Pass
			0	120	5180.060	5150 to 5250	Pass
			10	120	5180.040	5150 to 5250	Pass
			30	120	5180.020	5150 to 5250	Pass
			40	120	5179.960	5150 to 5250	Pass
			50	120	5180.020	5150 to 5250	Pass
		5200	20	102	5199.960	5150 to 5250	Pass
				120	5200.040	5150 to 5250	Pass
				138	5200.040	5150 to 5250	Pass
			-30	120	5199.940	5150 to 5250	Pass
			-20	120	5200.000	5150 to 5250	Pass
			-10	120	5199.980	5150 to 5250	Pass
			0	120	5200.040	5150 to 5250	Pass
			10	120	5200.000	5150 to 5250	Pass
			30	120	5200.020	5150 to 5250	Pass
			40	120	5200.000	5150 to 5250	Pass
			50	120	5199.980	5150 to 5250	Pass
		5240	20	102	5240.040	5150 to 5250	Pass
				120	5240.000	5150 to 5250	Pass
				138	5239.980	5150 to 5250	Pass
			-30	120	5240.000	5150 to 5250	Pass
			-20	120	5240.020	5150 to 5250	Pass
			-10	120	5240.000	5150 to 5250	Pass
			0	120	5240.000	5150 to 5250	Pass
			10	120	5240.060	5150 to 5250	Pass
			30	120	5239.980	5150 to 5250	Pass
			40	120	5240.020	5150 to 5250	Pass
			50	120	5240.020	5150 to 5250	Pass
802.11n (HT20)	SISO	5180	20	102	5180.020	5150 to 5250	Pass
				120	5180.000	5150 to 5250	Pass
				138	5180.000	5150 to 5250	Pass
			-30	120	5180.040	5150 to 5250	Pass
			-20	120	5180.020	5150 to 5250	Pass
			-10	120	5179.980	5150 to 5250	Pass
			0	120	5180.000	5150 to 5250	Pass
			10	120	5180.020	5150 to 5250	Pass
			30	120	5180.000	5150 to 5250	Pass
			40	120	5180.060	5150 to 5250	Pass
			50	120	5179.940	5150 to 5250	Pass
		5200	20	102	5200.000	5150 to 5250	Pass
				120	5200.000	5150 to 5250	Pass
				138	5199.980	5150 to 5250	Pass

			-30	120	5200.040	5150 to 5250	Pass
			-20	120	5200.000	5150 to 5250	Pass
			-10	120	5200.020	5150 to 5250	Pass
			0	120	5200.040	5150 to 5250	Pass
			10	120	5200.000	5150 to 5250	Pass
			30	120	5200.000	5150 to 5250	Pass
			40	120	5199.980	5150 to 5250	Pass
			50	120	5200.040	5150 to 5250	Pass
		5240	20	102	5240.000	5150 to 5250	Pass
				120	5239.980	5150 to 5250	Pass
				138	5240.020	5150 to 5250	Pass
			-30	120	5239.980	5150 to 5250	Pass
			-20	120	5239.960	5150 to 5250	Pass
			-10	120	5239.980	5150 to 5250	Pass
			0	120	5240.000	5150 to 5250	Pass
			10	120	5240.020	5150 to 5250	Pass
			30	120	5240.000	5150 to 5250	Pass
			40	120	5240.020	5150 to 5250	Pass
			50	120	5239.980	5150 to 5250	Pass
802.11n (HT40)	SISO	5190	20	102	5190.080	5150 to 5250	Pass
				120	5190.040	5150 to 5250	Pass
				138	5190.080	5150 to 5250	Pass
			-30	120	5190.000	5150 to 5250	Pass
			-20	120	5190.080	5150 to 5250	Pass
			-10	120	5190.000	5150 to 5250	Pass
			0	120	5190.000	5150 to 5250	Pass
			10	120	5189.960	5150 to 5250	Pass
			30	120	5190.120	5150 to 5250	Pass
			40	120	5190.080	5150 to 5250	Pass
			50	120	5190.120	5150 to 5250	Pass
		5230	20	102	5230.080	5150 to 5250	Pass
				120	5230.040	5150 to 5250	Pass
				138	5230.040	5150 to 5250	Pass
			-30	120	5230.040	5150 to 5250	Pass
			-20	120	5230.080	5150 to 5250	Pass
			-10	120	5230.040	5150 to 5250	Pass
			0	120	5230.080	5150 to 5250	Pass
			10	120	5230.040	5150 to 5250	Pass
			30	120	5230.080	5150 to 5250	Pass
			40	120	5230.040	5150 to 5250	Pass
			50	120	5230.000	5150 to 5250	Pass
802.11ac (VHT20)	SISO	5180	20	102	5179.960	5150 to 5250	Pass
				120	5180.000	5150 to 5250	Pass
				138	5180.040	5150 to 5250	Pass
			-30	120	5180.040	5150 to 5250	Pass
			-20	120	5180.060	5150 to 5250	Pass
			-10	120	5180.020	5150 to 5250	Pass
			0	120	5180.020	5150 to 5250	Pass
			10	120	5180.040	5150 to 5250	Pass
			30	120	5180.020	5150 to 5250	Pass
			40	120	5180.040	5150 to 5250	Pass
			50	120	5180.020	5150 to 5250	Pass
		5200	20	102	5200.020	5150 to 5250	Pass
				120	5200.020	5150 to 5250	Pass
				138	5200.020	5150 to 5250	Pass
			-30	120	5200.000	5150 to 5250	Pass
			-20	120	5200.000	5150 to 5250	Pass
			-10	120	5200.040	5150 to 5250	Pass
			0	120	5200.000	5150 to 5250	Pass

			10	120	5200.020	5150 to 5250	Pass
			30	120	5199.960	5150 to 5250	Pass
			40	120	5200.000	5150 to 5250	Pass
			50	120	5200.020	5150 to 5250	Pass
		5240	20	102	5240.020	5150 to 5250	Pass
				120	5240.040	5150 to 5250	Pass
				138	5240.020	5150 to 5250	Pass
			-30	120	5240.000	5150 to 5250	Pass
			-20	120	5240.000	5150 to 5250	Pass
			-10	120	5239.980	5150 to 5250	Pass
			0	120	5240.040	5150 to 5250	Pass
			10	120	5240.020	5150 to 5250	Pass
			30	120	5240.000	5150 to 5250	Pass
			40	120	5240.000	5150 to 5250	Pass
			50	120	5239.980	5150 to 5250	Pass
802.11ac (VHT40)	SISO	5190	20	102	5190.040	5150 to 5250	Pass
				120	5190.080	5150 to 5250	Pass
				138	5190.080	5150 to 5250	Pass
			-30	120	5190.040	5150 to 5250	Pass
			-20	120	5190.040	5150 to 5250	Pass
			-10	120	5190.080	5150 to 5250	Pass
			0	120	5190.080	5150 to 5250	Pass
			10	120	5190.080	5150 to 5250	Pass
			30	120	5190.040	5150 to 5250	Pass
			40	120	5190.120	5150 to 5250	Pass
			50	120	5190.080	5150 to 5250	Pass
		5230	20	102	5230.080	5150 to 5250	Pass
				120	5230.080	5150 to 5250	Pass
				138	5230.000	5150 to 5250	Pass
			-30	120	5230.040	5150 to 5250	Pass
			-20	120	5230.040	5150 to 5250	Pass
			-10	120	5230.040	5150 to 5250	Pass
			0	120	5230.000	5150 to 5250	Pass
			10	120	5230.080	5150 to 5250	Pass
			30	120	5230.120	5150 to 5250	Pass
			40	120	5230.040	5150 to 5250	Pass
			50	120	5230.000	5150 to 5250	Pass
802.11ac (VHT80)	SISO	5210	20	102	5210.075	5150 to 5250	Pass
				120	5210.000	5150 to 5250	Pass
				138	5210.000	5150 to 5250	Pass
			-30	120	5210.000	5150 to 5250	Pass
			-20	120	5210.075	5150 to 5250	Pass
			-10	120	5210.000	5150 to 5250	Pass
			0	120	5210.075	5150 to 5250	Pass
			10	120	5210.075	5150 to 5250	Pass
			30	120	5210.000	5150 to 5250	Pass
			40	120	5210.000	5150 to 5250	Pass
			50	120	5210.000	5150 to 5250	Pass