


APPENDIX A GSM RF TEST DATA


A.1 PEAK-TO-AVERAGE RATIO(CCDF)

Test Result

Band	Channel	Result (dB)	Limit (dB)	Verdict
GSM850	128	2.67	13	PASS
GSM850	190	2.67	13	PASS
GSM850	251	2.75	13	PASS
GPRS850	128	2.66	13	PASS
GPRS850	190	2.67	13	PASS
GPRS850	251	2.68	13	PASS
EGPRS850	128	5.7	13	PASS
EGPRS850	190	5.7	13	PASS
EGPRS850	251	5.96	13	PASS
GSM1900	512	2.78	13	PASS
GSM1900	661	2.74	13	PASS
GSM1900	810	2.75	13	PASS
GPRS1900	512	2.73	13	PASS
GPRS1900	661	2.74	13	PASS
GPRS1900	810	2.75	13	PASS
EGPRS1900	512	5.78	13	PASS
EGPRS1900	661	5.81	13	PASS
EGPRS1900	810	5.76	13	PASS

Test Graphs





EGPRS850-128-8




EGPRS850-190-8



EGPRS850-251-8




GSM1900-512-0



GSM1900-661-0



GSM1900-810-0





A.2 26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result


Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
GSM850	128	0.24216	0.3114	---	PASS
GSM850	190	0.24246	0.3103	---	PASS
GSM850	251	0.24484	0.3222	---	PASS
GPRS850	128	0.24285	0.3121	---	PASS
GPRS850	190	0.23987	0.3134	---	PASS
GPRS850	251	0.24236	0.3090	---	PASS
EGPRS850	128	0.24694	0.3106	---	PASS
EGPRS850	190	0.24498	0.3057	---	PASS
EGPRS850	251	0.24521	0.3041	---	PASS
GSM1900	512	0.24663	0.3113	---	PASS
GSM1900	661	0.24376	0.3078	---	PASS
GSM1900	810	0.24710	0.3096	---	PASS
GPRS1900	512	0.24279	0.3084	---	PASS
GPRS1900	661	0.24168	0.3097	---	PASS
GPRS1900	810	0.24165	0.3090	---	PASS
EGPRS1900	512	0.24394	0.3088	---	PASS
EGPRS1900	661	0.24046	0.3043	---	PASS
EGPRS1900	810	0.24316	0.2948	---	PASS

Test Graphs







EGPRS850-128-8-0.3106




EGPRS850-190-8-0.3057



EGPRS850-251-8-0.3041




GSM1900-512-0-0.3113




GSM1900-661-0-0.3078




GSM1900-810-0-0.3096



GPRS1900-512-0-0.3084




GPRS1900-661-0-0.3097



GPRS1900-810-0-0.3090



EGPRS1900-512-2-0.3088



EGPRS1900-661-2-0.3043




EGPRS1900-810-2-0.2948


A.3 BAND EDGE

Test Result

Band	Channel	Freq (MHz)	Result (dBm)	Limit(dBm)	Verdict
GSM850	128	824.00	-18.71	-13	PASS
GSM850	251	849.03	-18.58	-13	PASS
GPRS850	128	824.00	-20.07	-13	PASS
GPRS850	251	849.01	-18.78	-13	PASS
EGPRS850	128	823.99	-23.28	-13	PASS
EGPRS850	251	849.00	-24.57	-13	PASS
GSM1900	512	1849.98	-21.94	-13	PASS
GSM1900	810	1910.00	-21.72	-13	PASS
GPRS1900	512	1849.99	-22.62	-13	PASS
GPRS1900	810	1910.01	-21.63	-13	PASS
EGPRS1900	512	1849.98	-25.71	-13	PASS
EGPRS1900	810	1910.02	-25.49	-13	PASS

Test Graphs






A.4 CONDUCTED SPURIOUS EMISSION


Test Result

Band	Channel	Frequency Range (MHz)	Max. Freq. (MHz)	Result (dBm)	Limit (dBm)	Verdict
GSM850	128	30~1000MHz	989.43	-34.46	-13	PASS
GPRS850	128	30~1000MHz	980.57	-34.48	-13	PASS
GSM850	128	1000~10000MHz	1648.43	-27.73	-13	PASS
GPRS850	128	1000~10000MHz	2473.1	-40.59	-13	PASS
GSM850	190	30~1000MHz	991.92	-34.45	-13	PASS
GPRS850	190	30~1000MHz	953.73	-34.42	-13	PASS
GSM850	190	1000~10000MHz	1673.33	-32.55	-13	PASS
GPRS850	190	1000~10000MHz	1673.33	-32.34	-13	PASS
GSM850	251	30~1000MHz	977.14	-34.45	-13	PASS
GPRS850	251	30~1000MHz	980.41	-34.52	-13	PASS
GSM850	251	1000~10000MHz	2546.3	-38	-13	PASS
GPRS850	251	1000~10000MHz	6900.05	-44.79	-13	PASS
EGPRS850	128	30~1000MHz	981.31	-34.37	-13	PASS
EGPRS850	128	1000~10000MHz	1648.13	-41.74	-13	PASS
EGPRS850	190	30~1000MHz	962.2	-34.45	-13	PASS
EGPRS850	190	1000~10000MHz	1673.33	-42.51	-13	PASS
EGPRS850	251	30~1000MHz	990.11	-34.46	-13	PASS
EGPRS850	251	1000~10000MHz	1697.63	-42.9	-13	PASS
GSM1900	512	30~1000MHz	913.2	-39.39	-13	PASS
GPRS1900	512	30~1000MHz	962.96	-39.49	-13	PASS
GSM1900	512	1000~3000MHz	2818.13	-37.78	-13	PASS
GPRS1900	512	1000~3000MHz	2964.13	-37.86	-13	PASS
GSM1900	512	3000~18000MHz	16220.31	-41.77	-13	PASS
GPRS1900	512	3000~18000MHz	3700.73	-38.09	-13	PASS
GSM1900	661	30~1000MHz	978.97	-39.55	-13	PASS
GPRS1900	661	30~1000MHz	993.19	-39.44	-13	PASS
GSM1900	661	1000~3000MHz	2985.93	-37.85	-13	PASS
GPRS1900	661	1000~3000MHz	2979.87	-37.92	-13	PASS
GSM1900	661	3000~18000MHz	3760.22	-35.25	-13	PASS
GPRS1900	661	3000~18000MHz	3759.72	-32.7	-13	PASS
GSM1900	810	30~1000MHz	998.66	-39.45	-13	PASS
GPRS1900	810	30~1000MHz	942.79	-39.49	-13	PASS
GSM1900	810	1000~3000MHz	2985.47	-37.85	-13	PASS
GPRS1900	810	1000~3000MHz	2975.93	-37.9	-13	PASS
GSM1900	810	3000~18000MHz	3820.22	-39.02	-13	PASS
GPRS1900	810	3000~18000MHz	3820.22	-36.22	-13	PASS
EGPRS1900	512	30~1000MHz	982.95	-39.5	-13	PASS
EGPRS1900	512	1000~3000MHz	2896	-37.84	-13	PASS


EGPRS1900	512	3000~18000MHz	3700.73	-35.77	-13	PASS
EGPRS1900	661	30~1000MHz	983.24	-39.48	-13	PASS
EGPRS1900	661	1000~3000MHz	2824.07	-37.89	-13	PASS
EGPRS1900	661	3000~18000MHz	3760.22	-35.89	-13	PASS
EGPRS1900	810	30~1000MHz	962.16	-39.52	-13	PASS
EGPRS1900	810	1000~3000MHz	2915.4	-37.89	-13	PASS
EGPRS1900	810	3000~18000MHz	3819.72	-37.76	-13	PASS

Test Graphs







GSM850-190-5-30~1000MHz-PASS




GPRS850-190-5-30~1000MHz-PASS




GSM850-190-5-1000~10000MHz-PASS




GPRS850-190-5-1000~10000MHz-PASS




GSM850-251-5-30~1000MHz-PASS





GPRS850-251-5-30~1000MHz-PASS














A.5 FREQUENCY STABILITY

Test Result

Band	Channel	Voltage					Verdict
		Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	
GSM850	128	VL	NT	-4.88	-0.005921	±2.5	PASS
GSM850	128	VN	NT	-0.55	-0.000667	±2.5	PASS
GSM850	128	VH	NT	-3.26	-0.003955	±2.5	PASS
GSM850	190	VL	NT	-4.91	-0.005869	±2.5	PASS
GSM850	190	VN	NT	5.49	0.006562	±2.5	PASS
GSM850	190	VH	NT	1.65	0.001972	±2.5	PASS
GSM850	251	VL	NT	-2.39	-0.002816	±2.5	PASS
GSM850	251	VN	NT	-4.39	-0.005172	±2.5	PASS
GSM850	251	VH	NT	-6.33	-0.007458	±2.5	PASS
GPRS850	128	VL	NT	-0.58	-0.000704	±2.5	PASS
GPRS850	128	VN	NT	-0.16	-0.000194	±2.5	PASS
GPRS850	128	VH	NT	3.68	0.004465	±2.5	PASS
GPRS850	190	VL	NT	4.20	0.005020	±2.5	PASS
GPRS850	190	VN	NT	3.55	0.004243	±2.5	PASS
GPRS850	190	VH	NT	-1.23	-0.001470	±2.5	PASS
GPRS850	251	VL	NT	4.91	0.005785	±2.5	PASS
GPRS850	251	VN	NT	13.95	0.016435	±2.5	PASS
GPRS850	251	VH	NT	2.36	0.002780	±2.5	PASS
EGPRS850	128	VL	NT	6.62	0.008032	±2.5	PASS
EGPRS850	128	VN	NT	4.36	0.005290	±2.5	PASS
EGPRS850	128	VH	NT	4.94	0.005994	±2.5	PASS
EGPRS850	190	VL	NT	8.98	0.010734	±2.5	PASS
EGPRS850	190	VN	NT	11.82	0.014129	±2.5	PASS
EGPRS850	190	VH	NT	9.07	0.010842	±2.5	PASS
EGPRS850	251	VL	NT	4.39	0.005172	±2.5	PASS
EGPRS850	251	VN	NT	6.13	0.007222	±2.5	PASS
EGPRS850	251	VH	NT	2.42	0.002851	±2.5	PASS
GSM1900	512	VL	NT	14.69	0.007940	±2.5	PASS
GSM1900	512	VN	NT	3.13	0.001692	±2.5	PASS
GSM1900	512	VH	NT	24.25	0.013107	±2.5	PASS
GSM1900	661	VL	NT	-2.52	-0.001340	±2.5	PASS
GSM1900	661	VN	NT	13.14	0.006989	±2.5	PASS
GSM1900	661	VH	NT	-10.88	-0.005787	±2.5	PASS
GSM1900	810	VL	NT	-11.46	-0.006001	±2.5	PASS
GSM1900	810	VN	NT	2.65	0.001388	±2.5	PASS
GSM1900	810	VH	NT	-5.55	-0.002906	±2.5	PASS

GPRS1900	512	VL	NT	3.49	0.001886	±2.5	PASS
GPRS1900	512	VN	NT	10.23	0.005529	±2.5	PASS
GPRS1900	512	VH	NT	3.26	0.001762	±2.5	PASS
GPRS1900	661	VL	NT	13.27	0.007059	±2.5	PASS
GPRS1900	661	VN	NT	15.27	0.008122	±2.5	PASS
GPRS1900	661	VH	NT	18.37	0.009771	±2.5	PASS
GPRS1900	810	VL	NT	15.27	0.007996	±2.5	PASS
GPRS1900	810	VN	NT	22.02	0.011530	±2.5	PASS
GPRS1900	810	VH	NT	17.21	0.009011	±2.5	PASS
EGPRS1900	512	VL	NT	-4.00	-0.002162	±2.5	PASS
EGPRS1900	512	VN	NT	2.58	0.001394	±2.5	PASS
EGPRS1900	512	VH	NT	-12.04	-0.006507	±2.5	PASS
EGPRS1900	661	VL	NT	9.14	0.004862	±2.5	PASS
EGPRS1900	661	VN	NT	21.11	0.011229	±2.5	PASS
EGPRS1900	661	VH	NT	-1.26	-0.000670	±2.5	PASS
EGPRS1900	810	VL	NT	-3.78	-0.001979	±2.5	PASS
EGPRS1900	810	VN	NT	2.39	0.001251	±2.5	PASS
EGPRS1900	810	VH	NT	-3.36	-0.001759	±2.5	PASS

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	NV	-30	-3.36	-0.004077	±2.5	PASS
GSM850	128	NV	-20	-8.98	-0.010895	±2.5	PASS
GSM850	128	NV	-10	-1.45	-0.001759	±2.5	PASS
GSM850	128	NV	0	-3.55	-0.004307	±2.5	PASS
GSM850	128	NV	10	0.29	0.000352	±2.5	PASS
GSM850	128	NV	20	5.29	0.006418	±2.5	PASS
GSM850	128	NV	30	-2.52	-0.003058	±2.5	PASS
GSM850	128	NV	40	4.62	0.005605	±2.5	PASS
GSM850	128	NV	50	6.13	0.007438	±2.5	PASS
GSM850	190	NV	-30	-8.46	-0.010112	±2.5	PASS
GSM850	190	NV	-20	2.52	0.003012	±2.5	PASS
GSM850	190	NV	-10	-6.88	-0.008224	±2.5	PASS
GSM850	190	NV	0	3.62	0.004327	±2.5	PASS
GSM850	190	NV	10	-2.23	-0.002666	±2.5	PASS
GSM850	190	NV	20	-2.55	-0.003048	±2.5	PASS
GSM850	190	NV	30	-2.23	-0.002666	±2.5	PASS
GSM850	190	NV	40	-0.94	-0.001124	±2.5	PASS
GSM850	190	NV	50	-2.94	-0.003514	±2.5	PASS
GSM850	251	NV	-30	3.07	0.003617	±2.5	PASS

GSM850	251	NV	-20	-7.72	-0.009095	±2.5	PASS
GSM850	251	NV	-10	-6.17	-0.007269	±2.5	PASS
GSM850	251	NV	0	-8.14	-0.009590	±2.5	PASS
GSM850	251	NV	10	-2.87	-0.003381	±2.5	PASS
GSM850	251	NV	20	-4.84	-0.005702	±2.5	PASS
GSM850	251	NV	30	-0.23	-0.000271	±2.5	PASS
GSM850	251	NV	40	1.32	0.001555	±2.5	PASS
GSM850	251	NV	50	-0.26	-0.000306	±2.5	PASS
GPRS850	128	NV	-30	-1.84	-0.002232	±2.5	PASS
GPRS850	128	NV	-20	-2.55	-0.003094	±2.5	PASS
GPRS850	128	NV	-10	1.90	0.002305	±2.5	PASS
GPRS850	128	NV	0	1.10	0.001335	±2.5	PASS
GPRS850	128	NV	10	-3.07	-0.003725	±2.5	PASS
GPRS850	128	NV	20	-0.29	-0.000352	±2.5	PASS
GPRS850	128	NV	30	0.61	0.000740	±2.5	PASS
GPRS850	128	NV	40	-0.55	-0.000667	±2.5	PASS
GPRS850	128	NV	50	0.68	0.000825	±2.5	PASS
GPRS850	190	NV	-30	0.68	0.000813	±2.5	PASS
GPRS850	190	NV	-20	-2.20	-0.002630	±2.5	PASS
GPRS850	190	NV	-10	2.39	0.002857	±2.5	PASS
GPRS850	190	NV	0	-0.03	-0.000036	±2.5	PASS
GPRS850	190	NV	10	0.36	0.000430	±2.5	PASS
GPRS850	190	NV	20	-0.94	-0.001124	±2.5	PASS
GPRS850	190	NV	30	0.45	0.000538	±2.5	PASS
GPRS850	190	NV	40	2.29	0.002737	±2.5	PASS
GPRS850	190	NV	50	-2.49	-0.002976	±2.5	PASS
GPRS850	251	NV	-30	7.62	0.008977	±2.5	PASS
GPRS850	251	NV	-20	6.65	0.007835	±2.5	PASS
GPRS850	251	NV	-10	5.91	0.006963	±2.5	PASS
GPRS850	251	NV	0	3.55	0.004182	±2.5	PASS
GPRS850	251	NV	10	4.13	0.004866	±2.5	PASS
GPRS850	251	NV	20	3.65	0.004300	±2.5	PASS
GPRS850	251	NV	30	2.87	0.003381	±2.5	PASS
GPRS850	251	NV	40	3.20	0.003770	±2.5	PASS
GPRS850	251	NV	50	5.88	0.006927	±2.5	PASS
EGPRS850	128	NV	-30	6.13	0.007438	±2.5	PASS
EGPRS850	128	NV	-20	4.52	0.005484	±2.5	PASS
EGPRS850	128	NV	-10	2.91	0.003531	±2.5	PASS
EGPRS850	128	NV	0	10.56	0.012812	±2.5	PASS
EGPRS850	128	NV	10	6.88	0.008347	±2.5	PASS

EGPRS850	128	NV	20	2.16	0.002621	±2.5	PASS
EGPRS850	128	NV	30	3.26	0.003955	±2.5	PASS
EGPRS850	128	NV	40	2.74	0.003324	±2.5	PASS
EGPRS850	128	NV	50	3.52	0.004271	±2.5	PASS
EGPRS850	190	NV	-30	8.98	0.010734	±2.5	PASS
EGPRS850	190	NV	-20	9.23	0.011033	±2.5	PASS
EGPRS850	190	NV	-10	7.88	0.009419	±2.5	PASS
EGPRS850	190	NV	0	5.46	0.006526	±2.5	PASS
EGPRS850	190	NV	10	10.82	0.012933	±2.5	PASS
EGPRS850	190	NV	20	8.36	0.009993	±2.5	PASS
EGPRS850	190	NV	30	1.74	0.002080	±2.5	PASS
EGPRS850	190	NV	40	5.62	0.006718	±2.5	PASS
EGPRS850	190	NV	50	4.94	0.005905	±2.5	PASS
EGPRS850	251	NV	-30	4.16	0.004901	±2.5	PASS
EGPRS850	251	NV	-20	1.84	0.002168	±2.5	PASS
EGPRS850	251	NV	-10	5.94	0.006998	±2.5	PASS
EGPRS850	251	NV	0	0.81	0.000954	±2.5	PASS
EGPRS850	251	NV	10	0.29	0.000342	±2.5	PASS
EGPRS850	251	NV	20	1.07	0.001261	±2.5	PASS
EGPRS850	251	NV	30	-3.16	-0.003723	±2.5	PASS
EGPRS850	251	NV	40	-1.16	-0.001367	±2.5	PASS
EGPRS850	251	NV	50	3.33	0.003923	±2.5	PASS
GSM1900	512	NV	-30	0.13	0.000070	±2.5	PASS
GSM1900	512	NV	-20	14.59	0.007886	±2.5	PASS
GSM1900	512	NV	-10	12.98	0.007015	±2.5	PASS
GSM1900	512	NV	0	18.34	0.009912	±2.5	PASS
GSM1900	512	NV	10	10.88	0.005880	±2.5	PASS
GSM1900	512	NV	20	12.75	0.006891	±2.5	PASS
GSM1900	512	NV	30	8.88	0.004799	±2.5	PASS
GSM1900	512	NV	40	9.88	0.005340	±2.5	PASS
GSM1900	512	NV	50	7.20	0.003891	±2.5	PASS
GSM1900	661	NV	-30	-14.59	-0.007761	±2.5	PASS
GSM1900	661	NV	-20	-7.10	-0.003777	±2.5	PASS
GSM1900	661	NV	-10	1.94	0.001032	±2.5	PASS
GSM1900	661	NV	0	6.33	0.003367	±2.5	PASS
GSM1900	661	NV	10	1.00	0.000532	±2.5	PASS
GSM1900	661	NV	20	2.26	0.001202	±2.5	PASS
GSM1900	661	NV	30	4.20	0.002234	±2.5	PASS
GSM1900	661	NV	40	2.26	0.001202	±2.5	PASS
GSM1900	661	NV	50	-2.65	-0.001410	±2.5	PASS

GSM1900	810	NV	-30	-4.62	-0.002419	±2.5	PASS
GSM1900	810	NV	-20	0.87	0.000456	±2.5	PASS
GSM1900	810	NV	-10	-1.07	-0.000560	±2.5	PASS
GSM1900	810	NV	0	-4.00	-0.002094	±2.5	PASS
GSM1900	810	NV	10	0.55	0.000288	±2.5	PASS
GSM1900	810	NV	20	2.10	0.001100	±2.5	PASS
GSM1900	810	NV	30	-0.77	-0.000403	±2.5	PASS
GSM1900	810	NV	40	-3.33	-0.001744	±2.5	PASS
GSM1900	810	NV	50	-4.58	-0.002398	±2.5	PASS
GPRS1900	512	NV	-30	-6.33	-0.003421	±2.5	PASS
GPRS1900	512	NV	-20	5.59	0.003021	±2.5	PASS
GPRS1900	512	NV	-10	-2.71	-0.001465	±2.5	PASS
GPRS1900	512	NV	0	-1.13	-0.000611	±2.5	PASS
GPRS1900	512	NV	10	7.52	0.004064	±2.5	PASS
GPRS1900	512	NV	20	8.75	0.004729	±2.5	PASS
GPRS1900	512	NV	30	8.81	0.004762	±2.5	PASS
GPRS1900	512	NV	40	10.69	0.005778	±2.5	PASS
GPRS1900	512	NV	50	-6.20	-0.003351	±2.5	PASS
GPRS1900	661	NV	-30	19.21	0.010218	±2.5	PASS
GPRS1900	661	NV	-20	15.34	0.008160	±2.5	PASS
GPRS1900	661	NV	-10	15.40	0.008191	±2.5	PASS
GPRS1900	661	NV	0	15.53	0.008261	±2.5	PASS
GPRS1900	661	NV	10	20.24	0.010766	±2.5	PASS
GPRS1900	661	NV	20	11.98	0.006372	±2.5	PASS
GPRS1900	661	NV	30	15.92	0.008468	±2.5	PASS
GPRS1900	661	NV	40	17.31	0.009207	±2.5	PASS
GPRS1900	661	NV	50	16.79	0.008931	±2.5	PASS
GPRS1900	810	NV	-30	19.66	0.010294	±2.5	PASS
GPRS1900	810	NV	-20	8.27	0.004330	±2.5	PASS
GPRS1900	810	NV	-10	3.03	0.001587	±2.5	PASS
GPRS1900	810	NV	0	12.53	0.006561	±2.5	PASS
GPRS1900	810	NV	10	26.41	0.013829	±2.5	PASS
GPRS1900	810	NV	20	16.66	0.008723	±2.5	PASS
GPRS1900	810	NV	30	23.25	0.012174	±2.5	PASS
GPRS1900	810	NV	40	32.61	0.017075	±2.5	PASS
GPRS1900	810	NV	50	29.38	0.015384	±2.5	PASS
EGPRS1900	512	NV	-30	9.27	0.005010	±2.5	PASS
EGPRS1900	512	NV	-20	0.71	0.000384	±2.5	PASS
EGPRS1900	512	NV	-10	17.89	0.009669	±2.5	PASS
EGPRS1900	512	NV	0	6.52	0.003524	±2.5	PASS

EGPRS1900	512	NV	10	1.19	0.000643	±2.5	PASS
EGPRS1900	512	NV	20	-1.16	-0.000627	±2.5	PASS
EGPRS1900	512	NV	30	-0.48	-0.000259	±2.5	PASS
EGPRS1900	512	NV	40	-5.81	-0.003140	±2.5	PASS
EGPRS1900	512	NV	50	15.11	0.008167	±2.5	PASS
EGPRS1900	661	NV	-30	0.87	0.000463	±2.5	PASS
EGPRS1900	661	NV	-20	4.71	0.002505	±2.5	PASS
EGPRS1900	661	NV	-10	-1.13	-0.000601	±2.5	PASS
EGPRS1900	661	NV	0	-3.26	-0.001734	±2.5	PASS
EGPRS1900	661	NV	10	-1.29	-0.000686	±2.5	PASS
EGPRS1900	661	NV	20	-3.29	-0.001750	±2.5	PASS
EGPRS1900	661	NV	30	10.59	0.005633	±2.5	PASS
EGPRS1900	661	NV	40	6.39	0.003399	±2.5	PASS
EGPRS1900	661	NV	50	2.52	0.001340	±2.5	PASS
EGPRS1900	810	NV	-30	-7.97	-0.004173	±2.5	PASS
EGPRS1900	810	NV	-20	1.74	0.000911	±2.5	PASS
EGPRS1900	810	NV	-10	7.49	0.003922	±2.5	PASS
EGPRS1900	810	NV	0	-0.29	-0.000152	±2.5	PASS
EGPRS1900	810	NV	10	-6.88	-0.003602	±2.5	PASS
EGPRS1900	810	NV	20	-0.23	-0.000120	±2.5	PASS
EGPRS1900	810	NV	30	1.36	0.000712	±2.5	PASS
EGPRS1900	810	NV	40	-7.39	-0.003870	±2.5	PASS
EGPRS1900	810	NV	50	-4.26	-0.002231	±2.5	PASS