



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#8


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:11:53

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 12 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File :1

Data :#1

Date: 2024/10/4

Temperature:22.7 °C

80.0 dBuV/m

Time: 下午 04:30:53

Humidity:54.6 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	146.4000	42.06	QP	-12.44	29.62	43.50	100	186	-13.88	
	240.9750	38.56	QP	-13.90	24.66	46.00	100	32	-21.34	
	357.3750	46.82	QP	-10.94	35.88	46.00	100	229	-10.12	
*	396.1750	48.99	QP	-9.90	39.09	46.00	100	37	-6.91	
	434.9750	43.41	QP	-8.79	34.62	46.00	100	145	-11.38	
	568.3500	34.94	QP	-6.10	28.84	46.00	100	303	-17.16	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :1

Data :#2


Date: 2024/10/4

Temperature: 22.7 °C

80.0 dBuV/m

Time: 下午 04:32:32

Humidity: 54.6 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	90.6250	45.33	QP	-18.54	26.79	43.50	100	110	-16.71	
	146.4000	39.70	QP	-12.44	27.26	43.50	100	48	-16.24	
	357.3750	40.46	QP	-10.94	29.52	46.00	100	223	-16.48	
	396.1750	42.47	QP	-9.90	32.57	46.00	100	37	-13.43	
*	434.9750	50.48	QP	-8.79	41.69	46.00	100	152	-4.31	
	473.7750	39.76	QP	-7.99	31.77	46.00	100	312	-14.23	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kai

File :3

Data :#1


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:15:24

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2263.500	34.73	peak	-4.44	30.29	74.00	100	21	-43.71	
	2263.500	26.33	AVG	-4.44	21.89	54.00	100	21	-32.11	
	3576.000	34.16	peak	-0.63	33.53	74.00	100	175	-40.47	
	3576.000	26.11	AVG	-0.63	25.48	54.00	100	175	-28.52	
	7324.500	34.02	peak	11.49	45.51	74.00	100	28	-28.49	
*	7324.500	26.08	AVG	11.49	37.57	54.00	100	28	-16.43	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kai

File :3

Data :#5


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:18:01

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2043.000	34.94	peak	-5.23	29.71	74.00	100	214	-44.29	
	2043.000	26.88	AVG	-5.23	21.65	54.00	100	214	-32.35	
	3597.000	33.74	peak	-0.46	33.28	74.00	100	48	-40.72	
	3597.000	25.96	AVG	-0.46	25.50	54.00	100	48	-28.50	
	7930.000	33.34	peak	12.19	45.53	74.00	100	122	-28.47	
*	7930.000	25.77	AVG	12.19	37.96	54.00	100	122	-16.04	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:16:14

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#6


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:18:44

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#3


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:17:05

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#7


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:19:35

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#4


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:17:16

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#8


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:19:46

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #1


Date: 2024/10/4

Temperature: 22.7 °C

80.0 dBuV/m

Time: 下午 04:36:51

Humidity: 54.6 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	146.4000	41.33	QP	-12.44	28.89	43.50	100	39	-14.61	
	219.1500	40.27	QP	-15.89	24.38	46.00	100	188	-21.62	
	337.9750	35.88	QP	-11.33	24.55	46.00	100	203	-21.45	
	367.0750	38.54	QP	-10.61	27.93	46.00	100	207	-18.07	
	408.3000	43.18	QP	-9.58	33.60	46.00	100	35	-12.40	
*	439.8250	43.66	QP	-8.65	35.01	46.00	100	145	-10.99	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #2

Date: 2024/10/4

Temperature: 22.7 °C

80.0 dBuV/m

Time: 下午 04:38:38

Humidity: 54.6 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	61.5250	38.61	QP	-13.22	25.39	40.00	100	152	-14.61	
	76.0750	41.37	QP	-16.62	24.75	40.00	100	43	-15.25	
	90.6250	44.72	QP	-18.54	26.18	43.50	100	230	-17.32	
	146.4000	38.72	QP	-12.44	26.28	43.50	100	118	-17.22	
	163.3750	40.13	QP	-12.45	27.68	43.50	100	35	-15.82	
*	444.6750	44.27	QP	-8.48	35.79	46.00	100	291	-10.21	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File : 3

Data : #1


Date: 2024/10/6

Temperature: 25.8 °C

90.0 dBuV/m

Time: 下午 02:22:27

Humidity: 53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2246.000	34.79	peak	-4.51	30.28	74.00	100	15	-43.72	
	2246.000	26.63	AVG	-4.51	22.12	54.00	100	15	-31.88	
	3597.000	33.91	peak	-0.46	33.45	74.00	100	161	-40.55	
	3597.000	25.99	AVG	-0.46	25.53	54.00	100	161	-28.47	
	7758.500	33.55	peak	11.82	45.37	74.00	100	332	-28.63	
*	7758.500	25.78	AVG	11.82	37.60	54.00	100	332	-16.40	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#5


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:25:03

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2249.500	34.33	peak	-4.49	29.84	74.00	100	135	-44.16	
	2249.500	26.30	AVG	-4.49	21.81	54.00	100	135	-32.19	
	3562.000	34.16	peak	-0.75	33.41	74.00	100	4	-40.59	
	3562.000	26.40	AVG	-0.75	25.65	54.00	100	4	-28.35	
	7247.500	34.15	peak	11.24	45.39	74.00	100	146	-28.61	
*	7247.500	26.87	AVG	11.24	38.11	54.00	100	146	-15.89	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#2


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:23:16

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#6


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:25:45

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#3


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:24:07

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#7


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:26:37

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#4


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:24:18

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :3

Data :#8


Date: 2024/10/6

Temperature:25.8 °C

90.0 dBuV/m

Time: 下午 02:26:48

Humidity:53.0 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22409-23713

M/N:

Test Mode : Cat-M1 Band 26 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin