











Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	-38.87	-20	Pass
NVNT	1-DH1	2441	-38.34	-20	Pass
NVNT	1-DH1	2480	-40.1	-20	Pass
NVNT	2-DH1	2402	-37.42	-20	Pass
NVNT	2-DH1	2441	-37.21	-20	Pass
NVNT	2-DH1	2480	-36.94	-20	Pass
NVNT	3-DH1	2402	-37.15	-20	Pass
NVNT	3-DH1	2441	-37.62	-20	Pass
NVNT	3-DH1	2480	-36.96	-20	Pass



























Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH1	79	15	Pass
NVNT	2-DH1	79	15	Pass
NVNT	3-DH1	79	15	Pass











Dwell Time


Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.375	117.75	314	31600	400	Pass
NVNT	1-DH3	2441	1.629	265.527	163	31600	400	Pass
NVNT	1-DH5	2441	2.879	322.448	112	31600	400	Pass
NVNT	2-DH1	2441	0.382	119.566	313	31600	400	Pass
NVNT	2-DH3	2441	1.631	252.805	155	31600	400	Pass
NVNT	2-DH5	2441	2.88	302.4	105	31600	400	Pass
NVNT	3-DH1	2441	0.382	121.094	317	31600	400	Pass
NVNT	3-DH3	2441	1.631	257.698	158	31600	400	Pass
NVNT	3-DH5	2441	2.883	314.247	109	31600	400	Pass



















APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****