



0-3550										
N78-345 0-3550	30	80	DFT-QPSK	H	Outer_Full	NV	50	-8.010000	-0.002282	PASS
N78-345 0-3550	30	80	DFT-16QAM	H	Outer_Full	NV	-30	-12.660000	-0.003607	PASS
N78-345 0-3550	30	80	DFT-16QAM	H	Outer_Full	NV	-20	-17.740000	-0.005054	PASS
N78-345 0-3550	30	80	DFT-16QAM	H	Outer_Full	NV	-10	-14.780000	-0.004211	PASS
N78-345 0-3550	30	80	DFT-16QAM	H	Outer_Full	NV	0	-12.510000	-0.003564	PASS
N78-345 0-3550	30	80	DFT-16QAM	H	Outer_Full	NV	10	-14.390000	-0.004100	PASS
N78-345 0-3550	30	80	DFT-16QAM	H	Outer_Full	NV	20	-18.240000	-0.005197	PASS
N78-345 0-3550	30	80	DFT-16QAM	H	Outer_Full	NV	30	-11.810000	-0.003365	PASS
N78-345 0-3550	30	80	DFT-16QAM	H	Outer_Full	NV	40	-23.260000	-0.006627	PASS
N78-345 0-3550	30	80	DFT-16QAM	H	Outer_Full	NV	50	-15.660000	-0.004462	PASS
N78-345 0-3550	30	90	DFT-QPSK	L	Outer_Full	NV	-30	-12.860000	-0.003680	PASS
N78-345 0-3550	30	90	DFT-QPSK	L	Outer_Full	NV	-20	-11.490000	-0.003288	PASS
N78-345 0-3550	30	90	DFT-QPSK	L	Outer_Full	NV	-10	-9.020000	-0.002581	PASS
N78-345 0-3550	30	90	DFT-QPSK	L	Outer_Full	NV	0	-10.320000	-0.002953	PASS
N78-345 0-3550	30	90	DFT-QPSK	L	Outer_Full	NV	10	-12.410000	-0.003551	PASS
N78-345 0-3550	30	90	DFT-QPSK	L	Outer_Full	NV	20	-13.080000	-0.003742	PASS
N78-345 0-3550	30	90	DFT-QPSK	L	Outer_Full	NV	30	-13.890000	-0.003974	PASS
N78-345 0-3550	30	90	DFT-QPSK	L	Outer_Full	NV	40	-10.500000	-0.003004	PASS
N78-345 0-3550	30	90	DFT-QPSK	L	Outer_Full	NV	50	-16.600000	-0.004750	PASS
N78-345 0-3550	30	90	DFT-16QAM	L	Outer_Full	NV	-30	-13.050000	-0.003734	PASS
N78-345	30	90	DFT-16QAM	L	Outer_Full	NV	-20	-14.640000	-0.004189	PASS



0-3550										
N78-345 0-3550	30	90	DFT-16QAM	L	Outer_Full	NV	-10	-14.340000	-0.004103	PASS
N78-345 0-3550	30	90	DFT-16QAM	L	Outer_Full	NV	0	-13.680000	-0.003914	PASS
N78-345 0-3550	30	90	DFT-16QAM	L	Outer_Full	NV	10	-11.650000	-0.003333	PASS
N78-345 0-3550	30	90	DFT-16QAM	L	Outer_Full	NV	20	-10.640000	-0.003044	PASS
N78-345 0-3550	30	90	DFT-16QAM	L	Outer_Full	NV	30	-15.480000	-0.004429	PASS
N78-345 0-3550	30	90	DFT-16QAM	L	Outer_Full	NV	40	-9.880000	-0.002827	PASS
N78-345 0-3550	30	90	DFT-16QAM	L	Outer_Full	NV	50	-16.379999	-0.004687	PASS
N78-345 0-3550	30	90	DFT-QPSK	M	Outer_Full	NV	-30	-22.970000	-0.006563	PASS
N78-345 0-3550	30	90	DFT-QPSK	M	Outer_Full	NV	-20	-13.080000	-0.003737	PASS
N78-345 0-3550	30	90	DFT-QPSK	M	Outer_Full	NV	-10	-10.420000	-0.002977	PASS
N78-345 0-3550	30	90	DFT-QPSK	M	Outer_Full	NV	0	-6.180000	-0.001766	PASS
N78-345 0-3550	30	90	DFT-QPSK	M	Outer_Full	NV	10	-13.810000	-0.003946	PASS
N78-345 0-3550	30	90	DFT-QPSK	M	Outer_Full	NV	20	-14.130000	-0.004037	PASS
N78-345 0-3550	30	90	DFT-QPSK	M	Outer_Full	NV	30	-22.760000	-0.006503	PASS
N78-345 0-3550	30	90	DFT-QPSK	M	Outer_Full	NV	40	-18.430000	-0.005266	PASS
N78-345 0-3550	30	90	DFT-QPSK	M	Outer_Full	NV	50	-17.010000	-0.004860	PASS
N78-345 0-3550	30	90	DFT-16QAM	M	Outer_Full	NV	-30	-12.080000	-0.003451	PASS
N78-345 0-3550	30	90	DFT-16QAM	M	Outer_Full	NV	-20	-16.840000	-0.004811	PASS
N78-345 0-3550	30	90	DFT-16QAM	M	Outer_Full	NV	-10	-16.900000	-0.004829	PASS
N78-345 0-3550	30	90	DFT-16QAM	M	Outer_Full	NV	0	-13.050000	-0.003729	PASS
N78-345 0-3550	30	90	DFT-16QAM	M	Outer_Full	NV	10	-13.000000	-0.003714	PASS



0-3550										
N78-345 0-3550	30	90	DFT-16QAM	M	Outer_Full	NV	20	-10.750000	-0.003071	PASS
N78-345 0-3550	30	90	DFT-16QAM	M	Outer_Full	NV	30	-12.800000	-0.003657	PASS
N78-345 0-3550	30	90	DFT-16QAM	M	Outer_Full	NV	40	-18.950000	-0.005414	PASS
N78-345 0-3550	30	90	DFT-16QAM	M	Outer_Full	NV	50	-7.960000	-0.002274	PASS
N78-345 0-3550	30	90	DFT-QPSK	H	Outer_Full	NV	-30	-14.820000	-0.004228	PASS
N78-345 0-3550	30	90	DFT-QPSK	H	Outer_Full	NV	-20	-10.640000	-0.003036	PASS
N78-345 0-3550	30	90	DFT-QPSK	H	Outer_Full	NV	-10	-15.880000	-0.004531	PASS
N78-345 0-3550	30	90	DFT-QPSK	H	Outer_Full	NV	0	-16.830000	-0.004802	PASS
N78-345 0-3550	30	90	DFT-QPSK	H	Outer_Full	NV	10	-13.910000	-0.003969	PASS
N78-345 0-3550	30	90	DFT-QPSK	H	Outer_Full	NV	20	-17.520000	-0.004999	PASS
N78-345 0-3550	30	90	DFT-QPSK	H	Outer_Full	NV	30	-14.110000	-0.004026	PASS
N78-345 0-3550	30	90	DFT-QPSK	H	Outer_Full	NV	40	-11.500000	-0.003281	PASS
N78-345 0-3550	30	90	DFT-QPSK	H	Outer_Full	NV	50	-15.830000	-0.004516	PASS
N78-345 0-3550	30	90	DFT-16QAM	H	Outer_Full	NV	-30	-13.370000	-0.003815	PASS
N78-345 0-3550	30	90	DFT-16QAM	H	Outer_Full	NV	-20	-12.440000	-0.003549	PASS
N78-345 0-3550	30	90	DFT-16QAM	H	Outer_Full	NV	-10	-16.360000	-0.004668	PASS
N78-345 0-3550	30	90	DFT-16QAM	H	Outer_Full	NV	0	-11.780000	-0.003361	PASS
N78-345 0-3550	30	90	DFT-16QAM	H	Outer_Full	NV	10	-15.370000	-0.004385	PASS
N78-345 0-3550	30	90	DFT-16QAM	H	Outer_Full	NV	20	-15.670000	-0.004471	PASS
N78-345 0-3550	30	90	DFT-16QAM	H	Outer_Full	NV	30	-15.570000	-0.004442	PASS
N78-345	30	90	DFT-16QAM	H	Outer_Full	NV	40	-17.250000	-0.004922	PASS



0-3550										
N78-345 0-3550	30	90	DFT-16QAM	H	Outer_Full	NV	50	-10.330000	-0.002947	PASS
N78-345 0-3550	30	100	DFT-QPSK	L	Outer_Full	NV	-30	-12.940000	-0.003697	PASS
N78-345 0-3550	30	100	DFT-QPSK	L	Outer_Full	NV	-20	-9.980000	-0.002851	PASS
N78-345 0-3550	30	100	DFT-QPSK	L	Outer_Full	NV	-10	-8.119999	-0.002320	PASS
N78-345 0-3550	30	100	DFT-QPSK	L	Outer_Full	NV	0	-14.290000	-0.004083	PASS
N78-345 0-3550	30	100	DFT-QPSK	L	Outer_Full	NV	10	-6.440000	-0.001840	PASS
N78-345 0-3550	30	100	DFT-QPSK	L	Outer_Full	NV	20	-9.420000	-0.002691	PASS
N78-345 0-3550	30	100	DFT-QPSK	L	Outer_Full	NV	30	-20.190000	-0.005769	PASS
N78-345 0-3550	30	100	DFT-QPSK	L	Outer_Full	NV	40	-15.400000	-0.004400	PASS
N78-345 0-3550	30	100	DFT-QPSK	L	Outer_Full	NV	50	-17.400000	-0.004971	PASS
N78-345 0-3550	30	100	DFT-16QAM	L	Outer_Full	NV	-30	-14.370000	-0.004106	PASS
N78-345 0-3550	30	100	DFT-16QAM	L	Outer_Full	NV	-20	-16.450000	-0.004700	PASS
N78-345 0-3550	30	100	DFT-16QAM	L	Outer_Full	NV	-10	-9.050000	-0.002586	PASS
N78-345 0-3550	30	100	DFT-16QAM	L	Outer_Full	NV	0	-15.810000	-0.004517	PASS
N78-345 0-3550	30	100	DFT-16QAM	L	Outer_Full	NV	10	-17.610000	-0.005031	PASS
N78-345 0-3550	30	100	DFT-16QAM	L	Outer_Full	NV	20	-14.600000	-0.004171	PASS
N78-345 0-3550	30	100	DFT-16QAM	L	Outer_Full	NV	30	-14.490000	-0.004140	PASS
N78-345 0-3550	30	100	DFT-16QAM	L	Outer_Full	NV	40	-19.450000	-0.005557	PASS
N78-345 0-3550	30	100	DFT-16QAM	L	Outer_Full	NV	50	-19.180000	-0.005480	PASS
N78-345 0-3550	30	100	DFT-QPSK	M	Outer_Full	NV	-30	-13.110000	-0.003746	PASS
N78-345	30	100	DFT-QPSK	M	Outer_Full	NV	-20	-19.470000	-0.005563	PASS



0-3550										
N78-345 0-3550	30	100	DFT-QPSK	M	Outer_Full	NV	-10	-13.730000	-0.003923	PASS
N78-345 0-3550	30	100	DFT-QPSK	M	Outer_Full	NV	0	-14.570000	-0.004163	PASS
N78-345 0-3550	30	100	DFT-QPSK	M	Outer_Full	NV	10	-9.170000	-0.002620	PASS
N78-345 0-3550	30	100	DFT-QPSK	M	Outer_Full	NV	20	-10.260000	-0.002931	PASS
N78-345 0-3550	30	100	DFT-QPSK	M	Outer_Full	NV	30	-13.740000	-0.003926	PASS
N78-345 0-3550	30	100	DFT-QPSK	M	Outer_Full	NV	40	-11.760000	-0.003360	PASS
N78-345 0-3550	30	100	DFT-QPSK	M	Outer_Full	NV	50	-17.500000	-0.005000	PASS
N78-345 0-3550	30	100	DFT-16QAM	M	Outer_Full	NV	-30	-15.440000	-0.004411	PASS
N78-345 0-3550	30	100	DFT-16QAM	M	Outer_Full	NV	-20	-12.800000	-0.003657	PASS
N78-345 0-3550	30	100	DFT-16QAM	M	Outer_Full	NV	-10	-15.420000	-0.004406	PASS
N78-345 0-3550	30	100	DFT-16QAM	M	Outer_Full	NV	0	-16.660000	-0.004760	PASS
N78-345 0-3550	30	100	DFT-16QAM	M	Outer_Full	NV	10	-10.940000	-0.003126	PASS
N78-345 0-3550	30	100	DFT-16QAM	M	Outer_Full	NV	20	-12.860000	-0.003674	PASS
N78-345 0-3550	30	100	DFT-16QAM	M	Outer_Full	NV	30	-13.630000	-0.003894	PASS
N78-345 0-3550	30	100	DFT-16QAM	M	Outer_Full	NV	40	-15.520000	-0.004434	PASS
N78-345 0-3550	30	100	DFT-16QAM	M	Outer_Full	NV	50	-16.410000	-0.004689	PASS
N78-345 0-3550	30	100	DFT-QPSK	H	Outer_Full	NV	-30	-18.270000	-0.005220	PASS
N78-345 0-3550	30	100	DFT-QPSK	H	Outer_Full	NV	-20	-10.260000	-0.002931	PASS
N78-345 0-3550	30	100	DFT-QPSK	H	Outer_Full	NV	-10	-15.610000	-0.004460	PASS
N78-345 0-3550	30	100	DFT-QPSK	H	Outer_Full	NV	0	-15.070000	-0.004306	PASS
N78-345	30	100	DFT-QPSK	H	Outer_Full	NV	10	-15.330000	-0.004380	PASS